



Universiteit
Leiden
The Netherlands

Cellular therapy after spinal cord injury using neural progenitor cells

Vroemen, Maurice

Citation

Vroemen, M. (2006, January 17). *Cellular therapy after spinal cord injury using neural progenitor cells*. Retrieved from <https://hdl.handle.net/1887/4319>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4319>

Note: To cite this publication please use the final published version (if applicable).

CELLULAR THERAPY AFTER SPINAL CORD INJURY USING NEURAL PROGENITOR CELLS

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus Dr. D.D. Breimer,
hoogleraar in de faculteit der Wiskunde en
Natuurwetenschappen en die der Geneeskunde,
volgens het besluit van het College voor Promoties
te verdedigen op dinsdag 17 januari 2006
klokke 14.15 uur

door

Maurice Vroemen

geboren te Heerlen
in 1973

Promotiecommissie

Promotores: Prof. Dr. E. Marani

Prof. Dr. J. Winkler (Universität Regensburg)

Co-promotor: Dr. N. Weidner (Universität Regensburg)

Referent: Prof. Dr. M. Tuszynski (University of California, San Diego)

Overigen leden: Prof. Dr. R. T. W. M. Thomeer

Prof.Dr. J. G. van Dijk

Prof. Dr. R. A. C. Roos

The research described in this thesis was performed at the Department of Neurology, University of Regensburg and at the Department of Neurosciences, University of California, San Diego.

veur Pap en Mam

TABLE OF CONTENTS

1.	General Introduction	7
2.	Adult neural progenitor cell grafts survive after acute spinal cord injury and integrate along axonal pathways	37
3.	Adult neural progenitor cells provide a permissive guiding substrate for corticospinal axon growth following spinal cord injury	59
4a.	Purification of Schwann cells by selection of p75 low affinity nerve growth factor receptor expressing cells from adult peripheral nerve	81
4b.	Schwann cells fail to replace fibroblasts as supporting cells for adult neural progenitor cell grafts in the acutely injured spinal cord	97
5.	Loss of gene expression in lentivirus- and retrovirus-transduced neural progenitor cells is correlated to migration and differentiation in the adult spinal cord	119
6.	<i>In vivo</i> high resolution MRI of neuropathological changes in the injured rat spinal cord	141
7.	Conclusions and general discussion	157
	Nederlandse samenvatting	171
	Abbreviations	175
	Curriculum vitae	177
	Publications	179
	Acknowledgments	183

