



Universiteit
Leiden
The Netherlands

The stellar mass-size evolution of galaxies from $z=7$ to $z=0$

Mosleh, M.

Citation

Mosleh, M. (2013, June 12). *The stellar mass-size evolution of galaxies from $z=7$ to $z=0$* . Uitgeverij BOXPress : 's-Hertogenbosch. Retrieved from <https://hdl.handle.net/1887/20961>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/20961>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/20961> holds various files of this Leiden University dissertation.

Author: Mosleh, Moein

Title: The stellar mass-size evolution of galaxies from $z=7$ to $z=0$

Issue Date: 2013-06-12

The Stellar Mass-Size Evolution of Galaxies From $z = 7$ to $z = 0$

Moein Mosleh

Cover design: Moein Mosleh
Published by: Uitgeverij BOXPress, 's-Hertogenbosch
ISBN: 978-90-8891-642-7

ISBN 978-90-8891-642-7



9 789088 916427 >

The Stellar Mass-Size Evolution of Galaxies From $z = 7$ to $z = 0$

PROEFSCHRIFT

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus prof. mr. C. J. J. M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 12 juni 2013
klokke 15.00 uur

door

Moein Mosleh
geboren te Shiraz, Iran
in 1980

Promotiecommissie

Promotor: Prof. dr. M. Franx

Co-Promoter: Dr. R. J. Williams Carnegie Observatories

Overige leden: Prof. dr. H. J. A. Rottgering

Prof. dr. K. Kuijken

Dr. J. Brinchmann

Prof. dr. J. Schaye

Dr. A. Bunker

University of Oxford

To Mom, Dad and Mahsan

*“Adam’s sons are body limbs, to say;
For they’re created of the same clay.
Should one organ be troubled by pain,
Others would suffer severe strain.
Thou, careless of people’s suffering,
Deserve not the name, human being.”*

Saadi Shirazi

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 1 |
| 1.1 | History | 2 |
| 1.2 | Galaxies at High Redshifts | 3 |
| 1.3 | Scaling Relations | 4 |
| 1.4 | This Thesis | 7 |
| 1.5 | Conclusion and Outlook | 9 |
| 2 | The Evolution of the Mass-Size Relation to $z = 3.5$ for UV-Bright Galaxies and Submillimeter Galaxies in the GOODS-NORTH Field | 13 |
| 2.1 | Introduction | 15 |
| 2.2 | Description of Data | 16 |
| 2.3 | Sizes | 17 |
| 2.3.1 | Size Measurements | 17 |
| 2.3.2 | Simulations | 18 |
| 2.4 | Stellar Mass estimates | 19 |
| 2.5 | Subsamples | 19 |
| 2.6 | Results | 22 |
| 2.6.1 | Size Evolution | 22 |
| 2.6.2 | Stellar Mass-Size Relation | 23 |
| 2.6.3 | Color-Surface Density | 28 |
| 2.6.4 | Sizes of Submillimeter Galaxies | 30 |
| 2.7 | Discussion | 30 |
| 2.7.1 | The growth of star-forming galaxies | 30 |
| 2.7.2 | Comparison to previous work | 32 |
| 2.7.3 | Caveats | 33 |
| 2.8 | Summary | 34 |
| 2.9 | Acknowledgments | 34 |
| 3 | The Evolution of Mass-Size Relation for Lyman Break Galaxies From $z = 1$ to $z = 7$ | 39 |
| 3.1 | Introduction | 41 |
| 3.2 | Description of Data | 42 |
| 3.3 | Sizes | 43 |
| 3.4 | Results | 45 |
| 3.4.1 | Size-Mass Evolution | 45 |
| 3.4.2 | Size Evolution at Fixed Mass | 45 |
| 3.5 | Summary And Discussion | 48 |

| | | |
|----------|---|------------|
| 4 | On the Robustness of $z = 0 - 1$ Galaxy Size Measurements Through Model and Non-Parametric Fits | 53 |
| 4.1 | Introduction | 55 |
| 4.2 | Data | 57 |
| 4.3 | Sizes at $z = 0$ | 58 |
| 4.3.1 | Parametric Methods | 59 |
| 4.3.2 | Non-Parametric Method | 60 |
| 4.3.3 | Simulations (<i>I</i>) & (<i>II</i>) | 61 |
| 4.4 | Stellar Mass-Size Relation At $z = 0$ | 64 |
| 4.5 | Redshifting Galaxies to $z = 1$ | 67 |
| 4.5.1 | Method | 67 |
| 4.5.2 | Comparing to Sizes at $z = 0$ | 71 |
| 4.5.3 | Stellar Mass-Size Relation after Redshifting | 73 |
| 4.6 | Discussion | 74 |
| 4.7 | Summary | 76 |
| 4.8 | Acknowledgments | 76 |
| 4.9 | Appendix A | 77 |
| 4.9.1 | Failure of Single Sérsic Fitting at $z = 0$ | 77 |
| 4.10 | Appendix B | 79 |
| 4.10.1 | High Redshift Simulations | 79 |
| 5 | Galaxy Zoo: Passive Red Spirals | 87 |
| 5.1 | Introduction | 89 |
| 5.2 | Sample Selection and Data | 91 |
| 5.2.1 | Selection of Red Spiral Galaxies | 92 |
| 5.3 | Star Formation in Red Spirals | 96 |
| 5.3.1 | Dust Content | 99 |
| 5.3.2 | Recent Star Formation History | 100 |
| 5.4 | The Effect of Environment | 103 |
| 5.4.1 | The Environments of Red Spirals | 104 |
| 5.4.2 | Environmental Dependence of Star Formation | 105 |
| 5.5 | The Impact of AGN | 107 |
| 5.6 | Bar Fractions in Red/Blue Spirals | 113 |
| 5.7 | Discussion | 114 |
| 5.7.1 | Future Directions | 116 |
| 5.8 | Summary and Conclusions | 117 |
| 5.9 | Appendix A: Sample of Data Tables | 119 |
| | Nederlandse samenvatting | 127 |
| | Curriculum vitae | 135 |
| | Acknowledgement | 137 |