



Universiteit  
Leiden  
The Netherlands

## The stellar mass-size evolution of galaxies from $z=7$ to $z=0$

Mosleh, M.

### Citation

Mosleh, M. (2013, June 12). *The stellar mass-size evolution of galaxies from  $z=7$  to  $z=0$* . Uitgeverij BOXPress : 's-Hertogenbosch. Retrieved from <https://hdl.handle.net/1887/20961>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/20961>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/20961> holds various files of this Leiden University dissertation.

**Author:** Mosleh, Moein

**Title:** The stellar mass-size evolution of galaxies from z=7 to z=0

**Issue Date:** 2013-06-12

# The Stellar Mass-Size Evolution of Galaxies From $z = 7$ to $z = 0$

Moein Mosleh

Cover design: Moein Mosleh  
Published by: Uitgeverij BOXPress, 's-Hertogenbosch  
ISBN: 978-90-8891-642-7

ISBN 978-90-8891-642-7



9 789088 916427 >

# The Stellar Mass-Size Evolution of Galaxies From $z = 7$ to $z = 0$

PROEFSCHRIFT

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van de Rector Magnificus prof. mr. C. J. J. M. Stolker,  
volgens besluit van het College voor Promoties  
te verdedigen op woensdag 12 juni 2013  
klokke 15.00 uur

door

Moein Mosleh  
geboren te Shiraz, Iran  
in 1980

## **Promotiecommisie**

Promotor: Prof. dr. M. Franx

Co-Promoter: Dr. R. J. Williams Carnegie Observatories

Overige leden: Prof. dr. H. J. A. Rottgering

Prof. dr. K. Kuijken

Dr. J. Brinchmann

Prof. dr. J. Schaye

Dr. A. Bunker

University of Oxford

To Mom, Dad and Mahsan



*“Adam’s sons are body limbs, to say;  
For they’re created of the same clay.  
Should one organ be troubled by pain,  
Others would suffer severe strain.  
Thou, careless of people’s suffering,  
Deserve not the name, human being.”*

*Saadi Shirazi*



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	History	2
1.2	Galaxies at High Redshifts	3
1.3	Scaling Relations	4
1.4	This Thesis	7
1.5	Conclusion and Outlook	9
<b>2</b>	<b>The Evolution of the Mass-Size Relation to <math>z = 3.5</math> for UV-Bright Galaxies and Submillimeter Galaxies in the GOODS-NORTH Field</b>	<b>13</b>
2.1	Introduction	15
2.2	Description of Data	16
2.3	Sizes	17
2.3.1	Size Measurements	17
2.3.2	Simulations	18
2.4	Stellar Mass estimates	19
2.5	Subsamples	19
2.6	Results	22
2.6.1	Size Evolution	22
2.6.2	Stellar Mass-Size Relation	23
2.6.3	Color-Surface Density	28
2.6.4	Sizes of Submillimeter Galaxies	30
2.7	Discussion	30
2.7.1	The growth of star-forming galaxies	30
2.7.2	Comparison to previous work	32
2.7.3	Caveats	33
2.8	Summary	34
2.9	Acknowledgments	34
<b>3</b>	<b>The Evolution of Mass-Size Relation for Lyman Break Galaxies From <math>z = 1</math> to <math>z = 7</math></b>	<b>39</b>
3.1	Introduction	41
3.2	Description of Data	42
3.3	Sizes	43
3.4	Results	45
3.4.1	Size-Mass Evolution	45
3.4.2	Size Evolution at Fixed Mass	45
3.5	Summary And Discussion	48

---

<b>4 On the Robustness of <math>z = 0 - 1</math> Galaxy Size Measurements Through Model and Non-Parametric Fits</b>	<b>53</b>
4.1 Introduction . . . . .	55
4.2 Data . . . . .	57
4.3 Sizes at $z = 0$ . . . . .	58
4.3.1 Parametric Methods . . . . .	59
4.3.2 Non-Parametric Method . . . . .	60
4.3.3 Simulations ( <i>I</i> ) & ( <i>II</i> ) . . . . .	61
4.4 Stellar Mass-Size Relation At $z = 0$ . . . . .	64
4.5 Redshifting Galaxies to $z = 1$ . . . . .	67
4.5.1 Method . . . . .	67
4.5.2 Comparing to Sizes at $z = 0$ . . . . .	71
4.5.3 Stellar Mass-Size Relation after Redshifting . . . . .	73
4.6 Discussion . . . . .	74
4.7 Summary . . . . .	76
4.8 Acknowledgments . . . . .	76
4.9 Appendix A . . . . .	77
4.9.1 Failure of Single Sérsic Fitting at $z = 0$ . . . . .	77
4.10 Appendix B . . . . .	79
4.10.1 High Redshift Simulations . . . . .	79
<b>5 Galaxy Zoo: Passive Red Spirals</b>	<b>87</b>
5.1 Introduction . . . . .	89
5.2 Sample Selection and Data . . . . .	91
5.2.1 Selection of Red Spiral Galaxies . . . . .	92
5.3 Star Formation in Red Spirals . . . . .	96
5.3.1 Dust Content . . . . .	99
5.3.2 Recent Star Formation History . . . . .	100
5.4 The Effect of Environment . . . . .	103
5.4.1 The Environments of Red Spirals . . . . .	104
5.4.2 Environmental Dependence of Star Formation . . . . .	105
5.5 The Impact of AGN . . . . .	107
5.6 Bar Fractions in Red/Blue Spirals . . . . .	113
5.7 Discussion . . . . .	114
5.7.1 Future Directions . . . . .	116
5.8 Summary and Conclusions . . . . .	117
5.9 Appendix A: Sample of Data Tables . . . . .	119
<b>Nederlandse samenvatting</b>	<b>127</b>
<b>Curriculum vitae</b>	<b>135</b>
<b>Acknowledgement</b>	<b>137</b>