

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/19026> holds various files of this Leiden University dissertation.

Author: Uiter, Edo van

Title: Weak gravitational lensing in the red-sequence cluster survey 2

Date: 2012-05-29

Weak gravitational lensing in the Red-sequence Cluster Survey 2

Edo van Uitert

Weak gravitational lensing in the Red-sequence Cluster Survey 2

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus prof. mr. P. F. van der Heijden,
volgens besluit van het College voor Promoties
te verdedigen op dinsdag 29 mei 2012
klokke 13:45 uur

door

Edo van Uitert
geboren te Groningen
1984

Promotiecommissie

Promotor: Prof.dr. K. H. Kuijken

Co-Promotor: Dr. H. Hoekstra

Overige leden: Prof.dr. M. Franx
Prof.dr. J. Schaye
Prof.dr. P. Schneider (Argelander-Institut für Astronomie, Bonn)
Prof.dr. H. K. C. Yee (University of Toronto)

Voor saba&safta, opa&oma

Energie doet overwinnen (C. van Uitert, 1984)

Cover design: Redmar van Leeuwen en Edo van Uitert

Contents

1	Introduction	1
1.1	The Λ CDM framework	1
1.2	Gravitational lensing	5
1.3	Applications of weak gravitational lensing	11
1.4	This thesis	13
2	Data reduction of the RCS2	17
2.1	Introduction	17
2.2	Red Sequence Cluster Survey 2	19
2.3	Data reduction	22
2.4	Catalogue creation	25
2.5	Quality Checks	28
3	On the relation between baryons and dark matter in galaxies in the Red Sequence Cluster Survey 2	37
3.1	Introduction	38
3.2	Lens Sample	40
3.3	Lensing analysis	44
3.4	Halo model	51
3.5	Comparison with dynamical mass	55
3.6	Luminosity results	58
3.7	Stellar mass results	68
3.8	Conclusions	75
	Appendices	81
3.A	Scatter of lenses between bins	81
3.B	Mean versus fitted halo mass	83
3.C	Constraints on the satellite fraction at high halo masses	85
4	Stellar mass versus velocity dispersion as tracer of the lensing signal around galaxies	91
4.1	Introduction	92
4.2	Lensing analysis	93
4.3	Results	99
4.4	Conclusion	105
5	Constraints on the shapes of dark matter haloes from weak gravitational lensing	109
5.1	Introduction	111
5.2	Lensing analysis	112
5.3	Shear ratio	126
5.4	Impact of multiple lenses	129
5.5	Halo ellipticity	135
5.6	Conclusion	144

Appendices	148
5.A Lens selection	148
5.B Environment selection	149
5.C Average ratios and their errors	151
5.D Lens light contamination	151
5.E Magnification	153
5.F Multiple deflections	155
5.G Intrinsic alignments	158
6 Redshift dependence of the mass-richness relation of clusters in the second Red-sequence Cluster Survey	161
6.1 Introduction	162
6.2 Lensing analysis	164
6.3 Mass-richness relation	169
6.4 Redshift dependence of the mass-richness relation	177
6.5 Conclusion	182
Appendices	185
6.A Distribution of satellites	185
Nederlandse samenvatting	189
Curriculum Vitae	197
Dankwoord	199