

Automated segmentation of atherosclerotic arteries in MR Images Adame Valero, I.M.

Citation

Adame Valero, I. M. (2007, April 4). Automated segmentation of atherosclerotic arteries in MR Images. ASCI dissertation series. ASCI graduate school|Laboratory for Clinical en Experimental Image processing, Faculty of Medicine / Leiden University Medical Center (LUMC), Leiden University. Retrieved from https://hdl.handle.net/1887/11467

Version: Corrected Publisher's Version

License: License agreement concerning inclusion of doctoral thesis in the

<u>Institutional Repository of the University of Leiden</u>

Downloaded from: https://hdl.handle.net/1887/11467

Note: To cite this publication please use the final published version (if applicable).

Index of tables

Table 3.1 MRI Parameters. (TOF: time of flight, PDW: proton density weighted, T1W: T1 weighted, T2W: T2 weighted, TR: repetition time, TE: echo time).	32
Table 3.2. Comparison between manual and automatic measurements: mean and standard deviation of manual and automatic measurements and of the differences between manual and automatic contours.	33
Table 3.3. Reproducibility of the automated algorithm	36
Table 3.4. Plaque Characterization with Magnetic Resonance. Relative MR signal intensity to that of the background (muscle)	37
Table 4.1 Comparison between manual and automatic measurements: mean and standard deviation of manual and automatic measurements and of the differences between manual and automatic contours.	48
Table 4.2. Reproducibility of the automated algorithm	51
Table 5.1 Descriptive statistics of aortic wall thickness and area as measured by two observers and the automatic measurements resulting from our algorithm.	62
Table 5.2. Inter-observer reproducibility	62
Table 6.1 MRI parameters (TR: repetition time, TE: echo time).	74
Table 6.2. Stenosis and plaque burden measurements. Data = mean + stdev. A: minimal plaque; B: moderate plaque evenly distributed along the circumference of the vessel; C: moderate plaque localized in a small region of the vessel wall; D: more prominent plaque covering a large area along the vessel	78
Table 6.3 Reproducibility. A: minimal lumen diameter; B: reference diameter, measured immediately distal to the narrowing beyond any poststenotic dilatation.	79
Table 7.1 Descriptive statistics for lumen, outer wall and vessel wall areas (per slice) for each independent observer and the automated algorithm	96
Table 7.2 Correlations between the quantitative measurements obtained from the automatically detected contours (auto: output of our algorithm) and those manually traced by two expert radiologists (exp1, exp2).	97
Table 7.3. Average paired differences between measurements derived from the automated processing (auto) and those obtained from the two independent standards (exp1 and exp2), for vessel wall thickness (mean), and area measurements.	97

INDEX OF TABLES

Table 7.4. Inter- and intra-observer reproducibility, regarding manual initialization (seed point), for vessel wall area measurements	97
Table 7.5. Variation expert's measurements - automated method's measurements. : vessel wall area in baseline image; : vessel wall area in follow up image (enlarged vessel wall); : relative enlargement of the vessel wall.	99