



Universiteit  
Leiden  
The Netherlands

## Disease progression and high field MRI in CADASIL

Liem, M.K.Y.

### Citation

Liem, M. K. Y. (2011, November 9). *Disease progression and high field MRI in CADASIL*. Retrieved from <https://hdl.handle.net/1887/18043>

Version: Corrected Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/18043>

**Note:** To cite this publication please use the final published version (if applicable).

# Disease progression and high field MRI in CADASIL

Michael Kwan-Yoe Liem

2011

Printed by: Optima Grafische Communicatie, Rotterdam, The Netherlands

ISBN/EAN 978-94-6169-129-3

© 2011, M.K. Liem, Leiden, The Netherlands. All rights reserved. No part of this thesis may be reproduced or transmitted in any form, by any means, without prior written permission of the author.

# **Disease progression and high field MRI in CADASIL**

## **Proefschrift**

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof.mr. P.F. van der Heijden,  
volgens besluit van het College voor Promoties  
te verdedigen op woensdag 9 november 2011

klokke 15:00 uur

door

**Michael Kwan-Yoe Liem**

geboren te Schiedam  
in 1978

## **PROMOTIECOMMISSIE**

### **Promotores**

Prof. dr. M.A. van Buchem

Prof. dr. M.D. Ferrari

### **Co-promotores**

Dr. J. van der Grond

Dr. S.A.J. Lesnik Oberstein

### **Overige commissieleden**

Prof. dr. F. Barkhof

(VU Medisch Centrum, Amsterdam)

Prof. dr. A.G. Webb

Prof. dr. M.H. Breuning

Prof. dr. H.A.M. Middelkoop

Dr. J. Haan

(Rijnland Ziekenhuis, Leiderdorp)

The research described in this thesis was carried out at the department of Radiology (head: Prof. dr. J.L. Bloem) of the Leiden University Medical Center.

Financial support by the Dutch Heart Foundation and Alzheimer Nederland for the publication of this thesis is gratefully acknowledged.

Financial support for this thesis was generously provided by: J.E. Jurriaanse stichting, Chipsoft B.V., Philips Healthcare, Stichting IMAGO, Guerbet Nederland, Sectra Medical Systems, Menarini Farma, Toshiba Medical Systems, Nederlandse Hoofdpijn Vereniging.

*Aan mijn ouders*



# Contents

1. General introduction	9
<b>A. Studies on CADASIL disease progression and its determinants</b>	
2. CADASIL: progression of MR abnormalities in prospective 7-year follow-up study. <i>Radiology. 2008 Dec;249(3):964-71.</i>	21
3. Lacunar infarcts are the main correlate with cognitive dysfunction in CADASIL. <i>Stroke. 2007 Mar;38(3):923-8.</i>	37
4. MRI correlates of cognitive decline in CADASIL: a 7-year follow-up study. <i>Neurology. 2009 Jan 13;72(2):143-8.</i>	49
5. Cerebrovascular reactivity is a main determinant of white matter hyperintensity progression in CADASIL. <i>AJNR Am J Neuroradiol. 2009 Jun;30(6):1244-7.</i>	63
6. Homozygosity for a NOTCH3 mutation in a 65-year-old CADASIL patient with mild symptoms : A family report. <i>J Neurol. 2008 Dec;255(12):1978-80.</i>	75
<b>B. High field MRI in CADASIL</b>	
7. Lenticulostriate arterial lumina are normal in CADASIL. A high-field in-vivo MRI study. <i>Stroke 2010, Dec;41(12):2812-6.</i>	89
8. 7T MRI reveals diffuse iron deposition in the putamen and caudate nucleus in CADASIL <i>Submitted</i>	103
9. Summary and conclusions <i>Samenvatting en conclusie</i>	117
List of publications	127
Dankwoord	131
Curriculum Vitae	133

