



Universiteit
Leiden
The Netherlands

Role of reactive oxygen species in rheumatoid arthritis synovial T lymphocytes

Remans, Philip Herman Jozef

Citation

Remans, P. H. J. (2006, September 12). *Role of reactive oxygen species in rheumatoid arthritis synovial T lymphocytes*. Retrieved from <https://hdl.handle.net/1887/4569>


Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4569>

Note: To cite this publication please use the final published version (if applicable).

ROLE OF REACTIVE OXYGEN SPECIES IN RHEUMATOID ATHRITIS
SYNOVIAL T LYMPHOCYTES



ISBN 90 316 0054 2

**ROLE OF REACTIVE OXYGEN SPECIES
IN RHEUMATOID ARTHRITIS
SYNOVIAL T LYMPHOCYTES**

PROEFSCHRIFT

TER VERKRIJGING VAN DE GRAAD VAN DOCTOR
AAN DE RIJKSUNIVERSITEIT TE LEIDEN,
OP GEZAG VAN DE RECTOR MAGNIFICUS DR. D.D. BREIMER,
HOOGLERAAR IN DE FACULTEIT DER WISKUNDE EN NATUURKUNDE,
VOLGENS BESLUIT VAN HET COLLEGE VOOR PROMOTIES
TE VERDEDIGEN OP DINSDAG 14 SEPTEMBER 2006
KLOKKE 16.00 UUR

DOOR

Philip Remans

GEBOREN TE GENK, BELGIE, IN 1969

PROMOTIECOMMISSIE

Promotores: Prof. Dr. F.C. Breedveld
Prof. Dr. P.P. Tak (Amsterdam Medical Center)

Co-promotor: Dr. J.M. Van Laar

Referent: Prof. Dr. C.L. Verweij (VU University Medical Center)

Leden: Prof. Dr. M. Daha
Prof. Dr. F. Koning

Contents

Chapter 1: General Introduction	7
1. Rheumatoid arthritis	
2. Oxidative stress	
2.1 Introduction	
2.2 Chemistry of ROS	
2.3 The production of free radicals in cells	
2.3.1 Ligand induced ROS production	
2.3.2 Cellular sources of ROS	
2.3.3 Signalling pathways leading to ROS production in non phagocytic cells	
2.3.4 Molecular Targets of ROS	
2.3.5 Redox regulation of Transcription Factors	
2.4 Conclusion	
3. Oxidative stress in RA	
4. Scope of this thesis	
Chapter 2: Intracellular free radical production in synovial T lymphocytes of patients with rheumatoid arthritis.	31
Chapter 3: Rap1 signaling is required for suppression of Ras-generated reactive oxygen species and protection against oxidative stress in T lymphocytes.	43
Chapter 4: CTLA4Ig suppresses rheumatoid arthritis T Cell reactive oxygen species production by preventing inactivation of Rap1	67
Chapter 5: Nutrient supplementation with polyunsaturated fatty acids and micronutrients in rheumatoid arthritis: clinical and biochemical effects.	85
Chapter 6: High dose intravenous N-acetyl-L-cysteine (NAC) therapy in rheumatoid arthritis, results from a pilot study.	97
Chapter 7: General discussion and summary	105
Samenvatting	108
Acknowledgements	111
Curriculum Vitae	111
Publication list	112

