

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/28845> holds various files of this Leiden University dissertation.

Author: Karska, Agata

Title: Feedback from deeply embedded low- and high-mass protostars. Surveying hot molecular gas with Herschel

Issue Date: 2014-09-24

Feedback from deeply embedded low- and high-mass protostars

Surveying hot molecular gas with *Herschel*



Universiteit
Leiden

Feedback from deeply embedded low- and high-mass protostars

Surveying hot molecular gas with *Herschel*

PROEFSCHRIFT

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus prof. mr. C. J. J. M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 24 september 2014
klokke 11.15 uur

door

Agata Karska
geboren te Inowrocław, Polen
op 8 juni 1985

Promotiecommissie

Promotor:	Prof. dr. E. F. van Dishoeck	Leiden University, Max-Planck-Institut für extraterrestrische Physik
Co-Promotor:	Dr. G. J. Herczeg	Kavli Institute, Beijing
Overige leden:	Prof. dr. A. G. G. M. Tielens	Leiden University
	Prof. dr. H. J. A. Röttgering	Leiden University
	Prof. dr. P. Caselli	Max-Planck-Institut für extraterrestrische Physik
	Prof. dr. N. J. Evans II	University of Texas
	Dr. B. Nisini	Istituto Nazionale di Astrofisica (INAF), Rome
	Dr. E. Sturm	Max-Planck-Institut für extraterrestrische Physik

Dedicated to the entire PACS team

Cover: Artist's view of low-mass star forming regions.

Feedback from deeply-embedded low- and high-mass protostars.

Surveying hot molecular gas with Herschel.

Copyright © 2014 Agata Karska

Thesis Universiteit Leiden - Illustrated – With summary in Dutch and Polish – With references

ISBN 978-94-6259-279-7

Printed by Ipskamp Drukkers ipskampdrukkers.nl

Cover by Arte Buena / Monika Aleksandrowicz artebuena.eu



9 789462 592797

“Ignorancja nasza jest oceanem ogólnoswiatowym, zaś wiedza pewna
– pojedynczymi wysepkami na tym oceanie”

– Stanisław Lem

[Our ignorance is like the world's ocean, while our limited knowledge
– like individual islands on this ocean]

Contents

1	Introduction	1
1.1	Interstellar medium and sites of star formation	3
1.2	Evolution before the main sequence	4
1.2.1	From dense cores to stars and planets	4
1.2.2	Observational classification of young stellar objects	5
1.3	Heating and cooling in deeply-embedded protostars	7
1.3.1	Processes leading to gas heating	7
1.3.2	Main cooling channels	12
1.4	<i>Herschel</i> / PACS	15
1.4.1	PACS spectrometer	16
1.4.2	Comparisons to ISO / LWS	18
1.4.3	WISH, DIGIT, and WILL programs	18
1.5	This thesis	19
2	Water in star forming regions with <i>Herschel</i> (WISH) III. Far-infrared cooling lines in low-mass young stellar objects	25
2.1	Introduction	27
2.2	Observations	29
2.2.1	Sample selection	29
2.2.2	Observing strategy	29
2.2.3	Reduction methods	33
2.2.4	Spectral energy distributions	34
2.3	Results	34
2.3.1	Emission spectra	34
2.3.2	Spatial extent of line emission	36
2.3.3	Velocity shifts in [O I] and OH lines	40
2.4	Analysis	40
2.4.1	Rotational diagrams	40
2.4.2	Far-infrared line cooling	44
2.4.3	Flux correlations	47
2.5	Origin of far-IR line emission	51
2.5.1	Spatial extent of line emission and correlations	53
2.5.2	Excitation	54
2.5.3	Comparison with shock models	57
2.5.4	Evolution from Class 0 to Class I	58
2.6	Conclusions	61

Appendices	63
2.A Targeted lines and measurements	63
2.B Extended source correction method	67
2.C Spectral energy distributions	68
2.D Spatial extent of line emission	71
2.E Comparing PACS and ISO far-IR spectra	71
2.F Rotational diagrams	71
2.G Correlations	72
2.H Rotational temperature uncertainties	72
2.I Cooling budget calculations	72
3 Far-infrared molecular lines from low- to high-mass star forming regions observed with <i>Herschel</i>	85
3.1 Introduction	87
3.2 Observations and data reduction	89
3.3 Results	91
3.4 Analysis	93
3.4.1 Far-IR line cooling	93
3.4.2 Molecular excitation	99
3.5 Discussion: from low to high mass	107
3.5.1 Origin of CO emission	107
3.5.2 Molecular excitation	110
3.5.3 Correlations	113
3.5.4 Far-IR line cooling	113
3.6 Conclusions	116
Appendices	119
3.A Details of PACS observations	119
3.B Continuum measurements	121
3.C Tables with fluxes and additional figures	123
3.D OH in low and intermediate mass sources	125
4 Shockingly low water abundances in <i>Herschel</i> / PACS observations of low-mass protostars in Perseus	133
4.1 Introduction	135
4.2 Observations	137
4.3 Results	139
4.3.1 Spatial extent of line emission	139
4.3.2 Line detections	142
4.3.3 Observed line ratios	144
4.4 Analysis	147
4.4.1 Model line emission	147
4.4.2 Models versus observations – line ratios of the same species	152
4.4.3 Models and observations - line ratios of different species	155

4.5	Discussion	158
4.5.1	Shock parameters and physical conditions	158
4.5.2	Abundances and need for UV radiation	161
4.6	Conclusions	164
Appendices		167
4.A	Supplementary material	167
4.B	Correlations with source parameters	175
5	Physics of deeply-embedded low-mass protostars: evolution of shocks, ultraviolet radiation, and mass flux rates	177
5.1	Introduction	179
5.2	Observations	181
5.2.1	Sample selection	181
5.2.2	Observations and data reduction	186
5.3	Results	187
5.3.1	Detection statistics	187
5.3.2	Cross-species line flux correlations	188
5.4	Analysis	190
5.4.1	CO excitation	190
5.4.2	Molecular and atomic cooling	194
5.4.3	Mass flux rates in jets and outflows	196
5.4.4	Comparisons to models of shocks and photodissociation regions	198
5.5	Discussion	201
5.5.1	Origin of CO emission: a two-shock scenario	201
5.5.2	Origin of [OI] emission: disk, jet, or UV-heated cavity walls?	202
5.5.3	Mass flux rates: evidence for jet evolution?	204
5.6	Summary and conclusions	205
Appendices		207
5.A	Correlations of fluxes and flux ratios	207
5.B	Correlations with sources parameters	208
5.C	Rotational diagrams for the WILL sources	209
Nederlandse samenvatting		215
Streszczenie w języku polskim		221
Bibliography		227
Publications		235
Curriculum vitae		239
Acknowledgments		241

