



Universiteit
Leiden
The Netherlands

Metastability for low-temperature Kawasaki dynamics with two types of particles

Troiani, A.

Citation

Troiani, A. (2012, October 30). *Metastability for low-temperature Kawasaki dynamics with two types of particles*. Retrieved from <https://hdl.handle.net/1887/20065>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/20065>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/20065> holds various files of this Leiden University dissertation.

Author: Troiani, Alessio

Title: Metastability for low-temperature Kawasaki dynamics with two types of particles

Date: 2012-10-30

Metastability for low-temperature Kawasaki dynamics with two types of particles

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. P. F. van der Heijden
volgens besluit van het College voor Promoties
te verdedigen op dinsdag 30 oktober 2012
klokke 13:45 uur

door

Alessio Troiani

geboren te Tivoli (Italië)
in 1982

Samenstelling van de promotiecommissie:

- Promotor: Prof. Dr. W. Th. F. den Hollander, Leiden University, The Netherlands.
- Copromotor: Dr. F. R. Nardi, Eindhoven University of Technology, The Netherlands.
- Overige leden: Prof. dr. E. Cirillo, University of Rome “La Sapienza”, Italy
Prof. dr. R. Fernández, Utrecht University, The Netherlands
Dr. A. Gaudillière, University of Marseille, France
Dr. M. Heydenreich, Leiden University, The Netherlands
Dr. R. Merks, Center for Mathematics and Computer Science, Amsterdam, The Netherlands and Leiden University, The Netherlands
Prof. dr. E. Olivieri, University of Rome “Tor Vergata”, Italy
Prof. dr. E. Scoppola, University of Roma “TRE”, Italy
Prof. dr. P. Stevenhagen, Leiden University, The Netherlands
Prof. dr. E. Verbitskiy, Leiden University, The Netherlands

Metastability for low-temperature Kawasaki dynamics with two types of particles

Alessio Troiani

Contents

Summary	7
Nederlandse Samenvatting	9
1 Introduction	11
1.1 The concept of metastability	11
1.2 Mathematical approaches and questions of interest	12
1.2.1 Pathwise approach	13
1.2.2 Potential-theoretic approach	14
1.3 Finite systems at low temperature	14
1.3.1 Kawasaki dynamics on a finite box with open boundary for one type of particle	18
1.3.2 Kawasaki dynamics on a finite box with open boundary for two types of particles	21
1.4 Overview of the main results in the thesis	22
2 Kawasaki dynamics with two types of particles	27
2.1 Introduction and main results	27
2.1.1 Lattice gas subject to Kawasaki dynamics	28
2.1.2 Notation	30
2.1.3 Metastable region	31
2.2 Three theorems under three hypotheses	33
2.2.1 Main theorems	33
2.2.2 Discussion	35
2.2.3 Consequences of the three hypotheses	39
2.3 Proof of main theorems	41
2.3.1 Dirichlet form and capacity	42
2.3.2 Graph structure of the energy landscape	44
2.3.3 Metastable set, link between average nucleation time and capacity	46
2.3.4 Proof of theorem on nucleation time	47
2.3.5 Proof of theorem on exponential distribution	58
2.3.6 Proof of theorem on critical configurations	58

3	Stable configurations, communication height and recurrence property	63
3.1	Overview and main results	63
3.1.1	Lattice gas subject to Kawasaki dynamics	63
3.1.2	Notation	65
3.1.3	Main theorems	67
3.1.4	Discussion	69
3.2	Coordinates, definitions and polyominoes	72
3.2.1	Coordinates	72
3.2.2	Definitions	73
3.2.3	A lemma on polyominoes	75
3.2.4	Number of bonds in 2-tiled clusters	77
3.3	Identification of $\mathcal{X}_{\text{stab}}$	79
3.3.1	Standard configurations are minimizers among 2-tiled configurations	79
3.3.2	Stable configurations	81
3.4	Identification of $\Gamma^* = \Phi(\square, \boxplus)$	82
3.4.1	Saddle configurations	83
3.4.2	Configurations of minimal energy	84
3.5	Upper bound on V_η for $\eta \notin \{\square, \boxplus\}$	86
3.5.1	Beams and pillars	87
3.5.2	Six energy reduction mechanisms	89
3.5.3	Energy reduction of a general configuration	103
4	Critical configurations	109
4.1	Overview and main results	109
4.1.1	Lattice gas subject to Kawasaki dynamics	109
4.1.2	Basic notation and key definitions	111
4.1.3	Main theorems	114
4.1.4	Discussion	117
4.2	Coordinates and definitions	118
4.2.1	Coordinates	118
4.2.2	Definitions	119
4.3	Preparatory lemmas	123
4.3.1	Characterization of $\bar{\Gamma} \bar{\mathcal{V}}_{\star, \ell^*(\ell^*-1)+1}$	123
4.3.2	Characterization of $g(\{\square\}, \bar{\mathcal{V}}_{\star, \ell^*(\ell^*-1)+1})$ and $\bar{g}(\{\square\}, \bar{\mathcal{V}}_{\star, \ell^*(\ell^*-1)+1})$	124
4.3.3	Characterization of $\mathcal{G}(\square, \boxplus)$	126
4.4	Motion of 2-tiles	127
4.4.1	Motion of dimers of 2-tiles	127
4.4.2	Restriction on heavy-steps	131
4.4.3	Small values of ℓ^*	133

4.5	Geometry of critical configurations	134
4.5.1	Region RA	135
4.5.2	Region RB	144
4.5.3	Region RC	154
	Appendix: Computation of N^*	158
	Bibliography	161
	Acknowledgements	167
	Curriculum Vitae	169

