



Universiteit
Leiden
The Netherlands

Helminth infections induce immunomodulation : consequences and mechanisms

Riet, P.H. van

Citation

Riet, P. H. van. (2008, September 30). *Helminth infections induce immunomodulation : consequences and mechanisms*. Retrieved from <https://hdl.handle.net/1887/13120>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/13120>

Note: To cite this publication please use the final published version (if applicable).

R

References

References

- [1] Finkelman FD, Shea-Donohue T, Morris SC, et al. Interleukin-4- and interleukin-13-mediated host protection against intestinal nematode parasites. *Immunological Reviews* 2004;201(1):139-55.
- [2] Ouaiissi MA, Auriault C, Santoro F, Capron A. Interaction between *Schistosoma mansoni* and the complement system: role of IgG Fc peptides in the activation of the classical pathway by schistosomula. *J.Immunol.* 1981;127(4):1556-9.
- [3] Auriault C, Ouaiissi MA, Torpier G, Eisen H, Capron A. Proteolytic cleavage of IgG bound to the Fc receptor of *Schistosoma mansoni* schistosomula. *Parasite Immunol.* 1981;3(1):33-44.
- [4] Maizels RM, Bundy DA, Selkirk ME, Smith DF, Anderson RM. Immunological modulation and evasion by helminth parasites in human populations. *Nature.* 1993;365(6449):797-805.
- [5] Smith P, Fallon RE, Mangan NE, et al. *Schistosoma mansoni* secretes a chemokine binding protein with antiinflammatory activity. *J.Exp.Med.* 2005;202(10):1319-25.
- [6] Maizels RM, Yazdanbakhsh M. Immune regulation by helminth parasites: cellular and molecular mechanisms. *Nat.Rev.Immunol.* 2003;3(9):733-44.
- [7] Spiegel A, Tall A, Raphenon G, Trape JF, Druilhe P. Increased frequency of malaria attacks in subjects co-infected by intestinal worms and *Plasmodium falciparum* malaria. *Trans.R.Soc.Trop.Med.Hyg.* 2003;97(2):198-9.
- [8] Nacher M, Singhasivanon P, Yimsamran S, et al. Intestinal helminth infections are associated with increased incidence of *Plasmodium falciparum* malaria in Thailand. *J.Parasitol.* 2002;88(1):55-8.
- [9] Lyke KE, Dicko A, Dabo A, et al. Association of *Schistosoma haematobium* infection with protection against acute *Plasmodium falciparum* malaria in Malian children. *Am.J Trop.Med.Hyg.* 2005;73(6):1124-30.
- [10] Le Hesran JY, Akiana J, Ndiaye EHM, Dia M, Senghor P, Konate L. Severe malaria attack is associated with high prevalence of *Ascaris lumbricoides* infection among children in rural Senegal. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 2004;98(7):397-9.

- [11] Nacher M, Gay F, Singhasivanon P, et al. *Ascaris lumbricoides* infection is associated with protection from cerebral malaria. *Parasite Immunology* 2000;22(3):107-13.
- [12] Nacher M, Singhasivanon P, Silachamroon U, et al. Helminth infections are associated with protection from malaria-related acute renal failure and jaundice in Thailand. *Am J Trop Med Hyg* 2001;65(6):834-6.
- [13] Mahanty S, Mollis SN, Ravichandran M, et al. High levels of spontaneous and parasite antigen-driven interleukin-10 production are associated with antigen-specific hyporesponsiveness in human lymphatic filariasis. *J.Infect.Dis.* 1996;173(3):769-73.
- [14] Su Z, Segura M, Morgan K, Loredano-Osti JC, Stevenson MM. Impairment of Protective Immunity to Blood-Stage Malaria by Concurrent Nematode Infection. *Infect.Immun.* 2005;73(6):3531-9.
- [15] Lwin M, Last C, Targett GA, Doenhoff MJ. Infection of mice concurrently with *Schistosoma mansoni* and rodent malarial parasites: contrasting effects of patent *S. mansoni* infections on *Plasmodium chabaudi*, *P. yoelii* and *P. berghei*. *Ann.Trop.Med.Parasitol.* 1982;76(3):265-73.
- [16] Druilhe P, Tall A, Sokhna C. Worms can worsen malaria: towards a new means to roll back malaria? *Trends in Parasitology* 2005;21(8):359-62.
- [17] Hartgers FC, Yazdanbakhsh M. Co-infection of helminths and malaria: modulation of the immune responses to malaria. *Parasite Immunol.* 2006;28(10):497-506.
- [18] Prost A, Nebout M, Rougemont A. Lepromatous leprosy and onchocerciasis. *Br.Med.J.* 1979;1(6163):589-90.
- [19] Stewart GR, Boussinesq M, Coulson T, Elson L, Nutman T, Bradley JE. Onchocerciasis modulates the immune response to mycobacterial antigens. *Clin.Exp.Immunol.* 1999;117(3):517-23.
- [20] Sacco RE, Hagen M, Sandor M, Weinstock JV, Lynch RG. Established TH1 Granulomatous Responses Induced by Active *Mycobacterium avium* Infection Switch to TH2 Following Challenge with *Schistosoma mansoni*. *Clinical Immunology* 2002;104(3):274-81.
- [21] Talaat KR, Bonawitz RE, Domenech P, Nutman TB. Preexposure to Live *Brugia malayi* Microfilariae Alters the Innate Response of Human Dendritic Cells to *Mycobacterium tuberculosis*. *J Infect Dis* 2006;193(2):196-204.
- [22] Modjarrad K, Zulu I, Redden DT, et al. Treatment of Intestinal Helminths Does Not Reduce Plasma Concentrations of HIV-1 RNA in Coinfected Zambian Adults. *J Infect Dis* 2005;192(7):1277-83.

- [23] Wolday D, Mayaan S, Mariam ZG, et al. Treatment of intestinal worms is associated with decreased HIV plasma viral load. *J Acquir.Immune.Defic.Syindr.* 2002;31(1):56-62.
- [24] Brown M, Mawa PA, Joseph S, et al. Treatment of *Schistosoma mansoni* infection increases helminth-specific type 2 cytokine responses and HIV-1 loads in coinfecting Ugandan adults. *J.Infect.Dis.* 2005;191(10):1648-57.
- [25] Brown M, Kizza M, Watera C, et al. Helminth infection is not associated with faster progression of HIV disease in coinfecting adults in Uganda. *J Infect Dis.* 2004;190(10):1869-79.
- [26] Nielsen NO, Simonsen PE, Magnussen P, Magesa S, Friis H. Cross-sectional relationship between HIV, lymphatic filariasis and other parasitic infections in adults in coastal northeastern Tanzania. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 2006;100(6):543-50.
- [27] Brenchley JM, Price DA, Douek DC. HIV disease: fallout from a mucosal catastrophe? *Nat.Immunol.* 2006;7(3):235-9.
- [28] Cooper PJ, Chico M, Sandoval C, et al. Human Infection with *Ascaris lumbricoides* Is Associated with Suppression of the Interleukin-2 Response to Recombinant Cholera Toxin B Subunit following Vaccination with the Live Oral Cholera Vaccine CVD 103-HgR. *Infect.Immun.* 2001;69(3):1574-80.
- [29] Cooper PJ, Chico ME, Losonsky G, et al. Albendazole treatment of children with ascariasis enhances the vibriocidal antibody response to the live attenuated oral cholera vaccine CVD 103-HgR. *J Infect.Dis.* 2000;182(4):1199-206.
- [30] Khan WI, Collins SM. Immune-mediated alteration in gut physiology and its role in host defence in nematode infection. *Parasite Immunology* 2004;26(8-9):319-26.
- [31] Elias D, Wolday D, Akuffo H, Petros B, Bronner U, Britton S. Effect of deworming on human T cell responses to mycobacterial antigens in helminth-exposed individuals before and after bacille Calmette-Guerin (BCG) vaccination. *Clinical and Experimental Immunology* 2001;123(2):219-25.
- [32] Elias D, Akuffo H, Pawlowski A, Haile M, Schon T, Britton S. *Schistosoma mansoni* infection reduces the protective efficacy of BCG vaccination against virulent *Mycobacterium tuberculosis*. *Vaccine.* 2005;23(11):1326-34.
- [33] Malhotra I, Mungai P, Wamachi A, et al. Helminth- and Bacillus Calmette-Guerin-Induced Immunity in Children Sensitized In Utero to Filariasis and Schistosomiasis. *J Immunol* 1999;162(11):6843-8.

- [34] Nookala S, Srinivasan S, Kaliraj P, Narayanan RB, Nutman TB. Impairment of tetanus-specific cellular and humoral responses following tetanus vaccination in human lymphatic filariasis. *Infect.Immun.* 2004;72(5):2598-604.
- [35] Prost A, Schlumberger M, Fayet MT. Response to tetanus immunization in onchocerciasis patients. *Ann.Trop.Med.Parasitol.* 1983;77(1):83-5.
- [36] Cooper PJ, Espinel I, Paredes W, Guderian RH, Nutman TB. Impaired tetanus-specific cellular and humoral responses following tetanus vaccination in human onchocerciasis: a possible role for interleukin-10. *J Infect Dis.* 1998;178(4):1133-8.
- [37] Cooper PJ, Espinel I, Wieseman M, et al. Human Onchocerciasis and Tetanus Vaccination: Impact on the Postvaccination Antitetanus Antibody Response. *Infect.Immun.* 1999;67(11):5951-7.
- [38] Sabin EA, Araujo MI, Carvalho EM, Pearce EJ. Impairment of tetanus toxoid-specific Th1-like immune responses in humans infected with *Schistosoma mansoni*. *J Infect Dis.* 1996;173(1):269-72.
- [39] Ayash-Rashkovsky M, Weisman Z, Diveley J, Moss RB, Bentwich Z, Borkow G. Generation of Th1 immune responses to inactivated, gp120-depleted HIV-1 in mice with a dominant Th2 biased immune profile via immunostimulatory oligonucleotides--relevance to AIDS vaccines in developing countries. *Vaccine* 2002;20(21-22):2684-92.
- [40] Yazdanbakhsh M, van den BA, Maizels RM. Th2 responses without atopy: immunoregulation in chronic helminth infections and reduced allergic disease. *Trends Immunol* 2001;22(7):372-7.
- [41] Cooper PJ. Intestinal worms and human allergy. *Parasite Immunol.* 2004;26(11-12):455-67.
- [42] van den Biggelaar AH, Rodrigues LC, van Ree R, et al. Long-term treatment of intestinal helminths increases mite skin-test reactivity in Gabonese schoolchildren. *J Infect Dis.* 2004;189(5):892-900.
- [43] Cooper PJ, Chico ME, Vaca MG, et al. Effect of albendazole treatments on the prevalence of atopy in children living in communities endemic for geohelminth parasites: a cluster-randomised trial. *The Lancet* 2006;367(9522):1598-603.
- [44] Lau S, Matricardi PM. Worms, asthma, and the hygiene hypothesis. *The Lancet* 2006;367(9522):1556-8.
- [45] Wilson MS, Taylor MD, Balic A, Finney CAM, Lamb JR, Maizels RM. Suppression of allergic airway inflammation by helminth-induced regulatory T cells. *J.Exp.Med.* 2005;202(9):1199-212.

- [46] Smits HH, Hammad H, van Nimwegen M, et al. Protective effect of *Schistosoma mansoni* infection on allergic airway inflammation depends on the intensity and chronicity of infection. *J Allergy Clin.Immunol.* 2007;120(4):932-40.
- [47] Steel C, Nutman TB. CTLA-4 in Filarial Infections: Implications for a Role in Diminished T Cell Reactivity. *J Immunol* 2003;170(4):1930-8.
- [48] Taylor MD, LeGoff L, Harris A, Malone E, Allen JE, Maizels RM. Removal of Regulatory T Cell Activity Reverses Hyporesponsiveness and Leads to Filarial Parasite Clearance In Vivo. *J Immunol* 2005;174(8):4924-33.
- [49] Maizels RM, Balic A, Gomez-Escobar N, Nair M, Taylor MD, Allen JE. Helminth parasites--masters of regulation. *Immunol.Rev.* 2004;201:89-116.
- [50] Mangan NE, Fallon RE, Smith P, van Rooijen N, McKenzie AN, Fallon PG. Helminth Infection Protects Mice from Anaphylaxis via IL-10-Producing B Cells. *J Immunol* 2004;173(10):6346-56.
- [51] Hagel I, Lynch NR, Di Prisco MC, Rojas E, Perez M, Alvarez N. *Ascaris* reinfection of slum children: relation with the IgE response. *Clin.Exp.Immunol.* 1993;94(1):80-3.
- [52] Araujo MI, Lopes AA, Medeiros M, et al. Inverse association between skin response to aeroallergens and *Schistosoma mansoni* infection. *Int.Arch.Allergy Immunol.* 2000;123(2):145-8.
- [53] van den Biggelaar AH, van Ree R, Rodrigues LC, et al. Decreased atopy in children infected with *Schistosoma haematobium*: a role for parasite-induced interleukin-10. *Lancet* 2000;356(9243):1723-7.
- [54] van den Biggelaar AH, Lopuhaa C, van Ree R, et al. The prevalence of parasite infestation and house dust mite sensitization in Gabonese schoolchildren. *Int.Arch.Allergy Immunol.* 2001;126(3):231-8.
- [55] Scrivener S, Yemaneberhan H, Zebenigus M, et al. Independent effects of intestinal parasite infection and domestic allergen exposure on risk of wheeze in Ethiopia: a nested case-control study. *Lancet* 2001;358(9292):1493-9.
- [56] Nyan OA, Walraven GEL, Banya WAS, et al. Atopy, intestinal helminth infection and total serum IgE in rural and urban adult Gambian communities. *Clinical & Experimental Allergy* 2001;31(11):1672-8.
- [57] Cooper PJ, Chico ME, Rodrigues LC, et al. Reduced risk of atopy among school-age children infected with geohelminth parasites in a rural area of the tropics. *J.Allergy Clin.Immunol.* 2003;111(5):995-1000.

- [58] Medeiros J, Figueiredo JP, Almeida MC, et al. *Schistosoma mansoni* infection is associated with a reduced course of asthma. *Journal of Allergy and Clinical Immunology* 2003;111(5, Supplement 1):947-51.
- [59] Dagoye D, Bekele Z, Woldemichael K, et al. Wheezing, Allergy, and Parasite Infection in Children in Urban and Rural Ethiopia. *Am.J.Respir.Crit.Care Med.* 2003;167(10):1369-73.
- [60] Elliott AM, Mpairwe H, Quigley MA, et al. Helminth infection during pregnancy and development of infantile eczema. *JAMA.* 2005;294(16):2032-4.
- [61] Cooper PJ, Chico ME, Bland M, Griffin GE, Nutman TB. Allergic Symptoms, Atopy, and Geohelminth Infections in a Rural Area of Ecuador. *Am.J.Respir.Crit.Care Med.* 2003;168(3):313-7.
- [62] Davey G, Venn A, Belete H, Berhane Y, Britton J. Wheeze, allergic sensitization and geohelminth infection in Butajira, Ethiopia. *Clinical & Experimental Allergy* 2005;35(3):301-7.
- [63] Buijs J, Borsboom G, Renting M, et al. Relationship between allergic manifestations and Toxocara seropositivity: a cross-sectional study among elementary school children. *Eur Respir J* 1997;10(7):1467-75.
- [64] Palmer LJ, Celedon JC, Weiss ST, Wang B, Fang Z, Xu X. *Ascaris lumbricoides* Infection Is Associated with Increased Risk of Childhood Asthma and Atopy in Rural China. *Am.J.Respir.Crit.Care Med.* 2002;165(11):1489-93.
- [65] Obihara CC, Beyers N, Gie RP, et al. Respiratory atopic disease, Ascaris-immunoglobulin E and tuberculin testing in urban South African children. *Clinical & Experimental Allergy* 2006;36(5):640-8.
- [66] Araujo MI, Hoppe B, Medeiros M, Jr., et al. Impaired T helper 2 response to aeroallergen in helminth-infected patients with asthma. *J.Infect.Dis.* 2004;190(10):1797-803.
- [67] Lynch NR, Palenque M, Hagel I, DiPrisco MC. Clinical improvement of asthma after anthelmintic treatment in a tropical situation. *Am.J.Respir.Crit Care Med.* 1997;156(1):50-4.
- [68] Lima C, Perini A, Garcia ML, Martins MA, Teixeira MM, Macedo MS. Eosinophilic inflammation and airway hyper-responsiveness are profoundly inhibited by a helminth (*Ascaris suum*) extract in a murine model of asthma. *Clin.Exp.Allergy* 2002;32(11):1659-66.
- [69] Itami DM, Oshiro TM, Araujo CA, et al. Modulation of murine experimental asthma by *Ascaris suum* components. *Clin.Exp.Allergy.* 2005;35(7):873-9.

- [70] Bashir ME, Andersen P, Fuss IJ, Shi HN, Nagler-Anderson C. An enteric helminth infection protects against an allergic response to dietary antigen. *J.Immunol.* 2002;169(6):3284-92.
- [71] Dunne DW, Cooke A. A worm's eye view of the immune system: consequences for evolution of human autoimmune disease. *Nat.Rev.Immunol.* 2005;5(5):420-6.
- [72] Cooke A, Tonks P, Jones FM, et al. Infection with *Schistosoma mansoni* prevents insulin dependent diabetes mellitus in non-obese diabetic mice. *Parasite Immunol.* 1999;21(4):169-76.
- [73] Zaccone P, Fehervari Z, Jones FM, et al. *Schistosoma mansoni* antigens modulate the activity of the innate immune response and prevent onset of type 1 diabetes. *Eur.J.Immunol.* 2003;33(5):1439-49.
- [74] Moreels TG, Nieuwendijk RJ, De Man JG, et al. Concurrent infection with *Schistosoma mansoni* attenuates inflammation induced changes in colonic morphology, cytokine levels, and smooth muscle contractility of trinitrobenzene sulphonic acid induced colitis in rats. *Gut* 2004;53(1):99-107.
- [75] Khan WI, Blennerhasset PA, Varghese AK, et al. Intestinal Nematode Infection Ameliorates Experimental Colitis in Mice. *Infect.Immun.* 2002;70(11):5931-7.
- [76] Summers RW, Elliott DE, Qadir K, Urban JF, Thompson R, Weinstock JV. *Trichuris suis* seems to be safe and possibly effective in the treatment of inflammatory bowel disease. *The American Journal of Gastroenterology* 2003;98(9):2034-41.
- [77] Summers RW, Elliott DE, Urban JF, Jr., Thompson R, Weinstock JV. *Trichuris suis* therapy in Crohn's disease. *Gut* 2005;54(1):87-90.
- [78] Sewell D, Qing Z, Reinke E, et al. Immunomodulation of experimental autoimmune encephalomyelitis by helminth ova immunization. *Int.Immunol.* 2003;15(1):59-69.
- [79] Summers RW, Elliott DE, Urban JF, Jr., Thompson RA, Weinstock JV. *Trichuris suis* therapy for active ulcerative colitis: a randomized controlled trial. *Gastroenterology.* 2005;128(4):825-32.
- [80] El Wakil HS, Aboushousha TS, El Haddad O, Gamil NB, Mansour T, El Said H. Effect of *Schistosoma mansoni* egg deposition on multiple low doses streptozotocin induced insulin dependent diabetes. *J.Egypt.Soc.Parasitol.* 2002;32(3):987-1002.
- [81] Imai S, Tezuka H, Fujita K. A Factor of Inducing IgE from a Filarial Parasite Prevents Insulin-Dependent Diabetes Mellitus in Nonobese Diabetic

Mice. *Biochemical and Biophysical Research Communications* 2001;286(5):1051-8.

[82] Elliott DE, Setiawan T, Metwali A, Blum A, Urban JF, Jr., Weinstock JV. *Heligmosomoides polygyrus* inhibits established colitis in IL-10-deficient mice. *Eur.J Immunol.* 2004;34(10):2690-8.

[83] Elliott DE, Li J, Blum A, et al. Exposure to schistosome eggs protects mice from TNBS-induced colitis. *Am J Physiol Gastrointest Liver Physiol* 2003;284(3):G385-G391

[84] Reardon C, Sanchez A, Hogaboam CM, McKay DM. Tapeworm Infection Reduces Epithelial Ion Transport Abnormalities in Murine Dextran Sulfate Sodium-Induced Colitis. *Infect.Immun.* 2001;69(7):4417-23.

[85] La Flamme AC, Ruddenklau K, Backstrom BT. Schistosomiasis Decreases Central Nervous System Inflammation and Alters the Progression of Experimental Autoimmune Encephalomyelitis. *Infect.Immun.* 2003;71(9):4996-5004.

[86] Nagayama Y, Watanabe K, Niwa M, McLachlan SM, Rapoport B. *Schistosoma mansoni* and α -Galactosylceramide: Prophylactic Effect of Th1 Immune Suppression in a Mouse Model of Graves' Hyperthyroidism. *J Immunol* 2004;173(3):2167-73.

[87] McInnes IB, Leung BP, Harnett M, Gracie JA, Liew FY, Harnett W. A Novel Therapeutic Approach Targeting Articular Inflammation Using the Filarial Nematode-Derived Phosphorylcholine-Containing Glycoprotein ES-62. *J Immunol* 2003;171(4):2127-33.

[88] Kapsenberg ML. Dendritic-cell control of pathogen-driven T-cell polarization. *Nat.Rev.Immunol.* 2003;3(12):984-93.

[89] Shortman K, Liu YJ. Mouse and human dendritic cell subtypes. *Nat.Rev.Immunol* 2002;2(3):151-61.

[90] Cervi L, MacDonald AS, Kane C, Dzierszynski F, Pearce EJ. Cutting Edge: Dendritic Cells Copulsed with Microbial and Helminth Antigens Undergo Modified Maturation, Segregate the Antigens to Distinct Intracellular Compartments, and Concurrently Induce Microbe-Specific Th1 and Helminth-Specific Th2 Responses. *J Immunol* 2004;172(4):2016-20.

[91] Balic A, Harcus Y, Holland MJ, Maizels RM. Selective maturation of dendritic cells by *Nippostrongylus brasiliensis*-secreted proteins drives Th2 immune responses. *Eur.J.Immunol.* 2004;34(11):3047-59.

[92] Jenkins SJ, Mountford AP. Dendritic Cells Activated with Products Released by Schistosome Larvae Drive Th2-Type Immune Responses, Which

Can Be Inhibited by Manipulation of CD40 Costimulation. *Infect.Immun.* 2005;73(1):395-402.

[93] Thomas PG, Carter MR, Atochina O, et al. Maturation of dendritic cell 2 phenotype by a helminth glycan uses a Toll-like receptor 4-dependent mechanism. *J.Immunol.* 2003;171(11):5837-41.

[94] Whelan M, Harnett MM, Houston KM, Patel V, Harnett W, Rigley KP. A Filarial Nematode-Secreted Product Signals Dendritic Cells to Acquire a Phenotype That Drives Development of Th2 Cells. *J Immunol* 2000;164(12):6453-60.

[95] Kane CM, Cervi L, Sun J, et al. Helminth Antigens Modulate TLR-Initiated Dendritic Cell Activation. *J Immunol* 2004;173(12):7454-61.

[96] van der Kleij D, Latz E, Brouwers JF, et al. A novel host-parasite lipid cross-talk. Schistosomal lyso-phosphatidylserine activates Toll-like receptor 2 and affects immune polarization. *J Biol.Chem.* 2002;277(50):48122-9.

[97] Mahnke K, Qian Y, Knop J, Enk AH. Induction of CD4+/CD25+ regulatory T cells by targeting of antigens to immature dendritic cells. *Blood* 2003;101(12):4862-9.

[98] Atochina O, Daly-Engel T, Piskorska D, McGuire E, Harn DA. A Schistosome-Expressed Immunomodulatory Glycoconjugate Expands Peritoneal Gr1+ Macrophages That Suppress Naive CD4+ T Cell Proliferation Via an IFN- γ and Nitric Oxide-Dependent Mechanism. *J Immunol* 2001;167(8):4293-302.

[99] Goodridge HS, Marshall FA, Wilson EH, et al. *In vivo* exposure of murine dendritic cell and macrophage bone marrow progenitors to the phosphorylcholine-containing filarial nematode glycoprotein ES-62 polarizes their differentiation to an anti-inflammatory phenotype. *Immunology* 2004;113(4):491-8.

[100] Akira S, Takeda K, Kaisho T. Toll-like receptors: critical proteins linking innate and acquired immunity. *Nat.Immunol.* 2001;2(8):675-80.

[101] Martinon F, Tschopp J. NLRs join TLRs as innate sensors of pathogens. *Trends in Immunology* 2005;26(8):447-54.

[102] Yoneyama M, Kikuchi M, Natsukawa T, et al. The RNA helicase RIG-I has an essential function in double-stranded RNA-induced innate antiviral responses. *Nat.Immunol.* 2004;5(7):730-7.

[103] Akira S, Uematsu S, Takeuchi O. Pathogen Recognition and Innate Immunity. *Cell* 2006;124(4):783-801.

- [104] Aksoy E, Zouain CS, Vanhoutte F, et al. Double-stranded RNAs from the helminth parasite *Schistosoma* activate TLR3 in dendritic cells. *J.Biol.Chem.* 2005;280(1):277-83.
- [105] Goodridge HS, Marshall FA, Else KJ, et al. Immunomodulation via Novel Use of TLR4 by the Filarial Nematode Phosphorylcholine-Containing Secreted Product, ES-62. *J Immunol* 2005;174(1):284-93.
- [106] Dillon S, Agrawal S, Banerjee K, et al. Yeast zymosan, a stimulus for TLR2 and dectin-1, induces regulatory antigen-presenting cells and immunological tolerance. *J.Clin.Invest.* 2006;116(4):916-28.
- [107] Blander JM, Medzhitov R. Toll-dependent selection of microbial antigens for presentation by dendritic cells. *Nature.* 2006;440(7085):808-12.
- [108] Agrawal S, Agrawal A, Doughty B, et al. Cutting edge: different Toll-like receptor agonists instruct dendritic cells to induce distinct Th responses via differential modulation of extracellular signal-regulated kinase-mitogen-activated protein kinase and c-Fos. *J.Immunol.* 2003;171(10):4984-9.
- [109] Caparros E, Munoz P, Sierra-Filardi E, et al. DC-SIGN ligation on dendritic cells results in ERK and PI3K activation and modulates cytokine production. *Blood* 2006;107(10):3950-8.
- [110] de Silva NR, Chan MS, Bundy DA. Morbidity and mortality due to ascariasis: re-estimation and sensitivity analysis of global numbers at risk. *Trop.Med.Int.Health* 1997;2(6):519-28.
- [111] McSharry C, Xia Y, Holland CV, Kennedy MW. Natural immunity to *Ascaris lumbricoides* associated with immunoglobulin E antibody to ABA-1 allergen and inflammation indicators in children. *Infect.Immun.* 1999;67(2):484-9.
- [112] Palmer DR, Hall A, Haque R, Anwar KS. Antibody isotype responses to antigens of *Ascaris lumbricoides* in a case-control study of persistently heavily infected Bangladeshi children. *Parasitology* 1995;111(Pt 3):385-93.
- [113] Turner JD, Faulkner H, Kamgno J, et al. Allergen-specific IgE and IgG4 are markers of resistance and susceptibility in a human intestinal nematode infection. *Microbes.Infect.* 2005;7(7-8):990-6.
- [114] Geiger SM, Massara CL, Bethony J, Soboslay PT, Carvalho OS, Correa-Oliveira R. Cellular responses and cytokine profiles in *Ascaris lumbricoides* and *Trichuris trichiura* infected patients. *Parasite Immunol.* 2002;24(11-12):499-509.

- [115] Thomas PG, Harn DA, Jr. Immune biasing by helminth glycans. *Cell Microbiol.* 2004;6(1):13-22.
- [116] Dennis RD, Baumeister S, Lauer G, Richter R, Geyer E. Neutral glycolipids of *Schistosoma mansoni* as feasible antigens in the detection of schistosomiasis. *Parasitology* 1996;112(Pt 3):295-307.
- [117] van der Kleij D, Tielens AGM, Yazdanbakhsh M. Recognition of schistosome glycolipids by immunoglobulin E: possible role in immunity. *Infect.Immun.* 1999;67(11):5946-50.
- [118] Robijn ML, Wuhrer M, Kornelis D, Deelder AM, Geyer R, Hokke CH. Mapping fucosylated epitopes on glycoproteins and glycolipids of *Schistosoma mansoni* cercariae, adult worms and eggs. *Parasitology* 2005;130(Pt 1):67-77.
- [119] Weiss JB, Magnani JL, Strand M. Identification of *Schistosoma mansoni* glycolipids that share immunogenic carbohydrate epitopes with glycoproteins. *J.Immunol.* 1986;136(11):4275-82.
- [120] Harnett W, Harnett MM. Phosphorylcholine: friend or foe of the immune system? *Immunol.Today* 1999;20(3):125-9.
- [121] Lochnit G, Dennis RD, Geyer R. Phosphorylcholine substituents in nematodes: structures, occurrence and biological implications. *Biol.Chem.* 2000;381(9-10):839-47.
- [122] Sloan T, Dooge D, Joyce P. Identification of phosphorylcholine containing antigens of *Fasciola hepatica*-successful tolerization against this epitope in experimental animals. *Parasite Immunol.* 1991;13(4):447-55.
- [123] Cundell DR, Gerard NP, Gerard C, Idanpaan-Heikkila I, Tuomanen EI. *Streptococcus pneumoniae* anchor to activated human cells by the receptor for platelet-activating factor. *Nature* 1995;377(6548):435-8.
- [124] Briles DE, Claflin JL, Schroer K, Forman C. Mouse IgG3 antibodies are highly protective against infection with *Streptococcus pneumoniae*. *Nature* 1981;294(5836):88-90.
- [125] Deehan MR, Goodridge HS, Blair D, et al. Immunomodulatory properties of *Ascaris suum* glycosphingolipids - phosphorylcholine and non-phosphorylcholine-dependent effects. *Parasite Immunol.* 2002;24(9-10):463-9.
- [126] Harnett MM, Deehan MR, Williams DM, Harnett W. Induction of signalling anergy via the T-cell receptor in cultured Jurkat T cells by pre-exposure to a filarial nematode secreted product. *Parasite Immunol.* 1998;20(11):551-63.

- [127] Smith PK, Krohn RI, Hermanson GT, et al. Measurement of protein using bicinchoninic acid. *Anal.Biochem.* 1985;150(1):76-85.
- [128] Bligh EG, Dyer WJ. A rapid method of total lipid extraction and purification. *Can.J.Biochem.Physiol.* 1959;37 :911-7.
- [129] Rouser G, Kritchevsky G, Yamamoto A, Simon G, Galli C, Bauman AJ. Diethylaminoethyl and triethylaminoethyl cellulose column chromatographic procedures for phospholipids, glycolipids, and pigments. *Methods Enzymol.* 1969;14:272-317.
- [130] Lochnit G, Dennis RD, Ulmer AJ, Geyer R. Structural elucidation and monokine-inducing activity of two biologically active zwitterionic glycosphingolipids derived from the porcine parasitic nematode *Ascaris suum*. *J.Biol.Chem.* 1998;273(1):466-74.
- [131] Wuhrer M, Hokke CH, Deelder AM. Glycopeptide analysis by matrix-assisted laser desorption/ionization tandem time-of-flight mass spectrometry reveals novel features of horseradish peroxidase glycosylation. *Rapid Commun.Mass Spectrom.* 2004;18(15):1741-8.
- [132] Friedl CH, Lochnit G, Zehring U, Bahr U, Geyer R. Structural elucidation of zwitterionic carbohydrates derived from glycosphingolipids of the porcine parasitic nematode *Ascaris suum*. *Biochem.J.* 2003;369(Pt 1):89-102.
- [133] Grabitzki J, Sauerland V, Geyer R, Lochnit G. Identification of phosphorylcholine substituted peptides by their characteristic mass spectrometric fragmentation. *Eur.J.Mass Spectrom.(Chichester, Eng)* 2005;11(3):335-44.
- [134] Griffitts JS, Haslam SM, Yang T, et al. Glycolipids as receptors for *Bacillus thuringiensis* crystal toxin. *Science* 2005;307(5711):922-5.
- [135] Gerdt S, Dennis RD, Borgonie G, Schnabel R, Geyer R. Isolation, characterization and immunolocalization of phosphorylcholine-substituted glycolipids in developmental stages of *Caenorhabditis elegans*. *Eur.J.Biochem.* 1999;266(3):952-63.
- [136] Wuhrer M, Rickhoff S, Dennis RD, et al. Phosphocholine-containing, zwitterionic glycosphingolipids of adult *Onchocerca volvulus* as highly conserved antigenic structures of parasitic nematodes. *Biochem.J.* 2000;348:417-23.
- [137] Schmidt GD, Roberts LS. Roberts LS, Janovy JJ, editors. *Foundations of parasitology.* fifth edition ed. Dubuque: Times Mirror Higher Education Group, Inc.; 1996; 26, Nematodes: Ascaridida, intestinal large roundworms. p. 419-31.

- [138] Houston KM, Lochnit G, Geyer R, Harnett W. Investigation of the nature of potential phosphorylcholine donors for filarial nematode glycoconjugates. *Mol.Biochem.Parasitol.* 2002;123(1):55-66.
- [139] Lochnit G, Bongaarts R, Geyer R. Searching new targets for anthelmintic strategies: Interference with glycosphingolipid biosynthesis and phosphorylcholine metabolism affects development of *Caenorhabditis elegans*. *Int.J.Parasitol.* 2005;35(8):911-23.
- [140] Julian E, Matas L, Alcaide J, Luquin M. Comparison of antibody responses to a potential combination of specific glycolipids and proteins for test sensitivity improvement in tuberculosis serodiagnosis. *Clin.Diagn.Lab Immunol.* 2004;11(1):70-6.
- [141] Belperron AA, Dailey CM, Bockenstedt LK. Infection-induced marginal zone B cell production of *Borrelia hermsii*-specific antibody is impaired in the absence of CD1d. *J.Immunol.* 2005;174(9):5681-6.
- [142] Romaris F, Escalante M, Valinas B, et al. Characterization of two monoclonal antibodies raised in Btk(xid) mice that recognize phosphorylcholine-bearing antigens from *Trichinella* and other helminths. *Parasite Immunol.* 2001;23(6):313-22.
- [143] Simonsen PE, Lemnge MM, Msangeni HA, Jakobsen PH, Bygbjerg IC. Bancroftian filariasis: the patterns of filarial-specific immunoglobulin G1 (IgG1), IgG4, and circulating antigens in an endemic community of northeastern Tanzania. *Am.J.Trop.Med.Hyg.* 1996;55(1):69-75.
- [144] Hagan P, Blumenthal UJ, Dunn D, Simpson AJ, Wilkins HA. Human IgE, IgG4 and resistance to reinfection with *Schistosoma haematobium*. *Nature* 1991;349(6306):243-5.
- [145] Lal RB, Dhawan RR, Tarrand JJ, Ayoub EM, Ottesen EA. Lack of IgG4 antibody response to carbohydrate antigens in patients with lymphatic filariasis. *Immunology* 1991;74(2):333-7.
- [146] Schoub BD, McAnerney JM, Besselaar TG. Regional perspectives on influenza surveillance in Africa. *Vaccine* 2002;20(Supplement 2):S45-S46
- [147] Nicholson KG, Wood JM, Zambon M. Influenza. *The Lancet* 2003;362(9397):1733-45.
- [148] Normile D, Enserink M. Avian influenza. With change in the seasons, bird flu returns. *Science.* 2007;315(5811):448
- [149] Moszynski P. Africa is ill equipped to fight a bird flu epidemic. *BMJ.* 2006;332(7538):380

- [150] Baily GV. Tuberculosis prevention Trial, Madras. *Indian J.Med.Res.* 1980;72 Suppl:1-74.:1-74.
- [151] Rook GAW, Dheda K, Zumla A. Immune systems in developed and developing countries; implications for the design of vaccines that will work where BCG does not. *Tuberculosis* 2006;86(3-4):152-62.
- [152] van der Kleij D, van den Biggelaar AH, Kruize YC, et al. Responses to Toll-like receptor ligands in children living in areas where schistosome infections are endemic. *J.Infect.Dis.* 2004;189(6):1044-51.
- [153] Fell AH, Smith NC. Immunity to Asexual Blood Stages of Plasmodium: Is Resistance to Acute Malaria Adaptive or Innate? *Parasitology Today* 1998;14(9):364-9.
- [154] Babu S, Blauvelt CP, Kumaraswami V, Nutman TB. Chemokine receptors of T cells and of B cells in lymphatic filarial infection: a role for CCR9 in pathogenesis. *J.Infect.Dis.* 2005;191(6):1018-26.
- [155] Mahanty S, King CL, Kumaraswami V, et al. IL-4- and IL-5-secreting lymphocyte populations are preferentially stimulated by parasite-derived antigens in human tissue invasive nematode infections. *J.Immunol.* 1993;151(7):3704-11.
- [156] King CL, Medhat A, Malhotra I, et al. Cytokine control of parasite-specific anergy in human urinary schistosomiasis. IL-10 modulates lymphocyte reactivity. *J.Immunol.* 1996;156(12):4715-21.
- [157] Cooper PJ, Chico ME, Sandoval C, et al. Human infection with *Ascaris lumbricoides* is associated with a polarized cytokine response. *J.Infect.Dis.* 2000;182(4):1207-13.
- [158] Jankovic D, Steinfeld S, Kullberg MC, Sher A. Mechanisms underlying helminth-induced Th2 polarization: default, negative or positive pathways? *Chem.Immunol.Allergy.* 2006;90:65-81.:65-81.
- [159] Redpath S, Ghazal P, Gascoigne NRJ. Hijacking and exploitation of IL-10 by intracellular pathogens. *Trends in Microbiology* 2001;9(2):86-92.
- [160] Keller CC, Yamo O, Ouma C, et al. Acquisition of hemozoin by monocytes down-regulates interleukin-12 p40 (IL-12p40) transcripts and circulating IL-12p70 through an IL-10-dependent mechanism: in vivo and in vitro findings in severe malarial anemia. *Infect.Immun.* 2006;74(9):5249-60.
- [161] Guyot-Revol V, Innes JA, Hackforth S, Hinks T, Lalvani A. Regulatory T cells are expanded in blood and disease sites in patients with tuberculosis. *Am.J.Respir.Crit Care Med.* 2006;173(7):803-10.

- [162] Boettler T, Spangenberg HC, Neumann-Haefelin C, et al. T cells with a CD4+CD25+ regulatory phenotype suppress in vitro proliferation of virus-specific CD8+ T cells during chronic hepatitis C virus infection. *J.Virol.* 2005;79(12):7860-7.
- [163] Ogden CL, Kuczmarski RJ, Flegal KM, et al. Centers for Disease Control and Prevention 2000 growth charts for the United States: improvements to the 1977 National Center for Health Statistics version. *Pediatrics.* 2002;109(1):45-60.
- [164] Planche T, Krishna S, Kombila M, et al. Comparison of methods for the rapid laboratory assessment of children with malaria. *Am.J.Trop.Med.Hyg.* 2001;65(5):599-602.
- [165] Katz N, Chaves A, Pellegrino J. A simple device for quantitative stool thick-smear technique in Schistosomiasis mansoni. *Rev.Inst.Med.Trop.Sao Paulo.* 1972;14(6):397-400.
- [166] Palmer DF, Dowdle WR, Coleman MT, and Schild GC. Haemagglutination inhibition test. In: Anonymous, *Advanced laboratory techniques for influenza diagnosis.Procedural guide.* 25-62. Atlanta, US Dept. Hlth. ED. Welfare.
- [167] Masurel N, Ophof P, de Jong P. Antibody response to immunization with influenza A/USSR/77 (H1N1) virus in young individuals primed or unprimed for A/New Jersey/76 (H1N1) virus. *J.Hyg.(Lond).* 1981;87(2):201-9.
- [168] Rimmelzwaan GF, Baars M, van Beek R, et al. Induction of protective immunity against influenza virus in a macaque model: comparison of conventional and iscom vaccines. *J.Gen.Virol.* 1997;78(Pt 4):757-65.
- [169] Besselaar TG, Botha L, McAnerney JM, Schoub BD. Antigenic and molecular analysis of influenza A (H3N2) virus strains isolated from a localised influenza outbreak in South Africa in 2003. *J.Med.Virol.* 2004;73(1):71-8.
- [170] WHO. Recommended composition of influenza virus vaccines for use in the 2005 influenza season. *Wkly.Epidemiol.Rec.* 2004;79(41):369-73.
- [171] Gachara G, Ngeranwa J, Magana JM, et al. Influenza virus strains in Nairobi, Kenya. *Journal of Clinical Virology* 2006;35(1):117-8.
- [172] Barry M, Patterson JE, Tirrell S, Cullen MR, Shope RE. The effect of chloroquine prophylaxis on yellow fever vaccine antibody response: comparison of plaque reduction neutralization test and enzyme-linked immunosorbent assay. *Am.J.Trop.Med.Hyg.* 1991;44(1):79-82.

- [173] Faucher JF, Binder R, Missinou MA, et al. Efficacy of atovaquone/proguanil for malaria prophylaxis in children and its effect on the immunogenicity of live oral typhoid and cholera vaccines. *Clin.Infect.Dis.* 2002;35(10):1147-54.
- [174] Fryauff DJ, Cryz SJ, Widjaja H, et al. Humoral immune response to tetanus-diphtheria vaccine given during extended use of chloroquine or primaquine malaria chemoprophylaxis. *J.Infect.Dis.* 1998;177(6):1762-5.
- [175] Fryauff DJ, Church LW, Richards AL, et al. Lymphocyte response to tetanus toxoid among Indonesian men immunized with tetanus-diphtheria during extended chloroquine or primaquine prophylaxis. *J.Infect.Dis.* 1997;176(6):1644-8.
- [176] Sallusto F, Geginat J, Lanzavecchia A. Central memory and effector memory T cell subsets: function, generation, and maintenance. *Annu.Rev.Immunol.* 2004;22:745-63.:745-63.
- [177] Shi HN, Scott ME, Stevenson MM, Koski KG. Energy restriction and zinc deficiency impair the functions of murine T cells and antigen-presenting cells during gastrointestinal nematode infection. *J.Nutr.* 1998;128(1):20-7.
- [178] Kroon FP, van Tol MJ, Jol-van der Zijde CM, van Furth R, van Dissel JT. Immunoglobulin G (IgG) subclass distribution and IgG1 avidity of antibodies in human immunodeficiency virus-infected individuals after revaccination with tetanus toxoid. *Clin.Diagn.Lab Immunol.* 1999;6(3):352-5.
- [179] Dietz V, Galazka A, van Loon F, Cochi S. Factors affecting the immunogenicity and potency of tetanus toxoid: implications for the elimination of neonatal and non-neonatal tetanus as public health problems. *Bull.World Health Organ* 1997;75(1):81-93.
- [180] Brabin L, Fazio-Tirrozzo G, Shahid S, et al. Tetanus antibody levels among adolescent girls in developing countries. *Trans.R.Soc.Trop.Med.Hyg.* 2000;94(4):455-9.
- [181] Jol-van der Zijde C M., van der Kaaden M, Rümke HC, Gerritsen EJA, Vossen JM, and van Tol MJD. The antibody response against tetanus toxoid: a longitudinal study in healthy infants and adults. Chapel H M, Levinsky R J, Webster A D B. , editors. *Progress in immune deficiency III.*, 238-240. 1991. London, United Kingdom, Royal Society of Medicine Services Ltd.
- [182] Pullen GR, Fitzgerald MG, Hosking CS. Antibody avidity determination by ELISA using thiocyanate elution. *J.Immunol.Methods* 1986;86(1):83-7.

- [183] Siekmann JH, Allen LH, Watnik MR, et al. Titers of antibody to common pathogens: relation to food-based interventions in rural Kenyan schoolchildren. *Am.J.Clin.Nutr.* 2003;77(1):242-9.
- [184] Monjour L, Bourdillon F, Korinek AM, et al. [Humoral immunity, 5 years after anti-tetanus vaccination, in a group of malaria-infected and malnourished African children]. *Pathol.Biol.(Paris)* 1988;36(3):235-9.
- [185] Borrow R, Balmer P, and Roper MH. Immunization, Vaccines and Biologicals. The immunological basis for immunization series. Module 3: Tetanus Update 2006. Online available: <http://www.who.int/vaccines-documents/DocsPDF07/869.pdf>. 2006.
- [186] Eisenhut M. Immunity to blood stages of *Plasmodium falciparum* is dependent on a specific pattern of immunoglobulin subclass responses to multiple blood stage antigens. *Med Hypotheses* 2007;69(4):804-8.
- [187] Naus CWA, Jones FM, Satti MZ, et al. Serological responses among individuals in areas where both schistosomiasis and malaria are endemic: Cross-reactivity between *Schistosoma mansoni* and *Plasmodium falciparum*. *Journal of Infectious Diseases* 2003;187(8):1272-82.
- [188] van Riet E, Adegnika AA, Retra K, et al. Cellular and humoral responses to influenza in gabonese children living in rural and semi-urban areas. *J Infect.Dis.* 2007;196(11):1671-8.
- [189] Rowe J, Yerkovich ST, Richmond P, et al. Th2-associated local reactions to the acellular diphtheria-tetanus-pertussis vaccine in 4- to 6-year-old children. *Infect.Immun.* 2005;73(12):8130-5.
- [190] Mellman I, Steinman RM. Dendritic cells: specialized and regulated antigen processing machines. *Cell* 2001;106(3):255-8.
- [191] de Jong EC, Vieira PL, Kalinski P, et al. Microbial compounds selectively induce Th1 cell-promoting or Th2 cell-promoting dendritic cells in vitro with diverse th cell-polarizing signals. *J Immunol* 2002;168(4):1704-9.
- [192] Iwasaki A, Medzhitov R. Toll-like receptor control of the adaptive immune responses. *Nat.Immunol.* 2004;5(10):987-95.
- [193] Reis e Sousa. Toll-like receptors and dendritic cells: for whom the bug tolls. *Semin.Immunol.* 2004;16(1):27-34.
- [194] Underhill DM. Collaboration between the innate immune receptors dectin-1, TLRs, and Nods. *Immunol.Rev.* 2007;219:75-87.
- [195] MacDonald AS, Maizels RM. Alarming dendritic cells for Th2 induction. *J Exp.Med* 2008;

- [196] Retra K, van Riet E, Adegnika AA, et al. Immunologic activity of schistosomal and bacterial TLR2 ligands in Gabonese children. *Parasite Immunol.* 2008;30(1):39-46.
- [197] The Perkin-Elmer Corporation. User bulletin #2. ABI Prism 7700 Sequence Detection system. P/N 4303859 Rev.A, Stock No 777802-001 . 2005.
- [198] Banerjee A, Gerondakis S. Coordinating TLR-activated signaling pathways in cells of the immune system. *Immunol.Cell Biol.* 2007;85(6):420-4.
- [199] Dillon S, Agrawal A, Van Dyke T, et al. expDC-RNAA Toll-like receptor 2 ligand stimulates Th2 responses *in vivo*, via induction of extracellular signal-regulated kinase mitogen-activated protein kinase and c-Fos in dendritic cells. *J.Immunol.* 2004;172(8):4733-43.
- [200] Han J, Lee JD, Bibbs L, Ulevitch RJ. A MAP kinase targeted by endotoxin and hyperosmolarity in mammalian cells. *Science* 1994;265(5173):808-11.
- [201] Balkhy HH, Heinzl FP. Endotoxin fails to induce IFN-gamma in endotoxin-tolerant mice: deficiencies in both IL-12 heterodimer production and IL-12 responsiveness. *J.Immunol.* 1999;162(6):3633-8.
- [202] Langrish CL, McKenzie BS, Wilson NJ, de Waal MR, Kastelein RA, Cua DJ. IL-12 and IL-23: master regulators of innate and adaptive immunity. *Immunol.Rev.* 2004;202:96-105.
- [203] Ivanov II, Zhou L, Littman DR. Transcriptional regulation of Th17 cell differentiation. *Semin.Immunol.* 2007;19(6):409-17.
- [204] Chen Z, Laurence A, O'Shea JJ. Signal transduction pathways and transcriptional regulation in the control of Th17 differentiation. *Semin.Immunol.* 2007;19(6):400-8.
- [205] Aggarwal BB. Signalling pathways of the TNF superfamily: a double-edged sword. *Nat.Rev.Immunol.* 2003;3(9):745-56.
- [206] Kawai T, Takeuchi O, Fujita T, et al. Lipopolysaccharide stimulates the MyD88-independent pathway and results in activation of IFN-regulatory factor 3 and the expression of a subset of lipopolysaccharide-inducible genes. *J.Immunol.* 2001;167(10):5887-94.
- [207] Weighardt H, Jusek G, Mages J, et al. Identification of a. *Eur.J.Immunol.* 2004;34(2):558-64.

- [208] Delgado M, Gonzalez-Rey E, Ganea D. VIP/PACAP preferentially attract Th2 effectors through differential regulation of chemokine production by dendritic cells. *FASEB J.* 2004;18(12):1453-5.
- [209] Strobl H, Knapp W. TGF-beta1 regulation of dendritic cells. *Microbes.Infect.* 1999;1(15):1283-90.
- [210] Kabelitz D, Wesch D, Oberg HH. Regulation of regulatory T cells: role of dendritic cells and toll-like receptors. *Crit Rev.Immunol.* 2006;26(4):291-306.
- [211] Mahnke K, Johnson TS, Ring S, Enk AH. Tolerogenic dendritic cells and regulatory T cells: a two-way relationship. *J.Dermatol.Sci.* 2007;46(3):159-67.
- [212] Takeda K, Akira S. TLR signaling pathways. *Semin.Immunol.* 2004;16(1):3-9.
- [213] Akira S, Takeda K, Kaisho T. Toll-like receptors: critical proteins linking innate and acquired immunity. *Nat.Immunol.* 2001;2(8):675-80.
- [214] Burns K, Martinon F, Esslinger C, et al. MyD88, an adapter protein involved in interleukin-1 signaling. *J.Biol.Chem.* 1998;273(20):12203-9.
- [215] Inohara N, Nunez G. NODs: intracellular proteins involved in inflammation and apoptosis. *Nat.Rev.Immunol.* 2003;3(5):371-82.
- [216] Pauleau AL, Murray PJ. Role of nod2 in the response of macrophages to toll-like receptor agonists. *Mol.Cell Biol.* 2003;23(21):7531-9.
- [217] Watanabe T, Kitani A, Murray PJ, Strober W. NOD2 is a negative regulator of Toll-like receptor 2-mediated T helper type 1 responses. *Nat.Immunol.* 2004;5(8):800-8.
- [218] Yamamoto M, Sato S, Hemmi H, et al. Role of adaptor TRIF in the MyD88-independent toll-like receptor signaling pathway. *Science* 2003;301(5633):640-3.
- [219] Hardy MP, McGettrick AF, O'Neill LA. Transcriptional regulation of the human TRIF (TIR domain-containing adaptor protein inducing interferon beta) gene. *Biochem.J.* 2004;380(Pt 1):83-93.
- [220] Zhang G, Ghosh S. Negative regulation of toll-like receptor-mediated signaling by Tollip. *J.Biol.Chem.* 2002;277(9):7059-65.
- [221] Alexander WS, Starr R, Metcalf D, et al. Suppressors of cytokine signaling (SOCS): negative regulators of signal transduction. *J.Leukoc.Biol.* 1999;66(4):588-92.

- [222] Yoshimura A, Naka T, Kubo M. SOCS proteins, cytokine signalling and immune regulation. *Nat.Rev.Immunol.* 2007;7(6):454-65.
- [223] Jeffrey KL, Brummer T, Rolph MS, et al. Positive regulation of immune cell function and inflammatory responses by phosphatase PAC-1. *Nat.Immunol.* 2006;7(3):274-83.
- [224] Grohmann U, Fallarino F, Puccetti P. Tolerance, DCs and tryptophan: much ado about IDO. *Trends Immunol.* 2003;24(5):242-8.
- [225] Butte MJ, Keir ME, Phamduy TB, Sharpe AH, Freeman GJ. Programmed death-1 ligand 1 interacts specifically with the B7-1 costimulatory molecule to inhibit T cell responses. *Immunity.* 2007;27(1):111-22.
- [226] Sharpe AH, Wherry EJ, Ahmed R, Freeman GJ. The function of programmed cell death 1 and its ligands in regulating autoimmunity and infection. *Nat.Immunol.* 2007;8(3):239-45.
- [227] Habicht A, Kewalaramani R, Vu MD, et al. Striking dichotomy of PD-L1 and PD-L2 pathways in regulating alloreactive CD4(+) and CD8(+) T cells in vivo. *Am.J.Transplant.* 2007;7(12):2683-92.
- [228] Bleharski JR, Li H, Meinken C, et al. Use of genetic profiling in leprosy to discriminate clinical forms of the disease. *Science* 2003;301(5639):1527-30.
- [229] Sloane DE, Tedla N, Awoniyi M, et al. Leukocyte immunoglobulin-like receptors: novel innate receptors for human basophil activation and inhibition. *Blood* 2004;104(9):2832-9.
- [230] Amsen D, Blander JM, Lee GR, Tanigaki K, Honjo T, Flavell RA. Instruction of distinct CD4 T helper cell fates by different notch ligands on antigen-presenting cells. *Cell* 2004;117(4):515-26.
- [231] Schaller MA, Neupane R, Rudd BD, et al. Notch ligand Delta-like 4 regulates disease pathogenesis during respiratory viral infections by modulating Th2 cytokines. *J.Exp.Med.* 2007;204(12):2925-34.
- [232] Nakahara T, Moroi Y, Uchi H, Furue M. Differential role of MAPK signaling in human dendritic cell maturation and Th1/Th2 engagement. *J Dermatol.Sci.* 2006;42(1):1-11.
- [233] Jurkovich GJ, Mileski WJ, Maier RV, Winn RK, Rice CL. Interferon gamma increases sensitivity to endotoxin. *J Surg.Res.* 1991;51(3):197-203.
- [234] Schroder K, Hertzog PJ, Ravasi T, Hume DA. Interferon-gamma: an overview of signals, mechanisms and functions. *J Leukoc.Biol.* 2004;75(2):163-89.

- [235] Goodridge HS, Harnett W, Liew FY, Harnett MM. Differential regulation of interleukin-12 p40 and p35 induction via Erk mitogen-activated protein kinase-dependent and -independent mechanisms and the implications for bioactive IL-12 and IL-23 responses. *Immunology* 2003;109(3):415-25.
- [236] Sun J, Krawczyk CJ, Pearce EJ. Suppression of th2 cell development by notch ligands delta1 and delta4. *J Immunol.* 2008;180(3):1655-61.
- [237] Yang D, Chen Q, Su SB, et al. Eosinophil-derived neurotoxin acts as an alarmin to activate the TLR2-MyD88 signal pathway in dendritic cells and enhances Th2 immune responses. *J Exp.Med* 2008;205(1):79-90.
- [238] Netea MG, Suttmuller R, Hermann C, et al. Toll-like receptor 2 suppresses immunity against *Candida albicans* through induction of IL-10 and regulatory T cells. *J.Immunol.* 2004;172(6):3712-8.
- [239] Sieling PA, Chung W, Duong BT, Godowski PJ, Modlin RL. Toll-Like Receptor 2 Ligands as Adjuvants for Human Th1 Responses. *J Immunol* 2003;170(1):194-200.
- [240] Takeuchi O, Kawai T, Muhlradt PF, et al. Discrimination of bacterial lipoproteins by Toll-like receptor 6. *Int.Immunol.* 2001;13(7):933-40.
- [241] Takeuchi O, Sato S, Horiuchi T, et al. Cutting edge: role of Toll-like receptor 1 in mediating immune response to microbial lipoproteins. *J.Immunol.* 2002;169(1):10-4.
- [242] Gringhuis SI, den Dunnen J, Litjens M, van het Hof B, van Kooyk Y, Geijtenbeek TBH. C-Type Lectin DC-SIGN Modulates Toll-like Receptor Signaling via Raf-1 Kinase-Dependent Acetylation of Transcription Factor NF- κ B. *Immunity* 2007;26(5):605-16.
- [243] Takeuchi O, Hoshino K, Kawai T, et al. Differential roles of TLR2 and TLR4 in recognition of gram-negative and gram-positive bacterial cell wall components. *Immunity* 1999;11(4):443-51.
- [244] Kim JG, Lee SJ, Kagnoff MF. Nod1 is an essential signal transducer in intestinal epithelial cells infected with bacteria that avoid recognition by toll-like receptors. *Infect.Immun.* 2004;72(3):1487-95.
- [245] Kobayashi KS, Chamaillard M, Ogura Y, et al. Nod2-dependent regulation of innate and adaptive immunity in the intestinal tract. *Science* 2005;307(5710):731-4.
- [246] Lee MS, Kim YJ. Signaling pathways downstream of pattern-recognition receptors and their cross talk. *Annu.Rev.Biochem.* 2007;76:447-80.

- [247] Ouyang W, Kolls JK, Zheng Y. The biological functions of T helper 17 cell effector cytokines in inflammation. *Immunity* 2008;28(4):454-67.
- [248] Diaz A, Allen JE. Mapping immune response profiles: the emerging scenario from helminth immunology. *Eur.J Immunol.* 2007;37(12):3319-26.
- [249] Mortimer K, Brown A, Feary J, et al. Dose-ranging study for trials of therapeutic infection with *Necator americanus* in humans. *Am J Trop Med Hyg* 2006;75(5):914-20.
- [250] Falcone FH, Pritchard DI. Parasite role reversal: worms on trial. *Trends Parasitol.* 2005;21(4):157-60.
- [251] Cooper PJ. The potential impact of early exposures to geohelminth infections on the development of atopy. *Clin.Rev.Allergy Immunol.* 2004;26(1):5-14.
- [252] Ege MJ, Bieli C, Frei R, et al. Prenatal farm exposure is related to the expression of receptors of the innate immunity and to atopic sensitization in school-age children. *J Allergy Clin.Immunol.* 2006;117(4):817-23.
- [253] Yazdanbakhsh M, Kremsner PG, van Ree R. Allergy, parasites, and the hygiene hypothesis. *Science* 2002;296(5567):490-4.
- [254] Seder RA, Darrah PA, Roederer M. T-cell quality in memory and protection: implications for vaccine design. *Nat.Rev.Immunol.* 2008;8(4):247-58.
- [255] Layland LE, Rad R, Wagner H, da Costa CU. Immunopathology in schistosomiasis is controlled by antigen-specific regulatory T cells primed in the presence of TLR2. *Eur.J Immunol.* 2007;37(8):2174-84.
- [256] Napolitani G, Rinaldi A, Bertoni F, Sallusto F, Lanzavecchia A. Selected Toll-like receptor agonist combinations synergistically trigger a T helper type 1-polarizing program in dendritic cells. *Nat.Immunol.* 2005;6(8):769-76.
- [257] Melendez AJ, Harnett MM, Pushparaj PN, et al. Inhibition of Fc epsilon RI-mediated mast cell responses by ES-62, a product of parasitic filarial nematodes. *Nat.Med* 2007;13(11):1375-81.

