



Universiteit
Leiden
The Netherlands

Phylogenetic, taxonomic and biogeographical studies in the Pithophoraceae (Cladophorales, Chlorophyta)

Boedeker, C.

Citation

Boedeker, C. (2010, December 21). *Phylogenetic, taxonomic and biogeographical studies in the Pithophoraceae (Cladophorales, Chlorophyta)*. Retrieved from <https://hdl.handle.net/1887/16263>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/16263>

Note: To cite this publication please use the final published version (if applicable).

- Acton, E. 1916. On the structure and origin of "Cladophora balls". *New Phytologist* 15:1-10.
- Agrawal, S. C. 1986. Effects of different factors on the akinete germination of *Pithophora oedogonia*. *Journal of Basic Microbiology* 26:195-9.
- Agrawal, S.C. & Singh, V. 2000. Vegetative survival, akinete formation and germination in three blue-green algae and one green alga in relation to light intensity, temperature, heat shock and UV exposure. *Folia Microbiologica* 45:439-46.
- Allwood, J., Gleeson, D., Mayer, G., Daniels, S., Beggs, J. R. & Buckley, T. R. 2010. Support for vicariant origins of the New Zealand Onychophora. *Journal of Biogeography* 37:669-681.
- Andersen, R. A. 2005. *Algal culturing techniques*. Academic Press, New York.
- Arts, G. H. P. 2002. Deterioration of Atlantic soft water macrophyte communities by acidification, eutrophication and alkalinisation. *Aquatic Botany* 73:373-93.
- Aysel, V., Erdugan, H., Dural-Tarakçi, B., Okudan, E. S., Senkardesler, A. & Aysel, F. 2004. Marine flora of Sinop (Black Sea, Turkey). *E.U. Journal of Fisheries & Aquatic Sciences* 21:59-68.
- Báez, J. C., Real, R., Vargas, J.M. & Flores-Moya, A. 2004. A biogeographical analysis of the genera *Audouinella* (Rhodophyta), *Cystoseira* (Phaeophyceae) and *Cladophora* (Chlorophyta) in the western Mediterranean Sea and Adriatic Sea. *Phycologia* 43:404-15.
- Baker, A. J., Huynen, L. J., Haddrath, O., Millar, C. D. & Lambert D. M. 2005. Reconstructing the tempo and mode of evolution in an extinct clade of birds with ancient DNA: the giant moa of New Zealand. *Proceedings of the National Academy of Science USA* 102:8257-62.
- Bakker, F. T., Olsen, J. L., Stam, W. T. & van den Hoek, C. 1992. Nuclear rDNA internal transcribed spacer regions (ITS1 and ITS2) define discrete biogeographic groups in *Cladophora albida* (Chlorophyta). *Journal of Phycology* 28:839-45.
- Bakker, F.T., Olsen, J. L., Stam, W.T. & van den Hoek, C. 1994. The *Cladophora* complex (Chlorophyta): New views based on 18S rRNA gene sequences. *Molecular Phylogenetics and Evolution* 3:365-82.
- Bakker, F. T., Olsen, J. L. & Stam, W. T. 1995. Global phylogeography in the cosmopolitan species *Cladophora vagabunda* (Chlorophyta) based on nuclear rDNA internal transcribed spacer sequences. *European Journal of Phycology* 30:197-208.
- Ball, I. R. 1975. Nature and formulation of biogeographical hypotheses. *Systematic Zoology* 24:407-30.
- Bardun, G. & Ljungberg, B. 2001. Vattenväxter i sjöarna på Södertörn och i angränsande områden samt uppbyggnad av en sjödatabas. *Södertörnsekologerna* 1:1-40.
- Barker, T., Hatton, K., O'Connor, M., Connor, L. & Moss, B. 2008. Effects of nitrate load on submerged

plant biomass and species richness: Results of a mesocosm experiment. *Fundamental and Applied Limnology/Archiv für Hydrobiologie* 173:89–100.

Battelli, C. 1997. A contribution to the knowledge of macrobenthic algae of the coastal waters of Slovenia: genus *Cladophora* (Chlorophyta). *Annals for Istrian and Mediterranean Studies* 11:47-56.

Bayly, I. A. E. & Williams, W. D. 1973. *Inland waters and their ecology*. Longman, Camberwell.

Beanland, W. R. & Woelkerling, W. J. 1982. Studies on Australian mangrove algae: II. Composition and geographic distribution of communities in Spencer Gulf, South Australia. *Proceedings of the Royal Society of Victoria* 94:89-106.

Belkin, I. M. & Gordon, A. L. 1996. Southern Ocean fronts from the Greenwich meridian to Tasmania. *Journal of Geophysical Research* 101 (C2):3675-96.

Bellamy, D., Springett, B. & Hayden, P. 1990. *Moa's ark, The voyage of New Zealand*. Viking, New York.

Belusz, L. C. & Reed, R. J. 1968. Some epizoophytes on six turtle species collected in Massachusetts and Michigan. *American Midland Naturalist* 81:598-601.

Bergsten, J. 2005. A review of long-branch attraction. *Cladistics* 21:163-93.

Bergstrom, D. M. & Chown, S. L. 1999. Life at the front: history, ecology and change on southern ocean islands. *Trends in Ecology and Evolution* 14:472-7.

Bergström, L. & Bergström, U. 1999. Species diversity and distribution of aquatic macrophytes in the Northern Quark, Baltic Sea. *Nordic Journal of Botany* 19:375-83.

Biffin, E., Hill, R. S. & Lowe, A. J. 2010. Did Kauri (*Agathis*: Araucariaceae) really survive the oligocene drowning of New Zealand? *Systematic Biology*: DOI:10.1093/sysbio/syq030

Blindow, I. 1992. Decline of charophytes during eutrophication: comparison with angiosperms. *Freshwater Biology* 28:9-14

BMT Cordah Limited 2004. Site condition monitoring: review and baseline survey of specified saline lagoons in the Outer Hebrides. *Scottish Natural Heritage Commissioned Report* No. 061.

Boedeker, C. & Immers, A. 2009. No more lake balls (*Aegagropila linnaei* Kützing, Cladophorophyceae, Chlorophyta) in The Netherlands? *Aquatic Ecology* 43:891-902.

Boedeker, C. & Hansen, G.I. 2010. Characterisation of the mat-like growth form of *Wittrockiella amphibia* (Collins) comb. nov. *Botanica Marina* 53:351-6.

Boedeker, C., Eggert, A., Immers, A. & Smets, E. 2010a. Global decline of and threats to *Aegagropila linnaei*, with special reference to the lake ball habit. *BioScience* 60:187-98.

Boedeker, C., Eggert, A., Immers, A. & Wakana, I. 2010b. Biogeography of *Aegagropila linnaei* (Cladophorophyceae, Chlorophyta): a widespread freshwater alga with low effective dispersal potential shows a glacial imprint in its distribution. *Journal of Biogeography* 37:1491-1503.

Boedeker, C., Ramírez, M. E. & Nelson, W. A. 2010c. *Cladophoropsis brachyartra* from southern South America is a synonym of the presumed New Zealand endemic *Wittrockiella lyallii*. *Phycologia*, in press.

Bolbrinker, P. 2000. Kurzinformation zu einem Neufund der seeballbildenden Fadenalge *Cladophora*

- aegagropila* (L.) Rbh. (= *Aegagropila sauteri* (Nees) Kützing). *Verhandlungen des Botanischen Vereins Berlin Brandenburg* 133:571-2.
- Bold, H. C. & Wynne, M. J. 1985. *Introduction to the Algae, 2nd edition*. Prentice-Hall, New Jersey.
- Boosten, A. 2006. *Meer Meer; 13 jaar Herstelplan Naardermeer*. Stichting Natuurmonumenten, 's-Graveland.
- Boraso de Zaixso, A. 2004. Chlorophyta marinas de la Argentina. *Historia Natural, Buenos Aires (Segunda Serie)* 3:95-119.
- Børgesen, F., 1913. The marine algae of the Danish West Indies. Part 1. Chlorophyceae. *Dansk Botanisk Arkiv* 1:1-158.
- Børgesen F. 1948. Some marine algae from Mauritius. Additional lists to the Chlorophyceae and Phaeophyceae. *Kongelige Danske Videnskabernes Selskab, Biologiske Meddelelser* 20:1-55.
- Bourrelly, P. 1966. *Les Algues D'eau Douce. I Les Algues Vertes*. Éditions N. Boubée & Cie, Paris.
- Brambati, A., Ghirardelli, E., Giaccone, G., Orel, G. & Vio, E. 1980. The bionomy of the San Pietro Channel (Sardinia): sedimentological hydrological research and aerophotographic survey as a function of the typology and distribution of the benthic communities. *Nova Thalassia* 4:135-71.
- Brand, F. 1902. Die *Cladophora*-Aegagropilen des Süßwassers. *Hedwigia* 41:34-71.
- Brand, F. 1904. Über die Anheftung der Cladophoraceen und über verschiedene polynesische Formen dieser Familie. *Beihefte zum Botanischen Centralblatt* 18:165-93.
- Brand, F. 1906. Über *Cladophora crispata* und die Sektion *Aegagropila*. *Hedwigia* 45:241-59.
- Briggs, J. C. 2003. Fishes and birds: Gondwanan life rafts reconsidered. *Systematic Biology* 52:548-53.
- Brodie, J, John, D. M., Tittley, I., Holmes, M. J., Williamson, D. B. 2008. *Important Plant Areas for algae*. Plantlife International, Salisbury. Available at: <http://www.plantlife.org.uk/uk/plantlife-saving-species-publications.html> (last accessed 07 May 2008).
- Brodie, J., Andersen, R. A., Kawachi, M. & Millar, A. J. K. 2009. Endangered algal species and how to protect them. *Phycologia* 48:423-38.
- Bromham, L. & Penny, D. 2003. The modern molecular clock. *Nature Reviews Genetics* 4:216-24.
- Broom, J., E., S., Farr, T. J. & Nelson, W. A. 2004. Phylogeny of the *Bangia* (Rhodophyta) flora of New Zealand suggests a southern origin for *Porphyra* and *Bangia*. *Molecular Phylogenetics and Evolution* 31:1197-207.
- Broom, J. E. S., Nelson, W. A., Farr, T. J., Phillips, L. E. & Clayton, M. N. 2010. Relationships of the *Porphyra* (Bangiales, Rhodophyta) flora of the Falkland Islands: a molecular survey using *rbcl* and nSSU sequence data. *Australian Systematic Botany* 23:27-37.
- Brouwer, E., Bobbink, R. & Roelofs, J. G. M. 2002. Restoration of aquatic macrophyte vegetation in acidified and eutrophied softwater lakes: An overview. *Aquatic Botany* 73:405-31.
- Burrows, E. M. 1991. *Seaweeds of the British Isles*. Vol. 2: *Chlorophyta*. Natural History Museum, London.

- Butlin, R. K. & Griffiths, H. I. 1993. Ageing without sex? *Nature* 364:680.
- Calvo, S. & Bárbara, I. 2002. Algas bentónicas de las marismas de Ortigueira, Betanzos, Baldaio y Corrubedo (Galicia, España). *Nova Acta Científica Compostelana (Biología)* 12:5-34.
- Calvo, S., Bárbara, I. & J. Cremades. 1999. Benthic algae of salt-marshes (Corrubedo Natural Park, NW Spain): The flora. *Botánica Marina* 42:343-53.
- Campbell, H. J. & Hutching, G. 2007. *In Search of Ancient New Zealand*. Penguin, Auckland.
- Caspian Sea Biodiversity Project 2006. Available at: http://www.zin.ru/projects/caspdiv/caspian_macroalgae.html (last accessed 07 September 2010).
- Cecere, E., Cormaci, M., Furnari, G., Petrocelli, A., Saracino, O. & Serio, D. 1996. Benthic algal flora of Cheradi Islands (Gulf of Taranto, Mediterranean Sea). *Nova Hedwigia* 62:191-214.
- Ceccherelli, G. & Cinelli, F. 1999. The role of vegetative fragmentation in the dispersal of the invasive alga *Caulerpa taxifolia* in the Mediterranean. *Marine Ecology Progress Series* 182:299-303.
- Chamberlain, Y. M. 1965. Marine algae of Gough Island. *Bulletin of the British Museum (Natural History) Botany* 3:176-232.
- Chapman, V. J. 1949. Some new species and forms of marine algae from New Zealand. *Farlowia* 3:495-8.
- Chapman, V. J. 1956. The marine algae of New Zealand. Part I. Myxophyceae and Chlorophyceae. *Journal of the Linnean Society of London, Botany* 55:333-501.
- Chapman, V. J. & Chapman, D. J. 1973. *The Algae*. Macmillan Press Ltd., London.
- Chappell, D. F., O'Kelly, C. J., Floyd, G. L. 1991. Flagellar apparatus of the biflagellate zoospores of the enigmatic marine green alga *Blastophysa rhizopus*. *Journal of Phycology* 27:423-8.
- Chase, M. W. & Hills, H. H. 1991. Silica gel: an ideal material for field preservation of leaf samples for DNA studies. *Taxon* 40:215-220.
- Chown, S. L., Gremmen, N. J. M. & Gaston, K. J. 1998. Ecological biogeography of Southern Ocean islands: species-area relationships, human impacts, and conservation. *American Naturalist* 152:562-75.
- Clement, M., Posada, D. & Crandall, K. A. 2000. TCS: a computer program to estimate gene genealogies. *Molecular Ecology* 9:1657-60.
- Clovis, J. F. 1955. A new record for *Cladophora* balls. *American Midland Naturalist* 54:508-9.
- Cocquyt, E., Verbruggen, H., Leliaert, F. & De Clerck, O. 2010. Evolution and cytological diversification of the green seaweeds (Ulvophyceae). *Molecular Biology and Evolution* 27:2052-61.
- Coesel, P. F. M. 1996. Biogeography of desmids. *Hydrobiologia* 336:41-53.
- Coesel, P. F. M., Kwakkestein, R. & Verschoor, A. 1978. Oligotrophication and eutrophication tendencies in some Dutch moorland pools, as reflected in their desmid flora. *Hydrobiologia* 61:21-31.
- Cohen, J., Mirotnick, N. & Leung, B. 2007. Thousands introduced annually: The aquarium pathway for non-indigenous plants to the St. Lawrence Seaway. *Frontiers in Ecology and the Environment*

5:528–32

Coleman, A. W. 1996. Are the impacts of events in the earth's history discernable in the current distributions of freshwater algae? *Hydrobiologia* 336:137-42.

Collen, B., Purvis, A. & Mace, G. M. 2010. When is a species really extinct? Testing extinction inference from a sighting record to inform conservation assessment. *Diversity and Distributions* 16:755-64.

Collins, F. S. 1907. Some new green algae. *Rhodora* 9:198-200.

Collins, F. S. 1909. The green algae of North America. *Tufts College Studies* 2:79-480.

Collins, F. S., Holden, I. & Setchell, W. A. 1905. *Phycotheca boreali-americana*. A collection of dried specimens of the algae of North America. Vol. Fasc. XXV-XXVI, Nos 1201-1300. Malden, Massachusetts.

Collins, F. S., Holden, I. & Setchell, W. A. 1910. *Phycotheca boreali-americana*. A collection of dried specimens of the algae of North America. Vol. Fasc. XXXI-XXXIV, Nos 1601-1700. Malden, Massachusetts.

Cook, L. G. & Crisp, M. D. 2005. Directional asymmetry of long-distance dispersal and colonization could mislead reconstructions of biogeography. *Journal of Biogeography* 32:741-54.

Cooper, A., Lalueza-Fox, C., Anderson, S., Rambaut, A., Austin, J. & Ward, R. 2001. Complete mitochondrial genome sequences of two extinct moas clarify ratite evolution. *Nature* 409:704-7.

Cormaci, M., Furnari, F., Alongi, G., Catra, M. & Serio, D. 2000. The benthic algal flora on rocky substrata of the Tremiti Islands (Adriatic Sea). *Plant Biosystems (Giornale Botanico Italiano)* 134:133-52.

Cotton, A. D. 1915. Cryptogams from the Falkland Islands collected by Mrs. Vallentin. *Journal of the Linnean Society, Botany* 43:137-231.

Cossu, A., Gazale, V. & Baroli, M. 1992. La flora marina della Sardegna: inventari delle alghe bentoniche. *Giornale Botanico Italiano* 126:651-707.

Cox Downing, R. 1970. Shoreline algae of Western Lake Erie. *Ohio Journal of Science* 70:257-76.

Cracraft, J. 1989. Speciation and its ontology: the empirical consequences of alternative species concepts for understanding patterns and processes of differentiation. In Otte, D. & Endler, J. A [Eds.] *Speciation and its Consequences*. Sinauer, Sunderland, pp. 28-59.

Craw, R. C. 1988. Continuing the synthesis between panbiogeography, phylogenetic systematics and geology as illustrated by empirical studies on the biogeography of New Zealand and the Chatham Islands. *Systematic Zoology* 37:291-310.

Cribb, A. B. 1965. An ecological and taxonomic account of the algae of a semi-marine cavern, Paradise Cave, Queensland. *Papers of the Department of Botany, University of Queensland* 4:259-82.

Crow, J. F. 1992. An advantage of sexual reproduction in a rapidly changing environment, *Journal of Heredity* 83:169-73.

Curtis, C. J., Botev, I., Camarero, L., Catalan, J., Cogalniceanu, D., Hughes, M., Kernan, M., Kopáček, J., Korhola, A., Psenner, R., Rogora, M., Stuchlík, E., Veronesi, M. & Wright, R. F. 2005. Acidification

- in European mountain lake districts: A regional assessment of critical load exceedance. *Aquatic Science* 67:237–51.
- Dávila, P. M., Figueroa, D. & Muller, E. 2002. Freshwater input into the coastal ocean and its relation with the salinity distribution off austral Chile (35–55°S). *Continental Shelf Research* 22:521–34.
- de Bernardo, R. & Giussani, G. 1995. Guidelines of Lake Management, vol. 7: Biomanipulation. International Lake Environment Committee, Kusatsu-shi.
- De Clerck, O., Gavio, B., Fredericq, S., Bárbara, I. & Coppejans, E. 2005. Systematics of *Grateloupia filicina* (Halymeniaceae, Rhodophyta), based on *rbcl* sequence analyses and morphological evidence, including the reinstatement of *G. minima* and the description of *G. capensis* sp. nov. *Journal of Phycology* 41:391–410.
- Den Hartog, C. 1969. Brackish water as an environment for algae. *Blumea* 15:32–43.
- de Queiroz, K. 1998. The general lineage concept of species, species criteria, and the process of speciation: a conceptual unification and terminological recommendations. In Howard, D. J. & Berlocher, S. H. [Eds.] *Endless Forms: Species and Speciation*. Oxford University Press, Oxford, pp. 57–75.
- de Queiroz, A. 2005. The resurrection of oceanic dispersal in historical biogeography. *Trends in Ecology and Evolution* 20:68–73.
- de Queiroz, K. 2007. Species concepts and species delimitation. *Systematic Biology* 56:879–86.
- Devos, N. & Vanderpoorten, A. 2009. Range disjunctions, speciation, and morphological transformation rates in the liverwort genus *Leptoscyphus*. *Evolution* 63:779–92.
- De Wever, A., Leliaert, F., Verleyen, E., Vanormelingen, P., van der Gucht, K., Hodgson, D. A., Sabbe, K. & Vyverman, W. 2009. Hidden levels of phylodiversity in Antarctic green algae: further evidence for the existence of glacial refugia. *Proceedings of the Royal Society, Series B* 276:3591–9.
- Dizerbo, A. H. & Herpe, E. 2007. *Liste et répartition des algues marines des côtes françaises de la Manche et de l'Atlantique, Îles Normandes incluses*. Éditions Anaximandre, Landernau.
- Dodds, W. K. & Gudder, D. A. 1992. The ecology of *Cladophora*. *Journal of Phycology* 28:415–27.
- Donze, M. 1968. The algal vegetation of the Ria de Arosa (NW Spain). *Blumea* 16:159–92.
- Drouet, F. 1968. Revision of the classification of the Oscillatoriaceae. *Proceedings of the Academy of Natural Sciences of Philadelphia, Monographs* 15:1–370.
- Drummond, A. J. & Rambaut, A. 2007. BEAST: Bayesian evolutionary analysis by sampling trees. *BMC Evolutionary Biology* 7:214.
- Drummond, A. J., Ho, S. Y. W., Phillips, M. J. & Rambaut, A. 2006. Relaxed phylogenetics and dating with confidence. *PLoS Biology* 4(5):e88.
- Duarte, C. M. 1995. Submerged aquatic vegetation in relation to different nutrient regimes. *Ophelia* 41:87–112.
- Durairatnam, M. 1961. Contribution to the study of the marine algae of Ceylon. Fisheries Research Station Department of Fisheries Ceylon Bulletin 10:1–181.
- Durairatnam, M. & Rangunathamuthaliar, V. 1976. Ecological study of marine algae on the littoral

- and sublittoral zone off Mandativu. *Journal of the Marine Biological Association of India* 15:652-7.
- Ducker, S. C. 1958. A new species of *Basycladia* on Australian freshwater turtles. *Hydrobiologia* 10:157-74.
- Dyke, A. S. 2004. An outline of North American deglaciation with emphasis on Central and Northern Canada. In Ehlers, J. & Gibbard, P. L. [Eds.] *Quaternary glaciation – extent and chronology, Part II: North America*. Elsevier, Amsterdam, pp. 373-424.
- Ebert, C., Tymms, M. J. & Schweiger, H.-G. 1985. Homology between 4.3 μm minicircular and plastomic DNA in chloroplasts of *Acetabularia cliftonii*. *Molecular and General Genetics* 200:187-92.
- Edgar, R. C. 2004. MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research* 32:1792-7.
- Edgren, R. A., Edgren, M. K. & Tiffany, L. H. 1953. Some North American turtles and their epizoophytic algae. *Ecology* 34:733-40.
- Egeland, E. S., Guillard, R. R. L. & Liaaen-Jensen, S. 1997. Additional carotenoid prototype representatives and a genera chemosystematic evaluation of carotenoids in Prasinophyceae (Chlorophyta). *Phytochemistry* 44:1087-97.
- Egerod, L. E. 1952. An analysis of the siphonous Chlorophycophyta with special reference to the Siphonocladales, Siphonales, and Dasycladales of Hawaii. *University of California Publications in Botany* 25:327-67.
- Einarsson, Á., Stefánsdóttir, G., Jóhannesson, H., Ólafsson, J. S., Gíslason, G. M., Wakana, I., Gudbergsson, G. & Gardarsson, A. 2004. The ecology of Lake Myvatn and the River Laxá: Variation in space and time. *Aquatic Ecology* 38:317-48
- Entwisle, T. J. 1997. Algae. In Scott, G. A. M., Entwisle, T. J., May, T. W. & Stevens, G. N. [Eds.] *A conservation overview of Australian non-marine lichens, bryophytes, algae and fungi*. Environment Australia, Canberra, pp. 34-48.
- Entwisle, T. J. & Price, I. R. 1992. New record of two potential weed species of freshwater macroalgae from Queensland. *Papers of the Department of Botany, University of Queensland* 102:57-63.
- Environment Agency of Japan 2000. *Threatened Wildlife of Japan – Red Data Book Vol. 9: Bryophytes, Algae, Lichens, Fungi, 2nd ed.* Environment Agency of Japan, Tokyo. Also available at http://www.biodic.go.jp/english/rdb/rdb_e.html (last accessed 07 May 2008).
- Ergashev, A. E. & Taubaev, T. T. 1967. Contribution to the biology and geographical distribution of *Aegagropila sauteri* (Nees) Kütz. *Gidrobiologicheskii Zhurnal* 3:68-9. [FBA translation No. 14]
- Ernst, A. 1908. Beitrag zur Morphologie und Physiologie von *Pithophora*. *Annales du Jardin Botanique de Buitenzorg* 22:18-29.
- Ernst, C. H. & Norris, J. N. 1978. Observations on the algal genus *Basycladia* and the red-bellied turtle, *Chrysemys rubriventris*. *Estuaries* 1:54-7.
- Etcheverry, H. 1986. Algas bentónicas, biotopo Montemar (Chile). *Revista de Biología Marina y Oceanografía* 22:169-226.
- Ettl, H. & Gärtner, G. 1995. *Syllabus der Boden-, Luft- und Flechtenalgen*. Gustav Fischer, Stuttgart, Germany.

- Evans, J. H. 1958. The survival of fresh water algae during dry periods. Part I. An investigation of five small ponds. *Journal of Ecology* 46:149-68.
- Farrar, D. R. 1990. Species and evolution in asexually reproducing independent fern gametophytes. *Systematic Botany* 15:98-111.
- Farris, J. S., Källersjö, M., Kluge, A. G., Bult, C. 1995. Constructing a significance test for incongruence. *Systematic Biology* 44:570-2.
- Fawley, M. W. 1991. Note: Disjunct distribution of the Xanthophyll Loroxanthin in the green algae (Chlorophyta). *Journal of Phycology* 27:544-8.
- Feau, N., Hamelin, R. C., Bernier, L. 2006. Attributes and congruence of three molecular data sets: Inferring phylogenies among *Septoria*-related species from woody perennial plants. *Molecular Phylogenetics and Evolution* 40:808-29.
- Feldmann, J. 1936. Observation sur une algue (*Dermatophyton radians* Peter) vivant dans la carapace des tortues d'eau douce. *Bulletin de la Station d'Aquiculture et de Pêche Castiglione* 1936:73-89.
- Feldmann J. 1938. Sur la classification de l'ordre des Siphonocladales. *Revue Générale de Botanique* 50:571-97.
- Felsenstein, J. 1985. Confidence limits on phylogenies: an approach using the bootstrap. *Evolution* 39:783-91.
- Fontaneto, D., Herniou, E. A., Boschetti, C., Caprioli, M., Melone G., Ricci, C. & Barraclough, T. G. 2007. Independently evolving species in asexual bdelloid rotifers. *PLoS Biology* 5:e87.
- Forsberg, C. 1965. Nutritional studies of *Chara* in axenic cultures. *Physiologia Plantarum* 18:275-90.
- Fott, B. 1971. *Algenkunde*. 2nd ed. Gustav Fischer, Stuttgart, Germany.
- Fraser, C. I., Nikula, R., Spencer, H. G. & Waters J. M. 2009. Kelp genes reveal effects of subantarctic sea ice during the Last Glacial Maximum. *Proceedings of the National Academy of Science USA* 106:3249-53.
- Frey, W, Stech, M. & Meissner, K. 1999. Chloroplast DNA-relationship in palaeoaustral *Lopidium concinnum* (Hypopterygiaceae, Musci). An example of steno-evolution in mosses. Studies in austral temperate rain forest bryophytes 2. *Plant Systematics and Evolution* 218:67-75.
- Fritsch, F. E. 1907a. The subaerial and freshwater algae of the tropics. *Proceedings of the Royal Society, Series B* 79:235-75.
- Fritsch, F. E. 1907b. A general consideration of the subaerial and fresh-water algal flora of Ceylon. A contribution to the study of tropical algal ecology. Part I – Subaerial algae and algae of the inland fresh-waters. *Proceedings of the Royal Society, Series B* 79:197-254.
- Fritsch F.E. 1935. *The structure and reproduction of the algae. Volume I. Introduction, Chlorophyceae, Xanthophyceae, Chrysophyceae, Bacillariophyceae, Cryptophyceae, Dinophyceae, Chloromonineae, Euglenineae, Colourless Flagellata*. Vol. I. Cambridge University Press, Cambridge.
- Fritsch, F. E. 1944. *Cladophorella calcicola* nov. gen. et sp., a terrestrial member of the Cladophorales. *Annals of Botany* 8:157-71.
- Fritsch, F. E. 1944. Present-day classification of algae. *Botanical Revue* 10:233-77.

- Fritsch, F. E. 1945. Studies in the comparative morphology of the algae. IV. Algae and archegoniate plants. *Annals of Botany-London* 9:1-29.
- Fritsch, F. E. 1953. The heterotrichous state. In Osvald, H. & E. Åberg, E. [Eds.] *Proceedings of the 7th International Botanical Congress Stockholm, July 12-20, 1950*. Almqvist & Wiksell, Uppsala, Sweden, pp. 817-820.
- Furnari, G., Cormaci, M. & Serio, D. 1999. Catalogue of the benthic marine macroalgae of the Italian coast of the Adriatic Sea. *Boccone* 12:1-214.
- Gabrielson, P. W., Widdowson, T. B. & Lindstrom, S. C. 2006. *Keys to the seaweeds and seagrasses of southeast Alaska, British Columbia, Washington and Oregon. Phycological Contribution 7*. PhycOID, Hillsborough, NC.
- Gaffney, E. S., Hutchinson, J. H., Jenkins, F. A. & Meeker, L. J. 1987. Modern turtle origins: the oldest known cryptodire. *Science* 237:289-91.
- Gain, L. 1912. La flore algologique des régions antarctiques and subantarctiques. In Charcot, J. [Ed.] *Deuxième Expédition Antarctique Française (1908-1910)*. Sciences Naturelles, Paris, pp. 1-218.
- Galicía-García, C. & Novelo, E. 2000. *Cladophorella netzhualpili* sp. nov. (Cladophorales, Ulvophyceae), a species reproducing by spores. *Phycologia* 39:288-95.
- Gallardo, T., Gómez Garreta, A., Ribera, M.A., Cormaci, M., Furnari, G., Giaccone, G. & Boudouresque, C.-F. 1993. Check-list of Mediterranean seaweeds, II. Chlorophyceae Wille s.l. *Botanica Marina* 36:399-421.
- Garbary, D. J. 2010. Taxonomy of *Basycladia* (Cladophorales, Chlorophyta) with two new combinations. *Novon* 20:38-40.
- Garbary, D. J., Bourque, G., Herman, T. B. & McNeil, J. A. 2007. Epizoic algae from freshwater turtles in Nova Scotia. *Journal of Freshwater Ecology* 22:677-85.
- Gardavský, A. 1986. *Cladophora moravica* (Dvořák) comb. nova and *C. basiramosa* Schmidle, two interesting riverine species of the green filamentous algae from Czechoslovakia. *Archiv für Hydrobiologie Suppl.* 73:49-77.
- Gardavský, A. 1993. *Rhizoclonium fractiflexum* sp. nova, a new member of Cladophorales (Chlorophyta) described from freshwater aquaria. *Archiv für Protistenkunde* 143:125-36.
- Gärdenfors, U. 2005. *The 2005 Redlist of Swedish Species*. Artdatabanken, Uppsala.
- Gardner, N. L. 1936. A new species of *Chaetomorpha* from China. *Madroño* 4:28-32.
- Geissler, U. 1988. Some changes in the flora and vegetation of algae in freshwater environments. *Helgoländer Meeresuntersuchungen* 42:637-43.
- Geitler, L. 1936. Vergleichende Untersuchungen über den feineren Kern und Chromosomenbau der Cladophoraceen. *Planta* 25:530-78.
- Gersonde, R., Crosta, X., Abelmann, A. & Armand, L. 2005. Sea-surface temperature and sea ice distribution of the Southern Ocean at the EPILOG Last Glacial Maximum – a circum-Antarctic view based on siliceous microfossil records. *Quaternary Science Reviews* 24:869-96.
- Getzen, M. V. 1967. De *Cladophora globosa* in lacubus regionis transpolaris. *Novitates Systematicae Plantarum Non Vascularium* 1:86-91.

- Giaccone, G. 1978. Revisione della flora marina de Mare Adriatico. *Annuario Parco Marino Miramare* 6:1-118.
- Giaccone, G., Colonna, P., Graziano, C., Mannino, A. M., Tornatore, E., Cormaci, M., Furnari, G. & Scammacca, B. 1985. Revisione della flora marina di Sicilia e isole minori. *Bolletino dell'Accademia Gioenia di Scienze Naturali in Catania* 18:537-781.
- Gibbs, M. T. 2001. Aspects of the structure and variability of the low-salinity-layer in Doubtful Sound, a New Zealand fiord. *New Zealand Journal of Marine and Freshwater Research* 35:59-72.
- Gibbs, G. 2006. *Ghosts of Gondwana. The History of Life in New Zealand*. Craig Potton Publishing, Nelson.
- Giegold, T. & Tutturen, B. 1996. Inventering av kransalger inom sju kommuner på Södertörn 1995. *Södertörnsekologerna* 1:1-72.
- Gíslason, G. M. 1992. *Information Sheet on Ramsar Wetlands. Ramsar Bureau*. Available at: www.wetlands.org/reports/ris/3IS001en_part1.pdf (last accessed 11 February 2010).
- Goff, L. & Moon, D. 1993. PCR amplification of nuclear and plastid genes from algal herbarium specimens and algal spores. *Journal of Phycology* 29:381-4.
- Gontcharov, A. A., Marin, B., Melkonian, M. 2004. Are combined analyses better than single gene phylogenies? A case study using SSU rDNA and rbcL sequence comparisons in the Zygnematophyceae (Streptophyta). *Molecular Biology and Evolution* 21:612-24.
- Graham, S. W., Olmstead, R. G. & Barrett, S. C. H. 2002. Rooting phylogenetic trees with distant outgroups: a case study from the commelinoid monocots. *Molecular Biology and Evolution* 19:1769-81.
- Green, A. J., Figuerola, J. & Sánchez, M. I. 2002. Implications of waterbird ecology for the dispersal of aquatic organisms. *Acta Oecologica* 23:177-89.
- Grunow, A. 1868. Erster Band. Algen. In Fenzl, E. [Ed.] *Reise Seiner Majestät Fregatte Novara um die Erde. Botanischer Theil*. K. K. Hof und Staatsdruckerei, Vienna, Austria, pp. 1-104.
- Guindon, S. & Gascuel, O. 2003. A simple, fast, and accurate algorithm to estimate large phylogenies by maximum likelihood. *Systematic Biology* 52:696-704.
- Hallgrímsson, H. 2007. Þörungatal - Skrá yfir vatna- og landþörungá á Íslandi samkvæmt heimildum. *Fjölrit Náttúrufræðistofnunar* 48:1-96.
- Hamilton, J. M. 1948. Sexual reproduction in the genus *Basiacladia*. *Transactions of the American Microscopical Society* 67:201-5.
- Handa, M. 1928. Akinetes in a species of *Oedogonium*. *Journal of the Indian Botanical Society* 7:15-6.
- Hanyuda, T., Wakana, I., Arai, S., Miyaji, K., Watano, Y. & Ueda, K. 2002. Phylogenetic relationships within Cladophorales (Ulvophyceae, Chlorophyta) inferred from 18S rRNA gene sequences, with special reference to *Aegagropila linnaei*. *Journal of Phycology* 38:564-71.
- Haq, B. U., Hardenbol, J. & Vail, P. R. 1987. Chronology of fluctuating sea levels since the triassic. *Science* 235:1156-67.
- Harvey, W. H. 1855. Algae. In Hooker, J. D. [Ed.] *The botany of the Antarctic voyage of H.M.*

discovery ships Erebus and Terror in the years 1839-1843. II. Flora Nova-Zelandiae. Part II. Flowerless Plants. Reeve, London, pp. 211-266.

Hassouna, N., Michot, B. & Bachellerie, J. P. 1984. The complete nucleotide sequence of mouse 28S rRNA gene. Implications for the process of size increase of the large subunit rRNA in higher eukaryotes. *Nucleic Acids Research* 12:3563-83.

Hausdorf, B. 2000. Biogeography of the Limacoidea *sensu lato* (Gastropoda: Stylommatophora): vicariance events and long-distance dispersal. *Journal of Biogeography* 27:379-90.

Hay, C. H., Adams, N. M. & Parsons, M. J. 1985. Marine algae of the subantarctic islands of New Zealand. *National Museum of New Zealand Miscellaneous Series* 11:1-70.

Heath, R. A. 1985. A review of physical oceanography of the seas around New Zealand - 1982. *New Zealand Journal of Marine and Freshwater Research* 19:79-124.

Hebert, P. D. N., Cywinska, A., Ball, S. L. & de Waard, J. R. 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society B Biological Sciences* 270:313-21.

Heering, W. 1921. Siphonales. In Pascher, A. [Ed.] *Süßwasserflora Deutschlands, Österreichs und der Schweiz*. Vol.7. Gustav Fischer, Jena, Germany, pp. 69-99.

Heinrichs, J., Hentschel, J., Feldberg, K., Bombosch, A. & Schneider, H. 2009. Phylogenetic biogeography and taxonomy of disjunctly distributed bryophytes. *Journal of Systematics and Evolution* 47:497-508.

Henley, W. J., Hironaka, J. L., Buchheim, M. A., Buchheim, J. A., Fawley, M. W. & Fawley, K. P. 2004. Phylogenetic analysis of the *Nannochloris*-like algae and diagnoses of *Picochlorum okahomensis* gen. et sp. nov. (Trebouxiophyceae, Chlorophyta). *Phycologia* 43:641-52.

Hennig, W. 1950. *Grundzüge einer Theorie der Phylogenetischen Systematik*. Deutscher Zentralverlag, Berlin.

Henriksen, A., Lien, L., Traaen, T. S., Sevaldrud, I. S. & Brakke, D. F. 1988. Lake acidification in Norway: Present and predicted chemical status. *Ambio* 17:259-66.

Hernández, C. E., Moreno, R. A. & Rozbaczylo, N. 2005. Biogeographical patterns and Rapoport's rule in southeastern Pacific benthic polychaetes of the Chilean coast. *Ecography* 28:363-73.

Hey, J. 2001. The mind of the species problem. *Trends in Ecology and Evolution* 16:326-9.

Hey, J. 2006. On the failure of modern species concepts. *Trends in Ecology and Evolution* 21:447-50.

Hinton, G. C. & Maulood, B. K. 1982. Contributions to the algal flora of Iraq: the non-diatom flora of the southern marshes. *Nova Hedwigia* 31:49-63.

Hirose, H. 1954. Studies in the morphology and behaviour of the reproductive cells of *Chaetomorpha okamurai* Ueda. *Cytologia* 19:358-70.

Hoffman, W. E. & Tilden, J. E. 1930. *Basycladia*, a new genus of Cladophoraceae. *Botanical Gazette* 89:374-84.

Hoffmann, L. 1996. Geographic distribution of freshwater blue-green algae. *Hydrobiologia* 336:33-40.

- Hofstra, J. J. & van Liere, L. 1992. The state of the environment of the Loosdrecht lakes. *Hydrobiologia* 233:11-20
- Holmes, N. T. H. & Whitton, B. A. 1975. Macrophytes of the river Tweed. *Transactions of the Botanical Society of Edinburgh* 42:369-81.
- Holmes, N. T. H. & Whitton, B. A. 1977. Macrophytic vegetation of the River Swale, Yorkshire. *Freshwater Biology* 7:545-58.
- Holmes, N. T. H. & Whitton, B. A. 1981a. Phytobenthos of the River Tees and its tributaries. *Freshwater Biology* 11:139-68.
- Holmes, N. T. H. & Whitton, B. A. 1981b. Phytoplankton of four rivers, the Tyne, Wear, Tees and Swale. *Hydrobiologia* 80:110-27.
- Holmgren, P. K., Holmgren, N. H. & Barnett, L. C. 1990. *Index Herbariorum, Part I: The herbaria of the world*. New York Botanical Garden, New York, USA.
- Hommersand, M. H. 2007. Global biogeography and relationships of the Australian marine macroalgae. In McCarthy, P. M. & Orchard, A. E. [Eds.] *Algae of Australia: Introduction*. Australian Biological Resources Study and CSIRO Publishing, Melbourne, pp. 511-542.
- Hori, T. & Ueda, R. 1975. The fine structure of algal chloroplasts and algal phylogeny. In Tokida, J. & Hirose, H. [Eds.] *Advance of Phycology in Japan*. Junk, The Hague, Netherlands, pp. 11-42.
- Huelsenbeck, J. P., Bollback, J. P. & Levine, A. M. 2002. Inferring the root of a phylogenetic tree. *Systematic Biology* 51:32-43.
- Hylmö, D. E. 1938. Botanische Ergebnisse der schwedischen Expedition nach Patagonien und dem Feuerlande 1907-1909. XI. Meeresalgen 3. Chlorophyceae. *Kungliga Svenska Vetenskapsakademiens Handlingar Ser 3* 17:1-23.
- International Centre for Island Technology 2004. Review of biological communities in the Lochs of Stenness and Harray, Orkney. *Scottish Natural Heritage Commissioned Report No. 066 (Parts 2, 8 & 9 of 12)*.
- Islam, A. K. M. N. 1964. The genus *Cladophorella* newly found in East Pakistan. *Revue Algologie* 7:275-89.
- Islam, A. K. M. N. & Irfanullah, H. M. 2005. Hydrobiological studies within the tea gardens at Srimangal, Bangladesh. III. Chlorophyceae (excluding desmids). *Bangladesh Journal of Plant Taxonomy* 12:19-37.
- Izboldina, L. A. 2007. *Guide and key to benthonic and periphyton algae of lake Baikal (meio- and macrophytes) with short notes of their ecology*. Nauka-Center, Novosibirsk, Russia.
- Jao, C. C. 1944. Studies on the fresh-water algae of China. XII. The attached algal communities of the Kialing River. *Sinensia* 15:61-74.
- Jao, C.-C. 1948. Studies on the freshwater algae of China XVIII. Some freshwater algae from Chengku, Shensi. *Botanical Bulletin of Academia Sinica* 18:39-61.
- Jeppesen, E., Jensen, J. P., Søndergaard, M. & Lauridsen, T. 1999. Trophic dynamics in turbid and clearwater lakes with special emphasis on the role of zooplankton for water clarity. *Hydrobiologia* 408/409:217-31.

- John, D. M. 2002. Order Cladophorales (=Siphonocladales). In John, D. M., Whitton, B. A. & Brook, A. J. [Eds.] *The Freshwater Algal Flora of the British Isles. An identification guide to freshwater and terrestrial algae*. Cambridge University Press, Cambridge, pp. 468-470.
- John, D. M. 2003. Filamentous and plantlike green algae. In Wehr, J. D. & Sheath, R. G. [Eds.] *Freshwater algae of North America*. Academic Press, San Diego, USA, pp. 311-52.
- John, D. M., Whitton, B. A. & Brook, A. J. 2002. *The freshwater algal flora of the British Isles. An identification guide to freshwater and terrestrial algae*. Cambridge University Press, Cambridge.
- John, D. M., Paterson, G. L. J., Evans, N. J., Ramírez, M. E., Spencer, M. E., Baéz, T. J., Ferrero, T. J., Valentine, C. A. & Reid D. G. 2003. *Manual de Biotopos Marinos de la Región de Aysén, Sur de Chile* (A manual of marine biotopes of the Aysén region, southern Chile. The Laguna San Rafael National Park, Estero Elefante, Chonos Archipelago and Katalalixar). Aysén Biodiversity Project, The Natural History Museum, London.
- Jónsson, G. S. 1962. Recherches sur des Cladophoracées marines. Structure, reproduction, cycles comparés, conséquences systématiques. *Annales des Sciences Naturelles – Botanique et Biologie Vegetale* 12 (3):27-265.
- Jónsson, S. 1965. La validité et la délimitation de l'ordre des Siphonocladales. *Travaux dédiés a Lucien Plantefol, Masson et Cie, Paris*:391-406.
- Jónsson, G. S. 1992. Photosynthesis and production of epilithic algal communities in Thingvallavatn. *Oikos* 64:222-40.
- Jöns, K. 1934. Der Bültsee und seine Vegetation. *Schriften des Naturwissenschaftlichen Vereins Schleswig-Holstein* 20:171-207.
- Jørgensen, S. E. 1997. Acidification of the Scandinavian lakes. In Jørgensen, S. E. & Matsui, S. *Guidelines of Lake Management, vol. 8: The World's Lakes in Crisis*. International Lake Environment Committee, Kusatsu-shi, pp. 23-38.
- Joyner, J. J., Litaker, R. W. & Paerl, H. W. 2008. Morphological and genetic evidence that the cyanobacterium *Lyngbya wollei* (Farlow ex Gomont) Speziale and Dyck encompasses at least two cryptic species. *Applied and Environmental Microbiology*, 74:3710-7.
- Kahlert, M., Hasselrot, A.T., Hillebrand, H. & Pettersson, K. 2002. Spatial and temporal variation in the biomass and nutrient status of epilithic algae in Lake Erken, Sweden. *Freshwater Biology* 47:1191-215.
- Kanda, F. 1979. On *Cladophora sauteri* in Lake Shirarutoro, Hokkaido. *Japanese Journal of Phycology* 27:39-44.
- Kanda, F. 1982. A new form of *Cladophora sauteri* from Lake Toro in the Kushiro moor, Hokkaido, Japan. *Japanese Journal of Phycology* 30:147-53.
- Kanda, F. 1991. The observation of specimens of *Cladophora sauteri* from Toyama, Japan. *Japanese Journal of Phycology* 39:27-30.
- Kann, E. 1940. Ökologische Untersuchungen an Litoralalgen ostholsteinischer Seen. *Archiv für Hydrobiologie* 37:177-269.
- Kann, E. 1945. Zur Ökologie der Litoralalgen in ostholsteinischen Waldseen. *Archiv für Hydrobiologie* 41:19-26.

- Kann, E. & Sauer, F. 1982. Die „Rotbunte Tiefenbiocönose“ Neue Beobachtungen in österreichischen Seen und eine zusammenfassende Darstellung. *Archiv für Hydrobiologie* 95:181-195.
- Kanno, R. 1934. A study of *Aegagropila* of Japan, with special reference to ball-formation. *Bulletin of the Japanese Society of Scientific Fisheries* 2:217-8.
- Kargupta, A. N. 1994. Monotypic genus *Arnoldiella* (Cladophorales : Chlorophyceae) - a new record from Indian subcontinent. *Journal of Economic and Taxonomy Botany* 18:439-441.
- Kéry, M., Gerdner, B. & Monnerat, C. 2010. Predicting species distributions from checklist data using site-occupancy models. *Journal of Biogeography* DOI: 10.1111/j.1365-2699.2010.02345.x
- Keshri, J. P. & Hazra A. G. 2009. Observations on the rare alga *Arnoldiella conchophila* V. Miller (Ulvothyceae: Cladophorales) from India. *Cryptogamie Algologie* 30:271-4.
- Kindle, E. M. 1915. Limestone solution on the bottom of Lake Ontario. *American Journal of Science* 4:651-6.
- Kindle, E. M. 1934. Concerning "lake balls," "*Cladophora* balls" and "coal balls." *American Midland Naturalist* 15:752-60.
- Kiwa Water Research 2007. Natura 2000-gebied 95 – Oostelijke Vechtplassen. Available at <http://www.synbiosys.alterra.nl/natura2000/documenten/gebieden/095> (last accessed 07 May 2008).
- Kjellman, F. R. 1898. Zur Organographie und Systematik der Aegagropilen. *Nova Acta Regiae Societatis Scientiarum Upsaliensis, Series 3* 17:1-26.
- Knapp, M., Stöckler, K., Havell, D., Delsuc, F., Sebastiani, F. & Lockhart, P. J. 2005. Relaxed molecular clock provides evidence for long-distance dispersal of *Nothofagus* (southern beech). *PLoS Biology* 3:38-43.
- Komárek, J. 1985. Do all cyanophytes have a cosmopolitan distribution? Survey of the freshwater cyanophyte flora of Cuba. *Algological Studies* 38/39:359-86.
- Kops, J., van Eeden, F. W. & Vuyck, L. 1911. *Flora Batava* (23). Martinus Nijhoff, s'Grevenghage.
- Korall, P., Schuetzel, E. & Pryer, K. M. 2010. Abrupt deceleration of molecular evolution linked to the origin of arborescence in ferns. *Evolution* 64:2786-92.
- Koster, J. T. 1959. Groene wierballen in Nederlandse plassen. *De Levende Natuur* 62:178-82.
- Kozhova, O. M., Izmestéva, L. R. & Erbaeva, E. A. 1994. A review of the hydrobiology of Lake Khubsugul (Mongolia). *Hydrobiologia* 291:11-9.
- Krishnamurthy, V. 2000. *Algae of India and neighbouring countries I. Chlorophycota*. Science Publishers, Inc., Enfield, USA.
- Kurogi, M. E. 1980. Lake Ball 'Marimo' in Lake Akan. *Japanese Journal of Phycology* 28:168-9.
- La Claire, J. W., Zuccarello, G. C. & Tong, S. Abundant plasmid-like DNA in various members of the orders Siphonocladales and Cladophorales (Chlorophyta). *Journal of Phycology* 33:830-837.
- La Claire, J. W. II, Loudenslager, C. M. & Zuccarello, G. C. 1998. Characterization of novel extrachromosomal DNA from giant-celled marine green algae. *Current Genetics* 34:204-11.
- La Claire, J. W. II & Wang, J. 2000. Localization of plasmidlike DNA in giant-celled marine green

algae. *Protoplasma* 213:157-64.

Laing, R. M. 1899. Revised list of New Zealand seaweeds. – Part I. *Transactions and Proceedings of the New Zealand Institute* 32:57-70.

Laing, R. M. 1927. A reference list of New Zealand marine algae. *Transactions and Proceedings of the New Zealand Institute* 57:126-85.

Lazar, J. 1975. *Razsirjenost sladkovodnih alg v Sloveniji*. Slovenska Akademija Znanosti in Umetnosti, Ljubljana.

Leentvaar, P. & Mörzer Bruijns, M. F. 1962. De verontreiniging van de Loosdrechtse Plassen en haar gevolgen. *De Levende Natuur* 65:42-8.

Le Gall, L. & Saunders, G. W. 2010. DNA barcoding is a powerful tool to uncover algal diversity: a case study of the Phylloporaceae (Gigartinales, Rhodophyta) in the Canadian flora. *Journal of Phycology* 46:374-89.

Leliaert, F. & Boedeker, C. 2007. Cladophorales. In Brodie, J., Maggs, C. A. & John, D. [Eds.] *Green Seaweeds of Britain and Ireland*. Natural History Museum Publications, London, UK, pp. 131-183.

Leliaert, F. & Coppejans, E. 2003. The marine species of *Cladophora* (Chlorophyta) from the South African east coast. *Nova Hedwigia* 76: 5-82.

Leliaert, F. & Coppejans, E. 2006. A revision of *Cladophoropsis* Børgesen (Siphonocladales, Chlorophyta). *Phycologia* 49:657-79.

Leliaert, F. & Coppejans, E. 2007. Morphological re-assessment of the *Boodlea composita*-*Phyllocladion anastomosans* species complex (Siphonocladales: Chlorophyta). *Australian Systematic Botany* 20:161-85.

Leliaert, F., Rousseau, F., de Reviere, B. & Coppejans, E., 2003. Phylogeny of the Cladophorophyceae (Chlorophyta) inferred from partial LSU rRNA gene sequences: is the recognition of a separate order Siphonocladales justified? *European Journal of Phycology* 38:233-46.

Leliaert, F., De Clerck, O., Verbruggen, H., Boedeker, C. & Coppejans, E. 2007a. Molecular phylogeny of the Siphonocladales (Chlorophyta: Cladophorophyceae). *Molecular Phylogenetics and Evolution* 44:1237-56.

Leliaert, F., Millar, A. J. K., Vlaeminck, C. & Coppejans, E. 2007b. Systematics of the green macroalgal genus *Chamaedoris* Montagne (Siphonocladales), with an emended description of the genus *Struvea* Sonder. *Phycologia* 46:709-25.

Leliaert, F., Wysor, B., Verbruggen, H., Vlaeminck, C. & De Clerck, O. 2008. *Phyllocladion robustum* (Setchell et Gardner) comb. nov. (Siphonocladales, Chlorophyta), a morphologically variable species from the tropical Pacific coast of America. *Cryptogamie Algologie* 29:217-33.

Leliaert, F., Ruessing, J., Boedeker, C., Maggs, C. A., Cocquyt, E., Verbruggen, H. & De Clerck, O. 2009a. Systematics of the marine microfilamentous green algae *Uronema curvatum* and *Urospora microscopica* (Chlorophyta). *European Journal of Phycology* 44:487-96.

Leliaert, F., Verbruggen, H., Wysor, B. & De Clerck, O. 2009b. DNA taxonomy in morphologically plastic taxa: Algorithmic species delimitation in the *Boodlea* complex (Chlorophyta: Cladophorales). *Molecular Phylogenetics and Evolution* 53:122-33.

Leliaert, F., Boedeker, C., Pena, V., Bunker, F., Verbruggen, H. & De Clerck, O. 2009c. *Cladophora*

rhodolithicola sp. nov. (Cladophorales, Chlorophyta), a diminutive species from European Maerl beds. *European Journal of Phycology* 44:155-69.

Lembi, C. A. 2003. Control of nuisance algae. In Wehr, J. D. & Sheath, R. G. [Eds.] *Freshwater algae of North America*. Academic Press, San Diego, USA, pp. 805-34.

Levin, H. L. 1999. *Ancient Invertebrates and Their Living Relatives*. Prentice Hall, Upper Saddle River.

Levring, T. 1960. Contributions to the marine algal flora of Chile. *Acta Universitatis Lundensis* 56:1-85.

Lilleleht, V. 1998. *Red Data Book of Estonia. Threatened Fungi, Plants and Animals*. Eesti Teaduste Akadeemia, Tartu. Available at <http://www.zbi.ee/punane/english/index.html> (last accessed 07 May 2008).

Lilly, E. L., Halaných, K. M. & Anderson, D. M. 2007. Species boundaries and global biogeography of the *Alexandrium tamarensis* complex (Dinophyceae). *Journal of Phycology* 43:1329-38.

Littler, M. M. & Kauker, B. J. 1984. Heterotrichy and survival strategies in the red alga *Corallina officinalis*. *Botanica Marina* 27:37-44.

Littler, M. M. & Littler, D. S. 1983. Heteromorphic life-history strategies in the brown alga *Scytosiphon lomentaria* (Lyngb.) Link. *Journal of Phycology* 19:425-31.

Liu, G. 1999. Study on the systematics of freshwater Cladophoraceae from China. Master's Thesis, Institute of Hydrobiology, Chinese Academy Sciences, Wuhan.

Logares, R., Shalchin-Tabrizi, K., Boltovskoy, A. & Rengefors, K. 2007. Extensive dinoflagellate phylogenies indicate infrequent marine-freshwater transitions. *Molecular Phylogenetics and Evolution* 45:887-903.

López-Bautista, J. M. & Chapman, R. L. 2003. Phylogenetic affinities of the Trentepohliales inferred from small-subunit rDNA. *International Journal of Systematics and Evolutionary Microbiology* 53:2099-106.

Ludwig, G. & Schnittler, M. 1996. *Rote Liste gefährdeter Pflanzen Deutschlands*. Bundesamt für Naturschutz, Bonn-Bad Godesberg.

Lund, J. W. G. 1961. The Algae of the Malham Tarn District. *Field Studies* 1:85-119.

Lundh, A. 1951. Studies on the vegetation and hydrochemistry of Scanian lakes. *Botaniska Notiser* 3 (Suppl.):1-138.

Luther, H. 1951. Verbreitung und Ökologie der höheren Wasserpflanzen im Brackwasser der Ekenäs-Gegend in Südfinnland. II. Spezieller Teil. *Acta Botanica Fennica* 50:1-370.

Maasdam, R. & Claassen, T. H. L. 1998. Trends in water quality and algal growth in shallow Frisian lakes, the Netherlands. *Water Science and Technology* 37:177-184.

Makhrov, A. A. & Bolotov, I. N. 2006. Dispersal routes and species identification of freshwater animals in Northern Europe: a review of molecular evidence. *Russian Journal of Genetics* 42:1101-15.

Mangerud, J., Jakobsson, M., Alexanderson, H., Astakhov, V., Clarke, G. K. C., Henriksen, M., Hjort,

- C., Krinner, G., Lunkka, J.-P., Moller, P., Murray, A., Nikolskaya, O., Saarnisto, M. & Svendsen, J. I. 2004. Ice-dammed lakes and rerouting of the drainage of northern Eurasia during the last glaciation. *Quaternary Science Reviews* 23:1313-32.
- Manhart, J. R., Kelly, K., Dudock, B. S. & Palmer, J. D. 1989. Unusual characteristics of *Codium fragile* chloroplast DNA revealed by physical and gene mapping. *Molecular and General Genetics* 216:417-21.
- Mann, D. G. 1996. Crossing the Rubicon: the effectiveness of the marine/freshwater interface as a barrier to the migration of diatom germplasm. In Mayama, S., Idei, M. & Koizumi, I. [Eds.] *14th diatom symposium 1996*. Koeltz Scientific Books, Königstein, Germany, pp. 1-21.
- Marks, J. C. & Cummings, M. P. 1996. DNA sequence variation in the ribosomal internal transcribed spacer region of freshwater *Cladophora* species. *Journal of Phycology* 32:1035-42.
- Marshall, B. A. 1998. *Pulvinites exempla* (Hedley, 1914) from the New Zealand region (Bivalvia: Pulvinitidae). *Nautilus* 112:99-102.
- Matafonov, D. V., Kuklin, A. P. & Matafonov, P. V. 2005. Consortia in Aquatic Ecosystems of the Transbaikalia. *Biology Bulletin* 32:490-5.
- Matsuyama K., Matsuoka T., Miyaji K, Tanaka J. & Aruga Y. 1998. Ultrastructure of the pyrenoid in the family Cladophoraceae (Cladophorales, Chlorophyta). *Journal of Japanese Botany* 73:279-86.
- Matsuyama, K., Aruga, Y. & Tanaka, J. 1999. Ecological and morphological studies of *Cladophora conchophoria* Sakai (Ulvophyceae, Cladophoraceae). *Journal of Japanese Botany* 74:136-41.
- Mattox, K. R. & Stewart, K. D. 1984. The classification of the green algae, a concept based on comparative cytology. In Irvine, D. E. G. & John, D. M. [Eds.] *Systematics of the Green Algae*. Academic Press, London & Orlando, pp. 29-72.
- Mayden, R. L. 1997. A hierarchy of species concepts: the denouement in the saga of the species problem. In Claridge, M. F., Dawah, H. A. & Wilson, M. R. [Eds.] *Species: The Units of Biodiversity*. Chapman and Hall, London, pp. 381-424.
- Maynard-Smith, J. 1978. *The evolution of sex*. Cambridge University Press, New York.
- Maynard-Smith, J. 1986. Contemplating a life without sex. *Nature* 324:300-1.
- Mayr, E. 1963. *Animal Species and Evolution*. Harvard University Press, Cambridge, Massachusetts.
- Mayr, E. 1992. A local flora and the biological species concept. *American Journal of Botany* 79:222-38.
- McGlone, M. S. 2005. Goodbye Gondwana. *Journal of Biogeography* 32:739-40.
- McPhee, C. P. & Robertson, A. 1970. The effect of suppressing crossing-over on the response to selection in *Drosophila melanogaster*. *Genetic Research* 16:1-16.
- [MEA] Millenium Ecosystem Assessment 2005. *Ecosystems and Human Well-being: Synthesis*. WHO/Island Press, Geneva.
- Messikomer, E. 1954. Die Algenflora des Zürichsees bei Zürich. *Schweizerische Zeitschrift für Hydrologie* 16:27-63.
- Meyer, K. I. 1926. Untersuchungen über die Algenflora des Baikalsees. *Berichte der Deutschen*

Botanischen Gesellschaft 44:410-9.

Meyer, K. I. 1927. Algae of the northern end of Lake Baikal. *Russian Archive of Protistology* 6:93-118.

Meyer, K. I. 1930. Einige neue Algenformen des Baikalsees. *Archiv für Protistenkunde* 72:158-75.

Middelboe, A. L., Sand-Jensen, K. & Brodersen, K. 1997. Patterns of macroalgal distribution in the Kattegat-Baltic region. *Phycologia* 36:208-19

Miller, V. 1928. *Arnoldiella*, eine neue Cladophoraceaeengattung. *Planta* 6:1-21.

[MINPRIRODA] Ministry of Natural Resources and Environmental Protection of the Republic of Belarus 2006. Available at: www.redbook.minpriroda.by (last accessed 7 January 2010).

Miyaji, K. 1999. A new type of pyrenoid in the genus *Rhizoclonium* (Cladophorales, Chlorophyta). *Phycologia* 38:267-276.

Möbius, M. 1893. Beitrag zur Kenntnis der Algenflora Javas. *Berichte der Deutschen Botanischen Gesellschaft* 11:118-39.

Möbius, M. 1895. Beitrag zur Kenntnis der Algengattung *Pithophora*. *Berichte der Deutschen Botanischen Gesellschaft* 13:356-61.

Mölder, K. 1944. Die Chlorophyceenflora Estlands. *Annales Botanici Societatis Zoologicae Botanicae Fennicae Vanamo* 20:1-20.

Mollenhauer, D. 1970. Beiträge zur Kenntnis der Gattung *Nostoc* 1. *Nostoc pruniforme* (Cyanophyceae: Nostocaceae). *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft* 524:1-80.

Mollenhauer, D. 1998. Gefährdungsursachen für Algen und höhere Wasserpflanzen sowie Möglichkeiten, diese Pflanzen zu erhalten. *Schriften-Reihe für Vegetationskunde* 29:205-17.

Mollenhauer, D., Bengtsson, R. & Lindström, E.-A. 1999. Macroscopic cyanobacteria of the genus *Nostoc*: a neglected and endangered constituent of European inland aquatic biodiversity. *European Journal of Phycology* 34:349-360.

Moriwake, N. 2005. *Information Sheet on Ramsar Wetlands*. Ramsar Bureau. Available at: www.wetlands.org/reports/ris/2JP014_RISen05.pdf (last accessed 12 January 2010).

Morrone, J. J. & Crisci, J. V. 1995. Historical biogeography: introduction to methods. *Annual Review of Ecology and Systematics* 26:373-401.

Mothes, K. 1930. Morphologische und physiologische Studien an der Cladophoracee *Pithophora*. *Berichte der Deutschen Botanischen Gesellschaft* 48:110-21.

Mrozinska, T., Czerwik-Marcinkowska, J. & Webb-Janich, M. 2009. *Basycladia chelonum* (Collins) W.E. Hoffmann et Tilden (Chlorophyta, Cladophorophyceae) from Cuba (Caribbean): new observation of the ultrastructure of its vegetative cells. *Acta Societatis Botanicorum Poloniae* 78:63-7.

Müller, K. 2002. *GRate* – relative rate tests for taxon groups using general DNA substitution models in PAUP*. Available at: <http://www.nees.uni-bonn.de/downloads/GRate> (last accessed 24 August 2010).

Munda, I. 1978. Salinity dependent distribution of benthic algae in estuarine Icelandic fjords.

Botanica Marina 21:451-68.

Murray, S., Jorgensen, M. F., Ho, S. Y. W., Patterson, D. J. & Jermiin, L. S. 2005. Improving the analysis of dinoflagellate phylogeny based on rDNA. *Protist* 156:269-86.

Nagai, M. 1988. "Tateyama-Marimo" in Tateyama Town, Toyama Prefecture. *Iden* 42:101-5.

Nagasaka, M., Yoshizawa, K., Ariizumi, K. & Hirabayashi, K. 2002. Temporal changes and vertical distribution of macrophytes in Lake Kawaguchi. *Limnology* 3:107-14.

Nakazawa, S. 1973. Artificial induction of lake balls. *Die Naturwissenschaften* 60:481.

Nakazawa, S. 1974. The time and the cause of extermination of lake balls from Lake Zeller. *Bulletin of the Japanese Society of Phycology* 12:101-103.

Nat, E., 2002. Weer nieuwe vindplaats van *Nitella hyalina*. *Nieuwsbrief Kranswieren* 11:2.

Nelson, G. 1979. From Candolle to Croizat: comments on the history of biogeography. *Journal of the History of Biology* 11:269-305.

Nelson, W. A. 1994. Distribution of macroalgae in New Zealand - an archipelago in space and time. *Botanica Marina* 37:221-33.

Nelson, W. A. & Broom, J. E. S. 2010. The identity of *Porphyra columbina* (Bangiales, Rhodophyta) originally described from the New Zealand subantarctic islands. *Australian Systematic Botany* 23:16-26.

Nelson, W. A., Adams, N. M. & Hay, C. H. 1991. Marine algae of the Chatham Islands. *Miscellaneous Publications of the National Museum of New Zealand* 23:1-57.

Nelson, W. A., Villouta, E., Neill, K., Williams, G., C., Adams, N. M. & Slivsgaard, R. 2002. Marine macroalgae of Fiordland. *Tuhinga* 13:117-52.

Nelson W. A., Farr T. J. & Broom J. E. S. 2005. *Dione* and *Minerva*, two new genera from New Zealand circumscribed for basal taxa in the Bangiales (Rhodophyta). *Phycologia* 44:139-45.

Nelson, W. A., Farr, T. J. & Broom, J. E. S. 2006. Phylogenetic relationships and generic concepts in the red order Bangiales: challenges ahead. *Phycologia* 45:249-59.

Neill, W. T. & Allen, E. R. 1954. Algae on turtles: some additional considerations. *Ecology* 35:581-4.

Nielsen, R., Kristiansen, A., Mathiesen, L. & Mathiesen, H. 1995. Distributional index of the benthic macroalgae of the Baltic Sea area. *Acta Botanica Fennica* 155:1-51.

Nielsen, R., Schories, D., Härdtle, W., Reise, K., Wolff, W. J. 1996. Red list of marine macroalgae of the Wadden Sea. *Helgoländer Meeresuntersuchungen* 50 (Suppl.):39-42.

Nienhuis, P. H. 1975. *Biosystematics and ecology of Rhizoclonium riparium (Roth) Harvey (Chlorophyceae: Cladophorales) in the estuarine area of the rivers Rhine, Meuse and Scheldt*. PhD Thesis, University of Groningen, The Netherlands.

Niiyama, Y. 1989. Morphology and classification of *Cladophora aegagropila* (L.) Rabenhorst in Japanese lakes. *Phycologia* 28:70-6.

Nishimura, M. & Kanno, R. 1927. On the asexual reproduction of *Aegagropila sauteri* (Nees) Kützing. *The Botanical Magazine, Tokyo* 41:432-8.

- Nizzamuddin, M. & Gerloff, J. 1982. Freshwater algae from Libya. *Nova Hedwigia* 36:129-49.
- Normandin, R. F. & Taft, C. E. 1959. A new species of Basicladia from the snail *Viviparus malleatus* Reeve. *Ohio Journal of Science* 59:58-62.
- Normark, B. B., Judson, O. P. & Moran, N. A. 2003. Genomic signatures of ancient asexual lineages. *Biological Journal of the Linnean Society* 79:69-84.
- Noskov, G. A. 2000. *Red Data Book of Nature of the Leningrad region, Vol. 2*. St. World & Family, St. Petersburg.
- Nylander, J. A. A., 2004. *MrModeltest2* v2. Available at: <http://www.abc.se/~nylander/> (last accessed 24 August 2010).
- O'Kelly, C. J. 1982. Chloroplast pigments in selected marine Chaetophoraceae and Chaetosiphonaceae (Chlorophyta): the occurrence and significance of siphonaxanthin. *Botanica Marina* 25:133-7.
- O'Kelly, C. J., & G. L. Floyd. 1984. Correlations among patterns of sporangial structure and development, life histories and ultrastructural features in the Ulvophyceae. In Irvine, D. E. G. & John, D. M. [Eds.] *Systematics of the Green Algae*. Academic Press, London & Orlando, pp. 121-56.
- Østbye, K., Bernatchez, L., Næsje, T. F., Himberg, M. & Hindar, K. 2005. Evolutionary history of European whitefish (*Coregonus lavaretus* L.) as inferred from mtDNA phylogeography and gillraker numbers. *Molecular Ecology* 14:4371-87.
- Palik, P. 1963. Studien über *Aegagropila sauteri* (Neetz) Kützing. *Annales Universitatis Scientiarum Budapestinensis Sectio Biologica* 5:179-92.
- Pankow, H. 1965. *Aegagropila sauteri* in Mecklenburg (Norddeutschland). *Nova Hedwigia* 9:177-184.
- Pankow, H. 1985. Verschollene, gefährdete und interessante Großalgen im nördlichen Gebiet der DDR. *Botanische Rundbriefe des Bezirks Neubrandenburg* 16:65-72.
- Pankow, H. & Bolbrinker, B. 1984. Über die Verbreitung und Soziologie von *Cladophora aegagropila* (L.) Rbh [= *Aegagropila sauteri* (Nees ex Kütz.) Kütz.] in den Nordbezirken der DDR. *Gleditschia* 12:279-283.
- Pankow, H. & Täuscher, L. 1980. Über eine *Pithophora*-Art aus den Gewächshäusern des Botanischen Gartens in Rostock. *Nova Hedwigia* 33:465-474.
- Parodi, E. R. & Cáceres, E. J. 1991. Variation in number of apical ramifications and vegetative cell length in freshwater populations of *Cladophora* (Ulvophyceae, Chlorophyta). *Journal of Phycology* 27:628-33.
- Parsons, M. J. 1985. New Zealand seaweed flora and its relationships. *New Zealand Journal of Marine and Freshwater Research* 19:131-8.
- Pascucci, V., Martini, P. & Endres, A. L. 2009. Facies and ground-penetrating radar characteristics of coarse-grained beach deposits of the uppermost Pleistocene glacial Lake Algonquin, Ontario, Canada. *Sedimentology* 56:529-45.
- Pearlmutter, N. L. & Lembi, C. A. 1978. Localization of chitin in algal and fungal cell walls by light and electron microscopy. *Journal of Histochemistry and Cytochemistry* 26:782-791.

- Pearlmutter, N. L. & Lembi, C. A. 1980. Structure and composition of *Pithophora oedogonia* (Chlorophyta) cell walls. *Journal of Phycology* 16:602-16.
- Pena Haitz, I. 1980. *Estudio algológico en el río Oñar*. Doctoral thesis, University of Barcelona.
- Pentecost, A. 1999. *The Freshwater Algae and Free-Living Protozoa Recorded within a 5 km Radius of Malham Tarn Field Centre*. Division of Life Sciences (King's College), London.
- Perrone, C. & Felicini, G. P. 1988. Physiological ecology of *Schottera nicaeensis* (Phylloporaceae, Rhodophyta): functional significance of heterotrichy. *Phycologia* 27:347-54.
- Pfeiffer, T. 2000. Relationships and divergence patterns in *Hypopterygium 'rotulatum'* s.l. (Hypopterygiaceae, Bryopsida) inferred from trnL intron sequences. Studies in austral temperate rainforest bryophytes 7. *Edinburgh Journal of Botany* 57:291-307.
- Pfennig, D. W., Wund, M. A., Snell-Rood, E. C., Cruickshank, T., Schlichting, C. D. & Moczek, A. P. 2010. Phenotypic plasticity's impacts on diversification and speciation. *Trends in Ecology and Evolution* 25:459-67.
- Phillips, G.L., Eminson, D. & Moss, B. 1978. A mechanism to account for macrophyte decline in progressively eutrophicated freshwaters. *Aquatic Botany* 4:103-26.
- Pliński, M. & Józwiak, T. 2004. The distribution of water vegetation on the Polish coast of the Baltic Sea 1996-2000. *Oceanological and Hydrobiological Studies* 33:29-40.
- Polderman P. J. G. 1976. *Wittrockiella paradoxa* Wille (Cladophoraceae) in n.w. European saltmarshes. *Hydrobiological Bulletin* 10:98-103.
- Poinar, G. O. Jr. & Ricci, C. 1992. Bdelloid rotifers in Dominican amber: evidence for parthenogenetic continuity. *Experientia* 48:408-10.
- Pole, M. S. 2001. Can long-distance dispersal be inferred from the New Zealand plant fossil record? *Australian Journal of Botany* 49:357-366.
- Pombert, J.-F., Otis, C., Lemieux, C. & Turmel, M. 2005. The chloroplast genome sequence of the green alga *Pseudendoclonium akinetum* (Ulvophyceae) reveals unusual structural features and new insights into the branching order of chlorophyte lineages. *Molecular Biology and Evolution* 22:1903-18.
- Pombert, J.-F., Lemieux, C. & Turmel, M. 2006. The complete chloroplast DNA sequence of the green alga *Oltmansiellopsis viridis* reveals a distinctive quadripartite architecture in the chloroplast genome of early diverging ulvophytes. *BMC Biology* 4:3. doi:10.1186/1741-7007-4-3.
- Posada, D., Crandall K. A., 1998. Modeltest: testing the model of DNA substitution. *Bioinformatics* 14:817-8.
- Posada, D. & Crandall, K. A. 2001. Selecting the best-fit model of nucleotide substitution. *Systematic Biology* 50:580-601.
- Potter, M. C. 1888. Note on an alga (*Dermatophyton radians*, Peter) growing on the European tortoise. *Botanical Journal of the Linnean Society* 24:251-4.
- Prasad, B. N. & Misra, P. K. 1992. *Fresh Water Algal Flora of Andaman and Nicobar Islands*. Vol. II. Bishen Singh Mahendra Pal Singh, Dehra Dun.
- Prescott, G. W. 1951. Algae of the western Great Lakes area, exclusive of desmids and diatoms.

- Cranbook Institute Science Bulletin 31:1-946.
- Proctor, V. W. 1958. The growth of *Basidiocladia* on turtles. *Ecology* 39:634-45.
- Provan, J., Murphy, S. & Maggs, C. A. 2004. Universal plastid primers for Chlorophyta and Rhodophyta. *European Journal of Phycology* 39:43-50.
- Quandt, D., Frahm, J.-P. & Frey, W. 2001. Patterns of molecular divergence within the palaeoaustral genus *Weymouthia* Broth. (Lembophyllaceae, Bryopsida). *Journal of Bryology* 23:305-11.
- Rabenhorst, G. L. 1847. *Deutschlands Kryptogamenflora oder Handbuch zur Bestimmung der kryptogamischen Gewächse Deutschlands, des Lombardisch-Venetianischen Königreiches und Istriens, 2te Abteilung*. Leipzig.
- Rambaut, A. (2007) *Se-AL (multiple sequence alignment program)*, v2.0a11. Available at: <http://tree.bio.ed.ac.uk/software/sea> (last accessed 24 August 2010).
- Rambaut, A. & Drummond, A. J. 2007. *Tracer* v1.4 Available at: <http://tree.bio.ed.ac.uk/software/tracer> (last accessed 24 August 2010).
- Ramírez, M. E. & Santelices, B. 1991. Catálogo de las algas marinas bentónicas de la costa temperada del Pacífico de Sudamérica. *Monografías Biológicas* 5:1-437.
- Raven, J. A. 1999. Constraints on marine algal invasion of low-salinity environments: sex in the Baltic. *Journal of Phycology* 35:210-2.
- Remane, A. 1934. Die Brackwasserfauna. *Verhandlungen der Deutschen Zoologischen Gesellschaft* 34:34-74.
- Remy W., Taylor T. N., Hass H. & Kerp H. 1994. Four-hundred-million-year-old vesicular arbuscular mycorrhizae. *Proceedings of the National Academy of Science USA* 91:11841-3.
- Rest, J. S., Ast, J. C., Austin, C. C., Waddell, P. J., Tibbetts, E. A., Hay, J. M. & Mindell, D. P. 2003. Molecular systematics of primary reptilian lineages and the tuatara mitochondrial genome. *Molecular Phylogenetics and Evolution* 29: 289-97.
- Revenge, C., Campbell, I., Abell, R., de Villiers, P. & Bryer, M. 2005. Prospects for monitoring freshwater ecosystems toward the 2010 targets. *Philosophical Transactions of the Royal Society B* 360:397-413.
- Rhodes, D. & Hanson, A. D. 1993. Quaternary ammonium and tertiary sulfonium compounds in higher plants. *Annual Review of Plant Physiology and Plant Molecular Biology* 44:357-84.
- Rice W. R. & Friberg U. 2007. Genomic clues to an ancient asexual scandal. *Genome Biology* 8:232.
- Ricker, R. W. 1987. *Taxonomy and Biogeography of Macquarie Island Seaweeds*. British Museum (Natural History), London.
- Riegman, R. 2004. *De waterkwaliteit en de ecologische toestand van de boezem van noordwest Overijssel in de periode 2000-2003*. Waterschap Reest en Wieden, Meppel.
- Rindi, F., Lopez-Bautista, J. M., Sherwood, A. R., Guiry, M. D. 2006. Morphology and phylogenetic position of *Spongiochrysis hawaiiensis* gen. et sp. nov., the first known terrestrial member of the order Cladophorales (Ulvophyceae, Chlorophyta). *International Journal of Systematic and Evolutionary Microbiology* 56:913-922.

- Roden, C. M. 1998. *A survey of the flora and vegetation of sixteen Irish coastal lagoons. Part three of 1998 lagoon survey*. Unpublished Report for National Parks and Wildlife Service. Available at: <http://www.biodiversity.ie/en/PublicationsLiterature/LagoonResearchReports/> (last accessed 07 September 2010).
- Roelants, K. & Bossuyts, F. 2005. Archaeobatrachian paraphyly and Pangean diversification of crown-group frogs. *Systematic Biology* 54:111-26.
- Rogers, G. & Walker, S. 2005. Evolution of the New Zealand vascular flora: regional and provincial patterns of richness, radiation, and endemism. *New Zealand Journal of Botany* 43:381-414.
- Ronquist, F. & Huelsenbeck, J. P. 2003. MRBAYES 3: Bayesian phylogenetic inference under mixed models. *Bioinformatics* 19:1572-1574.
- Rousseau, F., Leclerc, M. C. & de Reviere, B. 1997. Molecular phylogeny of the European Fucales (Phaeophyceae) based on partial large-subunit rDNA sequence comparisons. *Phycologia* 36:438-46.
- Ross, S. J. 2006. *Molecular phylogeography and species discrimination of freshwater Cladophora (Cladophorales, Chlorophyta) in North America*. MSc Thesis, University of Waterloo, Canada. Available at: <http://hdl.handle.net/10012/2977> (last accessed 3 September 2010).
- Rossiter A. & Kawanabe H. [Eds.] 2000. *Ancient lakes: Biodiversity, Ecology and Evolution*. Elsevier, New York.
- Roth, A. G. 1806. *Catalecta botanica quibus plantae novae et minus cognitae describuntur atque illustrantur*. Io. Fr. Gleditschiano, Lipsiae [=Leipzig].
- Round, F. E. & Sims, P. A. 1981. The distribution of diatom genera in marine and freshwater environments and some evolutionary considerations. In Ross, R. [Ed.] *Proceedings of the 6th Diatom Symposium on Recent and Fossil Diatoms*. Koeltz Scientific Books, Königstein, Germany, pp. 301-20.
- Sakai, Y. 1964. The species of *Cladophora* from Japan and its vicinity. *Scientific Papers of the Institute of Algological Research, Faculty Science, Hokkaido Imperial University* 5:1-104.
- Sakai, Y. 1980. Note on *Cladophora sauteri* f. *kurilensis* collected from Lake Kawaguchi, Japan. *Japanese Journal of Phycology* 28:45-8.
- Sakai, Y. & Enomoto, S. 1960. Attaching organ of a species of *Aegagropila* growing on small stones. *Bulletin of the Japanese Society of Phycology* 8:117-23.
- Salemaa, H. & Heino, T. 1990. Chromosome numbers of Fennoscandian glacial relict crustaceans. *Annales Zoologici Fennici* 27:207-10.
- Sanmartín, I. & Ronquist, F. 2004. Southern Hemisphere biogeography inferred by event-based models: plant versus animal patterns. *Systematic Biology* 53:216-243.
- Santelices, B. & Marquet, P. A. 1998. Seaweeds, latitudinal diversity patterns, and Rapoport's rule. *Diversity and Distributions* 4:71-5.
- Santelices, B. & Meneses, I. 2000. A reassessment of the phytogeographic characterization of temperate Pacific South America. *Revista Chilena de Historia Natural* 73:605-14.
- Saunders, G. W. 2005. Applying DNA barcoding to red macroalgae: a preliminary appraisal holds promise for future applications. *Philosophical Transactions of the Royal Society London B Biological*

Sciences 360:1879-88.

Schlichting, H. E. 1960. The role of waterfowl in the dispersal of algae. *Transactions of the American Microscopical Society* 79:160-6.

Schöniger, M. & von Haeseler, A. 1994. A stochastic model for the evolution of autocorrelated DNA sequences. *Molecular Phylogenetics and Evolution* 3:240-247.

Schories, D., Härdle, W., Kaminski, E., Kell, V., Kühner, E. & Pankow, H. 1996. Rote Liste und Florenliste der marinen Makroalgen (Chlorophyceae, Rhodophyceae et Fucophyceae) Deutschlands. *Schriften-Reihe für Vegetationskunde* 28:577-607.

Schröder, B. 1920. Über Seebälle. *Die Naturwissenschaften* 41:799-803.

Seapy, R. R. & Littler, M. M. 1982. Population and species diversity fluctuations in a rocky intertidal community relative to severe aerial exposure and sediment burial. *Marine Biology* 71:87-96.

Segal, S. & Groenhart, M. C. 1967. Het Zuideindigerwiede, een uniek verlandingsgebied. *Gorteria* 11:165-77.

Segerstråle, S. G. 1962. The immigration and prehistory of the glacial relicts of Eurasia and North America. A survey and discussion of modern views. *Internationale Revue der Gesamten Hydrobiologie* 47:1-25.

Sepúlveda, J., Pantoja, S., Hughen, K. A., Bertrand, S., Figueroa, D., León, T., Drenzek, N. J. & Lange, C. 2009. Late Holocene sea-surface temperature and precipitation variability in northern Patagonia, Chile (Jacaf Fjord, 44°S). *Quaternary Research* DOI:10.1016/j.yqres.2009.06.010

Setchell, W. A. & Gardner, N. L. 1920. The marine algae of the Pacific coast of North America. Part II. Chlorophyceae. *University of California Publications in Botany* 8:139-374.

Shalchian-Tabrizi, K., Bråte, J., Logares, R., Klaveness D., Berney, C. & Jakobsen, K. S. 2008. Diversification of unicellular eukaryotes: cryptomonad colonizations of marine and freshwaters inferred from revised 18S rRNA phylogeny. *Environmental Microbiology* 10:2635-44.

Sherstyankin, P. P. & Kuimova, L. N. 2006. Hydrophysical processes in Lake Baikal in its transformation to modern climates. *Hydrobiologia* 568:253-7.

Silva, N. F. 1954. *Handbook of Algae*. University of Tennessee Press, Knoxville.

Silva, P. C. 1979. The benthic algal flora of central San Francisco Bay. In Conomos, T. J. [Ed.] *San Francisco Bay: the Urbanized Estuary*. Pacific Division, American Association for the Advancement of Science, San Francisco, pp. 287-345.

Silva, P. C., Basson, P. W. & Moe, R. L. 1996. Catalogue of the benthic marine algae of the Indian Ocean. *University of California Publications in Botany* 79:1-1259.

Simpson, C. L. & Stern, D. B. 2006. The treasure trove of algal chloroplast genomes. Surprises in architecture and gene content, and their functional implications. *Plant Physiology* 129:957-66.

Sims, P. A., Mann, D. G. & Medlin, L. K. 2006. Evolution of the diatoms: insights from fossil, biological and molecular data. *Phycologia* 45:361-402.

Sjöö, G. L., Mörk, E. & Grinder, B. 2005. *Inventering av vattenvegetation Bornsjön 2005*. Stockholm Vatten, Stockholm.

- Skabichevsky, A. P. 1976. The Cladophoraceae in the flora of Lake Baikal. *Byulleten Moskovskogo Obshchestva Ispytatelei Prirody, Otdel Biologicheskii* 81:139-43.
- Skinner S. & Entwisle T. J. 2004. Non-marine algae of Australia: 6. Cladophoraceae (Chlorophyta). *Teloepa* 10:731-48.
- Skinner, S., FitzSimmons, N. & Entwisle, T. J. 2008. The moss-back alga (Cladophorophyceae, Chlorophyta) on two species of freshwater turtles in the Kimberleys. *Teloepa* 12:279-84.
- Skottsberg, C. 1941. Communities of marine algae in sub-Antarctic and Antarctic waters. *Kungliga Svenska Vetenskapsakademiens Handlingar, Ser. 3* 19:1-92.
- Skuja, H. 1927. Vorarbeiten zu einer Algenflora von Lettland III. *Acta Horti Botanici Universitatis Latviensis* 2:51-116.
- Skuja, H. 1928. Vorarbeiten zu einer Algenflora von Lettland IV. *Acta Horti Botanici Universitatis Latviensis* 3:1-218.
- Skuja, H. 1937. 1. Teil: Algae. In Handel-Mazzetti [Ed.] *Symbolae Sinicae*. Springer, Wien, pp. 1-105.
- Skuja, H. 1949. Zur Süßwasseralgenflora Burmas. *Nova Acta Regiae Societatis Scientiarum Upsaliensis* 4:1-188.
- Smith, G. M. 1950. *The Freshwater Algae of the United States*. McGraw-Hill Book. Co., New York.
- Smith, S. D. A. 2002. Kelp rafts in the Southern Ocean. *Global Ecology and Biogeography* 11:67-9.
- Smith, C. M. & Walters, L. J. 1999. Fragmentation as a strategy for *Caulerpa* species: fates of fragments and implications for management of an invasive weed. *Marine Ecology* 20:307-19.
- Smith, S. A. & Donoghue, M. J. 2008. Rates of molecular evolution are linked to life history in flowering plants. *Science* 322:86-9.
- Smith, V. H., Tilman, G. D. & Nekola, J. C. 1999. Eutrophication: Impacts of excess nutrient inputs on freshwater, marine, and terrestrial ecosystems. *Environmental Pollution* 100:179-96.
- Soejima, A., Yamazaki, N., Nishino, T. & Wakana, I. 2008. Genetic variation and structure of the endangered freshwater benthic alga Marimo, *Aegaropila linnaei* (Ulvophyceae) in Japanese lakes. *Aquatic Ecology* 43:359-70.
- South, G. R. 1978. Biogeography of benthic marine algae of the southern oceans. *Proceedings of the International Symposium on Biogeography and Evolution in the Southern Hemisphere, Auckland, New Zealand*:85-108.
- South G. R. 1981. *Wittrockiella paradoxa* Wille (Chlorophyta, Cladophoraceae), new for the Pacific coast of North America. *Syesis* 14:93-95.
- Stech, M., Pfeiffer, T. & Frey, W. 2002. Chloroplast DNA relationship in palaeoaustral *Polytrichadelphus magellanicus* (Hedw.) Mitt. (Polytrichaceae, Bryopsida). *Botanisches Jahrbuch für Systematik* 124:217-26.
- Stenøien, H. K. 2008. Slow molecular evolution in 18S rDNA, *rbcL* and *nad5* genes of mosses compared to higher plants. *Journal of Evolutionary Biology* 21:566-71.
- Stevens, R. J. J., Neilson, M. A. 1987. Environmental control of *Pithophora oedogonia* (Chlorophyceae) akinete germination. *Journal of Phycology* 16:424-427.

- Stöckler, K., Daniel, I. L. & Lockhart, P. J. 2002. New Zealand kauri (*Agathis australis* (D. Don) Lindl., Araucariaceae) survives Oligocene drowning. *Systematic Biology* 51:827-32.
- Strub, P. T., Mesías, J., Montecino, V., Rutllant, J. & Salinas, S. 1998. Coastal ocean circulation off Western South America. Coastal segment. In Robinson, R. A. & Brink, K. H. [Eds.] *The sea*. J. Wiley & Sons, New York, pp. 273-313.
- Svedelius, N. 1900. Algen aus den Ländern der Magellansstrasse und West Patagonien. *Svenska Expeditionen till Magellansländerna* 3:283-316.
- Sula, J. 1930. *Pithophora pragensis*, eine neue *Pithophora* aus Prager Aquarien. *Preslia* 9:22-5.
- Svendsen, J. I., Astakhov, V. I., Bolshiyarov, D. Y., Demidov, I., Dowdeswell, J. A., Gataullin, V., Hjort, C., Hubberten, H. W., Larsen, E., Mangerud, J., Melles, M., Moller, P., Saarnisto, M. & Siegert, M. J. 1999. Maximum extent of the Eurasian ice sheets in the Barents and Kara Sea region during the Weichselian. *Boreas* 28:234-42.
- Sviridenko, B. F. 1995. A new species of the genus *Cladophora* (Chlorophyta) from Northern Kazakhstan. *Botanicheskoy Magazine* 80:73-6.
- Swofford, D. L. 2002. *PAUP*. Phylogenetic Analysis Using Parsimony (*and Other Methods)*, Version 4. Sinauer Associates, Sunderland, Massachusetts.
- Taranu, Z. E. & Gregory-Eaves, I. 2008. Quantifying relationships among phosphorus, agriculture, and lake depth at an inter-regional scale. *Ecosystems* 11:715-25.
- Tartar, A. & Boucias, D. G. 2004. The non-photosynthetic, pathogenic green alga *Helicosporidium* sp. has retained a modified, functional plastid genome. *FEMS Microbiology Letters* 233:153-7.
- Taylor, W. R. 1939. Algae collected by the "Hassler", "Albatross", and Schmitt expeditions II. Marine algae from Uruguay, Argentina, the Falkland Islands, and the Strait of Magellan. *Papers of the Michigan Academy of Science, Arts, and Letters* 24:127-64.
- Templeton, A. R. 1989. The Meaning of Species and Speciation: a Genetic Perspective. In Otte, D. & Endler, J. A. [Eds.] *Speciation and its Consequences*. Sinauer, Sunderland, Massachusetts, pp. 3-27.
- Templeton, A. R. 2001. Using phylogeographic analyses of gene trees to test species status and processes. *Molecular Ecology* 10:779-91.
- ten Winkel, E. H. & Meulemans, J. T. 1984. Effects of fish upon submerged vegetation. *Hydrobiological Bulletin* 18:157-8.
- Terumoto, I. 1959. Frost and draught injury in lake-balls. *Low Temperature Science, Series B, Biological Science* 17:1-7.
- Terumoto, I. 1962. Frost-resistance in a fresh water alga, *Aegagropila sauteri* (Nees) Kützing I. *Low Temperature Science, Series B, Biological Science* 20:1-24.
- Terumoto, I. 1964. Frost-resistance in a fresh water alga, *Aegagropila sauteri* (Nees) Kützing II. *Low Temperature Science, Series B, Biological Science* 22:1-17.
- Thiel, M. & Gutow, L. 2004. The ecology of rafting in the marine environment, I. The floating substrata. *Oceanography and Marine Biology: An Annual Review* 42:181-264.
- [TMLA] The Marimo of Lake Akan. 2009. Marimo are returned to Lake Akan! Available at: www.

Marimo-web.org/en/c-history/c2-Marimo_return.htm (last accessed 7 January 2010).

Tokida, J. 1954. The marine algae of southern Saghalien. *Memoirs of the Faculty of Fisheries Hokkaido University* 2:1-264.

Tolstoy, A. & Österlund, K. 2003. *Alger vid Sveriges östersjökust*. ArtDatabanken, Uppsala.

Toon, A., Pérez-Losada, M., Schweitzer, C. E., Feldmann, R. M., Carlson, M. & Crandall, K. A. 2010. Gondwanan radiation of the Southern Hemisphere crayfishes (Decapoda: Parastacidae): evidence from fossils and molecules. *Journal of Biogeography* DOI:10.1111/j.1365-2699.2010.02374.x

Trei, T. & Pedusaar, T. 2006. Macroflora in Lake Ülemiste (Estonia) - changes and the impact of environmental factors. *Proceedings of the Estonian Academy of Science: Biology, Ecology* 55:199-215.

Trewick, S. A., Paterson, A. M. & Campbell, H. J. 2007. Hello New Zealand. *Journal of Biogeography* 34:1-6.

Turk, R. & Vukovic, A. 2000. Status of marine vegetation in Slovenian waters. *Mednature* 1:191-3.

Uddstrom, M. J. & Oien, N. A. 1999. On the use of high-resolution satellite data to describe the spatial and temporal variability of sea surface temperatures in the New Zealand region. *Journal of Geophysical Research* 104:20729-51.

Ueda, S. 1932. New freshwater species of *Chaetomorpha*. *Journal of the Fisheries Institute Tokyo* 27:23-24.

Umweltministerium Mecklenburg-Vorpommern 2004. *Makrophyten-Untersuchung und Phytobenthosprobennahme in Mecklenburg-Vorpommern im Jahr 2004*. Carried out by Institut für Gewässerökologie Seddin, contractor Umweltministerium Mecklenburg-Vorpommern, Schwerin.

Upchurch, P., Hunn, C. A. & Norman, D. B. 2002. An analysis of dinosaurian biogeography: evidence for the existence of vicariance and dispersal patterns caused by geological events. *Proceedings of the Royal Society B: Biological Sciences* 269:613-22.

van Berkum, J. A., Klinge, M. & Grimm, M. P. 1995. Biomanipulation in the Duinigermeer; first results. *Netherlands Journal of Aquatic Ecology* 19:81-90.

van den Hoek, C. 1959. Caribbean fresh and brackish water Chlorophyta. *Blumea* 9:590-625.

van den Hoek, C. 1963. *Revision of the European species of Cladophora*. Brill E.J., Leiden, Netherlands.

van den Hoek, C. 1982. *A taxonomic revision of the American species of Cladophora (Chlorophyceae) in the North Atlantic Ocean and their geographic distribution*. North Holland Publishing Company, Amsterdam, Netherlands.

van den Hoek, C. 1984. The systematics of the Cladophorales. In Irvine, D. E. G. & John, D. M. [Eds.] *Systematics of the Green Algae*. Academic Press, London & Orlando, pp. 157-78.

van den Hoek, C. & Chihara M. 2000. *A taxonomic revision of the marine species of Cladophora (Chlorophyta) along the coasts of Japan and the Russian Far-east*. National Science Museum (Tokyo) Monographs 19. National Science Museum, Tokyo, Japan.

van den Hoek C. & Womersley H. B. S. 1984. Genus *Cladophora*. In Womersley H. B. S. [Ed.] *The marine benthic flora of southern Australia. Part I*. Government Printer, Adelaide, pp. 185-213.

- van den Hoek C., Ducker S. C. & Womersley, H. B. S. 1984. *Wittrockiella salina* Chapman (Cladophorales, Chlorophyceae), a mat and ball forming alga. *Phycologia* 23:39-46.
- van den Hoek, C., Mann, D. G. & Jahns, H. M. 1995. *Algae. An Introduction to Phycology*. Cambridge University Press, Cambridge, UK.
- van der Strate, H. J., Boele-Bos, S. A., Olsen, J. L., van de Zande, L. & Stam, W. 2002. Phylogeographic studies in the tropical seaweed *Cladophoropsis membranacea* (Chlorophyta, Ulvophyceae) reveal a cryptic species complex. *Journal of Phycology* 38:572-82.
- van Liere, L. & Gulati, R. D. [Eds.] (1992) *Restoration and recovery of shallow eutrophic lake ecosystems in the Netherlands*. Kluwer Academic Publishers, Dordrecht.
- van Oye, P. 1922. Kurzer Beitrag zur Kenntnis von *Pithophora sumatrana* (Mart.) Wittr. *Hedwigia* 63: 43-47.
- van Raam, J. C., 1998. *Handboek Kranswieren*. Chara boek, Hilversum.
- van Raam, J. C. & Maier, E. X. 1995. Nederlandse kranswieren: 5. Klein glanswier (*Nitella hyalina* (DC.) Agardh). *Gorteria* 21:101-6.
- Verbruggen, H., Leliaert, F., Maggs, C. A., Shimada, S., Schils, T., Provan, J., Booth, D., Murphy, S., De Clerck, O., Littler, D. S., Littler, M. M. & Coppejans, E. (2007). Species boundaries and phylogenetic relationships within the green algal genus *Codium* (Bryopsidales) based on plastid DNA sequences. *Molecular Phylogenetics and Evolution* 44:240-54.
- Verbruggen, H., Ashworth, M., LoDuca, S. T., Vlaeminck, C., Cocquyt, E., Sauvage, T., Zechman, F. W., Littler, D. S., Littler, M. M., Leliaert, F. & De Clerck, O. 2009. A multi-locus time-calibrated phylogeny of the siphonous green algae. *Molecular Phylogenetics and Evolution* 50:642-653.
- Verma, B. N. 1979. Cytological studies in four species of *Pithophora* Wittrock. *Cytologia* 44:29-38.
- Verma, B. N. 1981. New records of *Cladophora* Kuetz from Bihar. *Phykos* 20:44-48.
- von der Heyden, S., Chao, E. E. & Cavalier-Smith, T. 2004. Genetic diversity of goniomonads: an ancient divergence between marine and freshwater species. *European Journal of Phycology* 39:343-50.
- Vyverman, W. 1996. The Indo-Malaysian North-Australian phycogeographical region revisited. *Hydrobiologia* 336:107-20.
- Waern, M. 1938. Om *Cladophora aegagropila*, *Nostoc pruniforme* och andra alger i Lilla Ullevifjärden, Mälaren. *Botaniska Notiser* 1938:129-42.
- Waern, M. 1952. Rocky-shore algae in the Öregrund Archipelago. *Acta Phytogeographica Suecica* 30:1-298.
- Wakana, I. 1993. Marimo: a freshwater alga peculiar to Hokkaido. *Nat Life Hokkaido* 7:11-19.
- Wakana, I., Arai, S. & Nagao, M. 1996. A current situation of population and living environment of *Cladophora aegagropila* in Lake Chimikeppu, Abasiri branch of Hokkaido. *Marimo Research* 5:1-11.
- Wakana, I., Hanyuda, T., Ueda, K., Einarsson, Á., Zimmermann, S., Reitalu, T., Czarnecki, D. & Kahlert, M. 2001a. Global distribution and molecular phylogenetic homology of the freshwater green alga Marimo, *Aegagropila linnaei*. *Abstracts for XXIV Symposium on Polar Biology*, p. 79,

National Institute of Polar Research, Tokyo.

Wakana, I., Arai, S., Sano, O. & Honoko, H. 2001b. Current situation and living environment of freshwater alga "Tateyama-Marimo" (*Aegagropila* sp. nov.) in the Saryfutsu-Hamatonbetsu lake group, Hokkaido, Japan. *Journal of Plant Research* 114 (Suppl.):59.

Wakana, I., Soejima, A., Yamazaki, N., Arai, S. & Nagao, M. 2003. Is the Marimo in Lake Chimikeppu a descendant of the population transplanted from Lake Akan, Hokkaido, Japan? Comparison of growth forms and enzymatic polymorphisms between both lakes. *Japanese Plant Research* 116 (Suppl.):60-1.

Wakana, I., Tsuji, N., Takayama, H., Suzuki, Y., Watanabe, M. & Sano, O. 2005. Current situation and living environment of an endangered algal species Marimo (*Aegagropila linnaei*) in Takkobu Marsh, Kushiro-Shitsugen Wetland. *Journal of Plant Research* 118 (Suppl.):64.

Wakana, I., Satoh, H. & Suzuki, Y. 2006. The past and the present of vegetation and environment in a disappeared habitat of the freshwater alga Marimo (*Aegagropila linnaei*) in Lake Akan, Japan. *Journal of Plant Research* 114 (Suppl.):63.

Wallis, G. P. & Trewick, S. A. 2009. New Zealand phylogeography: evolution on a small continent. *Molecular Ecology* 18:3548-80.

Wang, C. C. 1935. Algae growing on the pond tortoise. *Contributions to Biology from the Laboratorium of the Scientific Society of China* 10:4-12.

Wang, X. Y. & Sakai, Y. 1986. Life history of *Cladophora opaca* and *C. conchopheria* (Chlorophyta). *Japanese Journal of Phycology* 34:209-15.

Wasmund, E. 1929. Seebälle als Scheingerölle. *Die Naturwissenschaften* 39:758-66.

Watanabe, S. & Nakayama, T. 2007. Ultrastructure and phylogenetic relationships of the unicellular green algae *Ignatius tetrasporus* and *Pseudocharacium americanum* (Chlorophyta). *Phycological Research*:1-16.

Waternet, 2005. *KRW-inventarisatie Waterschap Amstel, Gooi en Vecht 2005*. Waternet, Amsterdam.

Waters, J. M. 2008. Driven by the West Wind Drift? A synthesis of southern temperate marine biogeography, with new directions for dispersalism. *Journal of Biogeography* 35:417-27.

Waters, J. M., Dijkstra, L. H. & Wallis G. P. 2000. Biogeography of a southern hemisphere freshwater fish: how important is marine dispersal? *Molecular Ecology* 9: 1815-1821.

Wehr, J. D. 2003. Brown algae. In Wehr, J. D. & Sheath, R. G. [Eds.] *Freshwater algae of North America*. Academic Press, San Diego, USA, pp. 757-773.

Wesenberg-Lund, C. 1903. Sur les *Aegagropila sauteri* du Lac de Sorö. *Académie royale des sciences et des lettres de Danemark extrait du bulletin de l'année* 2:167-203

West, G. S. & Fritsch, F. E. 1927. *A treatise on the British freshwater algae*. Cambridge University Press, Cambridge.

West, W. & West, G. S. 1901. The alga-flora of Yorkshire. *Botanical Transactions of the Yorkshire Naturalists' Union* 5:1-239.

West, J. A. & Zuccarello, G. C. 2009. Taxonomic deflation: molecular evidence places *Membranella nitens* in taxonomic synonymy with *Smithora naiadum* (Erythropeltiales, Compsopogonophyceae,

Rhodophyta). *Phycologia* 48:543-6.

White, T. J., Bruns, T., Lee, S. & Taylor, J. 1990. Amplification and direct sequencing of fungal ribosomal genes for phylogenetics PCR protocols. In Innis, M. A., Gelfand, D. H., Sninsky, J. J. & White, T. J. *A guide to molecular methods and applications*. Academic Press, New York, pp. 315-322.

Whitford, L. A. 1983. On rare fresh-water algae. *Transactions of the American Microscopical Society* 102:401-3.

Whitton, B. A. 1970. Biology of *Cladophora* in freshwater. *Water Research* 4:457-76.

Whitton, B. A., Boulton, P. N. G., Clegg, E. M., Gemmell, J. J., Graham, G. G., Gustar, R. & Moorhouse, T. P. 1998. Long-term changes in macrophytes of British rivers: 1. River Wear. *Science of the Total Environment* 210/211:411-26.

Wiencke, C., Gorham, J., Tomos, D. & Davenport, J. 1992. Incomplete turgor adjustment in *Cladophora rupestris* under fluctuating salinity regimes. *Estuarine, Coastal and Shelf Science* 34:413-27.

Wiens, J. J. 2007. Species delimitation: new approaches for discovering diversity. *Systematic Biology* 56:69-91.

Wiley, E. O. 1988. Vicariance biogeography. *Annual Review of Ecology and Systematics* 19:513-42.

Wille, N. 1901. Algologische Notizen VII. Zur Verbreitung der Süßwasseralgen im südlichen Norwegen. *Nyt Magazin for Naturvidenskaberne* 30:1-22.

Wille, N. 1909. Algologische Notizen XV. Über *Wittrockiella* nov. gen. *Nyt Magazin Naturvidenskaberne* 47:209-225.

Wille, N. 1910. Conjugatae und Chlorophyceae. In Engler A. & Prantl, K. [Eds.] *Die natürlichen Pflanzenfamilien...Nachträge zu I. Teil, Abt. 2*. pp. 97-136. Wilhelm Engelmann, Leipzig, pp. 97-136.

Wittrock V. B. 1877. On the development and systematic arrangement of the Pithophoraceae, a new order of algae. *Nova Acta Regiae Societatis Scientiarum Upsaliensis, Series* 3:1-80.

Wolfson, A. 1948. Bird migration and the concept of continental drift. *Science* 108:23-30.

Wolle, F. 1887. *Fresh-water algae of the United States; (exclusive of the Diatomaceae) complementary to desmids of the United States*. The Comenius Press, Bethlehem, PA.

Womersley, H. B. S. 1984. *The marine benthic flora of southern Australia. Part I*. Government Printer, Adelaide.

Wu, C.-I. & Li, W.-H. 1985. Evidence for higher rates of nucleotide substitution in rodents than in man. *Proceedings of the National Academy of Science USA* 82:1741-5.

Wurdack, M. E. 1923. The chemical nature of the walls of certain algae. *Ohio Journal of Science* 23:181-191.

Yabu, H. 1975. Swarmer formation in *Cladophora sauteri*. *Bulletin of the Japanese Society for Phycology* 23:19-23.

Yoshida, T., Horiguchi, T., Nagao, M., Wakana, I. & Yokohama, Y. 1994. Photosynthetic and

respiratory property of the large size spherical aggregations of 'Marimo'. *Marimo Research* 3:1-6.

Yoshii, Y., Hanyuda, T., Wakana, I., Miyaji, K., Arai, S., Ueda, K. & Inouye, I. 2004. Carotenoid compositions of *Cladophora* balls (*Aegagropila linnaei*) and some members of the Cladophorales (Ulvophyceae, Chlorophyta): their taxonomic and evolutionary implication. *Journal of Phycology* 40:1170-7.

Xia, X. & Xie, Z. 2001. DAMBE: Data analysis in molecular biology and evolution. *Journal of Heredity* 92:371-373.

Yoder, J. B., Clancey, E., Des Roches, S., Eastman, J. M., Gentry, L., Godsoe, W., Hagey, T. J., Jochimsen, D., Oswald, B. P., Robertson, J., Sarver, B. A. J., Schenk, J. J., Spear, S. F. & Harmon, L. J. 2010. Ecological opportunity and the origin of adaptive radiations. *Journal of Evolutionary Biology* 23:1581-96.

Zagorenko, G. F. & Izhboldina, L. A. 1977. Species nova generis *Cladophora* Kützing. *Novitates Systematicae Plantarum Non Vasculares* 14:20-4.

Zahlbruckner, A. 1901. Schedae ad "Kryptogamas exsiccatas" editae a Museo Palatino Vindobonensi. *Annalen des Naturhistorischen Museums in Wien* 16:63-90.

Zarina, A., Masud-ul-Hasan & Shameel, M. 2006. Taxonomic study of the class Siphonocladophyceae Shameel from north-eastern Pakistan. *Pakistan Journal of Botany* 38:151-9.

Zeller, G. 1873. Algae collected by Mr. S. Kurz in Arracan and British Burma, determined and systematically arranged by Dr. G. Zeller. *Journal of the Asiatic Society of Bengal* 42:175-93.

Zhang, Z., Green, B. R. & Cavalier-Smith, T. 1999. Single gene circles in dinoflagellate chloroplast genomes. *Nature* 400:155-9.

Zuccarello, G. C., Price, N., Verbruggen, H. & Leliaert, F. 2009. Analysis of a plastid multigene data set and the phylogenetic position of the marine macroalga *Caulerpa filiformis* (Chlorophyta). *Journal of Phycology* 45:1206-12.