



Universiteit  
Leiden

The Netherlands

## **Nucleosome dynamics resolved with single-pair fluorescence resonance energy transfer spectroscopy**

Koopmans, W.J.A.

### **Citation**

Koopmans, W. J. A. (2009, June 18). *Nucleosome dynamics resolved with single-pair fluorescence resonance energy transfer spectroscopy*. Retrieved from <https://hdl.handle.net/1887/13856>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/13856>

**Note:** To cite this publication please use the final published version (if applicable).

# Nucleosome Dynamics Resolved with Single-Pair Fluorescence Resonance Energy Transfer Spectroscopy

Proefschrift

ter verkrijging van

de graad van Doctor aan de Universiteit Leiden,

op gezag van Rector Magnificus prof. mr. P. F. van der Heijden,

volgens besluit van het College voor Promoties

te verdedigen op donderdag 18 juni 2009

klokke 10:00 uur

door

Wiepke Jelle Anthonie Koopmans

geboren te Papendrecht

in 1980

### **Promotiecommissie**

Promotor: prof. dr. T. Schmidt  
Co-promotor: dr. ir. J. van Noort  
Referent: dr. A. N. Kapanidis (Oxford University, United Kingdom)  
Overige leden: prof. dr. J. Brouwer  
prof. dr. M. Orrit  
dr. ir. E. J. G. Peterman (Vrije Universiteit, Amsterdam)  
prof. dr. J. M. van Ruitenbeek  
prof. dr. H. Schiessel  
prof. dr. C. Wyman (Erasmus Universiteit, Rotterdam)

Cover illustration: nucleosome crystal structure adapted from protein database *1kx5*, Davey *et al.* (2002)

Casimir PhD Series, Delft-Leiden, 2009-03

ISBN 978-90-8593-051-8

An electronic version of this thesis can be found at <https://openaccess.leidenuniv.nl>

Dit werk maakt deel uit van het onderzoekprogramma van de Stichting voor Fundamenteel Onderzoek der Materie (FOM), die financieel wordt gesteund door de Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO).

# Contents

|          |   |           |
|----------|---|-----------|
| <b>1</b> | <b>Introduction</b>   | <b>1</b>  |
| 1.1      | The nucleosome . . . . .  | 1         |
| 1.2      | Single-pair Fluorescence Resonance Energy Transfer Spectroscopy . . . . . | 4         |
| 1.3      | Scope of this thesis . . . . .  | 6         |
|          | Bibliography . . . . .  | 7         |
| <b>2</b> | <b>Engineering Mononucleosomes for Single-Pair FRET Experiments</b>       | <b>11</b> |
| 2.1      | Introduction . . . . .  | 12        |
| 2.2      | Materials . . . . .   | 13        |
| 2.2.1    | DNA preparation and purification . . . . .                                | 13        |
| 2.2.2    | Mononucleosome reconstitution . . . . .                                   | 13        |
| 2.2.3    | Polyacrylamide Gel Electrophoresis (PAGE) . . . . .                       | 13        |
| 2.2.4    | Single-molecule FRET measurements . . . . .                               | 14        |
| 2.3      | Single-molecule fluorescence microscopes . . . . .                        | 16        |
| 2.3.1    | Widefield TIRF setup . . . . .  | 16        |
| 2.3.2    | Confocal setup . . . . .  | 17        |
| 2.4      | Methods . . . . .   | 18        |
| 2.4.1    | Choice of label positions and primer design . . . . .                     | 19        |
| 2.4.2    | DNA preparation and purification . . . . .                                | 21        |
| 2.4.3    | Mononucleosome reconstitution . . . . .                                   | 21        |
| 2.4.4    | Polyacrylamide Gel Electrophoresis . . . . .                              | 22        |
| 2.4.5    | Single-molecule FRET measurements . . . . .                               | 23        |
| 2.5      | Notes . . . . .   | 27        |
| 2.6      | Conclusion . . . . .  | 28        |
|          | Bibliography . . . . .  | 29        |

---

|          |  |           |
|----------|--|-----------|
| <b>3</b> | <b>Single-pair FRET Microscopy reveals Mononucleosome Dynamics</b>   | <b>31</b> |
| 3.1      | Introduction . . . . .   | 32        |
| 3.2      | Material and Methods . . . . .   | 33        |
| 3.3      | Experimental Results . . . . .   | 36        |
| 3.3.1    | Bulk fluorescence spectra reveal proper reconstitution of mononucleosomes . . . . .                                    | 36        |
| 3.3.2    | spFRET microscopy reveals individual nucleosomes together with a large population of dissociated nucleosomes . . . . . | 37        |
| 3.3.3    | Single-molecule fluorescence footprint of individual nucleosomes . . . . .   | 39        |
| 3.3.4    | Acceptor blinking is the dominant source of spFRET dynamics . . . . .  | 40        |
| 3.3.5    | Suppression of blinking . . . . .  | 41        |
| 3.3.6    | A fraction of the immobilized nucleosomes shows dynamics clearly distinct from blinking . . . . .                      | 43        |
| 3.4      | Discussion and conclusion . . . . .  | 45        |
|          | Bibliography . . . . .   | 47        |
| <b>4</b> | <b>Nucleosome Immobilization Strategies for Single-Pair FRET Microscopy</b>  | <b>51</b> |
| 4.1      | Introduction . . . . .   | 52        |
| 4.2      | Results and Discussion . . . . .   | 53        |
| 4.2.1    | Immobilization through confinement in gels . . . . .   | 54        |
| 4.2.2    | Surface immobilization: binding specificity . . . . .  | 58        |
| 4.2.3    | Surface immobilization: nucleosome integrity . . . . .   | 59        |
| 4.2.4    | Nucleosome breathing dynamics . . . . .  | 62        |
| 4.3      | Conclusion . . . . .   | 64        |
| 4.4      | Experimental Section . . . . .   | 64        |
|          | Bibliography . . . . .   | 66        |
| <b>5</b> | <b>PAGE-ALEX-spFRET-FCS reveals Progressive DNA Breathing</b>  | <b>71</b> |
| 5.1      | Introduction . . . . .   | 72        |
| 5.2      | Materials and methods . . . . .  | 73        |
| 5.3      | Results . . . . .  | 77        |
| 5.3.1    | ALEX-spFRET resolves nucleosome sample heterogeneity . . . . .   | 77        |
| 5.3.2    | ALEX selection resolves DNA breathing in nucleosomes . . . . .   | 79        |
| 5.3.3    | Monovalent salt promotes DNA unwrapping and nucleosome disassembly . . . . .   | 80        |
| 5.3.4    | Fluorescence correlation analysis of selected nucleosome populations shows unwrapping at low FRET . . . . .            | 82        |

|       |  |            |
|-------|--|------------|
| 5.3.5 | Gel separated nucleosomes are transiently unwrapped in a progressive way from both nucleosome ends . . . . . | 83         |
| 5.4   | Discussion and Conclusion . . . . .  | 87         |
|       | Bibliography . . . . .   | 90         |
|       | <b>Summary</b>   | <b>93</b>  |
|       | <b>Samenvatting</b>  | <b>95</b>  |
|       | <b>List of Publications</b>  | <b>99</b>  |
|       | <b>Curriculum Vitae</b>  | <b>101</b> |
|       | <b>Nawoord</b>   | <b>103</b> |

