



Universiteit
Leiden
The Netherlands

Using survival data in gene mapping : using survival data in genetic linkage and family-based association analysis

Callegaro, A.

Citation

Callegaro, A. (2010, June 17). *Using survival data in gene mapping : using survival data in genetic linkage and family-based association analysis*.

Retrieved from <https://hdl.handle.net/1887/15696>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/15696>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- Abecasis, G. R., L. R. Cardon, and W. O. Cookson (2000). A general test of association for quantitative traits in nuclear families. *American Journal of Human Genetics* 66(1), 279–292.
- Abecasis, G. R., S. S. Cherny, W. O. Cookson, and L. R. Cardon (2002). Merlin-rapid analysis of dense genetic maps using sparse gene flow trees. *Nature Genetics* 30, 97–101.
- Almasy, L. and J. Blangero (1998). Multipoint quantitative-trait linkage analysis in general pedigrees. *American Journal of Human Genetics* 62, 1198–1211.
- Almasy, L., J. D. Terwilliger, D. Nielsen, T. D. Dyer, and J. Blangero (2001). GAW12: Simulated genome scan, sequence, and family data for a common disease. *Genetic Epidemiology* 21S, 332–338.
- Beekman, M., G. J. Blauw, J. J. Houwing-Duistermaat, B. W. Brandt, R. G. J. Westendorp, and P. E. Slagboom (2006). Chromosome 4q25, microsomal transfer protein gene, and human longevity: novel data and a meta-analysis of association studies. *Journals of Gerontology Series A : Biological Sciences and Medical Sciences* 61(4), 355–362.
- Blackwelder, W. C. and R. C. Elston (1985). A comparison of sib-pair linkage tests for disease susceptibility loci. *Genetic Epidemiology* 2, 8597.
- Breslow, N. E. and D. G. Clayton (1993). Approximate inference in generalized linear mixed models. *Journal of the American Statistical Association* 88(421), 9–25.
- Callegaro, A., H. W. Uh, Q. Helmer, and J. J. Houwing-Duistermaat (2009). New score tests for age at onset linkage analysis in general pedigrees. *BMC Proceedings* 3, S97.
- Callegaro, A., H. C. van Houwelingen, and J. J. Houwing-Duistermaat (2009). Score test for age at onset genetic linkage analysis in selected sibling pairs. *Statistics in Medicine* 28(14), 1913–1926.
- Callegaro, A., H. C. van Houwelingen, and J. J. Houwing-Duistermaat (2010). Robust age at onset linkage analysis in nuclear families. *Human Heredity* 69, 80–90.
- Chen, M. H., J. Cui, C. Y. Guo, L. A. Cupples, P. Van Eerdewegh, J. Dupuis, and Q. Yang (2007). Joint modeling of linkage and association using affected sib-pair data. *BMC proceedings* 1(Suppl 1), S38.
- Clayton, D. G. (1978). A model for association in bivariate life tables and its application in epidemiologic studies of familial tendency in chronic disease incidence. *Biometrika* 65, 141–151.
- Clerget-Darpoux, F., C. Bonaiti-Pellie, and J. Hochez (1986). Effects of misspecifying

Bibliography

- genetic parameters in lod score analysis. *Biometrics* 42, 393–399.
- Commenges, D. (1994). Robust genetic linkage analysis based on a score test of homogeneity: The weighted pairwise correlation statistic. *Genetic Epidemiology* 11, 189–200.
- Commenges, D. and L. Abel (1996). Improving the robustness of the weighted pairwise correlation test for linkage analysis. *Genetic Epidemiology* 13, 559–573.
- Cox, D. R. (1972). Regression models and life tables. *Journal of the Royal Statistical Society B* 34, 187–220.
- Dupuis, J. and P. Van Eerdewegh (2003). Identification of polymorphisms that explain a linkage peak: conditioning on parental genotypes [abstract]. *Genetic Epidemiology* 25, 247.
- Epstein, M. P., X. Lin, and M. Boehnke (2002). Ascertainment-adjusted parameter estimates revisited. *American Journal of Human Genetics* 70, 886–95.
- Feingold, E., P. O. Brown, and D. Siegmund (1993). Gaussian models for genetic linkage analysis using complete high resolution maps of identity-by-descent. *American Journal of Human Genetics* 53, 234–251.
- Feingold, E., K. K. Song, and D. E. Weeks (2000). Comparison of allele-sharing statistics for general pedigrees. *Genetic Epidemiology* 19(Suppl 1), S92–S98.
- Franceschi, C., V. Bezrukov, H. Blanch, L. Bolund, K. Christensen, G. de Benedictis, L. Deiana, E. Gonos, A. Hervonen, H. Yang, B. Jeune, T. B. Kirkwood, P. Kristensen, A. Leon, P. G. Pelicci, L. Peltonen, M. Poulain, I. M. Rea, J. Remacle, J. M. Robine, S. Schreiber, E. Sikora, P. E. Slagboom, L. Spazzafumo, M. A. Stazi, O. Toussaint, and J. W. Vaupel (2007). Genetics of healthy aging in Europe: the EU-integrated project GEHA (GEnetics of Healthy Aging). *Annals of the New York Academy of Sciences* 1100, 21–45.
- Fulker, D. W., S. S. Cherny, P. C. Sham, and J. K. Hewitt (1999). Combined linkage and association sib-pair analysis for quantitative traits. *American Journal of Human Genetics* 64(1), 259–267.
- Haseman, J. K. and R. C. Elston (1972). The investigation of linkage between a quantitative trait and a marker locus. *Behaviour Genetics* 2, 3–19.
- Hille, E. T., R. G. Westendorp, J. P. Vandenbroucke, and F. R. Rosendaal (1997). Mortality and causes of death in families with the factor V Leiden mutation (resistance to activated protein C). *Blood* 89, 1963–1967.
- Hille, E. T. M., S. Siesling, M. Vegter-van der Vlis, J. P. Vandenbroucke, R. A. C. Roos, and F. R. Rosendaal (1999). Two centuries of mortality in ten large families with Huntington Disease: A rising impact of gene carriership. *Epidemiology* 10, 706–710.
- Hougaard, P. (2000). *Analysis of Multivariate Survival Data*. New York: Springer-Verlag.
- Houwing-Duistermaat, J. J., A. Callegaro, M. Beekman, R. G. Westendorp, P. E. Slagboom, and J. C. van Houwelingen (2009). Weighted statistics for aggregation and linkage analysis of human longevity in selected families: The Leiden Longevity Study.

- Statistics in Medicine* 28, 1913–1926.
- Houwing-Duistermaat, J. J., B. H. F. Derkx, F. R. Rosendaal, and J. C. van Houwelingen (1995). Testing familial aggregation. *Biometrics* 51, 1292–1301.
- Houwing-Duistermaat, J. J., H. W. Uh, and H. C. van Houwelingen (2007). A new score statistic to test for association given linkage in affected sibling pair-control designs. *BMC Proceedings* 1(Suppl 1), S39.
- Houwing-Duistermaat, J. J. and H. C. van Houwelingen (1998). Incorporation of family history in logistic regression models. *Statistics in Medicine* 17, 2865–2882.
- Hsu, L., H. Li, and J. J. Houwing-Duistermaat (2002). A method for incorporating ages at onset in affected sibpair linkage studies. *Human Heredity* 54, 1–12.
- Jaquish, C. E. (2007). The Framingham Heart Study, on its way to becoming the gold standard for Cardiovascular Genetic Epidemiology? *BMC Medical Genetics* 8, 53.
- Jonasdottir, G., K. Humphreys, and J. Palmgren (2007). Testing association in the presence of linkage - a powerful score for binary traits. *Genetic Epidemiology* 31(6), 528–540.
- Jonker, M. A., S. Bhulai, D. I. Boomsma, R. S. L. Ligthart, D. Posthuma, and A. W. van der Vaart (2009). Gamma frailty model for linkage analysis with application to interval-censored migraine data. *Biostatistics* 10(1), 187–200.
- Jonker, M. A., C. E. Jacobi, W. E. Hoogendoorn, N. J. D. Nagelkerke, G. H. de Bock, and J. C. van Houwelingen (2003). Modeling familial clustered breast cancer using published data. *American Association for Cancer Research* 12, 1479–1485.
- Khoury, M., T. Beaty, and B. Cohen (1994). *Fundamentals of Genetic Epidemiology*. Oxford University Press.
- Klareskog, L., P. Stolt, K. Lundberg, H. Killberg, C. Bengtsson, J. Grunewald, J. Rnnelid, H. E. Harris, U. A. K., S. Rantap-Dahlqvist, A. Eklund, L. Padyukov, and L. Alfredsson (2006). A new model for an etiology of rheumatoid arthritis. smoking may trigger HLA-DR (shared epitope)-restricted immune reactions to autoantigens modified by citrullination. *Arthritis and Rheumatism* 54, 38–46.
- Kong, A. and N. J. Cox (1997). Allele-sharing models: LOD scores and accurate linkage tests. *American Journal of Human Genetics* 61, 1179–1188.
- Kruglyak, L., M. J. Daly, M. P. Reeve-Daly, and E. S. Lander (1996). Parametric and nonparametric linkage analysis: a unified multipoint approach. *American Journal of Human Genetics* 58, 1347–1363.
- Laird, N. M., S. Horvath, and X. X. (2000). Implementing a unified approach to family based tests of association. *Genetic Epidemiology* 19(Suppl 1), S36–42.
- Lake, S. L., D. Blacker, and N. M. Laird (2000). Family-Based Tests of Association in the Presence of Linkage. *American Journal of Human Genetics* 67(6), 1515–1525.
- Lander, E. and L. Kruglyak (1995). Genetic dissection of complex traits: Guidelines for interpreting and reporting linkage results. *Nature Genetics* 11, 241–247.

Bibliography

- Lander, E. S. and N. J. Schork (1994). Genetic dissection of complex traits. *Science* 265, 2037–2048.
- Lange, C., D. L. DeMeo, and N. M. Laird (2002). Power and design considerations for a general class of family-based association tests: quantitative traits. *American Journal of Human Genetics* 71, 1330–1341.
- le Cessie, S. and J. C. van Houwelingen (1995). Testing the fit of a regression-model via score tests in random effects models. *Biometrics* 51(2), 600–614.
- Lebre, J., H. Putter, and J. C. van Houwelingen (2004). Score test for detecting linkage to complex traits in selected samples. *Genetic Epidemiology* 27, 97–108.
- Lebre, J. J., Q. Helmer, I. Nishchenko, and H. C. van Houwelingen (2007). Adjusting for sex and anti-ccp levels in linkage analysis of rheumatoid arthritis. *BMC Proceedings* 1(Suppl 1), S75.
- Lebre, J. J. P. and H. C. van Houwelingen (2007). Score Test for Linkage in Generalized Linear Models. *Human Heredity* 64, 5–15.
- Li, H. (1999). The additive genetic gamma frailty model for linkage analysis of age-of-onset variation. *Annals of Human Genetics* 63, 455–468.
- Li, H. (2002). An Additive Genetic Gamma Frailty Model for Linkage Analysis of Diseases with Variable Age of Onset Using Nuclear Families. *Lifetime Data Analysis* 8(4), 315–334.
- Li, H. and X. Zhong (2002). Multivariate survival models induced by genetic frailties, with application to linkage analysis. *Biostatistics* 3, 57–75.
- Li, M., M. Boehnke, and G. R. Abecasis (2005). Joint modeling of linkage and association: identifying SNPs responsible for a linkage signal. *American Journal of Human Genetics* 76(6), 934–949.
- Lindsay, B. (1998). Composite likelihood methods. *Contemporary Mathematics* 80, 221–239.
- Lunetta, K. L. and Farone, S. V. B. J. and N. M. Laird (2000). Family based tests of association and linkage using unaffected sibs, covariates and interactions. *American Journal of Human Genetics* 66, 605–614.
- McPeck, M. S. (1999). Optimal allele-sharing statistics for genetic mapping using affected relatives. *Genetic Epidemiology* 16, 225–249.
- Meulenbelt, I., J. L. Min, S. Bos, N. Riyazi, J. J. Houwing-Duistermaat, H. J. van der Wijk, H. M. Kroon, M. Nakajima, S. Ikegawa, A. G. Uitterlinden, van Meurs J. B., W. M. van der Deure, V. T. J., A. B. Seymour, N. Lakenberg, R. van der Breggen, D. Kremer, C. M. van Duijn, M. Kloppenburg, J. Loughlin, and P. E. Slagboom (2008). Identification of DIO2 as a new susceptibility locus for symptomatic osteoarthritis. *Human Molecular Genetics* 17(12), 1867–1875.
- Millstein, J., K. D. Siegmund, D. V. Conti, and W. J. Gauderman (2005). Testing association and linkage using affected-sib-parent study designs. *Genetic Epidemiology* 29,

225–233.

- Morton, N. E. (1955). Sequential tests for the detection of linkage. *The American Journal of Human Genetics* 7, 277–318.
- Murad, H., O. Kalter-Leibovici, C. A., and L. S. Freedman (2007). A statistical comparison of different family history scores. *Statistics in Medicine* 26, 2785–2798.
- Newton, J. L., S. M. Harney, B. P. Wordsworth, and M. A. Brown (2004). A review of the MHC genetics of rheumatoid arthritis. *Genes and immunity* 5(3), 151–157.
- Oaks, D. (1989). Bivariate Survival Models Induced by Frailties. *Journal of American Statistical Association* 84, 487–493.
- Oldenburg, R. A., K. H. Kroeze-Jansema, J. J. Houwing-Duistermaat, J. P. Bayley, C. Dambrot, C. J. van Asperen, A. M. van den Ouweland, B. Bakker, E. H. van Beers, P. M. Nederlof, H. Vasen, N. Hoogerbrugge, C. J. Cornelisse, H. Meijers-Heijboer, and D. P. (2008). Genome-wide linkage scan in Dutch hereditary non-BRCA1/2 breast cancer families identifies 9q21-22 as a putative breast cancer susceptibility locus. *Genes, Chromosomes & Cancer* 47(11), 947–956.
- Olson, J. M. (1999). A general conditional-logistic model for a affected-relative-pair linkage studies. *American Journal of Human Genetics* 65, 1760–1769.
- Padyukov, L., C. Silva, P. Stolt, L. Alfredsson, and L. Klareskog (2004). A gene-environment interaction between smoking and shared epitope genes in HLA-DR provides a high risk of seropositive rheumatoid arthritis. *Arthritis Rheumatism* 50, 3085–3092.
- Pankratz, V. S., M. de Andrade, and T. M. Therneau (2005). Random-effects Cox proportional hazards model: General variance components methods for time-to-event data. *Genetic Epidemiology* 28(2), 97–109.
- Perls, T., E. Bubrick, C. Wager, J. Vijg, and L. Kruglyak (1998). Siblings of centenarians live longer. *Lancet* 351(9115), 1560.
- Petersen, J. H. (1998). An additive frailty model for correlated life times. *Biometrics* 54, 646–661.
- Petersen, J. H., P. K. Andersen, and R. D. Gill (1996). Variance Components Models for Survival Data. *Statistica Neerlandica* 50, 193–211.
- Puca, A. A., M. J. Daly, S. J. Brewster, T. C. Matise, J. Barrett, M. Shea-Drinkwater, S. Kang, E. Joyce, J. Nicoli, E. Benson, L. M. Kunkel, and T. Peri (2001). A genome-wide scan for linkage to human exceptional longevity identifies a locus on chromosome 4. *Proceedings of the National Academy of Sciences* 98, 10505–10508.
- Putter, H., L. A. Sandkuijl, and J. C. van Houwelingen (2002). Score test for detecting linkage to quantitative traits. *Genetic Epidemiology* 22(4), 345–55.
- Rabinowitz, D. and N. Laird (2000). A Unified Approach to Adjusting Association Tests for Population Admixture with Arbitrary Pedigree Structure and Arbitrary Missing Marker Information. *Human Heredity* 50(4), 211–223.

Bibliography

- Risch, N. (1990). Linkage strategies for genetically complex traits. ii. the power of affected relative pairs. *American Journal of Human Genetics* 46, 229–241.
- Risch, N. (2001). Implications of multilocus inheritance for gene-disease association studies. *Theoretical Population Biology* 60, 215–220.
- Schaid, D. J., J. P. Sinnwell, and S. N. Thibodeau (2007). Testing genetic linkage with relative pairs and covariates by quasi-likelihood score statistics. *Human Heredity* 64(4), 220–233.
- Schoenmaker, M., A. J. M. de Craen, P. H. M. de Meijer, M. Beekman, G. J. Blauw, P. E. Slagboom, and R. G. J. Westendorp (2006). Evidence of genetic enrichment for exceptional survival using a family approach: the Leiden longevity study. *European Journal of Human Genetics* 14, 79–84.
- Sengul, H., D. E. Weeks, and E. Feingold (2001). A survey of affected-sibship statistics for nonparametric linkage analysis. *American Journal of Human Genetics* 69, 179–190.
- Sham, P. and S. Purcell (2001). Equivalence between Haseman-Elston and variance-components linkage analyses for sib pairs. *American Journal of Human Genetics* 68, 1527–1532.
- Shute, N. C. E. and W. J. Ewens (1988). A resolution of the ascertainment sampling problem. ii. Generalization and numerical results. *American Journal of Human Genetics* 43, 374–386.
- Siegmund, K. D. and A. A. Todorov (2000). Linkage analysis for diseases with variable age of onset. *Human Heredity* 50, 205–210.
- Skrivanek, Z., S. Lin, and M. E. Irwin (2003). Linkage Analysis with Sequential Imputation. *Genetic Epidemiology* 25, 25–35.
- Sobel, E. and K. Lange (1996). Descent graphs in pedigree analysis: Applications to haplotyping, location scores, and marker-sharing statistics. *American Journal of Human Genetics* 58, 1323–1337.
- Sobel, E. and H. Sengul (2001). Multipoint estimation of identity-by-descent probabilities at arbitrary positions among marker loci on general pedigrees. *Human Heredity* 52, 121–131.
- Spielman, R. S., R. E. McGinnis, and W. J. Ewens (1993). Transmission test for linkage disequilibrium: the insulin gene region and insulin-dependent diabetes mellitus (iddm). *American Journal of Human Genetics* 52, 506–516.
- Sun, W. and H. Li (2004). Ascertainment-adjusted maximum likelihood estimation for the additive genetic gamma frailty model. *Lifetime Data Analysis* 10, 229–245.
- Tan, Q., J. H. Zhao, I. Iachine, J. Hjelmberg, W. Vach, V. J. W., K. Christensen, and T. A. Kruse (2004). Power of non-parametric linkage analysis in mapping genes contributing to human longevity in long-lived sib-pairs. *Genetic Epidemiology* 26(3), 245–253.
- Tang, H. K. and D. Siegmund (2001). Mapping quantitative trait loci in oligogenic models. *Biostatistics* 2, 147–162.

- Teng, J. and N. Risch (1999). The relative power of family-based and case-control designs for linkage disequilibrium studies of complex human diseases. ii. individual genotyping. *Genome Research* 9, 234–241.
- Teng, J. and D. Siegmund (1997). Combining information within and between pedigrees for mapping complex traits. *American Journal of Human Genetics* 60, 979–992.
- Thornton, T. and M. S. McPeck (2007). Case-Control Association Testing with Related Individuals: A More Powerful Quasi-Likelihood Score Test. *American Journal of Human Genetics* 81(2), 321–337.
- Tritchler, D., Y. Liu, and S. Fallah (2003). A test of linkage for complex discrete and continuous traits in nuclear families. *Biometrics* 59, 382–392.
- Van der Woude, D., J. J. Houwing-Duistermaat, R. E. M. Toes, T. W. J. Huizinga, W. Thomson, J. Worthington, A. H. M. van der Helm-van Mil, and R. R. P. de Vries (2009). Quantitative heritability of anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis. *Arthritis & Rheumatism* 60(4), 916–923.
- Vaupel, J. W., K. G. Manton, and E. Stallard (1979). The impact of heterogeneity in individual frailty on the dynamics of mortality. *Demography* 16, 439–454.
- Visscher, P. M. and D. L. Duffy (2006). The value of relatives with phenotypes but missing genotypes in association studies for quantitative traits. *Genetic Epidemiology* 30(1), 30–36.
- Wallace, C. and D. G. Clayton (2006). Appropriate use of information on family history of disease in recruitment for linkage analysis studies. *Annals of Human Genetics* 70(Pt 3), 360–371.
- Weeks, D. E. and K. Lange (1988). The affected-pedigree-member method of linkage analysis. *American Journal of Human Genetics* 42(2), 315–326.
- Whittemore, A. S. (1996). Genome scanning for linkage: an overview. *American Journal of Human Genetics* 59, 704–716.
- Whittemore, A. S. and J. Halpern (1994). A class of tests for linkage using affected pedigree members. *Biometrics* 50(1), 118–27.
- Whittemore, A. S. and J. Halpern (2006). Nonparametric linkage analysis using person-specific covariates. *Genetic Epidemiology* 30, 369–379.
- Whittemore, A. S., J. Halpern, and H. Ahsan (2005). Covariate adjustment in family-based association studies. *Genetic Epidemiology* 28(3), 244–255.
- Wienke, A., P. Lichtenstein, and A. I. Yashin (2003). A bivariate frailty model with a cure fraction for modeling familial correlations in diseases. *Biometrics* 59(4), 1178–1183.
- Wintrebert, C. M., A. H. Zwinderman, A. Maat-Kievit, R. A. Roos, and H. C. van Houwelingen (2006). Assessing genetic effects in survival data by correlating martingale residuals with an application to age at onset of Huntington disease. *Statistics in Medicine* 25(18), 3190–3200.

Bibliography

- Witte, J. S., A. H. Schnell, H. J. Cordell, R. S. Spielman, C. I. Amos, M. B. Miller, L. Almasy, and J. W. MacCluer (2007). Introduction to Genetic Analysis Workshop 15 summaries. *Genetic Epidemiology* 31(Suppl 1), S1–6.
- Yashin, A. I., A. Z. Begun, and I. A. Iachine (1999). Genetic factors in susceptibility to death: A comparative analysis of bivariate survival models. *Journal of epidemiology and biostatistics* 4(1), 53–60.
- Yashin, A. I., J. W. Vaupel, and I. A. Iachine (1995). Correlated individual frailty: An advantageous approach to survival analysis of bivariate data. *Mathematical population studies* 5, 145.
- Yoo, B., V. S. Pankratz, and M. de Andrade (2001). Practical application of residuals from survival models in quantitative trait linkage analysis. *Genetic Epidemiology* 21(Suppl 1), S811–816.
- Zahl, P. H. (1997). Frailty modelling for the excess hazard. *Statistics in Medicine* 16, 1573–1785.
- Zdravkovic, S., A. Wienke, N. L. Pedersen, M. E. Marenberg, A. I. Yashin, and U. de Faire (2002). Heritability of death from coronary heart disease: a 36-year follow-up of 20,966 Swedish twins. *Journal of Internal Medicine* 252, 247–254.
- Zhong, X. and H. Li (2002). An additive genetic gamma frailty model for two-locus linkage analysis using sibship age of onset data. *Statistical applications in genetics and molecular biology* 1(1), 2–24.
- Zhong, X. and H. Li (2004). Score tests of genetic association in the presence of linkage based on the additive genetic gamma frailty model. *Biostatistics* 5, 307–327.

Curriculum Vitae

Andrea Callegaro was born in Dolo, Italy in 1974. He obtained an accounting high school diploma at P.F. Calvi of Padova (Italy) in 1993. After serving in the Italian Army for fifteen months, he continued his education at the Faculty of Statistics, University of Padua (Italy), where he obtained a bachelor's degree (cum laude) in 2001. In the year 2000, he started working as junior statistician at the San Gerardo Hospital (Milan, Italy) with prof dr. Maria G. Valsecchi. He spent three years at the San Gerardo Hospital studying and applying survival methods to clinical data. In 2003 he was visitor for four months at the Dept. of Medical Statistics and Bioinformatics (Leiden University Medical Centre). He had the opportunity to work with prof dr. Hans C. van Houwelingen on the analysis of microarray data. In the year 2004, he joined the Data Analysis Group of the Dept. of Chemical Engineering Processes, University of Padova (Italy) to work on microarray data. Specifically, during the two years spent at the Data Analysis Group, he developed statistical methods to identify differentially expressed chromosomal regions.

The work gathered in this thesis was carried out in the period 2006-2009 at the Dept. of Medical Statistics and Bioinformatics (Leiden University Medical Centre) under supervision of prof dr. Jeanine J. Houwing-Duistermaat. During this research period, the author presented his work at several international conferences, including EMGM 2007 (Heidelberg, Germany), EMGM 2008 (Rotterdam, Netherlands), IGES 2008 (St. Louis, USA), Channel meeting BMS 2009 (Ghent, Belgium) and IGES 2009 (Kahuku, Hawaii, USA).

List of publications

- Callegaro A, Lebrech J, Houwing-Duistermaat JJ (2009). Testing for Genetic Association in the Presence of Linkage and Gene Covariate Interactions. *Biometrical Journal*, in press.
- Callegaro A, van Houwelingen JC, Houwing-Duistermaat JJ (2010). Robust Age at Onset Linkage Analysis in Nuclear Families. *Human Heredity* 69, 80-90.
- Callegaro A, Uh H-W, Helmer Q, Houwing-Duistermaat JJ. (2009). New score tests for age at onset linkage analysis in general pedigrees. *BMC Proceedings* 3, S97.
- Marchani EE, Callegaro A, Daw EW, Wijsman EM (2009). Combining information from linkage and association methods. *Genetic Epidemiology (S1)*, S81-S87.
- Callegaro A, van Houwelingen JC, Houwing-Duistermaat JJ (2009). Score test for age at onset genetic linkage analysis in selected sibling-pairs. *Statistics in Medicine* 28(14), 1913-26.
- Houwing-Duistermaat JJ, Callegaro A, Beekman M, Westendorp RG, Slagboom PE, van Houwelingen JC (2009). Weighted statistics for aggregation and linkage analysis of human longevity in selected families: The Leiden Longevity Study. *Statistics in Medicine* 28(1), 140-51.
- Agnelli L, Biciato S, Fabris S, Baldini L, Morabito F, Intini D, Verdelli D, Callegaro A, Bertoni F, Lambertenghi-Delilieri G, Lombardi L, Neri A (2007). Integrative genomic analysis reveals distinct transcriptional and genetic features associated with chromosome 13 deletion in multiple myeloma. *Haematologica* 92(1), 56-65.
- Mandruzzato S, Callegaro A, Turcatel G, Francescato S, Montesco MC, Chiarion-Sileni V, Mocellin S, Rossi CR, Biciato S, Wang E, Marincola FM, Zanovello P (2006). A gene expression signature associated with survival in metastatic melanoma. *Journal of Translational Medicine* 4(1), 50.
- Callegaro A, Basso D, Biciato S (2006). A Locally Adaptive statistical Procedure (LAP) to identify differentially expressed chromosomal regions. *Bioinformatics* 22(21), 2658-66.
- Callegaro A, Spinelli R, Beltrame L, Biciato S, Caristina L, Censuales S, De Bellis G, Battaglia C (2006). Algorithm for automatic genotype calling of single nucleotide polymorphisms using the full course of TaqMan real-time data. *Nucleic Acids Research* 34(7), e56.
- Scrideli CA, Cazzaniga G, Fazio G, Pirola L, Callegaro A, Bassan R, Rambaldi A, Lo Nigro L, Basso G, Masera G, Biondi A (2003). Gene expression profile unravels

significant differences between childhood and adult Ph+ acute lymphoblastic leukemia. *Leukemia* 17(11), 2234-7.

Callegaro A, Pesarin F, Salmaso L (2003). Permutation tests to compare survival curves. *Italian Journal of Applied Statistics* 15, 241-261.

Assael BM, Castellani C, Ocampo MB, Iansa P, Callegaro A, Valsecchi MG (2002). Epidemiology and survival analysis of cystic fibrosis in an area of intense neonatal screening over 30 years. *American Journal of Epidemiology* 156, 397-401.

Callegaro A, Valsecchi MG (2002). Crucial aspects in the analysis of Competing Risks. *Epidemiologia & Prevenzione* 26(4), 206-210.