

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/25579> holds various files of this Leiden University dissertation

Author: Driessen, R. P. C.

Title: The architects of crenarchaeal chromatin : a biophysical characterization of chromatin proteins from *Sulfolobus solfataricus*

Issue Date: 2014-05-06

REFERENCES

1. Woese, C.R. and Fox, G.E. (1977) Phylogenetic structure of the prokaryotic domain: the primary kingdoms. *Proc Natl Acad Sci U S A*, **74**, 5088-5090.
2. Woese, C.R., Kandler, O. and Wheelis, M.L. (1990) Towards a natural system of organisms: proposal for the domains Archaea, Bacteria, and Eucarya. *Proc Natl Acad Sci U S A*, **87**, 4576-4579.
3. Brochier-Armanet, C., Boussau, B., Gribaldo, S. and Forterre, P. (2008) Mesophilic Crenarchaeota: proposal for a third archaeal phylum, the Thaumarchaeota. *Nat Rev Microbiol*, **6**, 245-252.
4. Elkins, J.G., Podar, M., Graham, D.E., Makarova, K.S., Wolf, Y., Randau, L., Hedlund, B.P., Brochier-Armanet, C., Kunin, V., Anderson, I. *et al.* (2008) A korarchaeal genome reveals insights into the evolution of the Archaea. *Proc Natl Acad Sci U S A*, **105**, 8102-8107.
5. Waters, E., Hohn, M.J., Ahel, I., Graham, D.E., Adams, M.D., Barnstead, M., Beeson, K.Y., Bibbs, L., Bolanos, R., Keller, M. *et al.* (2003) The genome of *Nanoarchaeum equitans*: insights into early archaeal evolution and derived parasitism. *Proc Natl Acad Sci U S A*, **100**, 12984-12988.
6. Pikuta, E.V., Hoover, R.B. and Tang, J. (2007) Microbial extremophiles at the limits of life. *Crit Rev Microbiol*, **33**, 183-209.
7. DeLong, E.F. and Pace, N.R. (2001) Environmental diversity of bacteria and archaea. *Syst Biol*, **50**, 470-478.
8. Eckburg, P.B., Lepp, P.W. and Relman, D.A. (2003) Archaea and their potential role in human disease. *Infect Immun*, **71**, 591-596.
9. Reeve, J.N. (1999) Archaeobacteria then ... Archaea now (are there really no archaeal pathogens?). *J Bacteriol*, **181**, 3613-3617.
10. Jarrell, K.F., Walters, A.D., Bochiwal, C., Borgia, J.M., Dickinson, T. and Chong, J.P. (2011) Major players on the microbial stage: why archaea are important. *Microbiology*, **157**, 919-936.
11. Grohmann, D. and Werner, F. (2011) Recent advances in the understanding of archaeal transcription. *Curr Opin Microbiol*, **14**, 328-334.

12. Kelman, Z. and White, M.F. (2005) Archaeal DNA replication and repair. *Curr Opin Microbiol*, **8**, 669-676.
13. Lindas, A.C. and Bernander, R. (2013) The cell cycle of archaea. *Nat Rev Microbiol*, **11**, 627-638.
14. Luijsterburg, M.S., White, M.F., van Driel, R. and Dame, R.T. (2008) The major architects of chromatin: architectural proteins in bacteria, archaea and eukaryotes. *Crit Rev Biochem Mol Biol*, **43**, 393-418.
15. Cunha, S., Woldringh, C.L. and Odijk, T. (2001) Polymer-mediated compaction and internal dynamics of isolated *Escherichia coli* nucleoids. *J Struct Biol*, **136**, 53-66.
16. de Vries, R. (2010) DNA condensation in bacteria: Interplay between macromolecular crowding and nucleoid proteins. *Biochimie*, **92**, 1715-1721.
17. Brock, T.D., Brock, K.M., Belly, R.T. and Weiss, R.L. (1972) *Sulfolobus*: a new genus of sulfur-oxidizing bacteria living at low pH and high temperature. *Arch Mikrobiol*, **84**, 54-68.
18. van de Vossenbergh, J.L., Ubbink-Kok, T., Elferink, M.G., Driessen, A.J. and Konings, W.N. (1995) Ion permeability of the cytoplasmic membrane limits the maximum growth temperature of bacteria and archaea. *Mol Microbiol*, **18**, 925-932.
19. Chen, L., Brugger, K., Skovgaard, M., Redder, P., She, Q., Torarinsson, E., Greve, B., Awayez, M., Zibat, A., Klenk, H.P. *et al.* (2005) The genome of *Sulfolobus acidocaldarius*, a model organism of the Crenarchaeota. *J Bacteriol*, **187**, 4992-4999.
20. Kawarabayasi, Y., Hino, Y., Horikawa, H., Jin-no, K., Takahashi, M., Sekine, M., Baba, S., Ankai, A., Kosugi, H., Hosoyama, A. *et al.* (2001) Complete genome sequence of an aerobic thermoacidophilic crenarchaeon, *Sulfolobus tokodaii* strain 7. *DNA Res*, **8**, 123-140.
21. Reno, M.L., Held, N.L., Fields, C.J., Burke, P.V. and Whitaker, R.J. (2009) Biogeography of the *Sulfolobus islandicus* pan-genome. *Proc Natl Acad Sci U S A*, **106**, 8605-8610.
22. She, Q., Singh, R.K., Confalonieri, F., Zivanovic, Y., Allard, G., Awayez, M.J., Chan-Weiher, C.C., Clausen, I.G., Curtis, B.A., De Moors, A. *et al.* (2001) The complete genome of the crenarchaeon *Sulfolobus solfataricus* P2. *Proc Natl Acad Sci U S A*, **98**, 7835-7840.
23. Berkner, S. and Lipps, G. (2008) Genetic tools for *Sulfolobus* spp.: vectors and first applications. *Arch Microbiol*, **190**, 217-230.

24. Zillig, W., Arnold, H.P., Holz, I., Prangishvili, D., Schweier, A., Stedman, K., She, Q., Phan, H., Garrett, R. and Kristjansson, J.K. (1998) Genetic elements in the extremely thermophilic archaeon *Sulfolobus*. *Extremophiles*, **2**, 131-140.
25. Charbonnier, F. and Forterre, P. (1994) Comparison of plasmid DNA topology among mesophilic and thermophilic eubacteria and archaeobacteria. *J Bacteriol*, **176**, 1251-1259.
26. Forterre, P., Bergerat, A. and Lopez-Garcia, P. (1996) The unique DNA topology and DNA topoisomerases of hyperthermophilic archaea. *FEMS Microbiol Rev*, **18**, 237-248.
27. Lopez-Garcia, P. and Forterre, P. (1997) DNA topology in hyperthermophilic archaea: reference states and their variation with growth phase, growth temperature, and temperature stresses. *Mol Microbiol*, **23**, 1267-1279.
28. Nadal, M. (2007) Reverse gyrase: an insight into the role of DNA-topoisomerases. *Biochimie*, **89**, 447-455.
29. Ellis, R.J. (2001) Macromolecular crowding: obvious but underappreciated. *Trends Biochem Sci*, **26**, 597-604.
30. Marenduzzo, D., Finan, K. and Cook, P.R. (2006) The depletion attraction: an underappreciated force driving cellular organization. *J Cell Biol*, **175**, 681-686.
31. Murphy, L.D. and Zimmerman, S.B. (1994) Macromolecular crowding effects on the interaction of DNA with *Escherichia coli* DNA-binding proteins: a model for bacterial nucleoid stabilization. *Biochim Biophys Acta*, **1219**, 277-284.
32. de Vries, R. (2012) DNA compaction by nonbinding macromolecules. *Polym. Sci. Ser. C*, **54**, 30-35.
33. Flory, P.J. (1969) Statistical mechanics of chain molecules. *Interscience Publishers, New York*.
34. Luger, K., Mader, A.W., Richmond, R.K., Sargent, D.F. and Richmond, T.J. (1997) Crystal structure of the nucleosome core particle at 2.8 Å resolution. *Nature*, **389**, 251-260.
35. Luger, K., Dechassa, M.L. and Tremethick, D.J. (2012) New insights into nucleosome and chromatin structure: an ordered state or a disordered affair? *Nat Rev Mol Cell Biol*, **13**, 436-447.
36. Luijsterburg, M.S., Noom, M.C., Wuite, G.J. and Dame, R.T. (2006) The architectural role of nucleoid-associated proteins in the organization of bacterial chromatin: a molecular perspective. *J Struct Biol*, **156**, 262-272.

37. Dame, R.T. (2005) The role of nucleoid-associated proteins in the organization and compaction of bacterial chromatin. *Mol Microbiol*, **56**, 858-870.
38. Dillon, S.C. and Dorman, C.J. (2010) Bacterial nucleoid-associated proteins, nucleoid structure and gene expression. *Nat Rev Microbiol*, **8**, 185-195.
39. Bell, S.D. and White, M.F. (2010) In Dame, R. T. and Dorman, C. J. (eds.), *Bacterial Chromatin*. Springer, pp. 205-217.
40. Driessen, R.P.C. and Dame, R.T. (2011) Nucleoid-associated proteins in Crenarchaea. *Biochem. Soc. Trans.*, **39**, 116-121.
41. Reeve, J.N. (2003) Archaeal chromatin and transcription. *Mol Microbiol*, **48**, 587-598.
42. White, M.F. and Bell, S.D. (2002) Holding it together: chromatin in the Archaea. *Trends Genet*, **18**, 621-626.
43. Zhang, Z., Guo, L. and Huang, L. (2012) Archaeal chromatin proteins. *Sci China Life Sci*, **55**, 377-385.
44. Pereira, S.L., Grayling, R.A., Lurz, R. and Reeve, J.N. (1997) Archaeal nucleosomes. *Proc Natl Acad Sci U S A*, **94**, 12633-12637.
45. Reeve, J.N., Bailey, K.A., Li, W.-t., Marc, F., Sandman, K. and Soares, D.J. (2004) Archaeal histones: structures, stability and DNA binding. *Biochem Soc Trans*, **32**, 227-230.
46. Decanniere, K., Babu, A.M., Sandman, K., Reeve, J.N. and Heinemann, U. (2000) Crystal structures of recombinant histones HMfA and HMfB from the hyperthermophilic archaeon *Methanothermus fervidus*. *J Mol Biol*, **303**, 35-47.
47. Sandman, K. and Reeve, J.N. (2006) Archaeal histones and the origin of the histone fold. *Curr Opin Microbiol*, **9**, 520-525.
48. Tomschik, M., Karymov, M.A., Zlatanova, J. and Leuba, S.H. (2001) The archaeal histone-fold protein HMf organizes DNA into bona fide chromatin fibers. *Structure*, **9**, 1201-1211.
49. Maruyama, H., Shin, M., Oda, T., Matsumi, R., Ohniwa, R.L., Itoh, T., Shirahige, K., Imanaka, T., Atomi, H., Yoshimura, S.H. *et al.* (2010) Histone and TKO471/TrmBL2 form a novel heterogeneous genome architecture in the hyperthermophilic archaeon *Thermococcus kodakarensis*. *Molecular biology of the cell*.
50. Ammar, R., Torti, D., Tsui, K., Gebbia, M., Durbic, T., Bader, G.D., Giaever, G. and Nislow, C. (2012) Chromatin is an ancient innovation conserved between Archaea and Eukarya. *Elife*, **1**, e00078.

51. Nalabothula, N., Xi, L., Bhattacharyya, S., Widom, J., Wang, J.P., Reeve, J.N., Santangelo, T.J. and Fondufe-Mittendorf, Y.N. (2013) Archaeal nucleosome positioning *in vivo* and *in vitro* is directed by primary sequence motifs. *BMC Genomics*, **14**, 391.
52. Maruyama, H., Harwood, J.C., Moore, K.M., Paszkiewicz, K., Durley, S.C., Fukushima, H., Atomi, H., Takeyasu, K. and Kent, N.A. (2013) An alternative beads-on-a-string chromatin architecture in *Thermococcus kodakarensis*. *EMBO Rep.*
53. Culard, F., Laine, B., Sautiere, P. and Maurizot, J.C. (1993) Stoichiometry of the binding of chromosomal protein MCI from the archaeobacterium, *Methanosarcina* spp. CHT155, to DNA. *FEBS Lett.*, **315**, 335-339.
54. Paquet, F., Culard, F., Barbault, F., Maurizot, J.C. and Lancelot, G. (2004) NMR solution structure of the archaeobacterial chromosomal protein MCI reveals a new protein fold. *Biochemistry*, **43**, 14971-14978.
55. Cam, E.L., Culard, F., Larquet, E., Delain, E. and Cognet, J.A. (1999) DNA bending induced by the archaeobacterial histone-like protein MCI. *J Mol Biol.*, **285**, 1011-1021.
56. Pavlov, N.A., Cherny, D.I., Nazimov, I.V., Slesarev, A.I. and Subramaniam, V. (2002) Identification, cloning and characterization of a new DNA-binding protein from the hyperthermophilic methanogen *Methanopyrus kandleri*. *Nucleic Acids Res.*, **30**, 685-694.
57. Stein, D.B. and Searcy, D.G. (1978) Physiologically important stabilization of DNA by a prokaryotic histone-like protein. *Science*, **202**, 219-221.
58. Maruyama, H., Shin, M., Oda, T., Matsumi, R., Ohniwa, R.L., Itoh, T., Shirahige, K., Imanaka, T., Atomi, H., Yoshimura, S.H. *et al.* (2011) Histone and TKO471/TrmBL2 form a novel heterogeneous genome architecture in the hyperthermophilic archaeon *Thermococcus kodakarensis*. *Mol Biol Cell*, **22**, 386-398.
59. Grote, M., Dijk, J. and Reinhardt, R. (1986) Ribosomal and DNA binding proteins of the thermoacidophilic archaeobacterium *Sulfolobus acidocaldarius*. *Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology*, **873**, 405-413.
60. Forterre, P., Confalonieri, F. and Knapp, S. (1999) Identification of the gene encoding archeal-specific DNA-binding proteins of the Sacrob family. *Mol Microbiol.*, **32**, 669-670.

61. Choli, T., Henning, P., Wittmann-Liebold, B. and Reinhardt, R. (1988) Isolation, characterization and microsequence analysis of a small basic methylated DNA-binding protein from the Archaeobacterium, *Sulfolobus solfataricus*. *Biochim Biophys Acta*, **950**, 193-203.
62. Edmondson, S.P. and Shriver, J.W. (2001) DNA binding proteins Sac7d and Sso7d from Sulfolobus. *Methods Enzymol*, **334**, 129-145.
63. Guo, L., Feng, Y., Zhang, Z., Yao, H., Luo, Y., Wang, J. and Huang, L. (2008) Biochemical and structural characterization of Cren7, a novel chromatin protein conserved among Crenarchaea. *Nucleic Acids Res*, **36**, 1129-1137.
64. Chen, L., Chen, L.R., Zhou, X.E., Wang, Y., Kahsai, M.A., Clark, A.T., Edmondson, S.P., Liu, Z.J., Rose, J.P., Wang, B.C. *et al.* (2004) The hyperthermophile protein Sso10a is a dimer of winged helix DNA-binding domains linked by an antiparallel coiled coil rod. *J Mol Biol*, **341**, 73-91.
65. Kahsai, M.A., Vogler, B., Clark, A.T., Edmondson, S.P. and Shriver, J.W. (2005) Solution structure, stability, and flexibility of Sso10a: a hyperthermophile coiled-coil DNA-binding protein. *Biochemistry*, **44**, 2822-2832.
66. Hsu, C.H. and Wang, A.H. (2011) The DNA-recognition fold of Sso7c4 suggests a new member of SpoVT-AbrB superfamily from archaea. *Nucleic Acids Res*, **39**, 6764-6774.
67. Oppermann, U.C., Knapp, S., Bonetto, V., Ladenstein, R. and Jornvall, H. (1998) Isolation and structure of repressor-like proteins from the archaeon *Sulfolobus solfataricus*. Co-purification of RNase A with Sso7c. *FEBS Lett*, **432**, 141-144.
68. Xue, H., Guo, R., Wen, Y., Liu, D. and Huang, L. (2000) An abundant DNA binding protein from the hyperthermophilic archaeon *Sulfolobus shibatae* affects DNA supercoiling in a temperature-dependent fashion. *J Bacteriol*, **182**, 3929-3933.
69. Crnigoj, M., Podlesek, Z., Zorko, M., Jerala, R., Anderluh, G. and Ulrih, N.P. (2013) Interactions of archaeal chromatin proteins Alba1 and Alba2 with nucleic acids. *PLoS One*, **8**, e58237.
70. Baumann, H., Knapp, S., Lundbäck, T., Ladenstein, R. and Härd, T. (1994) Solution structure and DNA-binding properties of a thermostable protein from the archaeon *Sulfolobus solfataricus*. *Nat Struct Biol*, **1**, 808-819.
71. Wardleworth, B.N., Russell, R.J., Bell, S.D., Taylor, G.L. and White, M.F. (2002) Structure of Alba: an archaeal chromatin protein modulated by acetylation. *EMBO J*, **21**, 4654-4662.

72. Biyani, K., Kahsai, M.A., Clark, A.T., Armstrong, T.L., Edmondson, S.P. and Shriver, J.W. (2005) Solution structure, stability, and nucleic acid binding of the hyperthermophile protein Sso10b2. *Biochemistry*, **44**, 14217-14230.
73. Chou, C.C., Lin, T.W., Chen, C.Y. and Wang, A.H. (2003) Crystal structure of the hyperthermophilic archaeal DNA-binding protein Sso10b2 at a resolution of 1.85 Angstroms. *J Bacteriol*, **185**, 4066-4073.
74. Cui, Q., Tong, Y., Xue, H., Huang, L., Feng, Y. and Wang, J. (2003) Two conformations of archaeal Ssh10b. The origin of its temperature-dependent interaction with DNA. *J Biol Chem*, **278**, 51015-51022.
75. Hada, K., Nakashima, T., Osawa, T., Shimada, H., Kakuta, Y. and Kimura, M. (2008) Crystal structure and functional analysis of an archaeal chromatin protein Alba from the hyperthermophilic archaeon *Pyrococcus horikoshii* OT3. *Biosci Biotechnol Biochem*, **72**, 749-758.
76. Jelinska, C., Conroy, M.J., Craven, C.J., Hounslow, A.M., Bullough, P.A., Waltho, J.P., Taylor, G.L. and White, M.F. (2005) Obligate heterodimerization of the archaeal Alba2 protein with Alba1 provides a mechanism for control of DNA packaging. *Structure*, **13**, 963-971.
77. Kumarevel, T., Sakamoto, K., Gopinath, S.C., Shinkai, A., Kumar, P.K. and Yokoyama, S. (2008) Crystal structure of an archaeal specific DNA-binding protein (Ape10b2) from *Aeropyrum pernix* K1. *Proteins*, **71**, 1156-1162.
78. Wang, G., Guo, R., Bartlam, M., Yang, H., Xue, H., Liu, Y., Huang, L. and Rao, Z. (2003) Crystal structure of a DNA binding protein from the hyperthermophilic euryarchaeon *Methanococcus jannaschii*. *Protein Sci*, **12**, 2815-2822.
79. Zhao, K., Chai, X. and Marmorstein, R. (2003) Structure of a Sir2 substrate, Alba, reveals a mechanism for deacetylation-induced enhancement of DNA binding. *J Biol Chem*, **278**, 26071-26077.
80. Tanaka, T., Padavattan, S. and Kumarevel, T. (2012) Crystal Structure of Archaeal Chromatin Protein Alba2-Double-stranded DNA Complex from *Aeropyrum pernix* K1. *J Biol Chem*, **287**, 10394-10402.
81. Lurz, R., Grote, M., Dijk, J., Reinhardt, R. and Dobrinski, B. (1986) Electron microscopic study of DNA complexes with proteins from the Archaeobacterium *Sulfolobus acidocaldarius*. *EMBO J*, **5**, 3715-3721.

82. Xuan, J. and Feng, Y. (2012) The archaeal SacIob protein family: conserved proteins with divergent functions. *Curr Protein Pept Sci*, **13**, 258-266.
83. Marsh, V.L., Peak-Chew, S.Y. and Bell, S.D. (2005) Sir2 and the acetyltransferase, Pat, regulate the archaeal chromatin protein, Alba. *J Biol Chem*, **280**, 21122-21128.
84. Guo, R., Xue, H. and Huang, L. (2003) SshIob, a conserved thermophilic archaeal protein, binds RNA *in vivo*. *Mol Microbiol*, **50**, 1605-1615.
85. Aravind, L., Iyer, L.M. and Anantharaman, V. (2003) The two faces of Alba: the evolutionary connection between proteins participating in chromatin structure and RNA metabolism. *Genome Biol*, **4**, R64.
86. Hardy, C.D. and Martin, P.K. (2008) Biochemical characterization of DNA-binding proteins from *Pyrobaculum aerophilum* and *Aeropyrum pernix*. *Extremophiles*, **12**, 235-246.
87. Liu, Y., Guo, L., Guo, R., Wong, R.L., Hernandez, H., Hu, J., Chu, Y., Amster, I.J., Whitman, W.B. and Huang, L. (2009) The SacIob homolog in *Methanococcus maripaludis* binds DNA at specific sites. *J Bacteriol*, **191**, 2315-2329.
88. Heinicke, I., Muller, J., Pittelkow, M. and Klein, A. (2004) Mutational analysis of genes encoding chromatin proteins in the archaeon *Methanococcus voltae* indicates their involvement in the regulation of gene expression. *Mol Genet Genomics*, **272**, 76-87.
89. Liu, Y.F., Zhang, N., Yao, H.W., Pan, X.M. and Ge, M. (2011) MthIob, a unique member of the SacIob family, does not bind nucleic acid. *PLoS One*, **6**, e19977.
90. Driessen, R.P.C., Meng, H., Suresh, G., Shahapure, R., Lanzani, G., Priyakumar, U.D., White, M.F., Schiessel, H., van Noort, J. and Dame, R.T. (2013) Crenarchaeal chromatin proteins Cren7 and Sul7 compact DNA by inducing rigid bends. *Nucleic Acids Res*, **41**, 196-205.
91. Edmondson, S.P., Qiu, L. and Shriver, J.W. (1995) Solution structure of the DNA-binding protein Sac7d from the hyperthermophile *Sulfolobus acidocaldarius*. *Biochemistry*, **34**, 13289-13304.
92. Mai, V.Q., Chen, X., Hong, R. and Huang, L. (1998) Small abundant DNA binding proteins from the thermoacidophilic archaeon *Sulfolobus shibatae* constrain negative DNA supercoils. *J Bacteriol*, **180**, 2560-2563.
93. McAfee, J.G., Edmondson, S.P., Datta, P.K., Shriver, J.W. and Gupta, R. (1995) Gene Cloning, Expression, and Characterization

- of the Sac7 Proteins from the Hyperthermophile *Sulfolobus acidocaldarius*. *Biochemistry*, **34**, 10063-10077.
94. Napoli, A., Zivanovic, Y., Bocs, C., Buhler, C., Rossi, M., Forterre, P. and Ciaramella, M. (2002) DNA bending, compaction and negative supercoiling by the architectural protein Sso7d of *Sulfolobus solfataricus*. *Nucleic Acids Res*, **30**, 2656-2662.
95. Agback, P., Baumann, H., Knapp, S., Ladenstein, R. and Hard, T. (1998) Architecture of nonspecific protein-DNA interactions in the Sso7d-DNA complex. *Nat Struct Biol*, **5**, 579-584.
96. Feng, Y., Yao, H. and Wang, J. (2010) Crystal structure of the crenarchaeal conserved chromatin protein Cren7 and double-stranded DNA complex. *Protein Sci*, **19**, 1253-1257.
97. Gao, Y.G., Su, S.Y., Robinson, H., Padmanabhan, S., Lim, L., McCrary, B.S., Edmondson, S.P., Shriver, J.W. and Wang, A.H. (1998) The crystal structure of the hyperthermophile chromosomal protein Sso7d bound to DNA. *Nat Struct Biol*, **5**, 782-786.
98. Ko, T.P., Chu, H.M., Chen, C.Y., Chou, C.C. and Wang, A.H. (2004) Structures of the hyperthermophilic chromosomal protein Sac7d in complex with DNA decamers. *Acta Crystallogr D Biol Crystallogr*, **60**, 1381-1387.
99. Krueger, J.K., McCrary, B.S., Wang, A.H., Shriver, J.W., Trewhella, J. and Edmondson, S.P. (1999) The solution structure of the Sac7d/DNA complex: a small-angle X-ray scattering study. *Biochemistry*, **38**, 10247-10255.
100. Robinson, H., Gao, Y.G., McCrary, B.S., Edmondson, S.P., Shriver, J.W. and Wang, A.H. (1998) The hyperthermophile chromosomal protein Sac7d sharply kinks DNA. *Nature*, **392**, 202-205.
101. Zhang, Z., Gong, Y., Guo, L., Jiang, T. and Huang, L. (2010) Structural insights into the interaction of the crenarchaeal chromatin protein Cren7 with DNA. *Mol Microbiol*, **76**, 749-759.
102. Chen, L., Zheng, Q.C., Yu, L.Y., Chu, W.T., Zhang, J.L., Xue, Q., Zhang, H.X. and Sun, C.C. (2012) Insights into the thermal stabilization and conformational transitions of DNA by hyperthermophile protein Sso7d: molecular dynamics simulations and MM-PBSA analysis. *J Biomol Struct Dyn*, **30**, 716-727.
103. Priyakumar, U.D., Harika, G. and Suresh, G. (2010) Molecular simulations on the thermal stabilization of DNA by hyperthermophilic chromatin protein Sac7d, and associated conformational transitions. *J Phys Chem B*, **114**, 16548-16557.
104. Chen, L., Zhang, J.L., Yu, L.Y., Zheng, Q.C., Chu, W.T., Xue, Q., Zhang, H.X. and Sun, C.C. (2012) Influence of hyperthermophilic

- protein Cren7 on the stability and conformation of DNA: insights from molecular dynamics simulation and free energy analysis. *J Phys Chem B*, **116**, 12415-12425.
105. McAfee, J.G., Edmondson, S.P., Zegar, I. and Shriver, J.W. (1996) Equilibrium DNA binding of Sac7d protein from the hyperthermophile *Sulfolobus acidocaldarius*: fluorescence and circular dichroism studies. *Biochemistry*, **35**, 4034-4045.
106. Guagliardi, A., Cerchia, L., Moracci, M. and Rossi, M. (2000) The chromosomal protein sso7d of the crenarchaeon *Sulfolobus solfataricus* rescues aggregated proteins in an ATP hydrolysis-dependent manner. *J Biol Chem*, **275**, 31813-31818.
107. Guagliardi, A., Cerchia, L. and Rossi, M. (2002) The Sso7d protein of *Sulfolobus solfataricus*: *in vitro* relationship among different activities. *Archaea*, **1**, 87-93.
108. Tashiro, R., Wang, A.H. and Sugiyama, H. (2006) Photoreactivation of DNA by an archaeal nucleoprotein Sso7d. *Proc Natl Acad Sci U S A*, **103**, 16655-16659.
109. Edmondson, S.P., Kahsai, M.A., Gupta, R. and Shriver, J.W. (2004) Characterization of Sac10a, a hyperthermophile DNA-binding protein from *Sulfolobus acidocaldarius*. *Biochemistry*, **43**, 13026-13036.
110. Wurtzel, O., Sapra, R., Chen, F., Zhu, Y., Simmons, B.A. and Sorek, R. (2010) A single-base resolution map of an archaeal transcriptome. *Genome Res*, **20**, 133-141.
111. Luo, X., Schwarz-Linek, U., Botting, C.H., Hensel, R., Siebers, B. and White, M.F. (2007) CCI, a novel crenarchaeal DNA binding protein. *J Bacteriol*, **189**, 403-409.
112. Dame, R.T., Kalmykova, O.J. and Grainger, D.C. (2011) Chromosomal macrodomains and associated proteins: implications for DNA organization and replication in gram negative bacteria. *PLoS Genet*, **7**, e1002123.
113. Noom, M.C., Navarre, W.W., Oshima, T., Wuite, G.J. and Dame, R.T. (2007) H-NS promotes looped domain formation in the bacterial chromosome. *Curr Biol*, **17**, R913-914.
114. Amit, R., Oppenheim, A.B. and Stavans, J. (2003) Increased bending rigidity of single DNA molecules by H-NS, a temperature and osmolarity sensor. *Biophys J*, **84**, 2467-2473.
115. Liu, Y., Chen, H., Kenney, L.J. and Yan, J. (2010) A divalent switch drives H-NS/DNA-binding conformations between stiffening and bridging modes. *Genes Dev*, **24**, 339-344.

116. Wiggins, P.A., Dame, R.T., Noom, M.C. and Wuite, G.J. (2009) Protein-mediated molecular bridging: a key mechanism in biopolymer organization. *Biophys J*, **97**, 1997-2003.
117. Dorsett, D. (2011) Cohesin: genomic insights into controlling gene transcription and development. *Curr Opin Genet Dev*, **21**, 199-206.
118. Petrushenko, Z.M., Cui, Y., She, W. and Rybenkov, V.V. (2010) Mechanics of DNA bridging by bacterial condensin MukBEF *in vitro* and *in singulo*. *EMBO J*, **29**, 1126-1135.
119. Soppa, J. (2001) Prokaryotic structural maintenance of chromosomes (SMC) proteins: distribution, phylogeny, and comparison with MukBs and additional prokaryotic and eukaryotic coiled-coil proteins. *Gene*, **278**, 253-264.
120. Elie, C., Baucher, M.F., Fondrat, C. and Forterre, P. (1997) A protein related to eucaryal and bacterial DNA-motor proteins in the hyperthermophilic archaeon *Sulfolobus acidocaldarius*. *J Mol Evol*, **45**, 107-114.
121. Ali Azam, T., Iwata, A., Nishimura, A., Ueda, S. and Ishihama, A. (1999) Growth phase-dependent variation in protein composition of the *Escherichia coli* nucleoid. *J Bacteriol*, **181**, 6361-6370.
122. Cosgriff, S., Chintakayala, K., Chim, Y.T., Chen, X., Allen, S., Lovering, A.L. and Grainger, D.C. (2010) Dimerization and DNA-dependent aggregation of the *Escherichia coli* nucleoid protein and chaperone CbpA. *Mol Microbiol*, **77**, 1289-1300.
123. Frenkiel-Krispin, D., Ben-Avraham, I., Englander, J., Shimoni, E., Wolf, S.G. and Minsky, A. (2004) Nucleoid restructuring in stationary-state bacteria. *Mol Microbiol*, **51**, 395-405.
124. Sandman, K., Grayling, R.A., Dobrinski, B., Lurz, R. and Reeve, J.N. (1994) Growth-phase-dependent synthesis of histones in the archaeon *Methanothermus fervidus*. *Proc Natl Acad Sci U S A*, **91**, 12624-12628.
125. Lundgren, M. and Bernander, R. (2007) Genome-wide transcription map of an archaeal cell cycle. *Proc Natl Acad Sci U S A*, **104**, 2939-2944.
126. Poplawski, A. and Bernander, R. (1997) Nucleoid structure and distribution in thermophilic Archaea. *J Bacteriol*, **179**, 7625-7630.
127. Jun, S.H., Reichlen, M.J., Tajiri, M. and Murakami, K.S. (2011) Archaeal RNA polymerase and transcription regulation. *Crit Rev Biochem Mol Biol*, **46**, 27-40.
128. Thomm, M. (2007) Transcription: Mechanism and Regulation. In: Cavicchioli R. (ed.) *Archaea: Molecular and Cellular Biology*, 139-157.

129. Aravind, L. and Koonin, E.V. (1999) DNA-binding proteins and evolution of transcription regulation in the archaea. *Nucleic Acids Res*, **27**, 4658-4670.
130. Kyrpides, N.C. and Ouzounis, C.A. (1999) Transcription in archaea. *Proc Natl Acad Sci U S A*, **96**, 8545-8550.
131. Bell, S.D. and Jackson, S.P. (2001) Mechanism and regulation of transcription in archaea. *Curr Opin Microbiol*, **4**, 208-213.
132. Hausner, W., Wettach, J., Hethke, C. and Thomm, M. (1996) Two transcription factors related with the eucaryal transcription factors TATA-binding protein and transcription factor IIB direct promoter recognition by an archaeal RNA polymerase. *J Biol Chem*, **271**, 30144-30148.
133. Qureshi, S.A., Bell, S.D. and Jackson, S.P. (1997) Factor requirements for transcription in the Archaeon *Sulfolobus shibatae*. *EMBO J*, **16**, 2927-2936.
134. Reiter, W.D., Palm, P. and Zillig, W. (1988) Analysis of transcription in the archaeobacterium *Sulfolobus* indicates that archaeobacterial promoters are homologous to eukaryotic pol II promoters. *Nucleic Acids Res*, **16**, 1-19.
135. Rowlands, T., Baumann, P. and Jackson, S.P. (1994) The TATA-binding protein: a general transcription factor in eukaryotes and archaeobacteria. *Science*, **264**, 1326-1329.
136. Soppa, J. (1999) Normalized nucleotide frequencies allow the definition of archaeal promoter elements for different archaeal groups and reveal base-specific TFB contacts upstream of the TATA box. *Mol Microbiol*, **31**, 1589-1592.
137. Bell, S.D., Kosa, P.L., Sigler, P.B. and Jackson, S.P. (1999) Orientation of the transcription preinitiation complex in archaea. *Proc Natl Acad Sci U S A*, **96**, 13662-13667.
138. Bell, S.D. and Jackson, S.P. (2000) The role of transcription factor B in transcription initiation and promoter clearance in the archaeon *Sulfolobus acidocaldarius*. *J Biol Chem*, **275**, 12934-12940.
139. Bell, S.D., Brinkman, A.B., van der Oost, J. and Jackson, S.P. (2001) The archaeal TFIIIEalpha homologue facilitates transcription initiation by enhancing TATA-box recognition. *EMBO Rep*, **2**, 133-138.
140. Werner, F. and Weinzierl, R.O. (2005) Direct modulation of RNA polymerase core functions by basal transcription factors. *Mol Cell Biol*, **25**, 8344-8355.

141. Grunberg, S., Bartlett, M.S., Naji, S. and Thomm, M. (2007) Transcription factor E is a part of transcription elongation complexes. *J Biol Chem*, **282**, 35482-35490.
142. Baliga, N.S., Goo, Y.A., Ng, W.V., Hood, L., Daniels, C.J. and DasSarma, S. (2000) Is gene expression in *Halobacterium* NRC-1 regulated by multiple TBP and TFB transcription factors? *Mol Microbiol*, **36**, 1184-1185.
143. Bell, S.D. (2005) Archaeal transcriptional regulation--variation on a bacterial theme? *Trends Microbiol*, **13**, 262-265.
144. Brinkman, A.B., Ettema, T.J., de Vos, W.M. and van der Oost, J. (2003) The Lrp family of transcriptional regulators. *Mol Microbiol*, **48**, 287-294.
145. Tani, T.H., Khodursky, A., Blumenthal, R.M., Brown, P.O. and Matthews, R.G. (2002) Adaptation to famine: a family of stationary-phase genes revealed by microarray analysis. *Proc Natl Acad Sci U S A*, **99**, 13471-13476.
146. Peeters, E. and Charlier, D. (2010) The Lrp family of transcription regulators in archaea. *Archaea*, **2010**, 750457.
147. Brinkman, A.B., Dahlke, I., Tuininga, J.E., Lammers, T., Dumay, V., de Heus, E., Lebbink, J.H., Thomm, M., de Vos, W.M. and van Der Oost, J. (2000) An Lrp-like transcriptional regulator from the archaeon *Pyrococcus furiosus* is negatively autoregulated. *J Biol Chem*, **275**, 38160-38169.
148. Dahlke, I. and Thomm, M. (2002) A *Pyrococcus* homolog of the leucine-responsive regulatory protein, LrpA, inhibits transcription by abrogating RNA polymerase recruitment. *Nucleic Acids Res*, **30**, 701-710.
149. Bell, S.D. and Jackson, S.P. (2000) Mechanism of autoregulation by an archaeal transcriptional repressor. *J Biol Chem*, **275**, 31624-31629.
150. Napoli, A., van der Oost, J., Sensen, C.W., Charlebois, R.L., Rossi, M. and Ciaramella, M. (1999) An Lrp-like protein of the hyperthermophilic archaeon *Sulfolobus solfataricus* which binds to its own promoter. *J Bacteriol*, **181**, 1474-1480.
151. Enoru-Eta, J., Gigot, D., Glansdorff, N. and Charlier, D. (2002) High resolution contact probing of the Lrp-like DNA-binding protein Ss-Lrp from the hyperthermoacidophilic crenarchaeote *Sulfolobus solfataricus* P2. *Mol Microbiol*, **45**, 1541-1555.
152. Enoru-Eta, J., Gigot, D., Thia-Toong, T.L., Glansdorff, N. and Charlier, D. (2000) Purification and characterization of Sa-lrp, a DNA-binding protein from the extreme thermoacidophilic

- archaeon *Sulfolobus acidocaldarius* homologous to the bacterial global transcriptional regulator Lrp. *J Bacteriol*, **182**, 3661-3672.
153. Yokoyama, K., Ishijima, S.A., Koike, H., Kurihara, C., Shimowasa, A., Kabasawa, M., Kawashima, T. and Suzuki, M. (2007) Feast/famine regulation by transcription factor FL11 for the survival of the hyperthermophilic archaeon *Pyrococcus* OT3. *Structure*, **15**, 1542-1554.
154. Schwaiger, R., Schwarz, C., Furtwangler, K., Tarasov, V., Wende, A. and Oesterhelt, D. (2010) Transcriptional control by two leucine-responsive regulatory proteins in *Halobacterium salinarum* R1. *BMC Mol Biol*, **11**, 40.
155. Ouhammouch, M., Dewhurst, R.E., Hausner, W., Thomm, M. and Geiduschek, E.P. (2003) Activation of archaeal transcription by recruitment of the TATA-binding protein. *Proc Natl Acad Sci U S A*, **100**, 5097-5102.
156. Brinkman, A.B., Bell, S.D., Lebbink, R.J., de Vos, W.M. and van der Oost, J. (2002) The *Sulfolobus solfataricus* Lrp-like protein LysM regulates lysine biosynthesis in response to lysine availability. *J Biol Chem*, **277**, 29537-29549.
157. Peeters, E., van Oeffelen, L., Nadal, M., Forterre, P. and Charlier, D. (2013) A thermodynamic model of the cooperative interaction between the archaeal transcription factor Ss-LrpB and its tripartite operator DNA. *Gene*, **524**, 330-340.
158. Peeters, E., Willaert, R., Maes, D. and Charlier, D. (2006) Ss-LrpB from *Sulfolobus solfataricus* condenses about 100 base pairs of its own operator DNA into globular nucleoprotein complexes. *J Biol Chem*, **281**, 11721-11728.
159. Browning, D.F., Grainger, D.C. and Busby, S.J. (2010) Effects of nucleoid-associated proteins on bacterial chromosome structure and gene expression. *Curr Opin Microbiol*, **13**, 773-780.
160. Lopez-Garcia, P. and Forterre, P. (1999) Control of DNA topology during thermal stress in hyperthermophilic archaea: DNA topoisomerase levels, activities and induced thermotolerance during heat and cold shock in *Sulfolobus*. *Mol Microbiol*, **33**, 766-777.
161. Dorman, C.J. (1996) Flexible response: DNA supercoiling, transcription and bacterial adaptation to environmental stress. *Trends Microbiol*, **4**, 214-216.
162. Hatfield, G.W. and Benham, C.J. (2002) DNA topology-mediated control of global gene expression in *Escherichia coli*. *Annu Rev Genet*, **36**, 175-203.

163. Peter, B.J., Arsuaga, J., Breier, A.M., Khodursky, A.B., Brown, P.O. and Cozzarelli, N.R. (2004) Genomic transcriptional response to loss of chromosomal supercoiling in *Escherichia coli*. *Genome Biol*, **5**, R87.
164. Grainger, D.C., Hurd, D., Goldberg, M.D. and Busby, S.J. (2006) Association of nucleoid proteins with coding and non-coding segments of the *Escherichia coli* genome. *Nucleic Acids Res*, **34**, 4642-4652.
165. Fiorentino, G., Cannio, R., Rossi, M. and Bartolucci, S. (2003) Transcriptional regulation of the gene encoding an alcohol dehydrogenase in the archaeon *Sulfolobus solfataricus* involves multiple factors and control elements. *J Bacteriol*, **185**, 3926-3934.
166. Dorman, C.J. (2004) H-NS: a universal regulator for a dynamic genome. *Nat Rev Microbiol*, **2**, 391-400.
167. Bell, S.D., Botting, C.H., Wardleworth, B.N., Jackson, S.P. and White, M.F. (2002) The interaction of Alba, a conserved archaeal chromatin protein, with Sir2 and its regulation by acetylation. *Science*, **296**, 148-151.
168. Marsh, V.L., McGeoch, A.T. and Bell, S.D. (2006) Influence of chromatin and single strand binding proteins on the activity of an archaeal MCM. *J Mol Biol*, **357**, 1345-1350.
169. Browning, D.F., Cole, J.A. and Busby, S.J. (2000) Suppression of FNR-dependent transcription activation at the *Escherichia coli* nir promoter by Fis, IHF and H-NS: modulation of transcription initiation by a complex nucleo-protein assembly. *Mol Microbiol*, **37**, 1258-1269.
170. Becker, N.A., Kahn, J.D. and Maher, L.J., 3rd. (2005) Bacterial repression loops require enhanced DNA flexibility. *J Mol Biol*, **349**, 716-730.
171. Becker, N.A., Kahn, J.D. and Maher, L.J., 3rd. (2007) Effects of nucleoid proteins on DNA repression loop formation in *Escherichia coli*. *Nucleic Acids Res*, **35**, 3988-4000.
172. Geanakopoulos, M., Vasmatzis, G., Zhurkin, V.B. and Adhya, S. (2001) Gal repressosome contains an antiparallel DNA loop. *Nat Struct Biol*, **8**, 432-436.
173. van Ulsen, P., Hillebrand, M., Zulianello, L., van de Putte, P. and Goosen, N. (1997) The integration host factor-DNA complex upstream of the early promoter of bacteriophage Mu is functionally symmetric. *J Bacteriol*, **179**, 3073-3075.
174. Eichler, J. and Adams, M.W. (2005) Posttranslational protein modification in Archaea. *Microbiol Mol Biol Rev*, **69**, 393-425.

175. Botting, C.H., Talbot, P., Paytubi, S. and White, M.F. (2010) Extensive lysine methylation in hyperthermophilic crenarchaea: potential implications for protein stability and recombinant enzymes. *Archaea*, **2010**.
176. Chu, Y., Zhang, Z., Wang, Q., Luo, Y. and Huang, L. (2012) Identification and characterization of a highly conserved crenarchaeal protein lysine methyltransferase with broad substrate specificity. *J Bacteriol*, **194**, 6917-6926.
177. Niu, Y., Xia, Y., Wang, S., Li, J., Niu, C., Li, X., Zhao, Y., Xiong, H., Li, Z., Lou, H. *et al.* (2013) A prototypic lysine methyltransferase 4 from archaea with degenerate sequence specificity methylates chromatin proteins Sul7d and Cren7 in different patterns. *J Biol Chem*, **288**, 13728-13740.
178. Laurens, N., Driessen, R.P.C., Heller, I., Vorselen, D., Noom, M.C., Hol, F.J.H., White, M.F., Dame, R.T. and Wuite, G.J.L. (2012) Alba shapes the archaeal genome using a delicate balance of bridging and stiffening the DNA. *Nat Commun*, **3**, 1328.
179. Chaurasiya, K.R., Paramanathan, T., Mccauley, M.J. and Williams, M.C. (2010) Biophysical characterization of DNA binding from single molecule force measurements. *Physics of Life Reviews*, 1-43.
180. Neuman, K.C. and Nagy, A. (2008) Single-molecule force spectroscopy: optical tweezers, magnetic tweezers and atomic force microscopy. *Nat Methods*, **5**, 491-505.
181. Dame, R.T. (2008) Single-molecule micromanipulation studies of DNA and architectural proteins. *Biochem Soc Trans*, **36**, 732-737.
182. Segall, D.E., Nelson, P.C. and Phillips, R. (2006) Volume-exclusion effects in tethered-particle experiments: bead size matters. *Phys Rev Lett*, **96**, 088306.
183. Sandman, K. and Reeve, J.N. (2005) Archaeal chromatin proteins: different structures but common function? *Curr Opin Microbiol*, **8**, 656-661.
184. Cubonova, L., Sandman, K., Hallam, S.J., DeLong, E.F. and Reeve, J.N. (2005) Histones in crenarchaea. *J Bacteriol*, **187**, 5482-5485.
185. Bessa, E., Wintraecken, K., Geerling, A. and de Vries, R. (2007) Synergy of DNA-bending nucleoid proteins and macromolecular crowding in condensing DNA. *Biophysical Reviews and Letters*, **2**, 1-7.
186. Swinger, K.K. and Rice, P.A. (2004) IHF and HU: flexible architects of bent DNA. *Curr Opin Struct Biol*, **14**, 28-35.

187. Thomas, J.O. and Travers, A.A. (2001) HMG1 and 2, and related 'architectural' DNA-binding proteins. *Trends Biochem Sci*, **26**, 167-174.
188. Zhang, J., McCauley, M.J., Maher, L.J., 3rd, Williams, M.C. and Israeloff, N.E. (2009) Mechanism of DNA flexibility enhancement by HMGB proteins. *Nucleic Acids Res*, **37**, 1107-1114.
189. Humphrey, W., Dalke, A. and Schulten, K. (1996) VMD: visual molecular dynamics. *J Mol Graph*, **14**, 33-38, 27-38.
190. Lavery, R., Moakher, M., Maddocks, J.H., Petkeviciute, D. and Zakrzewska, K. (2009) Conformational analysis of nucleic acids revisited: Curves+. *Nucleic Acids Res*, **37**, 5917-5929.
191. Kulić, I.M., Mohrbach, H., Thaokar, R. and Schiessel, H. (2007) Equation of state of looped DNA. *Physical Review E*, **75**, 011913.
192. Kulić, I.M., Mohrbach, H., Lobaskin, V., Thaokar, R. and Schiessel, H. (2005) Apparent persistence length renormalization of bent DNA. *Physical Review E*, **72**, 041905.
193. Ali, B.M., Amit, R., Braslavsky, I., Oppenheim, A.B., Gileadi, O. and Stavans, J. (2001) Compaction of single DNA molecules induced by binding of integration host factor (IHF). *Proc Natl Acad Sci U S A*, **98**, 10658-10663.
194. McCauley, M., Hardwidge, P.R., Maher, L.J., 3rd and Williams, M.C. (2005) Dual binding modes for an HMG domain from human HMGB2 on DNA. *Biophys J*, **89**, 353-364.
195. Skoko, D., Wong, B., Johnson, R.C. and Marko, J.F. (2004) Micromechanical analysis of the binding of DNA-bending proteins HMGB1, NHP6A, and HU reveals their ability to form highly stable DNA-protein complexes. *Biochemistry*, **43**, 13867-13874.
196. van Noort, J., Verbrugge, S., Goosen, N., Dekker, C. and Dame, R.T. (2004) Dual architectural roles of HU: formation of flexible hinges and rigid filaments. *Proc Natl Acad Sci USA*, **101**, 6969-6974.
197. Holbrook, J.A., Tsodikov, O.V., Saecker, R.M. and Record, M.T., Jr. (2001) Specific and non-specific interactions of integration host factor with DNA: thermodynamic evidence for disruption of multiple IHF surface salt-bridges coupled to DNA binding. *J Mol Biol*, **310**, 379-401.
198. Xiao, B., Johnson, R.C. and Marko, J.F. (2010) Modulation of HU-DNA interactions by salt concentration and applied force. *Nucleic Acids Res*, **38**, 6176-6185.

199. Lundbäck, T. and Hård, T. (1996) Salt Dependence of the Free Energy, Enthalpy, and Entropy of Nonsequence Specific DNA Binding. *The Journal of Physical Chemistry*, **100**, 17690-17695.
200. Dame, R.T., Wyman, C. and Goosen, N. (2000) H-NS mediated compaction of DNA visualised by atomic force microscopy. *Nucleic Acids Res*, **28**, 3504-3510.
201. Dame, R.T., Noom, M.C. and Wuite, G.J. (2006) Bacterial chromatin organization by H-NS protein unravelled using dual DNA manipulation. *Nature*, **444**, 387-390.
202. Lim, C.J., Whang, Y.R., Kenney, L.J. and Yan, J. (2012) Gene silencing H-NS paralogue StpA forms a rigid protein filament along DNA that blocks DNA accessibility. *Nucleic Acids Res*, **40**, 3316-3328.
203. Graham, J.S., Johnson, R.C. and Marko, J.F. (2010) Concentration-dependent exchange accelerates turnover of proteins bound to double-stranded DNA. *Nucleic Acids Res*.
204. Bustamante, C., Cheng, W. and Mejia, Y.X. (2011) Revisiting the central dogma one molecule at a time. *Cell*, **144**, 480-497.
205. Liebesny, P., Goyal, S., Dunlap, D., Family, F. and Finzi, L. (2010) Determination of the number of proteins bound non-specifically to DNA. *J Phys Condens Matter*, **22**, 414104.
206. Xiao, B., Zhang, H., Johnson, R.C. and Marko, J.F. (2011) Force-driven unbinding of proteins HU and Fis from DNA quantified using a thermodynamic Maxwell relation. *Nucleic Acids Res*, **39**, 5568-5577.
207. Yan, J. and Marko, J.F. (2003) Effects of DNA-distorting proteins on DNA elastic response. *Phys Rev E Stat Nonlin Soft Matter Phys*, **68**, 011905.
208. Zhang, H. and Marko, J.F. (2008) Maxwell relations for single-DNA experiments: Monitoring protein binding and double-helix torque with force-extension measurements. *Physical Review E*, **77**, 031916.
209. Swinger, K.K., Lemberg, K.M., Zhang, Y. and Rice, P.A. (2003) Flexible DNA bending in HU-DNA cocrystal structures. *EMBO J*, **22**, 3749-3760.
210. van Noort, J., Verbrugge, S., Goosen, N., Dekker, C. and Dame, R.T. (2004) Dual architectural roles of HU: formation of flexible hinges and rigid filaments. *Proc Natl Acad Sci U S A*, **101**, 6969-6974.
211. Candelli, A., Wuite, G.J. and Peterman, E.J. (2011) Combining optical trapping, fluorescence microscopy and micro-fluidics for

- single molecule studies of DNA-protein interactions. *Phys Chem Chem Phys*, **13**, 7263-7272.
212. Kruithof, M., Chien, F., de Jager, M. and van Noort, J. (2008) Subpiconewton dynamic force spectroscopy using magnetic tweezers. *Biophys J*, **94**, 2343-2348.
213. Strick, T.R., Allemand, J.F., Bensimon, D., Bensimon, A. and Croquette, V. (1996) The elasticity of a single supercoiled DNA molecule. *Science*, **271**, 1835-1837.
214. Marko, J.F. and Siggia, E.D. (1995) Stretching DNA. *Macromolecules*, **28**, 8759-8770.
215. Brooks, B.R., Brooks, C.L., 3rd, Mackerell, A.D., Jr., Nilsson, L., Petrella, R.J., Roux, B., Won, Y., Archontis, G., Bartels, C., Boresch, S. *et al.* (2009) CHARMM: the biomolecular simulation program. *J Comput Chem*, **30**, 1545-1614.
216. Foloppe, N. and MacKerell, J.A.D. (2000) All-atom empirical force field for nucleic acids: I. Parameter optimization based on small molecule and condensed phase macromolecular target data. *Journal of Computational Chemistry*, **21**, 86-104.
217. MacKerell, A.D., Bashford, D., Bellott, Dunbrack, R.L., Evanseck, J.D., Field, M.J., Fischer, S., Gao, J., Guo, H., Ha, S. *et al.* (1998) All-Atom Empirical Potential for Molecular Modeling and Dynamics Studies of Proteins. *The Journal of Physical Chemistry B*, **102**, 3586-3616.
218. MacKerell, A.D. and Banavali, N.K. (2000) All-atom empirical force field for nucleic acids: II. Application to molecular dynamics simulations of DNA and RNA in solution. *Journal of Computational Chemistry*, **21**, 105-120.
219. Mackerell, A.D., Jr., Feig, M. and Brooks, C.L., 3rd. (2004) Extending the treatment of backbone energetics in protein force fields: limitations of gas-phase quantum mechanics in reproducing protein conformational distributions in molecular dynamics simulations. *J Comput Chem*, **25**, 1400-1415.
220. Jorgensen, W.L., Chandrasekhar, J., Madura, J.D., Impey, R.W. and Klein, M.L. (1983) Comparison of simple potential functions for simulating liquid water. *The Journal of Chemical Physics*, **79**, 926-935.
221. Ryckaert, J.P., Ciccotti, G. and Berendsen, H.J.C. (1977) Numerical Integration of the Cartesian Equations of Motion of a System with Constraints: Molecular Dynamics of n-Alkanes. *Journal of Computational Physics*, **23**, 327-341.

222. Darden, T., Perera, L., Li, L. and Pedersen, L. (1999) New tricks for modelers from the crystallography toolkit: the particle mesh Ewald algorithm and its use in nucleic acid simulations. *Structure*, **7**, R55-60.
223. Essmann, U., Perera, L., Berkowitz, M., Darden, T., Lee, H. and Pedersen, L. (1995) A smooth particle mesh Ewald method. *The Journal of Chemical Physics*, **103**, 8577-8593.
224. Hoover, W.G. (1985) Canonical dynamics: Equilibrium phase-space distributions. *Phys Rev A*, **31**, 1695-1697.
225. Feller, S.E., Zhang, Y., Pastor, R.W. and Brooks, B.R. (1995) Constant pressure molecular dynamics simulation: The Langevin piston method. *The Journal of Chemical Physics*, **103**, 4613-4621.
226. Peters, J.P., 3rd and Maher, L.J. (2010) DNA curvature and flexibility *in vitro* and *in vivo*. *Q Rev Biophys*, **43**, 23-63.
227. Williams, L.D. and Maher, L.J., 3rd. (2000) Electrostatic mechanisms of DNA deformation. *Annu Rev Biophys Biomol Struct*, **29**, 497-521.
228. Garcia, H.G., Grayson, P., Han, L., Inamdar, M., Kondev, J., Nelson, P.C., Phillips, R., Widom, J. and Wiggins, P.A. (2007) Biological consequences of tightly bent DNA: The other life of a macromolecular celebrity. *Biopolymers*, **85**, 115-130.
229. Driessen, R.P.C. and Dame, R.T. (2013) Structure and dynamics of the crenarchaeal nucleoid. *Biochem Soc Trans*, **41**, 321-325.
230. Perez-Martin, J., Rojo, F. and de Lorenzo, V. (1994) Promoters responsive to DNA bending: a common theme in prokaryotic gene expression. *Microbiol Rev*, **58**, 268-290.
231. Saiz, L. and Vilar, J.M. (2006) DNA looping: the consequences and its control. *Curr Opin Struct Biol*, **16**, 344-350.
232. Cloutier, T.E. and Widom, J. (2004) Spontaneous sharp bending of double-stranded DNA. *Mol Cell*, **14**, 355-362.
233. Vafabakhsh, R. and Ha, T. (2012) Extreme bendability of DNA less than 100 base pairs long revealed by single-molecule cyclization. *Science*, **337**, 1097-1101.
234. Altan-Bonnet, G., Libchaber, A. and Krichevsky, O. (2003) Bubble dynamics in double-stranded DNA. *Phys Rev Lett*, **90**, 138101.
235. Forties, R.A., Bundschuh, R. and Poirier, M.G. (2009) The flexibility of locally melted DNA. *Nucleic Acids Res*, **37**, 4580-4586.
236. Vologodskii, A. and M, D.F.-K. (2013) Strong bending of the DNA double helix. *Nucleic Acids Res*.

237. Wiggins, P.A., Phillips, R. and Nelson, P.C. (2005) Exact theory of kinkable elastic polymers. *Phys Rev E Stat Nonlin Soft Matter Phys*, **71**, 021909.
238. Yan, J. and Marko, J.F. (2004) Localized single-stranded bubble mechanism for cyclization of short double helix DNA. *Phys Rev Lett*, **93**, 108108.
239. Cloutier, T.E. and Widom, J. (2005) DNA twisting flexibility and the formation of sharply looped protein-DNA complexes. *Proc Natl Acad Sci U S A*, **102**, 3645-3650.
240. Geggier, S., Kotlyar, A. and Vologodskii, A. (2011) Temperature dependence of DNA persistence length. *Nucleic Acids Res*, **39**, 1419-1426.
241. Gadgil, M., Kapur, V. and Hu, W.S. (2005) Transcriptional response of *Escherichia coli* to temperature shift. *Biotechnol Prog*, **21**, 689-699.
242. Tachdjian, S. and Kelly, R.M. (2006) Dynamic metabolic adjustments and genome plasticity are implicated in the heat shock response of the extremely thermoacidophilic archaeon *Sulfolobus solfataricus*. *J Bacteriol*, **188**, 4553-4559.
243. Battesti, A., Majdalani, N. and Gottesman, S. (2011) The RpoS-mediated general stress response in *Escherichia coli*. *Annual review of microbiology*, **65**, 189-213.
244. Geggier, S. and Vologodskii, A. (2010) Sequence dependence of DNA bending rigidity. *Proc Natl Acad Sci U S A*, **107**, 15421-15426.
245. Lee, N.K., Park, J.S., Johner, A., Obukhov, S., Hyon, J.Y., Lee, K.J. and Hong, S.C. (2008) Elasticity of cisplatin-bound DNA reveals the degree of cisplatin binding. *Physical review letters*, **101**, 248101.
246. Galburt, E.A., Tomko, E.J., Stump, W.T. and Ruiz Manzano, A. (2014) Force-dependent melting of supercoiled DNA at thermophilic temperatures. *Biophysical chemistry*, **187-188**, 23-28.
247. McGhee, J.D. and von Hippel, P.H. (1974) Theoretical aspects of DNA-protein interactions: co-operative and non-co-operative binding of large ligands to a one-dimensional homogeneous lattice. *J Mol Biol*, **86**, 469-489.
248. Nir, G., Lindner, M., Dietrich, H.R., Girshevitz, O., Vorgias, C.E. and Garini, Y. (2011) HU protein induces incoherent DNA persistence length. *Biophys J*, **100**, 784-790.
249. Dame, R.T., Hall, M.A. and Wang, M.D. (2013) Single-Molecule Unzipping Force Analysis of HU-DNA Complexes. *ChemBiochem*, **14**, 1954-1957.

250. Yakovchuk, P., Protozanova, E. and Frank-Kamenetskii, M.D. (2006) Base-stacking and base-pairing contributions into thermal stability of the DNA double helix. *Nucleic Acids Res*, **34**, 564-574.
251. Peters, J.P., Yelgaonkar, S.P., Srivatsan, S.G., Tor, Y. and James Maher, L., 3rd. (2013) Mechanical properties of DNA-like polymers. *Nucleic Acids Res*.
252. Meyer, S., Jost, D., Theodorakopoulos, N., Peyrard, M., Lavery, R. and Everaers, R. (2013) Temperature dependence of the DNA double helix at the nanoscale: structure, elasticity, and fluctuations. *Biophys J*, **105**, 1904-1914.
253. Peters, W.B., Edmondson, S.P. and Shriver, J.W. (2004) Thermodynamics of DNA binding and distortion by the hyperthermophile chromatin protein Sac7d. *J Mol Biol*, **343**, 339-360.
254. Travers, A. (2013) Dynamic DNA underpins chromosome dynamics. *Biophys J*, **105**, 2235-2237.
255. Dame, R.T. (2003) Ph.D. thesis. *Leiden Univ., Leiden, The Netherlands*.
256. Moolenaar, G.F., Visse, R., Ortiz-Buysse, M., Goosen, N. and van de Putte, P. (1994) Helicase motifs V and VI of the *Escherichia coli* UvrB protein of the UvrABC endonuclease are essential for the formation of the preincision complex. *J Mol Biol*, **240**, 294-307.
257. Ramos, C.R., Abreu, P.A., Nascimento, A.L. and Ho, P.L. (2004) A high-copy T7 *Escherichia coli* expression vector for the production of recombinant proteins with a minimal N-terminal His-tagged fusion peptide. *Braz J Med Biol Res*, **37**, 1103-1109.
258. Bentley, S.D., Chater, K.F., Cerdeno-Tarraga, A.M., Challis, G.L., Thomson, N.R., James, K.D., Harris, D.E., Quail, M.A., Kieser, H., Harper, D. *et al.* (2002) Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3(2). *Nature*, **417**, 141-147.
259. Laurens, N., Bellamy, S.R., Harms, A.F., Kovacheva, Y.S., Halford, S.E. and Wuite, G.J. (2009) Dissecting protein-induced DNA looping dynamics in real time. *Nucleic Acids Res*, **37**, 5454-5464.
260. Reif, R. (1985) *The Fundamentals of Statistical and Thermal Physics*. McGraw-Hill.
261. Seol, Y., Li, J., Nelson, P.C., Perkins, T.T. and Betterton, M.D. (2007) Elasticity of short DNA molecules: theory and experiment for contour lengths of 0.6-7 microm. *Biophys J*, **93**, 4360-4373.
262. Risken, H. (1989) *The Fokker-Planck Equation: Methods of Solution and Applications*. Springer.

263. Vlahovicek, K., Kajan, L. and Pongor, S. (2003) DNA analysis servers: plot.it, bend.it, model.it and IS. *Nucleic Acids Res*, **31**, 3686-3687.
264. Odijk, T. (1998) Osmotic compaction of supercoiled DNA into a bacterial nucleoid. *Biophys Chem*, **73**, 23-29.
265. Misteli, T. (2010) Higher-order genome organization in human disease. *Cold Spring Harb Perspect Biol*, **2**, a000794.
266. Tark-Dame, M., van Driel, R. and Heermann, D.W. (2011) Chromatin folding--from biology to polymer models and back. *J Cell Sci*, **124**, 839-845.
267. Zlatanova, J. and Caiafa, P. (2009) CCCTC-binding factor: to loop or to bridge. *Cell Mol Life Sci*, **66**, 1647-1660.
268. Farge, G., Laurens, N., Broekmans, O.D., van den Wildenberg, S.M., Dekker, L.C., Gaspari, M., Gustafsson, C.M., Peterman, E.J., Falkenberg, M. and Wuite, G.J. (2012) Protein sliding and DNA denaturation are essential for DNA organization by human mitochondrial transcription factor A. *Nat Commun*, **3**, 1013.
269. Kucej, M. and Butow, R.A. (2007) Evolutionary tinkering with mitochondrial nucleoids. *Trends Cell Biol*, **17**, 586-592.
270. Sandman, K., Krzycki, J.A., Dobrinski, B., Lurz, R. and Reeve, J.N. (1990) Hmf, a DNA-binding protein isolated from the hyperthermophilic archaeon *Methanothermus fervidus*, is most closely related to histones. *Proc Natl Acad Sci USA*, **87**, 5788-5791.
271. Jelinska, C., Petrovic-Stojanovska, B., Ingledew, W.J. and White, M.F. (2010) Dimer-dimer stacking interactions are important for nucleic acid binding by the archaeal chromatin protein Alba. *Biochem J*, **427**, 49-55.
272. Gross, P., Laurens, N., Oddershede, L.B., Bockelmann, U., Peterman, E.J.G. and Wuite, G.J.L. (2011) Quantifying how DNA stretches, melts and changes twist under tension. *Nat Phys*, **7**, 731-736.
273. Winardhi, R.S., Fu, W., Castang, S., Li, Y., Dove, S.L. and Yan, J. (2012) Higher order oligomerization is required for H-NS family member MvaT to form gene-silencing nucleoprotein filament. *Nucleic Acids Res*.
274. Higgins, N.P., Yang, X., Fu, Q. and Roth, J.R. (1996) Surveying a supercoil domain by using the gamma delta resolution system in *Salmonella typhimurium*. *J Bacteriol*, **178**, 2825-2835.
275. Postow, L., Hardy, C.D., Arsuaga, J. and Cozzarelli, N.R. (2004) Topological domain structure of the *Escherichia coli* chromosome. *Genes Dev*, **18**, 1766-1779.

276. Noom, M.C., van den Broek, B., van Mameren, J.v. and Wuite, G.J.L. (2007) Visualizing single DNA-bound proteins using DNA as a scanning probe. *Nat Methods*, **4**, 1031-1036.
277. Mangeol, P. and Bockelmann, U. (2008) Interference and crosstalk in double optical tweezers using a single laser source. *Rev Sci Instrum*, **79**, 083103.
278. Odijk, T. (1995) Stiff Chains and Filaments under Tension. *Macromolecules*, **28**, 7016-7018.
279. Brennan, R.G. (1993) The winged-helix DNA-binding motif: another helix-turn-helix takeoff. *Cell*, **74**, 773-776.
280. Gajiwala, K.S. and Burley, S.K. (2000) Winged helix proteins. *Curr Opin Struct Biol*, **10**, 110-116.
281. Harrison, S.C. and Aggarwal, A.K. (1990) DNA recognition by proteins with the helix-turn-helix motif. *Annu Rev Biochem*, **59**, 933-969.
282. Waterreus, W.J. (2013) Ph.D. thesis. *Leiden Univ., Leiden, The Netherlands*.
283. Suzuki, M., Yagi, N. and Gerstein, M. (1995) DNA recognition and superstructure formation by helix-turn-helix proteins. *Protein Eng*, **8**, 329-338.
284. Sievers, F., Wilm, A., Dineen, D., Gibson, T.J., Karplus, K., Li, W., Lopez, R., McWilliam, H., Remmert, M., Soding, J. *et al.* (2011) Fast, scalable generation of high-quality protein multiple sequence alignments using Clustal Omega. *Mol Syst Biol*, **7**, 539.
285. Dame, R.T. and Goosen, N. (2002) HU: promoting or counteracting DNA compaction? *FEBS Lett*, **529**, 151-156.
286. Krissinel, E. and Henrick, K. (2007) Inference of macromolecular assemblies from crystalline state. *J Mol Biol*, **372**, 774-797.
287. Clark, K.L., Halay, E.D., Lai, E. and Burley, S.K. (1993) Co-crystal structure of the HNF-3/fork head DNA-recognition motif resembles histone H5. *Nature*, **364**, 412-420.
288. Kodandapani, R., Pio, F., Ni, C.Z., Piccialli, G., Klemsz, M., McKercher, S., Maki, R.A. and Ely, K.R. (1996) A new pattern for helix-turn-helix recognition revealed by the PU.1 ETS-domain-DNA complex. *Nature*, **380**, 456-460.
289. Harbury, P.B., Zhang, T., Kim, P.S. and Alber, T. (1993) A switch between two-, three-, and four-stranded coiled coils in GCN4 leucine zipper mutants. *Science*, **262**, 1401-1407.
290. Liu, J., Zheng, Q., Deng, Y., Li, Q., Kallenbach, N.R. and Lu, M. (2007) Conformational specificity of the lac repressor coiled-coil tetramerization domain. *Biochemistry*, **46**, 14951-14959.

291. Stetefeld, J., Jenny, M., Schulthess, T., Landwehr, R., Engel, J. and Kammerer, R.A. (2000) Crystal structure of a naturally occurring parallel right-handed coiled coil tetramer. *Nat Struct Biol*, **7**, 772-776.
292. Littlefield, O. and Nelson, H.C. (1999) A new use for the 'wing' of the 'winged' helix-turn-helix motif in the HSF-DNA cocrystal. *Nat Struct Biol*, **6**, 464-470.
293. Simonis, M., Kooren, J. and de Laat, W. (2007) An evaluation of 3C-based methods to capture DNA interactions. *Nat Methods*, **4**, 895-901.
294. Farkas, J.A., Picking, J.W. and Santangelo, T.J. (2013) Genetic techniques for the archaea. *Annu Rev Genet*, **47**, 539-561.

