

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/28967> holds various files of this Leiden University dissertation.

**Author:** Palm, Margaretha Maria (Margriet)

**Title:** High-throughput simulation studies of angiogenesis - Reverse engineering the role of tip cells and pericytes in vascular development

**Issue Date:** 2014-09-30

## Bibliography

- [1] Folkman, J. and Kalluri, R. Tumor angiogenesis. In: *Cancer Medicine*. Ed. by Kufe, D. W. et al. 6th ed. BC Decker Inc, 2003, 161–194.
- [2] Witmer, A. N. et al. Vascular endothelial growth factors and angiogenesis in eye disease. *Prog. Retin. Eye Res.* 22(1), 2003, 1–29.
- [3] Valastyan, S. and Weinberg, R. A. Tumor metastasis: molecular insights and evolving paradigms. *Cell* 147(2), 2011, 275–292.
- [4] Gupta, G. P. and Massagué, J. Cancer metastasis: building a framework. *Cell* 127(4), 2006, 679–95.
- [5] Jain, R. K. et al. Engineering vascularized tissue. *Nat. Biotechnol.* 23(7), 2005, 821–823.
- [6] Naderi, H. et al. Review paper: critical issues in tissue engineering: biomaterials, cell sources, angiogenesis, and drug delivery systems. *J. Biomater. Appl.* 26(4), 2011, 383–417.
- [7] Novosel, E. C. et al. Vascularization is the key challenge in tissue engineering. *Adv. Drug Deliv. Rev.* 63(4-5), 2011, 300–311.
- [8] Laschke, M. W. and Menger, M. D. Vascularization in tissue engineering: angiogenesis versus inosculation. *Eur. Surg. Res.* 48(2), 2012, 85–92.
- [9] Merks, R. M. H. and Koolwijk, P. Modeling Morphogenesis in silico and in vitro: Towards Quantitative, Predictive, Cell-based Modeling. *Math. Model. Nat. Phenom.* 4(4), 2009, 149–171.
- [10] Risau, W. Mechanisms of angiogenesis. *Nature* 386(6626), 1997, 671–674.
- [11] Udan, R. S. et al. Understanding vascular development. *Wiley Interdiscip. Rev. Dev. Biol.* 3(2), 2012, 327–346.
- [12] De Spiegelaere, W. et al. Intussusceptive angiogenesis: a biologically relevant form of angiogenesis. *J. Vasc. Res.* 49(5), 2012, 390–404.
- [13] De Smet, F. et al. Mechanisms of vessel branching: filopodia on endothelial tip cells lead the way. *Arter. Thromb. Vasc. Biol.* 29(5), 2009, 639–649.
- [14] Adams, R. H. and Alitalo, K. Molecular regulation of angiogenesis and lymphangiogenesis. *Nat. Rev. Mol. Cell Biol.* 8(6), 2007, 464–478.
- [15] Gerhardt, H. et al. VEGF guides angiogenic sprouting utilizing endothelial tip cell filopodia. *J. Cell Biol.* 161(6), 2003, 1163–1177.
- [16] Merks, R. M. H. and Glazier, J. A. A cell-centered approach to developmental biology. *Physica A* 352(1), 2005, 113–130.
- [17] Jakobsson, L. et al. Endothelial cells dynamically compete for the tip cell position during angiogenic sprouting. *Nat. Cell Biol.* 12(10), 2010, 943–953.
- [18] Arima, S. et al. Angiogenic morphogenesis driven by dynamic and heterogeneous collective endothelial cell movement. *Development* 138(21), 2011, 4763–4776.
- [19] Gamba, A. et al. Percolation, morphogenesis, and Burgers dynamics in blood vessels formation. *Phys. Rev. Lett.* 90(11), 2003, 118101.
- [20] Serini, G. et al. Modeling the early stages of vascular network assembly. *EMBO J.* 22(8), 2003, 1771–1779.

- [21] Manoussaki, D. et al. A mechanical model for the formation of vascular networks in vitro. *Acta Biotheor.* 44(3-4), 1996, 271–282.
- [22] Namy, P. et al. Critical conditions for pattern formation and in vitro tubulogenesis driven by cellular traction fields. *J. Theor. Biol.* 227(1), 2004, 103–120.
- [23] Tranqui, L. and Tracqui, P. Mechanical signalling and angiogenesis. The integration of cell-extracellular matrix couplings. *C. R. Acad. Sci. III, Sci. Vie* 323(1), 2000, 31–47.
- [24] Tracqui, P. et al. Cellular networks morphogenesis induced by mechanically stressed microenvironments. *J. Biol. Phys. Chem.* 5(2-3), 2005, 57.
- [25] Merks, R. M. H. et al. Cell elongation is key to in silico replication of in vitro vasculogenesis and subsequent remodeling. *Dev. Biol.* 289(1), 2006, 44–54.
- [26] Merks, R. M. H. et al. Cell-oriented modeling of in vitro capillary development. In: *Cellular Automata*. Springer, 2004, 425–434.
- [27] Merks, R. M. H. and Glazier, J. A. Dynamic mechanisms of blood vessel growth. *Nonlinearity* 19(1), 2006, C1–C10.
- [28] Merks, R. M. H. et al. Contact-inhibited chemotaxis in de novo and sprouting blood-vessel growth. *PLoS Comput. Biol.* 4(9), 2008, e1000163.
- [29] Köhn-Luque, A. et al. Early embryonic vascular patterning by matrix-mediated paracrine signalling: a mathematical model study. *PLoS ONE* 6(9), 2011, e24175.
- [30] Szabó, A. et al. Network formation of tissue cells via preferential attraction to elongated structures. *Phys. Rev. Lett.* 98(3), 2007, 38102.
- [31] Szabó, A. et al. Multicellular sprouting in vitro. *Biophys. J.* 95(6), 2008, 2702–2710.
- [32] Anderson, A. R. A. and Chaplain, M. A. J. A mathematical model for capillary network formation in the absence of endothelial cell proliferation. *Appl. Math. Lett.* 11(3), 1998, 109–114.
- [33] Bauer, A. L. et al. Topography of extracellular matrix mediates vascular morphogenesis and migration speeds in angiogenesis. *PLoS Comput. Biol.* 5(7), 2009, e1000445.
- [34] Bauer, A. L. et al. A cell-based model exhibiting branching and anastomosis during tumor-induced angiogenesis. *Biophys. J.* 92(9), 2007, 3105–3121.
- [35] Jackson, T. L. and Zheng, X. A Cell-based Model of Endothelial Cell Migration, Proliferation and Maturation During Corneal Angiogenesis. *Bull. Math. Biol.* 72(4), 2010, 830–868.
- [36] Manoussaki, D. A mechanochemical model of angiogenesis and vasculogenesis. *Esaim Math. Model. Numer. Anal.* 37(4), 2003, 581–599.
- [37] Tosin, A. et al. Mechanics and chemotaxis in the morphogenesis of vascular networks. *Bull. Math. Biol.* 68(7), 2006, 1819–1836.
- [38] Szabó, A. and Czirók, A. The Role of Cell-Cell Adhesion in the Formation of Multicellular Sprouts. *Math. Model. Nat. Phenom.* 5(1), 2010, 106–122.
- [39] Boas, S. E. M. and Merks, R. M. H. Synergy of cell-cell repulsion and vacuolation in a computational model of lumen formation. *J. R. Soc. Interface* 11(92), 2014, 20131049.
- [40] Kleinstreuer, N. et al. A Computational Model Predicting Disruption of Blood Vessel Development. *PLoS Comput. Biol.* 9(4), 2013, e1002996.
- [41] Bentley, K. et al. Agent-based simulation of notch-mediated tip cell selection in angiogenic sprout initialisation. *J. Theor. Biol.* 250(1), 2008, 25–36.
- [42] Bentley, K. et al. Tipping the balance: robustness of tip cell selection, migration and fusion in angiogenesis. *PLoS Comput. Biol.* 5(10), 2009, e1000549.
- [43] Liu, G. et al. Module-based multiscale simulation of angiogenesis in skeletal muscle. *Theor. Biol. Med. Model.* 8, 2011, 6.
- [44] Qutub, A. A. and Popel, A. S. Elongation, proliferation & migration differentiate endothelial cell phenotypes and determine capillary sprouting. *BMC Syst. Biol.* 3, 2009, 13.
- [45] Arnaoutova, I. et al. The endothelial cell tube formation assay on basement membrane turns 20: state of the science and the art. *Angiogenesis* 12(3), 2009, 267–274.

- [46] Chappell, J. C. et al. How blood vessel networks are made and measured. *Cells Tissues Organs* 195(1-2), 2012, 94–107.
- [47] Vernon, R. B. et al. Reorganization of basement membrane matrices by cellular traction promotes the formation of cellular networks in vitro. *Lab. Invest.* 66(5), 1992, 536–547.
- [48] Vailhé, B et al. In vitro angiogenesis is modulated by the mechanical properties of fibrin gels and is related to alpha(v)beta3 integrin localization. *Dev. Biol.* 33(10), 1997, 763–773.
- [49] Ambrosi, D. et al. Cell directional persistence [corrected] and chemotaxis in vascular morphogenesis. *Bull. Math. Biol.* 66(6), 2004, 1851–1873.
- [50] Dejana, E. Endothelial cell-cell junctions: happy together. *Nat. Rev. Mol. Cell Biol.* 5(4), 2004, 261–270.
- [51] Wijelath, E. S. et al. Heparin-II domain of fibronectin is a vascular endothelial growth factor-binding domain: enhancement of VEGF biological activity by a singular growth factor/matrix protein synergism. *Circ. Res.* 99(8), 2006, 853–860.
- [52] Köhn-Luque, A. et al. Dynamics of VEGF matrix-retention in vascular network patterning. *Phys. Biol.* 10(6), 2013, 66007.
- [53] Hillen, F. and Griffioen, A. W. Tumour vascularization: sprouting angiogenesis and beyond. *Cancer Metastasis Rev.* 26(3-4), 2007, 489–502.
- [54] Anderson, A. R. A. and Chaplain, M. A. J. Continuous and discrete mathematical models of tumor-induced angiogenesis. *Bull. Math. Biol.* 60(5), 1998, 857–899.
- [55] Ausprunk, D. H. and Folkman, J. Migration and proliferation of endothelial cells in preformed and newly formed blood vessels during tumor angiogenesis. *Microvasc. Res.* 14(1), 1977, 53–65.
- [56] Sholley, M. et al. Mechanisms of neovascularization. Vascular sprouting can occur without proliferation of endothelial cells. *Lab. Invest.* 51(6), 1984, 624–634.
- [57] Hellström, M. et al. Dll4 signalling through Notch1 regulates formation of tip cells during angiogenesis. *Nature* 445(7129), 2007, 776–780.
- [58] Suchting, S. et al. The Notch ligand Delta-like 4 negatively regulates endothelial tip cell formation and vessel branching. *Proc. Natl. Acad. Sci. U.S.A.* 104(9), 2007, 3225–3230.
- [59] Siekmann, A. F. and Lawson, N. D. Notch signalling limits angiogenic cell behaviour in developing zebrafish arteries. *Nature* 445(7129), 2007, 781–784.
- [60] Lobov, I. B. et al. Delta-like ligand 4 (Dll4) is induced by VEGF as a negative regulator of angiogenic sprouting. *Proc. Natl. Acad. Sci. U.S.A.* 104(9), 2007, 3219–3224.
- [61] Ridgway, J. et al. Inhibition of Dll4 signalling inhibits tumour growth by deregulating angiogenesis. *Nature* 444(7122), 2006, 1083–1087.
- [62] Patel, N. S. et al. Up-regulation of delta-like 4 ligand in human tumor vasculature and the role of basal expression in endothelial cell function. *Cancer Res.* 65(19), 2005, 8690–8697.
- [63] Hainaud, P. et al. The role of the vascular endothelial growth factor-Delta-like 4 ligand /Notch4-ephrin B2 cascade in tumor vessel remodeling and endothelial cell functions. *Cancer Res.* 66(17), 2006, 8501–8510.
- [64] Fisher, A. B. et al. Endothelial cellular response to altered shear stress. *Am. J. Physiol. Lung Cell Mol. Physiol.* 281(3), 2001, L529–L533.
- [65] McDougall, S. R. et al. Mathematical modelling of dynamic adaptive tumour-induced angiogenesis: clinical implications and therapeutic targeting strategies. *J. Theor. Biol.* 241(3), 2006, 564–589.
- [66] Qutub, A. A. et al. Multiscale Models of Angiogenesis. *IEEE Eng. Med. Biol. Mag.* 28(2), 2009, 14–31.
- [67] Qutub, A. A. et al. “Integration of angiogenesis modules at multiple scales: from molecular to tissue.” In: *Pac. Symp. Biocomput.* 2009, 316–327.
- [68] Shirinifard, A. et al. 3D multi-cell simulation of tumor growth and angiogenesis. *PLoS ONE* 4(10), 2009, e7190.

- [69] Fruttiger, M. Development of the mouse retinal vasculature: angiogenesis versus vasculogenesis. *Invest. Ophthalmol. Vis. Sci.* 43(2), 2002, 522–527.
- [70] Enge, M. et al. Endothelium-specific platelet-derived growth factor-B ablation mimics diabetic retinopathy. *EMBO J.* 21(16), 2002, 4307–4316.
- [71] Morikawa, S. et al. Abnormalities in pericytes on blood vessels and endothelial sprouts in tumors. *Am. J. Pathol.* 160(3), 2002, 985–1000.
- [72] Elsdale, T. R. Parallel orientation of fibroblasts in vitro. *Exp. Cell Res.* 51(2-3), 1968, 439–50.
- [73] Pietak, A. and Waldman, S. D. Seeing tissue as a ‘phase of matter’: exploring statistical mechanics for the cell. *Phys. Biol.* 5(1), 2008, 016007.
- [74] Szabó, A. et al. Collective cell motion in endothelial monolayers. *Phys. Biol.* 7(4), 2010, 46007.
- [75] Elsdale, T. R. Fibroblast cultures and dermatoglyphics: the topology of two planar patterns. *Dev. Genes Evol.* 180(2), 1976, 121–147.
- [76] Angelini, T. E. and Hannezo, E. Glass-like dynamics of collective cell migration. *Proc. Natl. Acad. Sci. U.S.A.* 108(12), 2011, 4714–4719.
- [77] Garrahan, J. P. Dynamic heterogeneity comes to life. *Proc. Natl. Acad. Sci. U.S.A.* 108(12), 2011, 4701–4702.
- [78] Cao, Y. et al. Vascular endothelial growth factor C induces angiogenesis in vivo. *Proc. Natl. Acad. Sci. U.S.A.* 95(24), 1998, 14389–14394.
- [79] Drake, C. J. et al. VEGF regulates cell behavior during vasculogenesis. *Dev. Biol.* 224(2), 2000, 178–188.
- [80] Parsa, H et al. Uncovering the behaviors of individual cells within a multicellular microvascular community. *Proc. Natl. Acad. Sci. U.S.A.* 108(12), 2011, 5133–5138.
- [81] Scianna, M. et al. A multiscale hybrid approach for vasculogenesis and related potential blocking therapies. *Prog. Biophys. Mol. Biol.* 106(2), 2011, 450–462.
- [82] Manoussaki, D. Modeling and simulation of the formation of vascular networks. *ESAIM Proc.* 12, 2002, 108–114.
- [83] Murray, J. D. On the mechanochemical theory of biological pattern formation with application to vasculogenesis. *C. R. Biol.* 326(2), 2003, 239–252.
- [84] Graner, F. and Glazier, J. A. Simulation of biological cell sorting using a two-dimensional extended Potts model. *Phys. Rev. Lett.* 69(13), 1992, 2013–2016.
- [85] Glazier, J. A. and Graner, F. Simulation of the differential adhesion driven rearrangement of biological cells. *Phys. Rev. E* 47(3), 1993, 2128–2154.
- [86] Glazier, J. A. et al. Coordinated action of N-CAM, N-cadherin, EphA4, and ephrinB2 translates genetic prepatterning into structure during somitogenesis in chick. *Curr. Top. Dev. Biol.* 81, 2008, 205–247.
- [87] Hester, S. D. et al. A Multi-cell, Multi-scale Model of Vertebrate Segmentation and Somite Formation. *PLoS Comput. Biol.* 7(10), 2011, e1002155.
- [88] Zajac, M et al. Model of convergent extension in animal morphogenesis. *Phys. Rev. Lett.* 85(9), 2000, 2022–2025.
- [89] Käfer, J. et al. Cell adhesion and cortex contractility determine cell patterning in the *Drosophila* retina. *Proc. Natl. Acad. Sci. U.S.A.* 104(47), 2007, 18549–18554.
- [90] Savill, N. J. and Hogeweg, P. Modelling morphogenesis: from single cells to crawling slugs. *J. Theor. Biol.* 184(3), 1996, 229–235.
- [91] De Gennes, P. G. and Prost, J. *The physics of liquid crystals*. 2nd editio. Oxford University Press, 1993.
- [92] Foffi, G et al. Arrested phase separation in a short-ranged attractive colloidal system: A numerical study. *J. Chem. Phys.* 122(22), 2005, 224903.
- [93] Solomon, M. J. and Spicer, P. T. Microstructural regimes of colloidal rod suspensions, gels, and glasses. *Soft Matter* 6(7), 2010, 1391–1400.

- 
- [94] Bernal, J. D. and Fankuchen, I. X-ray and crystallographic studies of plant virus preparations. *J. Gen. Physiol.* 25(1), 1941, 111–146.
- [95] Bruggen, M. P. B. van and Lekkerkerker, H. N. W. Metastability and Multistability: Gelation and Liquid Crystal Formation in Suspensions of Colloidal Rods. *Langmuir* 18(19), 2002, 7141–7145.
- [96] Wilkins, G. M. H. et al. Colloidal system to explore structural and dynamical transitions in rod networks, gels, and glasses. *Langmuir* 25(16), 2009, 8951–8959.
- [97] Gaengel, K. et al. Endothelial-mural cell signaling in vascular development and angiogenesis. *Arter. Thromb. Vasc. Biol.* 29(5), 2009, 630–638.
- [98] Armulik, A. et al. Pericytes: developmental, physiological, and pathological perspectives, problems, and promises. *Dev. Cell* 21(2), 2011, 193–215.
- [99] Benjamin, L. E. et al. A plasticity window for blood vessel remodelling is defined by pericyte coverage of the preformed endothelial network and is regulated by PDGF-B and VEGF. *Development* 125(9), 1998, 1591–1598.
- [100] Stratman, A. N. et al. Pericyte recruitment during vasculogenic tube assembly stimulates endothelial basement membrane matrix formation. *Blood* 114(24), 2009, 5091–5101.
- [101] Hellström, M. et al. Lack of pericytes leads to endothelial hyperplasia and abnormal vascular morphogenesis. *J. Cell Biol.* 153(3), 2001, 543–553.
- [102] Ribatti, D. et al. The role of pericytes in angiogenesis. *Dev. Biol.* 55(3), 2011, 261–268.
- [103] Antonelli-Orlidge, A. et al. An activated form of transforming growth factor beta is produced by cocultures of endothelial cells and pericytes. *Proc. Natl. Acad. Sci. U.S.A.* 86(12), 1989, 4544–4548.
- [104] Sato, Y. and Rifkin, D. B. Inhibition of endothelial cell movement by pericytes and smooth muscle cells: activation of a latent transforming growth factor-beta 1-like molecule by plasmin during. *J. Cell Biol.* 109(1), 1989, 309–315.
- [105] Sato, Y et al. Characterization of the activation of latent TGF-beta by co-cultures of endothelial cells and pericytes or smooth muscle cells: a self-regulating system. *J. Cell Biol.* 111(2), 1990, 757–763.
- [106] Horiguchi, M. et al. Matrix control of transforming growth factor- $\beta$  function. *J. Biochem.* 152(4), 2012, 321–329.
- [107] Oh, S. P. et al. Activin receptor-like kinase 1 modulates transforming growth factor-beta 1 signaling in the regulation of angiogenesis. *Proc. Natl. Acad. Sci. U.S.A.* 97(6), 2000, 2626–2631.
- [108] Goumans, M. J. et al. Balancing the activation state of the endothelium via two distinct TGF-beta type I receptors. *EMBO J.* 21(7), 2002, 1743–1753.
- [109] Goumans, M. J. et al. Activin receptor-like kinase (ALK)1 is an antagonistic mediator of lateral TGFbeta/ALK5 signaling. *Mol. Cell* 12(4), 2003, 817–828.
- [110] Hirschi, K. K. et al. PDGF, TGF- $\beta$ , and heterotypic cell-cell interactions mediate endothelial cell-induced recruitment of 10T1/2 cells and their differentiation to a smooth muscle fate. *J. Cell Biol.* 141(3), 1998, 805–814.
- [111] Lindahl, P. et al. Pericyte Loss and Microaneurysm Formation in PDGF-B-Deficient Mice. *Science* 277(5323), 1997, 242–245.
- [112] Hellström, M. et al. Role of PDGF-B and PDGFR-beta in recruitment of vascular smooth muscle cells and pericytes during embryonic blood vessel formation in the mouse. *Development* 126(14), 1999, 3047–3055.
- [113] Stratman, A. N. et al. Endothelial-derived PDGF-BB and HB-EGF coordinately regulate pericyte recruitment during vasculogenic tube assembly and stabilization. *Blood* 116(22), 2010, 4720–4730.
- [114] Witzensbichler, B. et al. Chemotactic Properties of Angiopoietin-1 and -2, Ligands for the Endothelial-specific Receptor Tyrosine Kinase Tie2. *J. Biol. Chem.* 273(29), 1998, 18514–18521.

- [115] Holmes, K. et al. Vascular endothelial growth factor receptor-2: structure, function, intracellular signalling and therapeutic inhibition. *Cell. Signal.* 19(10), 2007, 2003–2012.
- [116] Ferrara, N. Vascular endothelial growth factor: basic science and clinical progress. *Endocr. Rev.* 25(4), 2004, 581–611.
- [117] Darland, D. C. et al. Pericyte production of cell-associated VEGF is differentiation-dependent and is associated with endothelial survival. *Dev. Biol.* 264(1), 2003, 275–288.
- [118] Reimuth, N. et al. Induction of VEGF in perivascular cells defines a potential paracrine mechanism for endothelial cell survival. *FASEB J* 15(7), 2001, 1239–1241.
- [119] Franco, M. et al. Pericytes promote endothelial cell survival through induction of autocrine VEGF-A signaling and Bcl-w expression. *Cell* 118(10), 2011, 2906–2917.
- [120] Byrne, A. M. et al. Angiogenic and cell survival functions of vascular endothelial growth factor (VEGF). *J. Cell. Mol. Med.* 9(4), 2005, 777–794.
- [121] Zajac, M. et al. Simulating convergent extension by way of anisotropic differential adhesion. *J. Theor. Biol.* 222(2), 2003, 247–259.
- [122] Claxton, S. and Fruttiger, M. Periodic Delta-like 4 expression in developing retinal arteries. *Gene Expr. Patterns* 5(1), 2004, 123–127.
- [123] Siemerink, M. J. et al. CD34 marks angiogenic tip cells in human vascular endothelial cell cultures. *Angiogenesis* 15(1), 2012, 151–163.
- [124] Folkman, J. and Haudenschild, C. Angiogenesis in vitro. English. *Nature* 288(5791), 1980, 551–556.
- [125] Califano, J. and Reinhart-King, C. A. A balance of substrate mechanics and matrix chemistry regulates endothelial cell network assembly. English. *Cell Mol. Bioeng.* 1(2), 2008, 122–132.
- [126] Oers, R. F. M. van et al. Mechanical cell-matrix feedback explains pairwise and collective endothelial cell behavior in vitro. *PLoS Comput. Biol.* 2014. arXiv:1308.3721, In press.
- [127] Sainson, R. C. A. et al. Cell-autonomous notch signaling regulates endothelial cell branching and proliferation during vascular tubulogenesis. *FASEB J* 19(8), 2005, 1027–1029.
- [128] Williams, C. K. et al. Up-regulation of the Notch ligand Delta-like 4 inhibits VEGF-induced endothelial cell function. *Blood* 107(3), 2006, 931–939.
- [129] Scheinet, J. S. et al. Inhibition of Dll4-mediated signaling induces proliferation of immature vessels and results in poor tissue perfusion. *Blood* 109(11), 2007, 4753–4760.
- [130] Jakobsson, L. et al. VEGFRs and Notch: a dynamic collaboration in vascular patterning. *Biochem. Soc. Trans.* 37(Pt 6), 2009, 1233–1236.
- [131] Hiratsuka, S. et al. Flt-1 lacking the tyrosine kinase domain is sufficient for normal development and angiogenesis in mice. *Proc. Natl. Acad. Sci. U.S.A.* 95(16), 1998, 9349–9354.
- [132] Rahimi, N. et al. Receptor chimeras indicate that the vascular endothelial growth factor receptor-1 (VEGFR-1) modulates mitogenic activity of VEGFR-2 in endothelial cells. *J. Biol. Chem.* 275(22), 2000, 16986–16992.
- [133] Long, B. L. et al. Cells as state machines: Cell behavior patterns arise during capillary formation as a function of BDNF and VEGF. *J. Theor. Biol.* 326, 2012, 43–57.
- [134] Palm, M. M. and Merks, R. M. H. Vascular networks due to dynamically arrested crystalline ordering of elongated cells. *Phys. Rev. E* 87(1), 2013, 12725.
- [135] Gory-Fauré, S. et al. Role of vascular endothelial-cadherin in vascular morphogenesis. *Development* 126(10), 1999, 2093–2102.
- [136] Shirinifard, A. et al. Adhesion Failures Determine the Pattern of Choroidal Neovascularization in the Eye: A Computer Simulation Study. *PLoS Comput. Biol.* 8(5), 2012, e1002440.
- [137] Donà, E. et al. Directional tissue migration through a self-generated chemokine gradient. *Nature* 503(7475), 2013, 285–289.
- [138] Benedito, R. et al. Notch-dependent VEGFR3 upregulation allows angiogenesis without VEGF-VEGFR2 signalling. *Nature* 484(7392), 2012, 110–114.

- [139] Benedito, R. et al. The notch ligands Dll4 and Jagged1 have opposing effects on angiogenesis. *Cell* 137(6), 2009, 1124–1135.
- [140] Bentley, K. et al. The role of differential VE-cadherin dynamics in cell rearrangement during angiogenesis. *Nat. Cell Biol.* 16(4), 2014, 309–321.
- [141] Harrington, L. S. et al. Regulation of multiple angiogenic pathways by Dll4 and Notch in human umbilical vein endothelial cells. *Microvasc. Res.* 75(2), 2008, 144–154.
- [142] Toro, R. del et al. Identification and functional analysis of endothelial tip cell-enriched genes. *Blood* 116(19), 2010, 4025–4033.
- [143] Strasser, G. A. et al. Microarray analysis of retinal endothelial tip cells identifies CXCR4 as a mediator of tip cell morphology and branching. *Blood* 115(24), 2010, 5102–5110.
- [144] Seghezzi, G et al. Fibroblast growth factor-2 (FGF-2) induces vascular endothelial growth factor (VEGF) expression in the endothelial cells of forming capillaries: an autocrine mechanism contributing to angiogenesis. *J. Cell Biol.* 141(7), 1998, 1659–1673.
- [145] Geudens, I. and Gerhardt, H. Coordinating cell behaviour during blood vessel formation. *Development* 138(21), 2011, 4569–4583.
- [146] Gupta, S. K. et al. Chemokine Receptors in Human Endothelial Cells. *J. Biol. Chem.* 273(7), 1998, 4282–4287.
- [147] Salcedo, R. and Oppenheim, J. J. Role of chemokines in angiogenesis: CXCL12/SDF-1 and CXCR4 interaction, a key regulator of endothelial cell responses. *Microcirculation* 10(3-4), 2003, 359–370.
- [148] Tatemoto, K et al. Isolation and characterization of a novel endogenous peptide ligand for the human APJ receptor. *Biochem. Biophys. Res. Commun.* 251(2), 1998, 471–476.
- [149] Kasai, A. et al. Apelin is a novel angiogenic factor in retinal endothelial cells. *Biochem. Biophys. Res. Commun.* 325(2), 2004, 395–400.
- [150] Kälin, R. E. et al. Paracrine and autocrine mechanisms of apelin signaling govern embryonic and tumor angiogenesis. *Dev. Biol.* 305(2), 2007, 599–614.
- [151] Salvucci, O et al. Regulation of endothelial cell branching morphogenesis by endogenous chemokine stromal-derived factor-1. *Cell* 99(8), 2002, 2703–2711.
- [152] Reinhart-King, C. A. et al. Cell-cell mechanical communication through compliant substrates. *Biophys. J.* 95(12), 2008, 6044–6051.
- [153] Cox, C. M. et al. Apelin, the ligand for the endothelial G-protein-coupled receptor, APJ, is a potent angiogenic factor required for normal vascular development of the frog embryo. *Dev. Biol.* 296(1), 2006, 177–189.
- [154] Eyries, M. et al. Hypoxia-induced apelin expression regulates endothelial cell proliferation and regenerative angiogenesis. *Circ. Res.* 103(4), 2008, 432–440.
- [155] Kasai, A. et al. Retardation of retinal vascular development in apelin-deficient mice. *Arter. Thromb. Vasc. Biol.* 28(10), 2008, 1717–1722.
- [156] Milde, F. et al. A hybrid model for three-dimensional simulations of sprouting angiogenesis. *Biophys. J.* 95(7), 2008, 3146–3160.
- [157] Artel, A. et al. An Agent-Based Model for the Investigation of Neovascularization Within Porous Scaffolds. *Tissue Eng. Part A* 17(17-18), 2011, 2133–2141.
- [158] Mehdizadeh, H. et al. Three-dimensional modeling of angiogenesis in porous biomaterial scaffolds. *Biomaterials* 34(12), 2013, 2875–2887.
- [159] Travasso, R. D. M. et al. Tumor angiogenesis and vascular patterning: a mathematical model. *PLoS ONE* 6(5), 2011, e19989.
- [160] Bautch, V. L. VEGF-Directed Blood Vessel Patterning: From Cells to Organism. *Cold Spring Harb. Perspect. Med.* 2(9), 2012.
- [161] Caolo, V. et al. Feed-forward signaling by membrane-bound ligand receptor circuit: the case of notch delta-like 4 ligand in endothelial cells. *J. Biol. Chem.* 285(52), 2010, 40681–40689.
- [162] Kidoya, H. et al. Spatial and temporal role of the apelin/APJ system in the caliber size regulation of blood vessels during angiogenesis. *EMBO J.* 27(3), 2008, 522–534.

- [163] Hara, C. et al. Laser-Induced Choroidal Neovascularization in Mice Attenuated by Deficiency in the Apelin-APJ System. *Invest. Ophthalmol. Vis. Sci.* 54(6), 2013, 4321–5329.
- [164] Taylor, K. L. et al. Notch Activation during Endothelial Cell Network Formation in Vitro Targets the Basic HLH Transcription Factor HESR-1 and Downregulates VEGFR-2/KDR Expression. *Microvasc. Res.* 64(3), 2002, 372–383.
- [165] Funahashi, Y. et al. Notch regulates the angiogenic response via induction of VEGFR-1. *J. Angiogenes Res.* 2(1), 2010, 3.
- [166] Park, J. E. et al. Placenta growth factor. Potentiation of vascular endothelial growth factor bioactivity, in vitro and in vivo, and high affinity binding to Flt-1 but not to Flk-1/KDR. *J. Biol. Chem.* 269(41), 1994, 25646–25654.
- [167] Gavard, J and Gutkind, J. S. VEGF controls endothelial-cell permeability by promoting the  $\beta$ -arrestin-dependent endocytosis of VE-cadherin. *Nat. Cell Biol.* 8(11), 2006, 1223–1234.
- [168] Kasai, A. et al. Inhibition of apelin expression switches endothelial cells from proliferative to mature state in pathological retinal angiogenesis. *Angiogenesis* 16(3), 2013, 723–734.
- [169] Ruhrberg, C. et al. Spatially restricted patterning cues provided by heparin-binding VEGF-A control blood vessel branching morphogenesis. *Genes Dev.* 16(20), 2002, 2684–2698.
- [170] Bray, S. J. Notch signalling: a simple pathway becomes complex. *Nat. Rev. Mol. Cell Biol.* 7(9), 2006, 678–689.
- [171] Galler, B. A. and Fisher, M. J. An improved equivalence algorithm. *Commun. ACM* 7(5), 1964, 301–303.
- [172] Graham, R. L. An efficient algorithm for determining the convex hull of a finite planar set. *Inf. Process. Lett.* 72(1), 1972, 132–133.
- [173] Guidolin, D. et al. A new image analysis method based on topological and fractal parameters to evaluate the angiostatic activity of docetaxel by using the Matrigel assay in vitro. *Microvasc. Res.* 67(2), 2004, 117–124.
- [174] Dougherty, E. R. and Lotufo, R. A. *Hands-on morphological image processing*. SPIE PRESS, 2003.
- [175] Coelho, L. Mahotas: Open source software for scriptable computer vision. *J. Open Res. Softw.* 1(1), 2013, e3.
- [176] *Pymorph*. <http://luispedro.org/software/pymorph>.
- [177] Dijkstra, E. W. A note on two problems in connexion with graphs. *Numer. Math.* 1(1), 1959, 269–271.
- [178] Swat, M. H. et al. Multi-Scale Modeling of Tissues Using CompuCell3D. In: *Comput. Methods Cell Biol*. Ed. by Asthagiri, A. R. and Arkin, A. P. Academic Press, 2012, 325–366.
- [179] Palm, M. M. and Merks, R. M. H. Large-scale parameter studies of cell-based models of tissue morphogenesis using CompuCell3D or VirtualLeaf. In: *Tissue Morphogenesis: Methods and Protocols*. Ed. by Nelson, C. M. Vol. 1189, Methods in Molecular Biology. New York: Springer, 2014, In press.
- [180] Korff, T and Augustin, H. Integration of endothelial cells in multicellular spheroids prevents apoptosis and induces differentiation. *J. Cell Biol.* 143(5), 1998, 1341–1352.
- [181] Schneider, C. A. et al. NIH Image to ImageJ: 25 years of image analysis. *Nat. Methods* 9(7), 2012, 671–675.
- [182] Meijering, E et al. Design and validation of a tool for neurite tracing and analysis in fluorescence microscopy images. *Cytometry A* 58A(2), 2004, 167–176.
- [183] *Reverse Transfection of siRNA*. <http://www.thermoscientificbio.com/uploadedfiles/resources/reverse-transfection-of-sirna-protocol.pdf>.
- [184] Tukey, J. Comparing individual means in the analysis of variance. *Biometrics* 5(2), 1949, 99–114.
- [185] Abdi, H. and Williams, L. Newman-Keuls Test and Tukey Test. In: *Encyclopedia of Research Design*. Ed. by Salkind, N. Thousand Oaks: Sage, 2010, 897–904.

- [186] Anderson, A. R. A. et al., eds. *Single-cell-based models in biology and medicine*. Basel: Birkhäuser Verlag, 2007.
- [187] Drasdo, D and Höhme, S. Individual-based approaches to birth and death in avascular tumors. *Math. Comput. Model.* 37(11), 2003, 1163–1175.
- [188] Alarcón, T. et al. A Multiple Scale Model for Tumor Growth. *Multiscale Model. Simul.* 3(2), 2005, 440–475.
- [189] Kim, Y. et al. A hybrid model for tumor spheroid growth in vitro I: theoretical development and early results. *Math. Models Methods Appl. Sci.* 17(supp01), 2007, 1773–1798.
- [190] Macklin, P. et al. Patient-calibrated agent-based modelling of ductal carcinoma in situ (DCIS): from microscopic measurements to macroscopic predictions of clinical progression. *J. Theor. Biol.* 301, 2012, 122–140.
- [191] Hoehme, S. et al. Prediction and validation of cell alignment along microvessels as order principle to restore tissue architecture in liver regeneration. *Proc. Natl. Acad. Sci. U.S.A.* 107(23), 2010, 10371–10376.
- [192] Merks, R. M. H. et al. VirtualLeaf: an open-source framework for cell-based modeling of plant tissue growth and development. *Plant Physiol.* 155(2), 2011, 656–666.
- [193] Hamant, O. et al. Developmental patterning by mechanical signals in Arabidopsis. *Science* 322(5908), 2008, 1650–1655.
- [194] Hirashima, T. et al. Dynamic modeling of branching morphogenesis of ureteric bud in early kidney development. *J. Theor. Biol.* 259(1), 2009, 58–66.
- [195] Engelberg, J. A. et al. MDCK cystogenesis driven by cell stabilization within computational analogues. *PLoS Comput. Biol.* 7(4), 2011, e1002030.
- [196] Andasari, V. et al. Integrating intracellular dynamics using CompuCell3D and Bionetsolver: applications to multiscale modelling of cancer cell growth and invasion. *PLoS ONE* 7(3), 2012, e33726.
- [197] Daub, J. T. and Merks, R. M. H. A Cell-Based Model of Extracellular-Matrix-Guided Endothelial Cell Migration During Angiogenesis. *Bull. Math. Biol.* 75(8), 2013, 1377–1399.
- [198] Swat, M. H. et al. *CompuCell3D Reference Manual*. 2012.
- [199] Noble, W. S. A quick guide to organizing computational biology projects. *PLoS Comput. Biol.* 5(7), 2009, e1000424.
- [200] Henderson, R. L. Job scheduling under the portable batch system. In: *Job scheduling strategies for parallel processing*. Springer, 1995, 279–294.
- [201] Merks, R. M. H. and Guravage, M. A. Building simulation models of developing plant organs using VirtualLeaf. In: *Plant Organogenesis*. Ed. by De Smet, I. Springer, 2013, 333–352.
- [202] Debnath, J. et al. The Role of Apoptosis in Creating and Maintaining Luminal Space within Normal and Oncogene-Expressing Mammary Acini. *Cell* 111(5), 2002, 29–40.
- [203] Debnath, J. et al. Morphogenesis and oncogenesis of MCF-10A mammary epithelial acini grown in three-dimensional basement membrane cultures. *Methods* 30(3), 2003, 256–268.
- [204] Muthuswamy, S. K. et al. ErbB2, but not ErbB1, reinitiates proliferation and induces luminal repopulation in epithelial acini. *Nat. Cell Biol.* 3(9), 2001, 785–792.
- [205] Saltelli, A. and Chan, K. and Scott, E. *Sensitivity analysis*. Wiley, 2008.
- [206] Swat, M. et al. *Developers' Documentation for CompuCell3D*. 2009.
- [207] Helminger, G. et al. Growth factors: Formation of endothelial cell networks. *Nature* 405(6783), 2000, 139–141.
- [208] Winer, J. P. et al. Non-linear elasticity of extracellular matrices enables contractile cells to communicate local position and orientation. *PLoS ONE* 4(7), 2009, e6382.
- [209] Houck, K. A. et al. Dual regulation of vascular endothelial growth factor bioavailability by genetic and proteolytic mechanisms. *J. Biol. Chem.* 267(36), 1992, 26031–26037.
- [210] Stringer, S. E. The role of heparan sulphate proteoglycans in angiogenesis. *Biochem. Soc. Trans.* 34(Pt 3), 2006, 451–453.

