



Universiteit
Leiden

The Netherlands

Nidovirus replication structures : hijacking membranes to support viral RNA synthesis

Knoops, K.

Citation

Knoops, K. (2011, May 10). *Nidovirus replication structures : hijacking membranes to support viral RNA synthesis*. Retrieved from <https://hdl.handle.net/1887/17639>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/17639>

Note: To cite this publication please use the final published version (if applicable).

References

1. Iwanowski DJ (1892) Concerning the mosaic disease of the tobacco plant. *St. Petersburg Acad. Imp. Sci. Bul.* 35: 67-70.
2. Beijerinck MW (1898) Over een contagium vivum fluidum als oorzaak van de vlekziekte der tabaksbladen. *Versl. Gew. Verg. Wiss. en Natuurk. Afd., Kon. Aka. Wetensch. Amst.* 7: 229-35.
3. Loeffler F, Frosch P (1898) Berichte der Kommission zur Erforschung der Maul- und Klauenseuche bei dem Institut für Infektionskrankheiten in Berlin. *Centralbl. f. Bakteriol. I. Abt.* 23: 371-391.
4. Stanley WM (1935) Isolation of a crystalline protein possessing the properties of tobacco-mosaic virus. *Science* 81: 644-645.
5. Knoll M, Ruska E (1932) Das Elektronenmikroskop. *Z. Physik* 78: 318-339.
6. Ruska E (1980) The early development of electron lenses and electron microscopy. *Microsc. Acta Suppl.* 1-140.
7. von Borries B, Ruska E, Ruska H (1938) Bakterien und Virus in übermikroskopischer Aufnahme. *Klin. Wochenschr.* 17: 921-925.
8. Kausche G, Pfankuch E, Ruska H (1939) Die Sichtbarmachung von pflanzlichem Virus im Übermikroskop. *Naturwissenschaften* 27: 292-99.
9. Ruska H, von Borries B, Ruska E (1940) Die Bedeutung der Übermikroskopie für die Virusforschung. *Arch. ges. Virusforsch.* 1: 155-69.
10. Ruska H (1943) Versuch zu einer Ordnung der Virusarten. *Arch. ges. Virusforsch.* 2: 480-98.
11. Lwoff A, Horne R, Tournier P (1962) A system of viruses. *Cold Spring Harb. Symp. Quant. Biol.* 27: 51-55.
12. Goldbach R (1987) Genome similarities between plant and animal RNA viruses. *Microbiol. Sci.* 4: 197-202.
13. Gorbalenya A, Enjuanes L, Ziebuhr J, Snijder E (2006) Nidovirales: Evolving the largest RNA virus genome. *Virus Res.* 117: 17-37.
14. Gorbalenya A, Koonin E, Donchenko A, Blinov V (1989) Two related superfamilies of putative helicases involved in replication, recombination, repair and expression of DNA and RNA genomes. *Nucleic Acids Res.* 17: 4713-4730.
15. Strauss J, Strauss E (1988) Evolution of RNA viruses. *Annu. Rev. Microbiol.* 42: 657-683.
16. Baltimore D (1971) Expression of animal virus genomes. *Bacteriol. Rev.* 35: 235-241.
17. Beerens N, Selisko B, Ricagno S, Imbert I, van der ZL, et al. (2007) De novo initiation of RNA synthesis by the arterivirus RNA-dependent RNA polymerase. *J. Virol.* 81: 8384-8395.
18. Butcher SJ, Grimes JM, Makeyev EV, Bamford DH, Stuart DI (2001) A mechanism for initiating RNA-dependent RNA polymerization. *Nature* 410: 235-240.
19. Filomatori CV, Lodeiro MF, Alvarez DE, Samsa MM, Pietrasanta L, et al. (2006) A 5' RNA element promotes dengue virus RNA synthesis on a circular genome. *Genes Dev.* 20: 2238-2249.
20. Oh JW, Ito T, Lai MM (1999) A recombinant hepatitis C virus RNA-dependent RNA polymerase capable of copying the full-length viral RNA. *J. Virol.* 73: 7694-7702.
21. Paul A, van Boom J, Filippov D, Wimmer E (1998) Protein-primed RNA synthesis by purified poliovirus RNA polymerase. *Nature* 393: 280-284.
22. Gorbalenya A, Snijder E (1996) Viral cysteine proteases. *Persp. Drug Discov. Design* 6: 64-86.
23. Ziebuhr J, Snijder E, Gorbalenya A (2000) Virus-encoded proteinases and proteolytic processing in the *Nidovirales*. *J. Gen. Virol.* 81: 853-879.

24. Ahlquist P (2006) Parallels among positive-strand RNA viruses, reverse-transcribing viruses and double-stranded RNA viruses. *Nat Rev Micro* 4: 371-382.
25. Mackenzie J (2005) Wrapping things up about virus RNA replication. *Traffic* 6: 967-977.
26. Netherton CM, Brooks E, Wileman T (2007) A guide to viral inclusions, membrane rearrangements, factories, and viroplasm produced during virus replication. *Adv.Virus Res.* 70: 101-182.
27. Salonen A, Ahola T, Kaariainen L (2004) Viral RNA replication in association with cellular membranes. *Curr.Top.Microbiol.Immunol.* 285: 139-173.
28. Garcia-Sastre A, Biron C (2006) Type 1 interferons and the virus-host relationship: a lesson in de-tente. *Science* 312: 879-882.
29. Haller O, Kochs G, Weber F (2006) The interferon response circuit: induction and suppression by pathogenic viruses. *Virology* 344: 119-130.
30. Hornung V, Ellegast J, Kim S, Brzozka K, Jung A, et al. (2006) 5'-Triphosphate RNA is the ligand for RIG-I. *Science* 314: 994-997.
31. den Boon JA, Ahlquist P (2010) Organelle-like membrane compartmentalization of positive-strand RNA virus replication factories. *Annu. Rev. Microbiol* 64: 241-256.
32. Miller S, Krijnse Locker J (2008) Modification of intracellular membrane structures for virus replication. *Nat.Rev.Microbiol.* 6: 363-374.
33. Friedman R, Levin J, Grimley P, Berezsky I (1972) Membrane-associated replication complex in arbovirus infection. *J.Virol.* 10: 504-515.
34. Froshauer S, Kartenbeck J, Helenius A (1988) Alphavirus RNA replicase is located on the cytoplasmic surface of endosomes and lysosomes. *J.Cell Biol.* 107: 2075-2086.
35. Kujala P, Ikäheimonen A, Ehsani N, Vihinen H, Auvinen P, et al. (2001) Biogenesis of the Semliki Forest virus RNA replication complex. *J. Virol* 75: 3873-3884.
36. Kopek B, Perkins G, Miller D, Ellisman M, Ahlquist P (2007) Three-dimensional analysis of a viral RNA replication complex reveals a virus-induced mini-organelle. *PLoS Biol.* 5: e220.
37. Miller DJ, Schwartz MD, Ahlquist P (2001) Flock house virus RNA replicates on outer mitochondrial membranes in *Drosophila* cells. *J. Virol* 75: 11664-11676.
38. Welsch S, Miller S, Romero-Brey I, Merz A, Bleck CKE, et al. (2009) Composition and three-dimensional architecture of the dengue virus replication and assembly sites. *Cell Host Microbe* 5: 365-375.
39. Westaway E, Mackenzie J, Kenney M, Jones M, Khromykh A (1997) Ultrastructure of Kunjin virus-infected cells: colocalization of NS1 and NS3 with double-stranded RNA, and of NS2b with NS3, in virus-induced membrane structures. *J.Virol.* 71: 6650-6661.
40. Westaway EG, Mackenzie JM, Khromykh AA (2003) Kunjin RNA replication and applications of Kunjin replicons. *Adv. Virus Res* 59: 99-140.
41. Gillespie LK, Hoenen A, Morgan G, Mackenzie JM (2010) The endoplasmic reticulum provides the membrane platform for biogenesis of the flavivirus replication complex. *J. Virol* 84: 10438-10447.
42. Uchil P, Satchidanandam V (2003) Architecture of the flaviviral replication complex. *J.Biol.Chem.* 278: 24388-24398.
43. Egger D, Wölk B, Gosert R, Bianchi L, Blum HE, et al. (2002) Expression of hepatitis C virus proteins induces distinct membrane alterations including a candidate viral replication complex. *J. Virol* 76: 5974-5984.
44. Ferraris P, Blanchard E, Roingard P (2010) Ultrastructural and biochemical analyses of hepatitis C virus-associated host cell membranes. *J. Gen. Virol* 91: 2230-2237.
45. Gosert R, Egger D, Lohmann V, Bartenschlager R, Blum H, et al. (2003) Identification of the hepatitis C virus RNA replication complex in Huh-7 cells harboring subgenomic replicons. *J.Virol.* 77: 5487-5492.

46. El-Hage N, Luo G (2003) Replication of hepatitis C virus RNA occurs in a membrane-bound replication complex containing nonstructural viral proteins and RNA. *J. Gen. Virol* 84: 2761-2769.
47. Quinkert D, Bartenschlager R, Lohmann V (2005) Quantitative analysis of the hepatitis C virus replication complex. *J.Virol.* 79: 13594-13605.
48. Bienz K, Egger D, Rasser Y, Bossart W (1983) Intracellular distribution of poliovirus proteins and the induction of virus-specific cytoplasmic structures. *Virology* 131: 39-48.
49. Schlegel A, Giddings TJ, Ladinsky M, Kirkegaard K (1996) Cellular origin and ultrastructure of membranes induced during poliovirus infection. *J.Virol.* 70: 6576-6588.
50. Suhy D, Giddings T, Kirkegaard K (2000) Remodeling the endoplasmic reticulum by poliovirus infection and by individual viral proteins: an autophagy-like origin for virus-induced vesicles. *J.Virol.* 74: 8953-8965.
51. Bienz K, Egger D, Pasamontes L (1987) Association of polioviral proteins of the P2 genomic region with the viral replication complex and virus-induced membrane synthesis as visualized by electron microscopic immunocytochemistry and autoradiography. *Virology* 160: 220-226.
52. Bienz K, Egger D, Troxler M, Pasamontes L (1990) Structural organization of poliovirus RNA replication is mediated by viral proteins of the P2 genomic region. *J.Virol.* 64: 1156-1163.
53. Troxler M, Egger D, Pfister T, Bienz K (1992) Intracellular localization of poliovirus RNA by in situ hybridization at the ultrastructural level using single-stranded riboprobes. *Virology* 191: 687-697.
54. Rust R, Landmann L, Gosert R, Tang B, Hong W, et al. (2001) Cellular COPII proteins are involved in production of the vesicles that form the poliovirus replication complex. *J.Virol.* 75: 9808-9818.
55. Belov G, tan-Bonnet N, Kovtunovych G, Jackson C, Lippincott-Schwartz J, et al. (2007) Hijacking components of the cellular secretory pathway for replication of poliovirus RNA. *J.Virol.* 81: 558-567.
56. Lanke KHW, van der Schaar HM, Belov GA, Feng Q, Duijsings D, et al. (2009) GBF1, a guanine nucleotide exchange factor for Arf, is crucial for coxsackievirus B3 RNA replication. *J. Virol* 83: 11940-11949.
57. White SH, von Heijne G (2005) Transmembrane helices before, during, and after insertion. *Curr. Opin. Struct. Biol* 15: 378-386.
58. Mandon EC, Trueman SF, Gilmore R (2009) Translocation of proteins through the Sec61 and SecYEG channels. *Curr. Opin. Cell Biol* 21: 501-507.
59. Rapoport TA (2007) Protein translocation across the eukaryotic endoplasmic reticulum and bacterial plasma membranes. *Nature* 450: 663-669.
60. McMahon HT, Gallop JL (2005) Membrane curvature and mechanisms of dynamic cell membrane remodelling. *Nature* 438: 590-596.
61. Bonifacino JS, Lippincott-Schwartz J (2003) Coat proteins: shaping membrane transport. *Nat. Rev. Mol. Cell Biol* 4: 409-414.
62. Rothman JE, Wieland FT (1996) Protein sorting by transport vesicles. *Science* 272: 227-234.
63. Matsuo H, Chevallier J, Mayran N, Le Blanc I, Ferguson C, et al. (2004) Role of LBPA and Alix in multi-vesicular liposome formation and endosome organization. *Science* 303: 531-534.
64. Zimmerberg J, Kozlov MM (2006) How proteins produce cellular membrane curvature. *Nat Rev Mol Cell Biol* 7: 9-19.
65. Snijder E, van Tol H, Roos N, Pedersen K (2001) Non-structural proteins 2 and 3 interact to modify host cell membranes during the formation of the arterivirus replication complex. *J.Gen.Virol.* 82: 985-994.
66. Barco A, Carrasco L (1995) A human virus protein, poliovirus protein 2BC, induces membrane proliferation and blocks the exocytic pathway in the yeast *Saccharomyces cerevisiae*. *EMBO J.* 14: 3349-3364.

67. Mackenzie JM, Khromykh AA, Jones MK, Westaway EG (1998) Subcellular localization and some biochemical properties of the flavivirus Kunjin nonstructural proteins NS2A and NS4A. *Virology* 245: 203-215.
68. Miller S, Kastner S, Krijnse-Locker J, Bühler S, Bartenschlager R (2007) The non-structural protein 4A of dengue virus is an integral membrane protein inducing membrane alterations in a 2K-regulated manner. *J. Biol. Chem* 282: 8873-8882.
69. Kopeck BG, Settles EW, Friesen PD, Ahlquist P (2010) Nodavirus-induced Membrane Rearrangement in Replication Complex Assembly Requires Replicase Protein A, RNA Templates, and Polymerase Activity. *J Virol*. 84:12492-503.
70. Drosten C, Gunther S, Preiser W, van der Werf S, Brodt H, et al. (2003) Identification of a novel coronavirus in patients with severe acute respiratory syndrome. *N.Engl.J.Med.* 348: 1967-1976.
71. Ksiazek T, Erdman D, Goldsmith C, Zaki S, Peret T, et al. (2003) A novel coronavirus associated with severe acute respiratory syndrome. *N.Engl.J.Med.* 348: 1953-1966.
72. Peiris J, Lai S, Poon L, Guan Y, Yam L, et al. (2003) Coronavirus as a possible cause of severe acute respiratory syndrome. *Lancet* 361: 1319-1325.
73. Lau SKP, Woo PCY, Li KSM, Huang Y, Tsoi H, et al. (2005) Severe acute respiratory syndrome coronavirus-like virus in Chinese horseshoe bats. *Proc. Natl. Acad. Sci. U.S.A* 102: 14040-14045.
74. Li W, Shi Z, Yu M, Ren W, Smith C, et al. (2005) Bats are natural reservoirs of SARS-like coronaviruses. *Science* 310: 676-679.
75. van der Hoek L, Pyrc K, Jebbink M, Vermeulen-Oost W, Berkhout R, et al. (2004) Identification of a new human coronavirus. *Nat.Med.* 10: 368-373.
76. Woo PCY, Lau SKP, Chu C, Chan K, Tsoi H, et al. (2005) Characterization and complete genome sequence of a novel coronavirus, coronavirus HKU1, from patients with pneumonia. *J. Virol* 79: 884-895.
77. Pasternak A, Spaan W, Snijder E (2006) Nidovirus transcription: how to make sense..? *J.Gen.Virol.* 87: 1403-1421.
78. Sawicki S, Sawicki D, Siddell S (2007) A contemporary view of coronavirus transcription. *J.Virol.* 81: 20-29.
79. Brierley I (1995) Ribosomal frameshifting on viral RNAs. *J.Gen.Virol.* 76: 1885-1892.
80. Brierley I, Digard P, Inglis S (1989) Characterization of an efficient coronavirus ribosomal frameshifting signal - Requirement for an RNA pseudoknot. *Cell* 57: 537-547.
81. Brierley I, Dos Ramos F (2006) Programmed ribosomal frameshifting in HIV-1 and the SARS-CoV. *Virus Res.* 119: 29-42.
82. Cavanagh D (1997) Nidovirales: a new order comprising Coronaviridae and Arteriviridae. *Arch.Virol.* 142: 629-633.
83. Snijder E, Bredenbeek P, Dobbe J, Thiel V, Ziebuhr J, et al. (2003) Unique and conserved features of genome and proteome of SARS-coronavirus, an early split-off from the coronavirus group 2 lineage. *J.Mol.Biol.* 331: 991-1004.
84. Sawicki S, Sawicki D (1995) Coronaviruses use discontinuous extension for synthesis of subgenome-length negative strands. *Adv.Exp.Med.Biol.* 380: 499-506.
85. Kanjanahaluethai A, Chen Z, Jukneliene D, Baker S (2007) Membrane topology of murine coronavirus replicase nonstructural protein 3. *Virology* 361: 391-401.
86. Oostra M, Te Lintelo E, Deijs M, Verheije M, Rottier P, et al. (2007) Localization and membrane topology of the coronavirus nonstructural protein 4: involvement of the early secretory pathway in replication. *J.Virol.* 81: 13876-13888.

87. Oostra M, Hagemeyer MC, van Gent M, Bekker CPJ, te Lintelo EG, et al. (2008) Topology and Membrane Anchoring of the Coronavirus Replication Complex: Not All Hydrophobic Domains of nsp3 and nsp6 Are Membrane Spanning. *J. Virol.* 82: 12392-12405.
88. Snijder E, Wassenaar A, Spaan W (1994) Proteolytic processing of the replicase ORF1a protein of equine arteritis virus. *J. Virol.* 68: 5755-5764.
89. Snijder E, Meulenberg J (1998) The molecular biology of arteriviruses. *J. Gen. Virol.* 79: 961-979.
90. Ziebuhr J (2005) The coronavirus replicase. *Curr. Top. Microbiol. Immunol.* 287: 57-94.
91. Brockway S, Clay C, Lu X, Denison M (2003) Characterization of the expression, intracellular localization, and replication complex association of the putative mouse hepatitis virus RNA-dependent RNA polymerase. *J. Virol.* 77: 10515-10527.
92. Brockway S, Lu X, Peters T, Dermody T, Denison M (2004) Intracellular localization and protein interactions of the gene 1 protein p28 during mouse hepatitis virus replication. *J. Virol.* 78: 11551-11562.
93. Harcourt B, Jukneliene D, Kanjanahaluethai A, Bechill J, Severson K, et al. (2004) Identification of severe acute respiratory syndrome coronavirus replicase products and characterization of papain-like protease activity. *J. Virol.* 78: 13600-13612.
94. Ivanov K, Thiel V, Dobbe J, van der Meer Y, Snijder E, et al. (2004) Multiple enzymatic activities associated with Severe acute respiratory syndrome coronavirus helicase. *J. Virol.* 78: 5619-5632.
95. van der Meer Y, van Tol H, Krijnse Locker J, Snijder E (1998) ORF1a-encoded replicase subunits are involved in the membrane association of the arterivirus replication complex. *J. Virol.* 72: 6689-6698.
96. Prentice E, McAuliffe J, Lu X, Subbarao K, Denison M (2004) Identification and characterization of severe acute respiratory syndrome coronavirus replicase proteins. *J. Virol.* 78: 9977-9986.
97. Pedersen K, van der Meer Y, Roos N, Snijder E (1999) Open reading frame 1a-encoded subunits of the arterivirus replicase induce endoplasmic reticulum-derived double-membrane vesicles which carry the viral replication complex. *J. Virol.* 73: 2016-2026.
98. Breese S, McCollum W (1970) Electron microscopic characterization of equine arteritis virus. *Proceedings of the 2nd International Conference on Equine Infectious Diseases.* Basel: S. Karger. pp. 133-139.
99. Wood O, Tauraso N, Liebhaber H (1970) Electron microscopic study of tissue cultures infected with simian haemorrhagic fever virus. *J. Gen. Virol.* 7: 129-136.
100. Snijder E, van der Meer Y, Zevenhoven-Dobbe J, Onderwater J, van der Meulen J, et al. (2006) Ultrastructure and origin of membrane vesicles associated with the severe acute respiratory syndrome coronavirus replication complex. *J. Virol.* 80: 5927-5940.
101. Stertz S, Reichelt M, Spiegel M, Kuri T, Martínez-Sobrido L, et al. (2007) The intracellular sites of early replication and budding of SARS-coronavirus. *Virology* 361: 304-315.
102. David-Ferreira J, Manaker R (1965) An electron microscope study of the development of a mouse hepatitis virus in tissue culture cells. *J. Cell Biol.* 24: 57-78.
103. Goldsmith C, Tatti K, Ksiazek T, Rollin P, Comer J, et al. (2004) Ultrastructural characterization of SARS coronavirus. *Emerging Infect. Dis.* 10: 320-326.
104. Gosert R, Kanjanahaluethai A, Egger D, Bienz K, Baker S (2002) RNA replication of mouse hepatitis virus takes place at double-membrane vesicles. *J. Virol.* 76: 3697-3708.
105. Prentice E, Jerome W, Yoshimori T, Mizushima N, Denison M (2004) Coronavirus replication complex formation utilizes components of cellular autophagy. *J. Biol. Chem.* 279: 10136-10141.
106. Posthuma C, Pedersen K, Lu Z, Joosten R, Roos N, et al. (2008) Formation of the arterivirus replication/transcription complex: a key role for nonstructural protein 3 in the remodeling of intracellular membranes. *J. Virol.* 82: 4480-4491.

107. van der Meer Y, Snijder E, Dobbe J, Schleich S, Denison M, et al. (1999) Localization of mouse hepatitis virus nonstructural proteins and RNA synthesis indicates a role for late endosomes in viral replication. *J.Virol.* 73: 7641-7657.
108. Shibata Y, Voeltz GK, Rapoport TA (2006) Rough sheets and smooth tubules. *Cell* 126: 435-439.
109. Voeltz GK, Rolls MM, Rapoport TA (2002) Structural organization of the endoplasmic reticulum. *EMBO Rep* 3: 944-950.
110. Griffiths G, Rottier P (1992) Cell biology of viruses that assemble along the biosynthetic pathway. *Semin. Cell Biol* 3: 367-381.
111. Krijnse Locker J, Ericsson M, Rottier P, Griffiths G (1994) Characterization of the budding compartment of mouse hepatitis virus: evidence that transport from RER to the Golgi complex requires only one vesicular transport step. *J.Cell Biol.* 124: 55-70.
112. Wieringa R, de Vries A, van der Meulen J, Godeke G, Onderwater J, et al. (2004) Structural protein requirements in equine arteritis virus assembly. *J.Virol.* 78: 13019-13027.
113. Dales S, Eggers H, Tamm I, Palade G (1965) Electron microscopic study of the formation of poliovirus. *Virology* 26: 379-389.
114. Palade GE (1953) An electron microscope study of the mitochondrial structure. *J. Histochem. Cytochem.* 1: 188-211.
115. Porter KR, Claude A, Fullam EF (1945) A Study of Tissue Culture Cells by Electron Microscopy. *J. Exp. Med* 81: 233-246.
116. Fawcett D (1981) *The Cell*. 2e ed. Philadelphia: W B Saunders Co.
117. Marincola E (2009) Don Fawcett (1917–2009): Unlocking Nature's Closely Guarded Secrets. *PLoS Biol* 7. doi:10.1371/journal.pbio.1000183
118. Massey BW (1953) Ultra-Thin Sectioning for Electron Microscopy. *Biotech. and histochem.* 28: 19-26.
119. Newman SB, Borysko E, Swerdlow M (1949) New Sectioning Techniques for Light and Electron Microscopy. *Science* 110: 66-68.
120. Palade GE (1952) A study of fixation for electron microscopy. *J. Exp. Med* 95: 285-298.
121. Monaghan P, Cook H, Jackson T, Ryan M, Wileman T (2004) The ultrastructure of the developing replication site in foot-and-mouth disease virus-infected BHK-38 cells. *J. Gen. Virol* 85: 933-946.
122. Sosinsky GE, Crum J, Jones YZ, Lanman J, Smarr B, et al. (2008) The combination of chemical fixation procedures with high pressure freezing and freeze substitution preserves highly labile tissue ultrastructure for electron tomography applications. *J. Struct. Biol* 161: 359-371.
123. Murk JLAN, Posthuma G, Koster AJ, Geuze HJ, Verkleij AJ, et al. (2003) Influence of aldehyde fixation on the morphology of endosomes and lysosomes: quantitative analysis and electron tomography. *J Microsc* 212: 81-90.
124. Studer D, Humbel BM, Chiquet M (2008) Electron microscopy of high pressure frozen samples: bridging the gap between cellular ultrastructure and atomic resolution. *Histochem. Cell Biol* 130: 877-889.
125. Dahl R, Staehelin LA (1989) High-pressure freezing for the preservation of biological structure: theory and practice. *J Electron Microscop Tech* 13: 165-174.
126. Gilkey J, Staehelin LA (1986) Advances in ultrarapid freezing for the preservation of cellular ultrastructure. *J. Electron Microscop. Tech.* 3: 177-210.
127. McDonald K (1999) High-pressure freezing for preservation of high resolution fine structure and antigenicity for immunolabeling. *Methods Mol. Biol* 117: 77-97.
128. von Schack ML, Fakan S, Villiger W, Müller M (1993) Cryofixation and cryosubstitution: a useful alternative in the analyses of cellular fine structure. *Eur J Histochem* 37: 5-18.

129. Sartori N, Richter K, Dubochet J (1993) Vitrification depth can be increased more than 10-fold by high-pressure freezing. *J. Microsc.* 172: 55-61.
130. Studer D, Michel M, Wohlwend M, Hunziker EB, Buschmann MD (1995) Vitrification of articular cartilage by high-pressure freezing. *J. Microsc.* 179: 321-332.
131. Dubochet J, Adrian M, Chang JJ, Homo JC, Lepault J, et al. (1988) Cryo-electron microscopy of vitrified specimens. *Q. Rev. Biophys* 21: 129-228.
132. Briegel A, Ortega DR, Tocheva EI, Wuichet K, Li Z, et al. (2009) Universal architecture of bacterial chemoreceptor arrays. *Proc. Natl. Acad. Sci. U.S.A* 106: 17181-17186.
133. Kürner J, Frangakis AS, Baumeister W (2005) Cryo-electron tomography reveals the cytoskeletal structure of *Spiroplasma melliferum*. *Science* 307: 436-438.
134. Scheffel A, Gruska M, Faivre D, Linaroudis A, Plitzko JM, et al. (2006) An acidic protein aligns magnetosomes along a filamentous structure in magnetotactic bacteria. *Nature* 440: 110-114.
135. Koning RI, Zovko S, Bárcena M, Oostergetel GT, Koerten HK, et al. (2008) Cryo electron tomography of vitrified fibroblasts: microtubule plus ends in situ. *J. Struct. Biol* 161: 459-468.
136. Al-Amoudi A, Chang J, Leforestier A, McDowall A, Salamin LM, et al. (2004) Cryo-electron microscopy of vitreous sections. *EMBO J* 23: 3583-3588.
137. Dubochet J, Chang J, Freeman R, Lepault J, McDowall A (1982) Frozen aqueous suspensions. *Ultramicroscopy* 10: 55-61.
138. Sartori Blanc N, Studer D, Ruhl K, Dubochet J (1998) Electron beam-induced changes in vitreous sections of biological samples. *J. Microsc.* 192: 194-201.
139. Steinbrecht R, Müller M (1987) Freeze substitution and freeze-drying. *Cryotechniques in Biological Electron Microscopy*. Berlin: Springer Verlag. pp. 149-172.
140. Crowther RA, DeRosier DJ, Klug A (1970) The Reconstruction of a Three-Dimensional Structure from Projections and its Application to Electron Microscopy. *Proceedings of the Royal Society of London. A. Mathematical and Physical Sciences* 317: 319-340.
141. Frank J (1989) Image analysis of single macromolecules. *Electron Microsc. Rev* 2: 53-74.
142. Van Heel M (1987) Angular reconstitution: a posteriori assignment of projection directions for 3D reconstruction. *Ultramicroscopy* 21: 111-123.
143. Koster A, Grimm R, Typke D, Hegerl R, Stoschek A, et al. (1997) Perspectives of molecular and cellular electron tomography. *J. Struct. Biol.* 120: 276-308.
144. Leis A, Rockel B, Andrees L, Baumeister W (2009) Visualizing cells at the nanoscale. *Trends Biochem. Sci* 34: 60-70.
145. Koster AJ, Chen H, Sedat JW, Agard DA (1992) Automated microscopy for electron tomography. *Ultramicroscopy* 46: 207-227.
146. McEwen BF, Radermacher M, Rieder CL, Frank J (1986) Tomographic three-dimensional reconstruction of cilia ultrastructure from thick sections. *Proc. Natl. Acad. Sci. U.S.A* 83: 9040-9044.
147. Frey TG, Mannella CA (2000) The internal structure of mitochondria. *Trends Biochem. Sci* 25: 319-324.
148. Geuze HJ, Murk JL, Stroobants AK, Griffith JM, Kleijmeer MJ, et al. (2003) Involvement of the endoplasmic reticulum in peroxisome formation. *Mol. Biol. Cell* 14: 2900-2907.
149. Beck M, Förster F, Ecke M, Plitzko JM, Melchior F, et al. (2004) Nuclear pore complex structure and dynamics revealed by cryoelectron tomography. *Science* 306: 1387-1390.
150. Mehlin H, Daneholt B, Skoglund U (1992) Translocation of a specific premessenger ribonucleo-protein particle through the nuclear pore studied with electron microscope tomography. *Cell* 69: 605-613.

151. Brandt F, Carlson L, Hartl FU, Baumeister W, Grünewald K (2010) The three-dimensional organization of polyribosomes in intact human cells. *Mol. Cell* 39: 560-569.
152. Ortiz JO, Förster F, Kürner J, Linaroudis AA, Baumeister W (2006) Mapping 70S ribosomes in intact cells by cryoelectron tomography and pattern recognition. *J. Struct. Biol* 156: 334-341.
153. Pierson J, Ziese U, Sani M, Peters PJ (2010) Exploring vitreous cryo-section-induced compression at the macromolecular level using electron cryo-tomography; 80S yeast ribosomes appear unaffected. *J. Struct. Biol* 173: 345-349.
154. Medalia O, Weber I, Frangakis AS, Nicastro D, Gerisch G, et al. (2002) Macromolecular architecture in eukaryotic cells visualized by cryoelectron tomography. *Science* 298: 1209-1213.
155. Snijder E, Siddell S, Gorbalenya A (2005) The order Nidovirales. *Topley and Wilson's microbiology and microbial infections; Virology volume*. London: Hodder Arnold, Vol. 10. pp. 390-404.
156. Bienz K, Egger D, Pfister T, Troxler M (1992) Structural and functional characterization of the poliovirus replication complex. *J.Virol.* 66: 2740-2747.
157. Novoa R, Calderita G, Arranz R, Fontana J, Granzow H, et al. (2005) Virus factories: associations of cell organelles for viral replication and morphogenesis. *Biol.Cell* 97: 147-172.
158. Kirkegaard K, Jackson W (2005) Topology of double-membraned vesicles and the opportunity for non-lytic release of cytoplasm. *Autophagy* 1: 182-184.
159. Ahlquist P (2006) Parallels among positive-strand RNA viruses, reverse-transcribing viruses and double-stranded RNA viruses. *Nat.Rev.Microbiol.* 4: 371-382.
160. Peiris J, Guan Y, Yuen K (2004) Severe acute respiratory syndrome. *Nat.Med.* 10: S88-S97.
161. Pyrc K, Berkhout B, van der Hoek L (2007) The novel human coronaviruses NL63 and HKU1. *J.Virol.* 81: 3051-3057.
162. Ziebuhr J (2004) Molecular biology of severe acute respiratory syndrome coronavirus. *Curr.Opin. Microbiol.* 7: 412-419.
163. Thiel V, Ivanov K, Putics A, Hertzog T, Schelle B, et al. (2003) Mechanisms and enzymes involved in SARS coronavirus genome expression. *J.Gen.Virol.* 84: 2305-2315.
164. Masters P (2006) The molecular biology of coronaviruses. *Adv.Virus Res.*: 193-292.
165. Kirkegaard K, Taylor M, Jackson W (2004) Cellular autophagy: Surrender, avoidance and subversion by microorganisms. *Nat.Rev.Microbiol.* 2: 301-314.
166. Clementz M, Kanjanahaluethai A, O'Brien T, Baker S (2008) Mutation in murine coronavirus replication protein nsp4 alters assembly of double membrane vesicles. *Virology* 375: 118-129.
167. Verheije M, Raaben M, Mari M, Te Lintelo E, Reggiori F, et al. (2008) Mouse hepatitis coronavirus RNA replication depends on GBF1-mediated ARF1 activation. *PLoS Pathog.* 4: e1000088.
168. Frey T, Perkins G, Ellisman M (2006) Electron tomography of membrane-bound cellular organelles. *Annu.Rev.Biophys.Biomol.Struct.* 35: 199-224.
169. Walther P, Ziegler A (2002) Freeze substitution of high-pressure frozen samples: the visibility of biological membranes is improved when the substitution medium contains water. *J.Microsc.* 208: 3-10.
170. Mackenzie J, Jones M, Westaway E (1999) Markers for trans-Golgi membranes and the intermediate compartment localize to induced membranes with distinct replication functions in flavivirus-infected cells. *J.Virol.* 73: 9555-9567.
171. Neuman B, Joseph J, Saikatendu K, Serrano P, Chatterjee A, et al. (2008) Proteomics analysis unravels the functional repertoire of coronavirus nonstructural protein 3. *J.Virol.* 82: 5279-5294.
172. Zhai Y, Sun F, Li X, Pang H, Xu X, et al. (2005) Insights into SARS-CoV transcription and replication from the structure of the nsp7-nsp8 hexadecamer. *Nat.Struct.Mol.Biol.* 12: 980-986.

173. Imbert I, Guillemot J, Bourhis J, Bussetta C, Coutard B, et al. (2006) A second, non-canonical RNA-dependent RNA polymerase in SARS coronavirus. *EMBO J.* 25: 4933-4942.
174. Sethna P, Hung S, Brian D (1989) Coronavirus subgenomic minus-strand RNAs and the potential for mRNA replicons. *Proc.Natl.Acad.Sci.U.S.A.* 86: 5626-5630.
175. Sawicki D, Wang T, Sawicki S (2001) The RNA structures engaged in replication and transcription of the A59 strain of mouse hepatitis virus. *J.Gen.Virol.* 82: 385-396.
176. Stollar B, Stollar V (1970) Immunofluorescent demonstration of double-stranded RNA in the cytoplasm of Sindbis virus-infected cells. *Virology* 42: 276-280.
177. Weber F, Wagner V, Rasmussen S, Hartmann R, Paludan S (2006) Double-stranded RNA is produced by positive-strand RNA viruses and DNA viruses but not in detectable amounts by negative-strand RNA viruses. *J.Virol.* 80: 5059-5064.
178. Targett-Adams P, Boulant S, McLauchlan J (2008) Visualization of double-stranded RNA in cells supporting hepatitis C virus RNA replication. *J.Virol.* 82:2182-95.
179. Schonborn J, Oberstrass J, Breyel E, Tittgen J, Schumacher J, et al. (1991) Monoclonal antibodies to double-stranded RNA as probes of RNA structure in crude nucleic acid extracts. *Nucleic Acids Res.* 19: 2993-3000.
180. Wileman T (2006) Aggresomes and autophagy generate sites for virus replication. *Science* 312: 875-878.
181. Bost A, Prentice E, Denison M (2001) Mouse hepatitis virus replicase protein complexes are translocated to sites of M protein accumulation in the ERGIC at late times of infection. *Virology* 285: 21-29.
182. Sparks J, Lu X, Denison M (2007) Genetic analysis of Murine hepatitis virus nsp4 in virus replication. *J.Virol.* 81: 12554-12563.
183. Kutik S, Guiard B, Meyer H, Wiedemann N, Pfanner N (2007) Cooperation of translocase complexes in mitochondrial protein import. *J.Cell Biol.* 179: 585-591.
184. Endo T, Yamamoto H, Esaki M (2003) Functional cooperation and separation of translocators in protein import into mitochondria, the double-membrane bounded organelles. *J.Cell Sci* 116: 3259-3267.
185. Egger D, Bienz K (2005) Intracellular location and translocation of silent and active poliovirus replication complexes. *J.Gen.Virol.* 86: 707-718.
186. Jackson W, Giddings T, Taylor M, Mulinyawe S, Rabinovitch M, et al. (2005) Subversion of cellular autophagosomal machinery by RNA viruses. *PLoS Biol.* 3: 861-871.
187. Miyanari Y, Atsuzawa K, Usuda N, Watashi K, Hishiki T, et al. (2007) The lipid droplet is an important organelle for hepatitis C virus production. *Nat.Cell Biol.* 9: 1089-1097.
188. van Hemert M, van den Worm S, Knoops K, Mommaas A, Gorbalenya A, et al. (2008) SARS-coronavirus replication/transcription complexes are membrane-enclosed and need a host factor for activity *in vitro*. *PLoS Pathog.* 4: e1000054.
189. Westaway E, Khromykh A, Mackenzie J (1999) Nascent flavivirus RNA colocalized in situ with double-stranded RNA in stable replication complexes. *Virology* 258: 108-117.
190. Versteeg G, Spaan W (2008) Host cell responses to coronavirus infections. *Nidoviruses*. Washington, D.C.: ASM Press. pp. 245-258.
191. Versteeg G, Bredenbeek P, van den Worm S, Spaan W (2007) Group 2 coronaviruses prevent immediate early interferon induction by protection of viral RNA from host cell recognition. *Virology* 361: 18-26.
192. Zhou H, Perlman S (2007) Mouse hepatitis virus does not induce Beta interferon synthesis and does not inhibit its induction by double-stranded RNA. *J.Virol.* 81: 568-574.

193. Roth-Cross J, Martinez-Sobrido L, Scott E, Garcia-Sastre A, Weiss S (2007) Inhibition of the alpha/beta interferon response by mouse hepatitis virus at multiple levels. *J.Virol.* 81: 7189-7199.
194. Kremer J, Mastrorade D, McIntosh J (1996) Computer visualization of three-dimensional image data using IMOD. *J.Struct.Biol.* 116: 71-76.
195. Martone M, Tran J, Wong W, Sargis J, Fong L, et al. (2008) The cell centered database project: an update on building community resources for managing and sharing 3D imaging data. *J.Struct.Biol.* 161: 220-231.
196. Frangakis A, Hegerl R (2001) Noise reduction in electron tomographic reconstructions using nonlinear anisotropic diffusion. *J.Struct.Biol.* 135: 250.
197. Perlman S, Netland J (2009) Coronaviruses post-SARS: update on replication and pathogenesis. *Nat. Rev. Microbiol* 7: 439-450.
198. Knoops K, Kikkert M, van den Worm S, Zevenhoven-Dobbe J, van der Meer Y, et al. (2008) SARS-coronavirus replication is supported by a reticulovesicular network of modified endoplasmic reticulum. *PLoS Biol.* 6: e226.
199. Egger D, Teterina N, Ehrenfeld E, Bienz K (2000) Formation of the poliovirus replication complex requires coupled viral translation, vesicle production, and viral RNA synthesis [In Process Citation]. *J.Virol.* 74: 6570-6580.
200. Gazina E, Mackenzie J, Gorrell R, Anderson D (2002) Differential requirements for COPI coats in formation of replication complexes among three genera of Picornaviridae. *J.Virol.* 76: 11113-11122.
201. Donaldson JG, Finazzi D, Klausner RD (1992) Brefeldin A inhibits Golgi membrane-catalysed exchange of guanine nucleotide onto ARF protein. *Nature* 360: 350-352.
202. Lippincott-Schwartz J, Yuan LC, Bonifacino JS, Klausner RD (1989) Rapid redistribution of Golgi proteins into the ER in cells treated with brefeldin A: evidence for membrane cycling from Golgi to ER. *Cell* 56: 801-813.
203. Mossessova E, Corpina RA, Goldberg J (2003) Crystal structure of ARF1*Sec7 complexed with Brefeldin A and its implications for the guanine nucleotide exchange mechanism. *Mol. Cell* 12: 1403-1411.
204. Orci L, Stamnes M, Ravazzola M, Amherdt M, Perrelet A, et al. (1997) Bidirectional transport by distinct populations of COPI-coated vesicles. *Cell* 90: 335-349.
205. Cuconati A, Molla A, Wimmer E (1998) Brefeldin A inhibits cell-free, de novo synthesis of poliovirus. *J. Virol* 72: 6456-6464.
206. Irurzun A, Perez L, Carrasco L (1992) Involvement of membrane traffic in the replication of poliovirus genomes: effects of brefeldin A. *Virology* 191: 166-175.
207. Maynell L, Kirkegaard K, Klymkowsky M (1992) Inhibition of poliovirus RNA synthesis by brefeldin A. *J.Virol.* 66: 1985-1994.
208. O'Donnell VK, Pacheco JM, Henry TM, Mason PW (2001) Subcellular distribution of the foot-and-mouth disease virus 3A protein in cells infected with viruses encoding wild-type and bovine-attenuated forms of 3A. *Virology* 287: 151-162.
209. Doedens J, Kirkegaard K (1995) Inhibition of cellular protein secretion by poliovirus proteins 2B and 3A. *EMBO J.* 14: 894-907.
210. Wessels E, Duijsings D, Lanke K, Melchers W, Jackson C, et al. (2007) Molecular determinants of the interaction between coxsackievirus protein 3A and guanine nucleotide exchange factor GBF1. *J.Virol.* 81: 5238-5245.
211. Wessels E, Duijsings D, Niu T, Neumann S, Oorschot V, et al. (2006) A viral protein that blocks Arf1-mediated COP-I assembly by inhibiting the guanine nucleotide exchange factor GBF1. *Dev.Cell* 11: 191-201.

212. Belov GA, Feng Q, Nikovics K, Jackson CL, Ehrenfeld E (2008) A critical role of a cellular membrane traffic protein in poliovirus RNA replication. *PLoS Pathog* 4: e1000216.
213. Görlich D, Prehn S, Hartmann E, Kalies KU, Rapoport TA (1992) A mammalian homolog of SEC61p and SECYp is associated with ribosomes and nascent polypeptides during translocation. *Cell* 71: 489-503.
214. Vasudevan C, Han W, Tan Y, Nie Y, Li D, et al. (1998) The distribution and translocation of the G protein ADP-ribosylation factor 1 in live cells is determined by its GTPase activity. *J. Cell. Sci* 111 (Pt 9): 1277-1285.
215. Zhang CJ, Rosenwald AG, Willingham MC, Skuntz S, Clark J, et al. (1994) Expression of a dominant allele of human ARF1 inhibits membrane traffic in vivo. *J. Cell Biol* 124: 289-300.
216. Dascher C, Balch WE (1994) Dominant inhibitory mutants of ARF1 block endoplasmic reticulum to Golgi transport and trigger disassembly of the Golgi apparatus. *J. Biol. Chem* 269: 1437-1448.
217. Dascher C, Matteson J, Balch WE (1994) Syntaxin 5 regulates endoplasmic reticulum to Golgi transport. *J. Biol. Chem* 269: 29363-29366.
218. Fujiwara T, Oda K, Yokota S, Takatsuki A, Ikehara Y (1988) Brefeldin A causes disassembly of the Golgi complex and accumulation of secretory proteins in the endoplasmic reticulum. *J. Biol. Chem* 263: 18545-18552.
219. Misumi Y, Misumi Y, Miki K, Takatsuki A, Tamura G, et al. (1986) Novel blockade by brefeldin A of intracellular transport of secretory proteins in cultured rat hepatocytes. *J. Biol. Chem* 261: 11398-11403.
220. Füllekrug J, Sönnichsen B, Schäfer U, Nguyen Van P, Söling HD, et al. (1997) Characterization of brefeldin A induced vesicular structures containing cycling proteins of the intermediate compartment/cis-Golgi network. *FEBS Lett* 404: 75-81.
221. Deitz SB, Dodd DA, Cooper S, Parham P, Kirkegaard K (2000) MHC I-dependent antigen presentation is inhibited by poliovirus protein 3A. *Proc. Natl. Acad. Sci. U.S.A* 97: 13790-13795.
222. Dodd DA, Giddings TH, Kirkegaard K (2001) Poliovirus 3A protein limits interleukin-6 (IL-6), IL-8, and beta interferon secretion during viral infection. *J. Virol* 75: 8158-8165.
223. Brabec-Zaruba M, Berka U, Blaas D, Fuchs R (2007) Induction of autophagy does not affect human rhinovirus type 2 production. *J. Virol* 81: 10815-10817.
224. Taylor MP, Kirkegaard K (2008) Potential subversion of autophagosomal pathway by picornaviruses. *Autophagy* 4: 286-289.
225. Wong J, Zhang J, Si X, Gao G, Mao I, et al. (2008) Autophagosome supports coxsackievirus B3 replication in host cells. *J. Virol* 82: 9143-9153.
226. Zhao Z, Thackray LB, Miller BC, Lynn TM, Becker MM, et al. (2007) Coronavirus replication does not require the autophagy gene ATG5. *Autophagy* 3: 581-585.
227. Voeltz GK, Prinz WA, Shibata Y, Rist JM, Rapoport TA (2006) A class of membrane proteins shaping the tubular endoplasmic reticulum. *Cell* 124: 573-586.
228. Tang W, Yang S, Wu B, Jheng J, Chen Y, et al. (2007) Reticulon 3 binds the 2C protein of enterovirus 71 and is required for viral replication. *J. Biol. Chem* 282: 5888-5898.
229. Vaux D, Tooze J, Fuller S (1990) Identification by anti-idiotypic antibodies of an intracellular membrane protein that recognizes a mammalian endoplasmic reticulum retention signal. *Nature* 345: 495-502.
230. Tang BL, Peter F, Krijnse-Locker J, Low SH, Griffiths G, et al. (1997) The mammalian homolog of yeast Sec13p is enriched in the intermediate compartment and is essential for protein transport from the endoplasmic reticulum to the Golgi apparatus. *Mol. Cell. Biol* 17: 256-266.

231. Laemli U (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685.
232. Li Q, Lau A, Morris TJ, Guo L, Fordyce CB, et al. (2004) A syntaxin 1, Galpha(o), and N-type calcium channel complex at a presynaptic nerve terminal: analysis by quantitative immunocolocalization. *J. Neurosci* 24: 4070-4081.
233. te Velthuis A, Arnold J, Cameron C, van den Worm S, Snijder E (2010) The RNA polymerase activity of SARS-coronavirus nsp12 is primer dependent. *Nucleic Acids Res.* 38: 203-214.
234. Narayanan K, Huang C, Makino S (2008) SARS coronavirus accessory proteins. *Virus Res* 133: 113-121.
235. Ulasli M, Verheije MH, de Haan CAM, Reggiori F (2010) Qualitative and quantitative ultrastructural analysis of the membrane rearrangements induced by coronavirus. *Cell. Microbiol* 12: 844-861.
236. Carette J, Stuiver M, Van Lent J, Wellink J, Van Kammen A (2000) Cowpea mosaic virus infection induces a massive proliferation of endoplasmic reticulum but not Golgi membranes and is dependent on *de novo* membrane synthesis. *J.Virol.* 74: 6556-6563.
237. Miller D, Schwartz M, Dye B, Ahlquist P (2003) Engineered retargeting of viral RNA replication complexes to an alternative intracellular membrane. *J.Virol.* 77: 12193-12202.
238. Peranen J, Laakkonen P, Hyvonen M, Kaariainen L (1995) The alphavirus replicase protein nsP1 is membrane-associated and has affinity to endocytic organelles. *Virology* 208: 610-620.
239. Sawicki SG, Sawicki DL (1986) Coronavirus minus-strand RNA synthesis and effect of cycloheximide on coronavirus RNA synthesis. *J. Virol* 57: 328-334.
240. Knoops K, Swett-Tapia C, van den Worm SHE, Te Velthuis AJW, Koster AJ, et al. (2010) Integrity of the early secretory pathway promotes, but is not required for, severe acute respiratory syndrome coronavirus RNA synthesis and virus-induced remodeling of endoplasmic reticulum membranes. *J. Virol* 84: 833-846.
241. Puhka M, Vihinen H, Joensuu M, Jokitalo E (2007) Endoplasmic reticulum remains continuous and undergoes sheet-to-tubule transformation during cell division in mammalian cells. *J. Cell Biol* 179: 895-909.
242. den Boon JA, Diaz A, Ahlquist P (2010) Cytoplasmic viral replication complexes. *Cell Host Microbe* 8: 77-85.
243. Lee J, Marshall J, Bowden D (1994) Characterization of rubella virus replication complexes using antibodies to double-stranded RNA. *Virology* 200: 307-312.
244. Schwartz M, Chen J, Janda M, Sullivan M, den Boon J, et al. (2002) A positive-strand RNA virus replication complex parallels form and function of retrovirus capsids. *Mol.Cell* 9: 505-514.
245. Snijder E, Spaan W (2006) Arteriviruses. *Fields Virology*. Philadelphia, Pa.: Lippincott, Williams & Wilkins. pp. 1337-1355.
246. Fang Y, Snijder EJ (2010) The PRRSV replicase: exploring the multifunctionality of an intriguing set of nonstructural proteins. *Virus Res* 154: 61-76.
247. van Hemert M, de Wilde A, Gorbalenya A, Snijder E (2008) The in vitro RNA synthesizing activity of the isolated arterivirus replication/transcription complex is dependent on a host factor. *J.Biol.Chem.* 283: 16525-16536.
248. Manders E, Verbeek F, Aten J (1993) Measurement of co-localization of objects in dual color confocal images. *Journal of Microscopy* 169: 375-382.
249. Estes P, Cheville N (1970) The ultrastructure of vascular lesions in equine viral arteritis. *Am.J.Pathol.* 58: 235-253.
250. Wada R, Fukunaga Y, Kondo T, Kanemaru T (1995) Ultrastructure and immuno-cytochemistry of BHK-21 cells infected with a modified Bucyrus strain of equine arteritis virus. *Arch.Virol.* 140: 1173-1180.

251. Stueckemann J, Holth M, Swart W, Kowalchyk K, Smith M, et al. (1982) Replication of lactate dehydrogenase-elevating virus in macrophages. 2. mechanism of persistent infection in mice and cell culture. *J.Gen.Virol.* 59: 263-272.
252. Molenkamp R, van Tol H, Rozier B, van der Meer Y, Spaan W, et al. (2000) The arterivirus replicase is the only viral protein required for genome replication and subgenomic mRNA transcription. *J.Gen. Virol.* 81: 2491-2496.
253. Wassenaar A, Spaan W, Gorbalenya A, Snijder E (1997) Alternative proteolytic processing of the arterivirus replicase ORF1a polyprotein: evidence that NSP2 acts as a cofactor for the NSP4 serine protease. *J.Virol.* 71: 9313-9322.
254. Hinners I, Moschner J, Nolte N, Hille-Rehfeld A (1999) The orientation of membrane proteins determined in situ by immunofluorescence staining. *Anal. Biochem* 276: 1-7.
255. Schrodt S, Koch J, Tampé R (2006) Membrane topology of the transporter associated with antigen processing (TAP1) within an assembled functional peptide-loading complex. *J. Biol. Chem* 281: 6455-6462.
256. You HX, Lowe CR (1996) AFM Studies of Protein Adsorption: 2. Characterization of Immunoglobulin G Adsorption by Detergent Washing. *Journal of Colloid and Interface Science* 182: 586-601.
257. Leapman R, Aronova M (2007) Localizing specific elements bound to macromolecules by EFTEM. *Methods Cell Biol.* 79: 593-613.
258. Aronova MA, Kim YC, Harmon R, Sousa AA, Zhang G, et al. (2007) Three-dimensional elemental mapping of phosphorus by quantitative electron spectroscopic tomography (QuEST). *J. Struct. Biol* 160: 35-48.
259. Eskiw CH, Rapp A, Carter DRF, Cook PR (2008) RNA polymerase II activity is located on the surface of protein-rich transcription factories. *J. Cell. Sci* 121: 1999-2007.
260. Ahmed K, Li R, Bazett-Jones DP (2009) Electron spectroscopic imaging of the nuclear landscape. *Methods Mol. Biol* 464: 415-423.
261. Belin S, Hacot S, Daudignon L, Therizols G, Pourpe S, et al. (2010) Purification of ribosomes from human cell lines. *Curr Protoc Cell Biol* Chapter 3: Unit 3.40.
262. Svoboda D, Nielson A, Werber A, Higginson J (1962) An electron microscopic study of viral hepatitis in mice. *Am. J. Pathol* 41: 205-224.
263. Reggiori F, Monastyrska I, Verheije MH, Cali T, Ulasli M, et al. (2010) Coronaviruses Hijack the LC3-I-positive EDEMosomes, ER-derived vesicles exporting short-lived ERAD regulators, for replication. *Cell Host Microbe* 7: 500-508.
264. Zeegers J, van der Zeijst B, Horzinek M (1976) The structural proteins of equine arteritis virus. *Virology* 73: 200-205.
265. deVries A, Chirnside E, Horzinek M, Rottier P (1992) Structural proteins of equine arteritis virus. *J.Virol.* 66: 6294-6303.
266. Magnusson P, Hyllseth B, Marusyk H (1970) Morphological studies on equine arteritis virus. *Arch. Gesamte Virusforsch.* 30: 105-112.
267. Dea S, Sawyer N, Alain R, Athanaseous R (1995) Ultrastructural characteristics and morphogenesis of porcine reproductive and respiratory syndrome virus propagated in the highly permissive MARC-145 cell clone. *Adv.Exp.Med.Biol.* 380: 95-98.
268. Spilman MS, Welbon C, Nelson E, Dokland T (2009) Cryo-electron tomography of porcine reproductive and respiratory syndrome virus: organization of the nucleocapsid. *J. Gen. Virol* 90: 527-535.
269. Bamunusinghe D, Seo J, Rao ALN (2011) Subcellular localization and rearrangement of endoplasmic reticulum by brome mosaic virus capsid protein. *J. Virol* 85: 2953-2963.

270. Doll E, Bryans J, McCollum W, Crowe M (1957) Isolation of a filterable agent causing arteritis of horses and abortion by mares. Its differentiation from the equine abortion (influenza) virus. *Cornell Vet.* 47: 3-41.
271. Maclachlan N, Balasuriya U, Hedges J, Schweidler T, McCollum W, et al. (1998) Serologic response of horses to the structural proteins of equine arteritis virus. *J.Vet.Diagn.Investig.* 10: 229-236.
272. Mastrorarde DN (2005) Automated electron microscope tomography using robust prediction of specimen movements. *J. Struct. Biol* 152: 36-51.
273. Ng DT, Brown JD, Walter P (1996) Signal sequences specify the targeting route to the endoplasmic reticulum membrane. *J. Cell Biol* 134: 269-278.
274. Meyer HA, Grau H, Kraft R, Kostka S, Prehn S, et al. (2000) Mammalian Sec61 is associated with Sec62 and Sec63. *J. Biol. Chem* 275: 14550-14557.
275. Mothes W, Heinrich SU, Graf R, Nilsson I, von Heijne G, et al. (1997) Molecular Mechanism of Membrane Protein Integration into the Endoplasmic Reticulum. *Cell* 89: 523-533.
276. Caligiuri L, Tamm I (1969) Membranous structures associated with translation and transcription of poliovirus RNA. *Science* 166: 885-886.
277. Roumiantzeff M, Summers DF, Maizel JV (1971) In vitro protein synthetic activity of membrane-bound poliovirus polyribosomes. *Virology* 44: 249-258.
278. Almsharqi ZA, McLachlan CS, Mossop P, Knoops K, Deng Y (2005) Direct template matching reveals a host subcellular membrane gyroid cubic structure that is associated with SARS virus. *Redox Rep* 10: 167-171.
279. Almsharqi ZA, Kohlwein SD, Deng Y (2006) Cubic membranes: a legend beyond the Flatland* of cell membrane organization. *J. Cell Biol* 173: 839-844.
280. Hu J, Shibata Y, Voss C, Shemesh T, Li Z, et al. (2008) Membrane proteins of the endoplasmic reticulum induce high-curvature tubules. *Science* 319: 1247-1250.
281. de Haan CAM, Reggiori F (2008) Are nidoviruses hijacking the autophagy machinery? *Autophagy* 4: 276-279.
282. Kanehara K, Kawaguchi S, Ng DTW (2007) The EDEM and Yos9p families of lectin-like ERAD factors. *Semin. Cell Dev. Biol* 18: 743-750.
283. Zuber C, Cormier JH, Guhl B, Santimaria R, Hebert DN, et al. (2007) EDEM1 reveals a quality control vesicular transport pathway out of the endoplasmic reticulum not involving the COPII exit sites. *Proc. Natl. Acad. Sci. U.S.A* 104: 4407-4412.
284. Cali T, Galli C, Olivari S, Molinari M (2008) Segregation and rapid turnover of EDEM1 by an autophagy-like mechanism modulates standard ERAD and folding activities. *Biochem. Biophys. Res. Commun* 371: 405-410.
285. Berger KL, Cooper JD, Heaton NS, Yoon R, Oakland TE, et al. (2009) Roles for endocytic trafficking and phosphatidylinositol 4-kinase III alpha in hepatitis C virus replication. *Proc. Natl. Acad. Sci. U.S.A* 106: 7577-7582.
286. Hsu N, Ilnytska O, Belov G, Santiana M, Chen Y, et al. (2010) Viral reorganization of the secretory pathway generates distinct organelles for RNA replication. *Cell* 141: 799-811.
287. Bergersen LH, Storm-Mathisen J, Gundersen V (2008) Immunogold quantification of amino acids and proteins in complex subcellular compartments. *Nat. Protocols* 3: 144-152.
288. Nilsson M, Malmgren H, Samiotaki M, Kwiatkowski M, Chowdhary BP, et al. (1994) Padlock probes: circularizing oligonucleotides for localized DNA detection. *Science* 265: 2085-2088.
289. Nilsson M, Antson DO, Barbany G, Landegren U (2001) RNA-templated DNA ligation for transcript analysis. *Nucleic Acids Res* 29: 578-581.

290. Lizardi PM, Huang X, Zhu Z, Bray-Ward P, Thomas DC, et al. (1998) Mutation detection and single-molecule counting using isothermal rolling-circle amplification. *Nat. Genet* 19: 225-232.
291. Thomas DC, Nardone GA, Randall SK (1999) Amplification of padlock probes for DNA diagnostics by cascade rolling circle amplification or the polymerase chain reaction. *Arch. Pathol. Lab. Med* 123: 1170-1176.
292. Landegren U, Nilsson M, Gullberg M, Söderberg O, Jarvius M, et al. (2004) Prospects for in situ analyses of individual and complexes of DNA, RNA, and protein molecules with padlock and proximity probes. *Methods Cell Biol* 75: 787-797.
293. van den Born E, Posthuma C, Knoops K, Snijder E (2007) An infectious recombinant equine arteritis virus expressing green fluorescent protein from its replicase gene. *J.Gen.Virol.* 88: 1196-1205.
294. van Driel LF, Valentijn JA, Valentijn KM, Koning RI, Koster AJ (2009) Tools for correlative cryo-fluorescence microscopy and cryo-electron tomography applied to whole mitochondria in human endothelial cells. *Eur. J. Cell Biol* 88: 669-684.
295. Agronskaia AV, Valentijn JA, van Driel LF, Schneijdenberg CTWM, Humbel BM, et al. (2008) Integrated fluorescence and transmission electron microscopy. *J. Struct. Biol* 164: 183-189.
296. Heintzmann R, Ficz G (2006) Breaking the resolution limit in light microscopy. *Brief Funct Genomic Proteomic* 5: 289-301.
297. Henriques R, Mhlanga MM (2009) PALM and STORM: what hides beyond the Rayleigh limit? *Biotechnol J* 4: 846-857.
298. Toomre D, Bewersdorf J (2010) A new wave of cellular imaging. *Annu. Rev. Cell Dev. Biol* 26: 285-314.

