



Universiteit
Leiden
The Netherlands

Anti-citrullinated protein antibodies (ACPA) in rheumatoid arthritis : linking genetic predisposition to clinical outcome

Woude, D. van der

Citation

Woude, D. van der. (2012, March 1). *Anti-citrullinated protein antibodies (ACPA) in rheumatoid arthritis : linking genetic predisposition to clinical outcome*. Retrieved from <https://hdl.handle.net/1887/18551>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/18551>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/18551> holds various files of this Leiden University dissertation.

Author: Woude, Diane van der

Title: Anti-citrullinated protein antibodies (ACPA) in rheumatoid arthritis : linking genetic predisposition to clinical outcome

Issue Date: 2012-03-01

**Anti-citrullinated protein
antibodies (ACPA) in
rheumatoid arthritis - linking
genetic predisposition
to clinical outcome**

The research described in this thesis was supported by an AGIKO grant from



The printing of this thesis was financially supported by Abbott BV,
Euro-Diagnostica, Janssen Biologics BV, the J.E. Jurriaanse foundation,
Merck Sharp & Dohme BV, Pfizer BV, Phadia BV, the Dutch Arthritis Association
(het Reumafonds), Roche Nederland BV, Teva Pharma BV en UCB Pharma BV.

Front cover: *Mother and Children (La Promenade)* by Pierre-August Renoir, reproduced with kind permission of The Frick Collection, Copyright The Frick Collection, New York City, NY, USA.
Back cover: Pierre-August Renoir, Hulton Archive/Getty Images.

Graphic design and printing: Optima Grafische Communicatie

ISBN: 978-94-6169-143-9

Anti-citrullinated protein antibodies (ACPA) in rheumatoid arthritis - linking genetic predisposition to clinical outcome

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. P.F. van der Heijden,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 1 maart 2012
klokke 15.00 uur

door

Diane van der Woude

geboren te Groningen
in 1979

Promotiecommissie

Promotores: Prof. dr. T.W.J. Huizinga
Prof. dr. R.E.M. Toes

Overige leden: Prof. dr. J.J. Houwing-Duistermaat
Prof. dr. F. Koning
Dr. D.J. van Schaardenburg, (Reade, Amsterdam)
Prof. dr. J.J.G.M. Verschuur
Prof. dr. R.R.P. de Vries



Johann Sebastian Bach
Prélude, Cello-suite nr. 2

TABLE OF CONTENTS

CHAPTER 1	Introduction	9
<hr/>		
PART I	RISK FACTORS FOR AND HERITABILITY OF RHEUMATOID ARTHRITIS	
CHAPTER 2	Protection against ACPA-positive RA is predominantly associated with HLA DRB1*1301. A meta-analysis of HLA-DRB1 associations with ACPA-positive and ACPA-negative rheumatoid arthritis in four European populations. <i>Arthritis Rheum.</i> 2010 May; 62(5): 1236-45	33
CHAPTER 3	Quantitative heritability of ACPA-positive and ACPA-negative rheumatoid arthritis. <i>Arthritis Rheum.</i> 2009 Apr; 60(4): 916-23	53
CHAPTER 4	The contribution of genetic risk factors other than the HLA shared epitope alleles to the genetic variance of rheumatoid arthritis. Manuscript in preparation	67
CHAPTER 5	Is alcohol consumption truly protective for developing rheumatoid arthritis? Submitted	83
<hr/>		
PART II	CHARACTERISTICS OF ACPA	
CHAPTER 6	Glycan profiling of ACPA isolated from human serum and synovial fluid. <i>Arthritis Rheum.</i> 2010 Jun; 62(6): 1620-9	99
CHAPTER 7	The ACPA isotype profile reflects long-term radiographic progression in rheumatoid arthritis. <i>Ann Rheum Dis.</i> 2010 Jun; 69(6): 1110-6	117
CHAPTER 8	Epitope spreading of the ACPA response occurs before disease onset and is associated with the disease course of early arthritis. <i>Ann Rheum Dis.</i> 2010 Aug; 69(8): 1554-61	133

CHAPTER 9	Distinct ACPA fine-specificities, formed under the influence of HLA shared epitope alleles, have no effect on radiographic joint damage in rheumatoid arthritis.	147
	Ann Rheum Dis. 2011 Aug; 70(8): 1461-4	
CHAPTER 10	Gene-environment interaction influences the reactivity of autoantibodies to citrullinated antigens in rheumatoid arthritis.	157
	Nat Genet. 2010 Oct; 42(10): 814-6	
CHAPTER 11	The interaction between HLA SE alleles and smoking and its contribution to autoimmunity against several citrullinated antigens.	163
	Arthritis Rheum. 2011 Jul; 63(7): 1823-32	
CHAPTER 12	Value of anti-modified citrullinated vimentin and third-generation anti-cyclic citrullinated peptide compared with second-generation anti-cyclic citrullinated peptide and rheumatoid factor in predicting disease outcome in undifferentiated arthritis and rheumatoid arthritis.	183
	Arthritis Rheum. 2009 Aug; 60(8):2232-41	

PART III REMISSION

CHAPTER 13	Prevalence of and predictive factors for sustained disease-modifying antirheumatic drug-free remission in rheumatoid arthritis. Results from two large early arthritis cohorts.	203
	Arthritis Rheum. 2009 Aug; 60(8): 2262-71	
CHAPTER 14	Sustained drug-free remission in rheumatoid arthritis after DAS-driven or non-DAS-driven therapy: a comparison of two cohort studies.	221
	Rheumatology (Oxford) in press	
CHAPTER 15	Summary and discussion	237
CHAPTER 16	Nederlandse samenvatting	261
	Curriculum Vitae	273
	List of publications	274
	Dankwoord	278

