



Universiteit
Leiden
The Netherlands

Reading the dental record : a dental anthropological approach to foodways, health and disease, and crafting in the pre-Columbian Caribbean

Mickleburgh, H.L.

Citation

Mickleburgh, H. L. (2013, September 26). *Reading the dental record : a dental anthropological approach to foodways, health and disease, and crafting in the pre-Columbian Caribbean*. Retrieved from <https://hdl.handle.net/1887/21791>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/21791>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/21791> holds various files of this Leiden University dissertation.

Author: Mickleburgh, Hayley Louise

Title: Reading the dental record : a dental anthropological approach to foodways, health and disease, and crafting in the pre-Columbian Caribbean

Issue Date: 2013-09-26

READING THE DENTAL RECORD
A Dental Anthropological Approach to Foodways, Health and Disease,
and Crafting in the pre-Columbian Caribbean

Proefschrift
ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op 26 september 2013
klokke 10:00 uur

door
Hayley Louise Mickleburgh
geboren te Poole, Dorset, England
in 1984

Promotor:

Prof. dr. C.L. Hofman (Universiteit Leiden)

Co-promotoren:

Dr. M.L.P. Hoogland (Universiteit Leiden)

Dr. D.A. Weston (University of British Columbia)

Overige leden:

Prof. dr. A. Coppa (University of Rome La Sapienza)

Prof. dr. A.L. van Gijn (Universiteit Leiden)

Prof. dr. M.E.R.G.N. Jansen (Universiteit Leiden)

Prof. dr. W.F. Keegan (University of Florida)

ACKNOWLEDGEMENTS

A great many people have helped and supported me throughout my PhD research, both in the development of my research and myself as a researcher, as well as on a personal level.

Foremost, thanks are due to my advisors Corinne Hofman, Menno Hoogland, and Darlene Weston, for their support and guidance, and for sharing their experience and knowledge with me during my research. I would also like to extend my gratitude to the Netherlands Organisation for Scientific Research (NWO), who made this research possible through their Toptalent grant system, sadly no longer in existence, which supports young researchers in the development of their own research project.

A number of organizations and people granted me access to dental material and kindly helped setting up my research on location: Bill Keegan, Donna Ruhl (The Florida Museum of Natural History), Kathy Martin, Roydon Lampkin (The St. Vincent and the Grenadines National Trust), Eric Milton Branford (The St. Lucia Archaeological and Historical Society), Roger Colten, Maureen DaRos, Rebekah DeAngelo (Peabody Museum, Yale), Jorge Ulloa Hung, Cristhian Martínez Villanueva, Clenis Tavaréz María (El Museo Del Hombre Dominicano, Santo Domingo, Dominican Republic), Roberto Valcárcel Rojas, Elena Guarch Rodríguez, Lourdes Pérez Iglesias, Marcos Labrada Ochoa, Ileana Rodríguez Pisonero, Pedro Cruz Ramírez (Centro de Investigaciones y Servicios Ambientales y Tecnológicos, Holguín, Cuba), Peter Siegel (Montclair State University, New Jersey), Mike Roca (El Vocero, San Juan), Edwin Crespo Torres Laboratorio de Antropología Forense y Bioarqueología, Universidad de Puerto Rico, Río Piedras), Mary K. Sandford, Graeham Wright (The Department for Anthropology, University of North Carolina, Greensboro), Richard Callaghan (Department of Archaeology, University of Calgary), Iosif Moravetz (Bison Historical Services Ltd.), Raymundo Dijkhoff, Harold Kelley, Hiram Angela (The Archaeological Museum of Aruba), and Jay Haviser (SIMARC; island archaeologist St. Martin).

I am very grateful to Aad Boomert for frequently providing me with comments and advice, to Adriana Churampi for helping me get to grips with 16th century Spanish sources, and to all my other friends and colleagues in the Caribbean Research Group who have helped me along the way. Thanks to Anne van Duijvenbode, Rachels Schats, and Sebastiaan Knippenberg for fun times working on collections together in Cuba, the Dominican Republic, Puerto Rico, St. Lucia, and Aruba. Many thanks to Pepijn van der Linden, who designed the cover of this dissertation, and who I definitely owe a few ‘speciaalbiertjes’.

Special thanks to my friends at the Dierenambulance Leiden e.o., Carla van Steenberg, Joris van Woerkom, Hans Smit, and Marco Neuteboom, who with their down-to-earth wit and a good dose of realism have always reminded me that there is more to life than academia.

I would like to thank my parents and grandparents, who have supported me

throughout my life and education, and without whom I wouldn't be where I am today. I thank Imke van Hagen, my best friend for almost a decade, for all the good times and support over the years. And finally, I thank Angus Mol, who has been with me and supported me through all the dissertation ups and downs, and who I look forward to sharing future ups and downs with.

CONTENTS

LIST OF FIGURES	xv
LIST OF TABLES	xix
CHAPTER 1 INTRODUCTION	1
1.1 Background	1
1.2 Reading the Dental Record: introduction to the research	3
1.2.1 Foodways	3
1.2.2 Health and disease	5
1.2.3 Craft activities and production	5
1.3 Research questions	7
1.4 Key issues	8
1.5 Outline of the following chapters	9
CHAPTER 2 DENTAL ANTHROPOLOGY	11
2.1 Dental Anthropology	11
2.2 History of the field	12
2.3 Diet	13
2.3.1 Dental pathology and diet	13
Caries	14
Calculus	16
AMTL	19
2.3.2 Dental wear and diet	20
Macrowear	20
Direction and shape of occlusal wear	22
Hypercementosis	24
2.3.3 Dental erosion and diet	25
2.4 Health and Disease	26
2.4.1 Developmental defects	26
Enamel hypoplasia	26
Specific disease related defects	27
Opacities	27
Discolouration	28
2.5 Cultural practices	28
2.5.1 Teeth as tools	28
Grooves/notches	30
Dental chipping	30
LSAMAT	32
Microwear	33
2.5.2 Intentional Dental Modification	34
Therapeutic treatment	35

2.5.3 Other non-alimentary modifications	35
Bruxism	36
2.6 Dental anthropology and archaeology	37
2.6.1 Dental anthropology and Caribbean archaeology	38
CHAPTER 3 THE PRE-COLUMBIAN CARIBBEAN: FOODWAYS, HEALTH AND DISEASE, AND CRAFTING	41
3.1 Introduction	41
3.2 Geography, Geology, and Climate	42
3.3 Caribbean Prehistory	43
3.3.1 Social organization in the pre-Columbian Caribbean	45
3.4 Food and Subsistence in the pre-Columbian Caribbean	46
3.4.1 Fauna	50
Lithic/Archaic Age	50
Ceramic Age	50
Contact period	51
3.4.2 Flora	52
Lithic/Archaic Age	52
Ceramic Age	54
Contact period	56
3.5 Health and disease in the pre-Columbian Caribbean	57
3.6 Craft activities in the pre-Columbian Caribbean	59
CHAPTER 4 APPROACH & METHODS	63
4.1 Approach	63
4.2 Methods of classifying	64
4.2.1 Age-at-death and biological sex estimation	64
4.2.2 Dental wear	67
Scoring dental wear	70
<i>Molnar's scoring method</i>	72
Principle axis analysis	74
Dental chipping	75
Dental notching	76
LSAMAT	77
Other	78
4.2.3 Dental pathology	78
Caries	78
Dental calculus	79
Periapical abscesses	80
AMTL	80
Hypercementosis	81
4.2.4 Dental defects	81
Enamel hypoplasia	81

Discolouration and Opacities	82
4.3 Methods of documenting	82
4.3.1 Dental notation	82
4.3.2 Standard documentation forms	83
4.3.3 Photography	83
4.3.4 Scanning Electron Microscopy (SEM)	84
4.3.5 Database	84
4.4 Methods of analysis	85
4.4.1 Sampling and representativeness	85
4.4.2 Statistical methods	87
Parametric tests	
<i>Independent samples t-test (a.k.a. unpaired samples t-test)</i>	88
<i>Dependent samples t-test (a.k.a. paired samples t-test)</i>	88
Non-parametric tests	88
<i>Mann-Whitney U test</i>	88
<i>Kruskal-Wallis test</i>	89
<i>Chi-square tests</i>	89
CHAPTER 5 MATERIALS	91
5.1 Introduction	91
5.2 Sites	91
5.2.1 Aruba	93
Canashito	93
Malmok	93
Santa Cruz	96
Savaneta	96
Tanki Flip	96
5.2.2 Antigua	97
Indian Creek	97
Mamora Bay	98
5.2.3 Bahamas	98
Clarence Town caves, Long Island	98
Gordon Hill caves, Crooked Island	99
Wemyss Bight cave, Eleuthera Island	99
5.2.4 Barbados	99
Heywoods	99
5.2.5 Cuba	100
Chorro de Maíta	100
5.2.6 Dominican Republic	101
El Cabo	101
Higüey	102

Juan Dolio	102
La Caleta	102
Punta Macao	103
5.2.7 Grenada	104
Savanne Suazey	104
Simon Beach	105
5.2.8 Guadeloupe	105
Anse à la Gourde	105
5.2.9 Haiti	107
Diale 1	107
Manigat cave, Île de la Tortue	108
5.2.10 Puerto Rico	108
Cañas	108
Collores	109
Coto	109
Esperanza, Vieques	110
Hacienda Grande	110
La Mina, Vieques	111
Maisabel	111
María de la Cruz cave	113
Monserrate	113
Punta Candeleró	114
Santa Elena (Toa Baja 2)	115
Santa Isabel (Cayito)	115
Yauco 1	116
5.2.11 Saba	116
Kelbey's Ridge 2	116
Spring Bay 1c	117
5.2.12 St. Lucia	117
Lavoutte	117
Point de Caille	118
5.2.13 St. Thomas, U.S. Virgin Islands	119
Tutu	119
5.2.14 St. Vincent	120
Argyle	120
Argyle 2	121
Buccament West	121
Escape	121
5.2.15 Trinidad	122
Manzanilla	122
5.2.16 Venezuela	124
Saladero	124
Tocorón	124

5.3 Samples for Scanning Electron Microscopy	124
5.4 Chronological, sociopolitical, and geographical comparisons	125
CHAPTER 6 RESULTS	129
6.1 Introduction	129
6.2 Preservation and completeness	129
6.3 Dental wear	132
6.3.1 Macrowear	132
Rate of wear	132
<i>Chronological comparisons</i>	135
<i>Sex-based comparisons</i>	135
Direction of wear	126
<i>Chronological comparisons</i>	137
<i>Sex-based comparisons</i>	139
Occlusal surface shape	141
<i>Chronological comparisons</i>	142
<i>Sex-based comparisons</i>	143
<i>Extremely flat and horizontal wear</i>	145
Juvenile dental wear	145
<i>Site comparisons</i>	147
Intentional Dental Modification	148
6.3.2 Dental chipping	149
Chipping prevalence	150
Chronological comparisons	153
Sex-based comparisons	154
Intra-site comparisons	155
Chipping location	159
<i>Dental arch</i>	159
<i>Tooth crown</i>	161
Degree of chipping	161
Gross localized chipping	163
6.3.3 LSAMAT	167
Type 1	167
Type 2	168
Surface Striations	168
LSAMAT frequency	169
<i>Frequency per type</i>	170
LSAMAT and caries rate	171
Chronological comparisons	172
Sex-based comparisons	172
6.3.4 Non-alimentary tooth use: <i>teeth as tools</i>	173
Sex-based comparisons	173
Chronological comparisons	176

Provenience and non-alimentary wear	176
Types of non-alimentary wear	177
<i>Type 1: lingual wear of the lower incisors</i>	177
<i>Type 2: Disproportionate wear between anterior and posterior teeth</i>	177
<i>Type 3: Notching / grooving of the anterior teeth</i>	178
<i>Type 4: Buccal wear</i>	178
<i>Type 5: Singular cases</i>	179
6.3.5 Microwear	182
Non-alimentary wear	185
<i>Punta Macao 1</i>	185
<i>Punta Macao 11</i>	192
LSAMAT	196
<i>Anse à la Gourde 430</i>	196
<i>Spring Bay 1C individual 1</i>	200
6.4 Dental pathology	202
6.4.1 Caries	202
Caries prevalence	202
Chronological comparisons	209
Sex-based comparisons	210
Intra-site comparisons	211
Caries location	216
6.4.2 Dental calculus	216
Chronological comparisons	217
Sex-based comparisons	218
Unusual calculus deposits	219
<i>Argyle 2 individual 3</i>	219
<i>Escape 17</i>	219
<i>Manzanilla 255A</i>	220
<i>Manzanilla 267-269</i>	220
<i>Manzanilla 291</i>	221
<i>Punta Candelerero 54</i>	222
<i>Punta Candelerero 56</i>	222
<i>Punta Macao 2</i>	222
6.4.3 Periapical abscesses	222
Sex-based differences	223
6.4.4 AMTL	223
AMTL prevalence	223
Chronological comparisons	226
Sex-based comparisons	228
Intra-site comparisons	228
6.4.5 Hypercementosis	231
6.4.6 Juvenile pathology	232

Caries	233
Caries Location	234
<i>Rampant caries</i>	234
Dental calculus	234
Periapical abscesses	235
AMTL	235
Hypercementosis	235
6.5 Dental defects	235
6.5.1 Enamel hypoplasia	235
Chronological comparisons	237
Sex-based comparisons	237
Juvenile enamel hypoplasia	237
6.5.2 Discolouration and Opacities	237
6.6 Chronological comparisons	239
6.6.1 Early Ceramic Age versus Late Ceramic Age	239
Dental wear	239
<i>Rate of wear</i>	239
<i>Direction of wear</i>	241
<i>Occlusal surface shape</i>	241
<i>Dental chipping</i>	241
LSAMAT	242
<i>Non-alimentary tooth use: teeth as tools</i>	242
Dental Pathology	243
Caries	243
AMTL	247
Other	249
Dental Defects	249
<i>Enamel hypoplasia</i>	249
<i>Discolouration and Opacities</i>	250
6.6.2 Lesser and Southern Antilles: Early Ceramic Age versus Late Ceramic Age	250
Dental wear	250
<i>Rate of wear</i>	250
<i>Direction of wear</i>	252
<i>Occlusal surface shape</i>	252
<i>Dental chipping</i>	252
LSAMAT	252
<i>Non-alimentary tooth use: teeth as tools</i>	253
Dental Pathology	253
Caries	253
AMTL	256
Other	258
Dental Defects	259

<i>Enamel hypoplasia</i>	259
<i>Discolouration and Opacities</i>	259
CHAPTER 7 TALKIN' TEETH: DISCUSSION	261
7.1 Introduction	261
7.2 Foodways in the pre-Columbian Caribbean	261
7.2.1 Food consistency and preparation techniques	261
7.2.2 Carbohydrate consumption	264
Caries and maize	266
The 'caries attrition competition'	269
Caries inhibiting foods	270
Starches and sugars	271
Calculus	272
<i>Unusual calculus deposits</i>	273
AMTL	275
7.2.3 Sex-based differentiation: <i>male menus versus female foodways</i>	275
7.2.4 Foodways over time	279
Intra-site	279
Early Ceramic Age – Late Ceramic Age	280
Changing Lesser and Southern Antillean foodways	281
Time brings change?	282
7.3 Health and Disease in the pre-Columbian Caribbean	286
7.3.1 Dental health and disease	286
Edentulism	288
7.3.2 Sex-based differentiation: <i>his and her health</i>	289
7.3.3 Health and disease over time	290
Intra-site	290
Early Ceramic Age – Late Ceramic Age	291
Changing Lesser and Southern Antillean health and disease	291
Time heals?	292
7.4 Crafting in the pre-Columbian Caribbean	292
7.4.1 Teeth as tools	293
7.4.2 Teeth and crafting activities	297
7.4.3 Sex-based differentiation: <i>craftsmen or craftswomen?</i>	300
7.4.4 Crafting over time	300
7.5 LSAMAT, LSWMAT, LSEMAT: terminology and aetiology	301
7.5.1 A tricky terminology	302
7.5.2 Re-evaluating LSAMAT	302
7.5.3 Types of LSAMAT	303
Type 1 LSAMAT	304
Type 2 LSAMAT	304

Other 'LSAMAT'	305
7.5.4 LSAMAT or LSEMAT?	306
7.6 Individual life histories: dental evidence	311
7.6.1 Intentional Dental Modification	312
7.7 Caribbean Kids	314
CHAPTER 8 TEETH TELL TALES	319
8.1 Introduction	319
8.2 Foodways	319
8.2.1 Community foodways	320
8.2.2 Social differentiation and foodways	320
8.2.3 Changing foodways	321
8.3 Health and disease	322
8.3.1 Community health and disease	323
8.3.2 Changing health and disease	323
8.4 Craft activities	324
8.4.1 Teeth as tools	324
8.4.2 Caribbean crafting	325
8.5 Dental anthropology and individual life histories	326
8.6 Lifeways and cultural practices in the pre-Columbian Caribbean	326
8.7 Future directions	328
BIBLIOGRAPHY	331
APPENDIX A	387
APPENDIX B	404
SUMMARY	415
SAMENVATTING	423
AFTERWORD	431

LIST OF FIGURES

- Figure 1.1 Map of the Caribbean showing the sites incorporated in this.
- Figure 2.1 Caries rate per subsistence type (Turner 1979), after Lukacs (2008).
- Figure 3.1 Map of the Caribbean.
- Figure 4.1 Degree of calculus formation. After Brothwell (1981).
- Figure 4.2 FDI notation.
- Figure 5.1 Diagram depicting the chronology of the sites and skeletal remains.
- Figure 6.1 State of preservation of the dental material.
- Figure 6.2 Scatterplot of M1–M2 wear scores by site, shown with principle axes. Note differences in slope steepness.
- Figure 6.3 Scatterplot of M1–M2 wear scores by sex, shown with principle axes.
- Figure 6.4 Bar charts depicting the proportion of molars by direction of wear, for each site with at least 16 molars graded in categories 2–8.
- Figure 6.5 Proportions of direction of molar wear Maisabel: Early/Late.
- Figure 6.6 Proportions of direction of molar wear Punta Candelerero: Middle/Late.
- Figure 6.7 Proportions of direction of molar wear Tutu: Early/Late.
- Figure 6.8 Proportions of direction of molar wear Anse à la Gourde: Male/Female.
- Figure 6.9 Proportions of direction of molar wear Chorro de Maíta: Male/Female.
- Figure 6.10 Proportions of direction of molar wear Escape: Male/Female.
- Figure 6.11 Proportions of direction of molar wear Maisabel: Male/Female.
- Figure 6.12 Proportions of direction of molar wear Manzanilla: Male/Female.
- Figure 6.13 Proportions of direction of molar wear Punta Candelerero: Male/Female.
- Figure 6.14 Proportions of direction of molar wear Tutu: Male/Female.
- Figure 6.15 Bar charts depicting the proportion of molars by occlusal surface shape, for each site with at least 16 molars graded in categories 2–7.
- Figure 6.16 Proportions of molar occlusal surface shape Maisabel: Early/Late.
- Figure 6.17 Proportions of molar occlusal surface shape Punta Candelerero: Middle/Late.
- Figure 6.18 Proportions of molar occlusal surface shape Tutu: Early/Late.
- Figure 6.19 Proportions of molar occlusal surface shape Anse à a Gourde:

- Male/Female.
- Figure 6.20 Proportions of molar occlusal surface shape Chorro de Maíta: Male/Female.
- Figure 6.21 Proportions of molar occlusal surface shape Escape: Male/Female.
- Figure 6.22 Proportions of molar occlusal surface shape Maisabel: Male/Female.
- Figure 6.23 Proportions of molar occlusal surface shape Manzanilla: Male/Female.
- Figure 6.24 Proportions of molar occlusal surface shape Punta Candelero: Male/Female.
- Figure 6.25 Proportions of molar occlusal surface shape Tutu: Male/Female.
- Figure 6.26 Punta Candelero 6. Oblique occlusal/lingual view of the right mandibular molars, showing very flat and horizontal wear.
- Figure 6.27 Linear regression of mean wear scores against age.
- Figure 6.28 Chorro de Maíta individual 72B. Intentional Dental Modification of the upper incisors and canines.
- Figure 6.29 The frequency of chipping per dental element.
- Figure 6.30 The frequency of chipping per dental element for Anse à la Gourde.
- Figure 6.31 The frequency of chipping per dental element for Chorro de Maíta.
- Figure 6.32 The frequency of chipping per dental element for Maisabel.
- Figure 6.33 The frequency of chipping by anterior/posterior dentition.
- Figure 6.34 The frequency of chipping by anterior/posterior dentition for Anse à la Gourde.
- Figure 6.35 The frequency of chipping by anterior/posterior dentition for Chorro de Maíta.
- Figure 6.36 The frequency of chipping by anterior/posterior dentition for Maisabel.
- Figure 6.37 Bar charts depicting the frequencies of chipping locations (tooth crown) per site.
- Figure 6.38 The mean degree of chipping per dental element.
- Figure 6.39 The mean degree of chipping by anterior/posterior dentition.
- Figure 6.40 Punta Macao 25. Gross localized chipping of the third and fourth upper left premolars.
- Figure 6.41 Punta Candelero 1 (B4). Gross localized chipping of the third and fourth lower left premolars.
- Figure 6.42 Type 1 LSAMAT (Chorro de Maíta 45).
- Figure 6.43 Type 1 LSAMAT (Higüey).
- Figure 6.44 Type 1 LSAMAT. Left: Punta Candelero 1 (B4); Right: Chorro de Maíta 34.
- Figure 6.45 Manzanilla 267B (oblique view);

- Figure 6.46 Type 2 LSAMAT. El Cabo 85-34-06.
- Figure 6.47 The number of nonlocals, locals, and individuals for which provenience is unknown by sex/age.
- Figure 6.48 The number of males, females, individuals of unknown sex, and juveniles by provenience.
- Figure 6.49 Type 1 non-alimentary wear. Punta Candalero 7 (B6).
- Figure 6.50 Type 2 non-alimentary wear. Punta Macao 13.
- Figure 6.51 Type 3 non-alimentary wear. Coto 266173. Labial/lingual.
- Figure 6.52 Type 4 non-alimentary wear.
- Figure 6.53 Type 5 non-alimentary wear. Anse à la Gourde 219.
- Figure 6.54 Type 5 non-alimentary wear. Anse à la Gourde 1945.
- Figure 6.55 Type 5 non-alimentary wear. Escape 2.
- Figure 6.56 Type 5 non-alimentary wear. Escape 24.
- Figure 6.57 Type 5 non-alimentary wear. St. Croix 496.
- Figure 6.58 Type 5 non-alimentary wear. St. Kitts 511. Lingual view.
- Figure 6.59 Punta Macao 1, upper right central incisor.
- Figure 6.60 Punta Macao 1, upper right central incisor.
- Figure 6.61 Punta Macao 1, upper right central incisor.
- Figure 6.62 Punta Macao 1, upper right central incisor.
- Figure 6.63 Punta Macao 1, upper left lateral incisor.
- Figure 6.64 Punta Macao 1, upper left lateral incisor.
- Figure 6.65 Punta Macao 1, upper left lateral incisor.
- Figure 6.66 Punta Macao 1, lower left central incisor.
- Figure 6.67 Punta Macao 1, lower left central incisor.
- Figure 6.68 Punta Macao 1, lower left central incisor.
- Figure 6.69 Punta Macao 1, lower right lateral incisor
- Figure 6.70 Punta Macao 1, lower right lateral incisor.
- Figure 6.71 Punta Macao 1, lower right lateral incisor.
- Figure 6.72 Punta Macao 1, lower right lateral incisor.
- Figure 6.73 Punta Macao 11, upper right central and lateral incisor.
- Figure 6.74 Punta Macao 11, upper right central incisor.
- Figure 6.75 Punta Macao 11, upper right central incisor.
- Figure 6.76 Punta Macao 11, upper right lateral incisor.
- Figure 6.77 Punta Macao 11, upper right lateral incisor.
- Figure 6.78 Anse à la Gourde 430, upper central incisor (lingual view).
- Figure 6.79 Anse à la Gourde 430, upper central incisor.
- Figure 6.80 Anse à la Gourde, upper central incisor; enamel prisms.
- Figure 6.81 Anse à la Gourde, upper central incisor.
- Figure 6.82 Anse à la Gourde, upper central incisor.
- Figure 6.83 Anse à la Gourde 430, upper right lateral incisor.
- Figure 6.84 Anse à la Gourde, upper right lateral incisor.
- Figure 6.85 Anse à la Gourde, upper right lateral incisor.
- Figure 6.86 Anse à la Gourde 2215, upper left central incisor.

- Figure 6.87 Spring Bay 1c individual 1, upper right deciduous central incisor.
- Figure 6.88 Prevalence of caries per location.
- Figure 6.89 Prevalence of caries per location (detailed).
- Figure 6.90 Manzanilla 255A, unusual calculus deposits on lower right mandibular teeth.
- Figure 6.91 Cañas, Puerto Rico, periapical abscess.
- Figure 6.92 Punta Candalero 1 (C3), hypercementosis.
- Figure 6.93 Punta Candalero 4 (B3), linear enamel hypoplasia of the upper left second molar.
- Figure 6.94 Maisabel 14, linear enamel hypoplasia (two separate bands) of the lower right central incisor.
- Figure 6.95 Maisabel 27, symmetrical red-brown staining of the labial surfaces of the deciduous upper central incisors.
- Figure 6.96 Lavoutte 67-19, black residue on the buccal surface of the upper right third premolar; not to be confused with adhering soil (light brown).
- Figure 6.97 Maisabel 9, grey-brown mottling of the occlusal surface of the upper left second molar; most likely dental fluorosis.
- Figure 6.98 Scatterplot of M1–M2 wear scores by period, shown with principle axes.
- Figure 6.99 Scatterplot of M1–M2 wear scores by period, shown with principle axes.
- Figure 7.1 Map of the Caribbean showing the two groups based on the predominant direction of molar wear and occlusal surface shape.
- Figure 7.2 The pressure points for dragging a fibrous plant material across the lingual surface of the upper front teeth needed to create forms of LSAMAT described in section 7.5.

LIST OF TABLES

Table 4.1	Age-at-death groups assigned by Weston, Crespo Torres, and Tacoma.
Table 4.2	Sources and methods used for age-at-death and biological sex estimations.
Table 4.3	Dental wear evaluation method (Molnar 1971), with two added categories (*) (Mickleburgh 2007).
Table 5.1	List of the samples per site.
Table 5.2	Punta Macao radiocarbon dates of human skeletal remains.
Table 5.3	Maisabel number of skeletons by period and location.
Table 5.4	Samples sent for analysis with Scanning Electron Microscope.
Table 5.5	The sites per chronological group.
Table 5.6	The Lesser and Southern Antillean sites per chronological group.
Table 6.1	The completeness ratios of the individual assemblages as a ratio between the prevalence of observed + AMTL and missing + PMTL.
Table 6.2	The results of paired samples t-test comparisons of mean degree of wear of right and left mandibular first and second molars.
Table 6.3	Principle axis slope (b), equation, and 95% confidence limits per site.
Table 6.4	The degree of dental wear per juvenile and mean degree of wear per age category for juveniles per site.
Table 6.5	The frequency of chipped teeth by site and sex.
Table 6.6	Chi-square values and p-values for the post-hoc chi-square tests of chipping frequencies per site.
Table 6.7	The frequency of individuals affected by chipping by site and sex.
Table 6.8	Chipping rates for males and females per site, by age group and anterior/posterior teeth.
Table 6.9	Chipping frequencies (tooth count and individual count) for Maisabel per period.
Table 6.10	Chipping frequencies (tooth count and individual count) for Punta Candelero per period.
Table 6.11	Chipping frequencies (tooth count and individual count) for Tutu per period.
Table 6.12	Frequency of dental chipping anterior vs. posterior (tooth count).
Table 6.13	The mean degree of chipping by site, sex, and anterior/posterior dentition.
Table 6.14	Significance (p) values for comparisons of degree of chipping per site based on the post-hoc testing of sites two by two.
Table 6.15	Individuals affected by gross localized chipping.

Table 6.16	Frequency of individuals affected by LSAMAT by site and sex/age.
Table 6.17	The frequency of LSAMAT types.
Table 6.18	The number of LSAMAT types per site and sex/age.
Table 6.19	The number and proportion of individuals affected by non-alimentary dental wear per site by sex/age.
Table 6.20	The proportions of males and females in the entire sample, and the proportions of males and females in the non-alimentary wear group.
Table 6.21	Individuals affected by the different types of non-alimentary wear by sex/age, dating, and provenience.
Table 6.22	The caries frequency (tooth count) per site.
Table 6.23	Significance (p) values for comparisons of adult caries frequency per site using chi-square testing.
Table 6.24	The caries frequency (individual count) per site.
Table 6.25	Caries rates per site, by age group and tooth category.
Table 6.26	Caries rates at Maisabel, by age group, tooth category, and phase of occupation.
Table 6.27	Caries rates at Punta Candelerero, by age group, tooth category, and phase of occupation.
Table 6.28	Caries rates at Tutu, by age group, tooth category, and phase of occupation.
Table 6.29	Caries rates for males and females per site, by age group and tooth category.
Table 6.30	Frequencies of caries location per site.
Table 6.31	The frequency of calculus (tooth count and individual count) per site.
Table 6.32	The frequency of periapical abscesses (tooth count and individual count) per site.
Table 6.33	The AMTL frequency per site.
Table 6.34	The AMTL frequency (individual count) per site.
Table 6.35	AMTL rates per site, by age group and tooth category.
Table 6.36	AMTL rates at Maisabel, by age group, tooth category, and phase of occupation.
Table 6.37	AMTL rates at Punta Candelerero, by age group, tooth category, and phase of occupation.
Table 6.38	AMTL rates at Tutu, by age group, tooth category, and phase of occupation.
Table 6.39	AMTL rates by site, sex, age group, and tooth category.
Table 6.40	The frequency of hypercementosis per site.
Table 6.41	Juvenile caries frequency (tooth count and individual count) by site.
Table 6.42	Juveniles affected by calculus per site.
Table 6.43	Juvenile AMTL.

Table 6.44	The frequency of enamel hypoplasia per site.
Table 6.45	Discolouration per site and type.
Table 6.46	Principle axis slope (b), equation, and 95% confidence limits: Early and Late Ceramic Age.
Table 6.47	Early Ceramic Age caries rates by sex/age, and tooth category.
Table 6.48	Early Ceramic Age caries rates by sex/age.
Table 6.49	Late Ceramic Age caries rates by sex/age, and tooth category.
Table 6.50	Late Ceramic Age caries rates by sex/age.
Table 6.51	Early Ceramic Age AMTL rates by sex/age, and tooth category.
Table 6.52	Late Ceramic Age AMTL rates by sex/age, and tooth category.
Table 6.53	The frequency of pathology (tooth count) in the Early Ceramic Age and Late Ceramic Age groups.
Table 6.54	The frequency of pathology (individual count) in the Early Ceramic Age and Late Ceramic Age groups.
Table 6.55	Principle axis slope (b), equation, and 95% confidence limits: Early and Late Ceramic Age (Lesser and Southern Antilles).
Table 6.56	Early Ceramic Age caries rates by sex/age, and tooth category (Lesser and Southern Antilles).
Table 6.57	Early Ceramic Age caries rates by sex/age (Lesser and Southern Antilles).
Table 6.58	Late Ceramic Age caries rates by sex/age, and tooth category (Lesser and Southern Antilles).
Table 6.59	Late Ceramic Age caries rates by sex/age (Lesser and Southern Antilles).
Table 6.60	Early Ceramic Age AMTL rates by sex/age, and tooth category (Lesser and Southern Antilles).
Table 6.61	Late Ceramic Age AMTL rates by sex/age, and tooth category (Lesser and Southern Antilles).
Table 6.62	The frequency of pathology (tooth count) in the Lesser and Southern Antilles: Early Ceramic Age versus Late Ceramic Age.
Table 6.63	The frequency of pathology (individual count) in the Lesser and Southern Antilles: Early Ceramic Age versus Late Ceramic Age.
Table 7.1	Example comparison of caries ranges previously established in studies worldwide, and those established in the current study.
Table 7.2	Review of caries prevalence in pre-Columbian assemblages from the Caribbean either mentioned in the literature or calculated using published data.
Table 7.3	Sugar contents (by weight ratio) for certain staple crops and fruits native to the Caribbean, or introduced during pre-Columbian.

