



**Universiteit
Leiden**
The Netherlands

Determinants of disease course in rheumatoid arthritis

Linn-Rasker, S.P.



S.P. Linn-Rasker

Determinants of disease course in rheumatoid arthritis.

Thesis Leiden University, November 2, 2006

ISBN 90 90 402104-2
ISBN 1-3 978-90-402104-3

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission from the author.

Printed by Subsequent in Bollenhoek

Determinants of disease course in rheumatoid arthritis

Proefschrift

Ter verkrijging van
de graad van Doctor aan de Universiteit Leiden
op gezag van de Rector Magnificus Dr. D. D. Brimmer,
Hoogleraar in de Faculteit der Wetenschappen en
Natuurwetenschappen en die der Geneeskunde,
volgens besluit van het College voor promoties
te verdedigen op donderdag 2 november 2006
te klokke 15.00 uur

door

Suzanne Paulowna Linn-Rasker
Geboren te Groningen in 1969

Promotiecommissie

Promotors: Prof. dr. T.W.J. Huizinga
Prof. dr. F.C. Breedveld

Referent: Prof. dr. J.W.J. Bijlma

Overige Leden: Dr. S. le Cessie
Dr. F. W. Dekker

Publication of this thesis was financially supported by

Astra Zeneca BV
Sanofi-aventis Netherlands BV
Wyeth pharmaceuticals
Roche
MSD
Dutch Arthritis Association
Rouma en artrose stichting

Voor Roel, Coen en Gijs

Written by
S.P. Linn-Rasker

Amersfoort
The Netherlands

Chapter 1

Introduction

Chapter 2

Auto-antibodies to cyclic citrullinated peptides predict progression in rheumatoid arthritis patients with undifferentiated arthritis

Arthritis and Rheumatism volume 50 no 3 March 2008

Chapter 3

Arthritis of the large joints, in particular the knee, at first presentation is predictive of a high level of destruction of the small joints in rheumatoid arthritis.

Lancet, April 2008

Chapter 4

Sustained remission in a cohort of patients with rheumatoid arthritis: association with absence of IgM rheumatoid factor and absence of anti-CCP antibodies.

Arthritis in Rheumatology 2009 volume 2

Chapter 5

Smoking is only a risk factor for anti-CCP formation in RA patients that carry the HLA-DRB1 shared epitope alleles.

Annals of the Rheumatic Diseases July 2009

Chapter 6

Genetic drift as an explanation for the reduced incidence of rheumatoid arthritis

Lancet, Arthritis and Rheumatism November 2009

Chapter 7

Summary and discussion

Chapter 8

Samenvatting en discussie

Dankwoord

Curriculum Vitae