



Universiteit
Leiden
The Netherlands

Development of kinase inhibitors and activity-based probes

Liu, N.

Citation

Liu, N. (2016, December 15). *Development of kinase inhibitors and activity-based probes*. Retrieved from <https://hdl.handle.net/1887/44807>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/44807>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/44807> holds various files of this Leiden University dissertation.

Author: Liu, N.

Title: Development of kinase inhibitors and activity-based probes

Issue Date: 2016-12-15

Development of Kinase Inhibitors and Activity-based Probes

PROEFSCHRIFT

ter verkrijging van
de graad van Doctor aan de Universiteit van Leiden,
op gezag van Rector Magnificus Prof. mr. C. J. J. M. Stolker,
volgens het besluit van het College voor Promoties
te verdedigen op 15 december 2016
klokke 12:30 uur

door

Nora Liu

geboren te 's-Gravenhage in 1986

Promotiecommissie

Promotor	Prof. dr. H. S. Overkleeft Prof. dr. J. Neefjes
Co-promotor	Dr. M. van der Stelt
Overige leden	Prof. dr. J. M. F. G. Aerts Prof. dr. G. A. van der Marel Prof. dr. J. Brouwer Dr. I. Berlin Dr. C. Kuijl, VUmc, Amsterdam

Cover Design Kai Fung Yu

Drukker Ridderprint B.V., Ridderkerk, Nederland

Table of contents

List of Abbreviations	6
Chapter 1 General Introduction	11
Chapter 2 Chemical tools to label kinases	23
Chapter 3 Synthesis of FLT3 kinase inhibitors: isoquinolinesulfonamide-based library	47
Chapter 4 Biological evaluation of H-89-analogues: searching for selective AKT1 and FLT3 inhibitors	85
Chapter 5 Direct and two-step bioorthogonal probes for Bruton's tyrosine kinase based on ibrutinib: a comparative study	111

Chapter 6	135
Probing for PKA and AKT1 using photoaffinity probes	
Chapter 7	155
An affinity-based probe for kinase profiling: Fishing for Dasatinib targets	
Chapter 8	165
Summary and Future Prospects	
Samenvatting	185
List of Publications	188
Curriculum Vitae	189

List of Abbreviations

Å	Ångström	Boc	<i>tert</i> -butyloxycarbonyl
ab	antibody	Boc ₂ O	<i>tert</i> -butyloxycarbonic anhydride
ABP	activity-based probe		
ABPP	activity-based protein profiling	bs	broad singlet
abs	absorption	BTK	bruton's tyrosine kinase
Ac	acetyl	CaMK	Ca ²⁺ /Calmodulin dependent kinase
ACN	acetonitrile	cAMP	cyclic adenosine monophosphate'
ADP	adenosine diphosphate	CBB	Coomassie brilliant blue
AfBP	affinity-based probe	Cbz-Cl	carbobenzoxoy chloride
AGC	PKA, PKG and PKC	CCMS	capture compound mass spectrometry
AKT	V-AKT murine thymoma viral oncogene homolog 1		
ALL	acute lymphoblastic leukemia	CDK	cyclin-dependent kinase
AML	acute myeloid leukemia	cGMP	cyclic guanosine monophosphate
AMP	adenosine monophosphate	CLL	chronic lymphocytic leukemia
aq.	aqueous	CLK	Cdc-like kinase
ARG	arginine	CK1	casein kinase 1
arom , ar	aromatic	c/m	chloroform/methanol
ATM	ataxia telangiectasia mutated	CMGC	CDK, MAPK, GSK3 and CLK
ATP	adenosine triphosphate	CML	chronic myeloid leukemia
ATR	ataxia telangiectasia and Rad3-related	CSK	C-terminal Scr kinase
βARK	β-andrenergic receptor kinase	CSNK1D	casein kinase 1 delta
BMSC	bone marrow stromal cell	CuAAC	copper(I)-catalyzed alkyne-azide [2+3] cycloaddition
BCR	B-cell receptor		
BCR-Abl	breakpoint cluster region Abelson	Cy	cyanine dye
		Cys	cysteine
		Δ	heating (reflux)
		δ	chemical shift
		d	doublet
BODIPY	4,4-difluoro-4-bora-3a,4a-diaza-s-indacene	Da	Dalton
		Das.	dasatinib

DC	dual color molecular weight marker SDS-PAGE	FGFR	fibroblast growth factor receptor
DCE	dichloroethane	FL	FLT3 ligand
DCM	dichloromethane	FLT3	FMS-like tyrosine kinase 3
dd	doublet of doublets	FMS	Feline McDonough
DDR	discoidin domain receptor		Sarcoma
DIAD	diisopropyl azadicarboxylate	FOXO3	forkhead box O3
DiBAL-H	diisobutylaluminium hydride	FSBA	5'-fluorosulfonylbenzoyl 5'-adenosine
DiPEA	<i>N, N</i> -diisopropyl- <i>N</i> -ethylamine	FYN	Fgr/Yes related novel protein
DLBCL	diffuse large B-cell lymphoma	GABA	γ -aminobutyric acid
DMEM	Dulbecco's modified eagle medium	GSK3	glycogen synthase kinase
DMF	<i>N,N</i> -dimethylformamide	GTP	guanosine triphosphate
DMSO	dimethylsulfoxide	H	hour(s)
DNA	deoxyribonucleic acid	HATU	1-[Bis(dimethylamino)-methylene]-1 <i>H</i> -1,2,3-triazolo[4,5- <i>b</i>]pyridinium 3-oxid
dt	double triplet		hexafluorophosphate
DTT	dithiothreitol	HEK	human embryonic kidney cell line
DUS2	dihydrouridine synthase 2		
EGFR	epidermal growth factor receptor	HEPES	4-(2-hydroxyethyl)-1-piperazineethanesulfonic acid
em	emission		
EPHA	ephrin receptor kinase	HPLC	high performance liquid chromatography
eq.	equivalents		
ERK	extracellular signal-regulated kinase	HRMS	high-resolution mass spectrometry
ESI	electrospray ionization	HWE	Horner-Wadsworth-Emmons
Et	ethyl		
Et ₂ O	diethyl ether	Hz	hertz
EtOAc	ethylacetate	lbr.	ibrutinib
EtOH	ethanol	IC ₅₀	half maximal inhibitory concentration
FACS	fluorescence activated cell sorting	ICAP	isotope-coded ATP ABPP probe
FAK	focal adhesion kinase		
FDA	Food and Drug Administration	IEDDA	inverse-electron demand Diels-Alder

Im.	imatinib	NMR	nuclear magnetic resonance
IMAP	immobilized metal ion affinity-based fluorescence polarization	NQO2	NAD(P)H quinone dehydrogenase 2
Ig	immunoglobulin	PBS	phosphate buffered saline
IR	infrared-spectrometry	PDB	protein data bank
ITAM	immunoreceptor tyrosine-based activation motif	PDGFRB	platelet derived growth factor receptor beta
ITD	internal tandem duplication	PDK1	phosphoinositide- dependent protein kinase 1
<i>J</i>	coupling constant	PE	petroleum ether
JAK	Janus kinase	PET	positron emission tomography
K_i	inhibitor constant	PH	pleckstrin homology
KR	kinase reaction	Ph	phenyl
Lck	lymphocyte-specific protein tyrosine kinase	PI	phophoinositide
LCMS	liquid chromatography mass spectrometry	PI3K	phophatidylinositol-3- kinase
LIMK	LIM domain kinase	PIKK	PI3K-related kinase
LY N	Lck/Yes novel	PIM	proviral integration site
Lys	lysine		MuLV (murine leukemia virus)
M	molar		
m	multiplet	PIP3	phosphatidylinositol 3,4,5 triphosphate
MAPK	mitogen-activated protein kinase	PKA	protein kinase A
MCL	mantle cell lymphoma	PKB	protein kinase B
MDS	myelodysplasia	PKC	protein kinase C
MEK	MAPK/ERK kinase	PKG	protein kinase G
MeOH	methanol	PLC γ 2	phospholipase C gamma 2
min	minutes		
mTor	mechanistic target of rapamycin	PNP	para-nitrophenyl
<i>m/z</i>	mass-to-charge ratio	ppm	parts per million
NFAT	nuclear factor of activated T cells	PTK	protein tyrosine kinase
NF κ B	nuclear factor κ B	q	quartet
NHS	<i>N</i> -hydroxysuccinimide	quant.	quantitative
		Ras	Rat sarcoma
		Raf	rapidly accelerated fibrosarcoma

R _f	retention factor		triazolylmethyl amine
RGC	receptor guanylate cyclase	Thr	threonine
		TLC	thin layer chromatography
ROCK	Rho-associated, coiled-coil containing protein kinase	TK	tyrosine kinase
		TKD	tyrosine kinase domain
RP	reversed phase	TKL	TK-like
RT	room temperature	TR-FRET	time resolved fluorescence resonance energy transfer
Rt	retention time		
RTK	receptor tyrosine kinase		
S	substrate	Tris	2-amino-2-(hydroxymethyl)-1,3-propanediol
s	singlet		
S6K	p70 S6 kinase		
SAR	structure-activity relationships	Ts	tosyl
		Tyr	tyrosine
sat.	saturated	UV	ultra violet
SDS-PAGE	sodium dodecyl sulfate polyacrylamide gel	v	volume
		Val	valine
Ser	serine	YES	Yamaguchi (Y73 virus), Esh avian sarcoma oncogene
SH	Src homology		
Src	sarcoma		
STAT-5	signal transducer and activator of transcription 5	WM	Waldenström's macroglobulinemia
		ZAK	α motif leucine zipper containing kinase
STE	homologues of yeast sterile kinase		
STK	serine/threonine kinase 25		
Su	succinimide		
Syk	spleen tyrosine kinase		
t	triplet		
tBu	<i>tert</i> -butyl		
tBuOH	<i>tert</i> -butanol		
td	triplet of doublets		
TEA	triethylamine		
TFA	trifluoroacetic acid		
TH	Tec homology		
THF	tetrahydrofuran		
THPTA	Tris (3-hydroxypropyl		

