



Universiteit  
Leiden  
The Netherlands

## **Fetal and neonatal alloimmune thrombocytopenia : towards implementation of screening in pregnancy**

Kamphuis, M.M.

### **Citation**

Kamphuis, M. M. (2017, May 23). *Fetal and neonatal alloimmune thrombocytopenia : towards implementation of screening in pregnancy*. Retrieved from <https://hdl.handle.net/1887/49219>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/49219>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/49219> holds various files of this Leiden University dissertation

**Author:** Kamphuis, Marije

**Title:** Fetal and neonatal alloimmune thrombocytopenia : towards implementation of screening in pregnancy

**Issue Date:** 2017-05-23

# Fetal and Neonatal Alloimmune Thrombocytopenia: towards implementation of screening in pregnancy

1. Het berekende risico van 10% op foetale hersenbloedingen in zwangerschappen met ernstige FNAIT is een onderschatting. *(dit proefschrift)*
2. Een screening- en interventieprogramma naar FNAIT lijkt kostenbaten effectief. *(dit proefschrift)*
3. Het missen van de diagnose FNAIT kan ernstige gevolgen hebben voor een volgende zwangerschap, met ICH of sterfte tot gevolg. *(dit proefschrift)*
4. Prenatale behandeling om hersenbloedingen als gevolg van FNAIT te voorkomen moeten worden gestart voor de 28<sup>ste</sup> week van de zwangerschap. *(dit proefschrift)*
5. Een lagere dosering van immunoglobulines lijkt net zo effectief in het voorkomen van ernstige trombocytopenie dan de huidige standaard dosering. *(dit proefschrift)*
6. Er bestaan al jaren screeningsprogramma's naar veel zeldzamer aandoeningen dan FNAIT, zoals ziekten die worden opgespoord met de hiepriek, waarvoor soms zelfs geen bewezen behandeling bestaat.
7. The composition of the anti- HPA 1a antibody subtype(s) of the mother may determine whether ICH occurs. *(Santoso S. ATVB 2016;36:1517-24)*
8. In pregnancies with FNAIT managed with fetal blood sampling and intrauterine platelet transfusion, more than half of all fetal deaths were related to complications of these invasive procedures. They should be considered obsolete. *(Winkelhorst D. Transfusion 2017;11:1538-47)*
9. It takes a village to deliver a child.
10. The secret of change is to focus all of our energy not on fighting the old but on building the new. *(Dan Millman 1984)*
11. We have more in common than which divides us. *(Jo Cox, 1974-2016)*
12. Soms denk ik uren na en heb ik nog niks op papier, een andere keer bereik ik precies datzelfde in vijf minuten. *(Herman Finkers, 9-12-1965 te Almelo)*