



Universiteit  
Leiden  
The Netherlands

## **Disorder and interactions in high-temperature superconductors**

Sulangi, M.A.

### **Citation**

Sulangi, M. A. (2018, July 5). *Disorder and interactions in high-temperature superconductors*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/63332>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/63332>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/63332> holds various files of this Leiden University dissertation.

**Author:** Sulangi, M.A.

**Title:** Disorder and interactions in high-temperature superconductors

**Issue Date:** 2018-07-05

---

## BIBLIOGRAPHY

---

- [1] E. Abrahams. The normal state of high- $T_c$  superconductors and the marginal Fermi liquid. 2001.
- [2] E. Abrahams and C. M. Varma. What angle-resolved photoemission experiments tell about the microscopic theory for high-temperature superconductors. *Proceedings of the National Academy of Sciences*, 97(11):5714–5716, 2000.
- [3] E. Abrahams and C. M. Varma. Hall effect in the marginal Fermi liquid regime of high- $T_c$  superconductors. *Phys. Rev. B*, 68(9):094502, 2003.
- [4] A. Allais and T. Senthil. Loop current order and d-wave superconductivity: Some observable consequences. *Phys. Rev. B*, 86(4):045118, 2012.
- [5] M. P. Allan, T. Chuang, F. Massee, Y. Xie, N. Ni, S. L. Budko, G. S. Boebinger, Q. Wang, D. S. Dessau, P. C. Canfield, M. S. Golden, and J. C. Davis. Anisotropic impurity states, quasiparticle scattering and nematic transport in underdoped  $\text{Ca}(\text{Fe}_{1-x}\text{Co}_x)_2\text{As}_2$ . *Nature Physics*, 9(4):220–224, 2013.
- [6] M. P. Allan, K. Lee, A. W. Rost, M. H. Fischer, F. Massee, K. Kihou, C.-H. Lee, A. Iyo, H. Eisaki, T.-M. Chuang, J. C. Davis, and E. A. Kim. Identifying the ‘fingerprint’ of antiferromagnetic spin fluctuations in iron pnictide superconductors. *Nature Physics*, 11(2):177–182, 2015.

## Bibliography

- [7] M. P. Allan, F. Massee, D. K. Morr, J. Van Dyke, A. W. Rost, A. P. Mackenzie, C. Petrovic, and J. C. Davis. Imaging Cooper pairing of heavy fermions in  $\text{CeCoIn}_5$ . *Nature Physics*, 9(8):468–473, 2013.
- [8] M. P. Allan, A. W. Rost, A. P. Mackenzie, Y. Xie, J. C. Davis, K. Kihou, C. H. Lee, A. Iyo, H. Eisaki, and T.-M. Chuang. Anisotropic energy gaps of iron-based superconductivity from intraband quasiparticle interference in  $\text{LiFeAs}$ . *Science*, 336(6081):563–567, 2012.
- [9] J. W. Alldredge, J. Lee, K. McElroy, M. Wang, K. Fujita, Y. Kohsaka, C. Taylor, H. Eisaki, S. Uchida, P. J. Hirschfeld, and J. C. Davis. Evolution of the electronic excitation spectrum with strongly diminishing hole density in superconducting  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ . *Nature Physics*, 4(4):319, 2008.
- [10] A. Altland, B. D. Simons, and M. R. Zirnbauer. Theories of low-energy quasi-particle states in disordered d-wave superconductors. *Physics Reports*, 359(4):283–354, 2002.
- [11] B. M. Andersen and P. J. Hirschfeld. Extinction of quasiparticle interference in underdoped cuprates with coexisting order. *Phys. Rev. B*, 79(14):144515, 2009.
- [12] P. W. Anderson. Theory of dirty superconductors. *Journal of Physics and Chemistry of Solids*, 11(1-2):26–30, 1959.
- [13] W. A. Atkinson, P. J. Hirschfeld, and A. H. MacDonald. Gap inhomogeneities and the density of states in disordered d-wave superconductors. *Phys. Rev. Lett.*, 85(18):3922, 2000.
- [14] W. A. Atkinson, P. J. Hirschfeld, A. H. MacDonald, and K. Ziegler. Details of disorder matter in  $2d$  d-wave superconductors. *Phys. Rev. Lett.*, 85(18):3926, 2000.

- [15] W. A. Atkinson, P. J. Hirschfeld, and L. Zhu. Quantum interference in nested d-wave superconductors: A real-space perspective. *Phys. Rev. B*, 68(5):054501, 2003.
- [16] A. V. Balatsky, M. I. Salkola, and A. Rosengren. Impurity-induced virtual bound states in d-wave superconductors. *Phys. Rev. B*, 51(21):15547, 1995.
- [17] A. V. Balatsky, I. Vekhter, and J.-X. Zhu. Impurity-induced states in conventional and unconventional superconductors. *Rev. Mod. Phys.*, 78(2):373, 2006.
- [18] J. G. Bednorz and K. A. Müller. Possible high  $T_c$  superconductivity in the Ba-La-Cu-O system. *Zeitschrift für Physik B Condensed Matter*, 64(2):189–193, 1986.
- [19] C. Bena, S. Chakravarty, J. Hu, and C. Nayak. Quasiparticle scattering and local density of states in the d-density-wave phase. *Phys. Rev. B*, 69(13):134517, 2004.
- [20] C. Bena and S. A. Kivelson. Quasiparticle scattering and local density of states in graphite. *Phys. Rev. B*, 72(12):125432, 2005.
- [21] E. Berg, C.-C. Chen, and S. A. Kivelson. Stability of nodal quasiparticles in superconductors with coexisting orders. *Phys. Rev. Lett.*, 100(2):027003, 2008.
- [22] J. S. Bobowski, J. C. Baglo, J. Day, L. Semple, P. Dosanjh, P. J. Turner, R. Harris, R. Liang, D. A. Bonn, and W. N. Hardy. Oxygen chain disorder as the weak scattering source in  $\text{YBa}_2\text{Cu}_3\text{O}_{6.50}$ . *Phys. Rev. B*, 82(13):134526, 2010.

## Bibliography

- [23] B. R. Bulka, B. Kramer, and A. MacKinnon. Mobility edge in the three dimensional Anderson model. *Zeitschrift für Physik B Condensed Matter*, 60(1):13–17, 1985.
- [24] J. C. Campuzano, M. R. Norman, and M. Randeria. Photoemission in the High- $T_c$  Superconductors. In *The Physics of Superconductors*, pages 167–273. Springer, 2004.
- [25] L. Capriotti, D. J. Scalapino, and R. D. Sedgewick. Wave-vector power spectrum of the local tunneling density of states: Ripples in a d-wave sea. *Phys. Rev. B*, 68(1):014508, 2003.
- [26] E. W. Carlson, D. Orgad, S. A. Kivelson, and V. J. Emery. Dimensional crossover in quasi-one-dimensional and high- $T_c$  superconductors. *Phys. Rev. B*, 62(5):3422, 2000.
- [27] S. Chakravarty, C. Nayak, and S. Tewari. Angle-resolved photoemission spectra in the cuprates from the d-density wave theory. *Phys. Rev. B*, 68(10):100504, 2003.
- [28] A. V. Chubukov, M. R. Norman, A. J. Millis, and E. Abrahams. Gapless pairing and the Fermi arc in the cuprates. *Phys. Rev. B*, 76(18):180501, 2007.
- [29] M. Civelli, M. Capone, A. Georges, K. Haule, O. Parcollet, T. D. Stanescu, and G. Kotliar. Nodal-antinodal dichotomy and the two gaps of a superconducting doped Mott insulator. *Phys. Rev. Lett.*, 100(4):046402, 2008.
- [30] S. J. Collocott and R. Driver. Specific heat of the high- $T_c$  superconductor  $(\text{Bi, Pb})_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10}$ , and related phases  $\text{Ca}_2\text{CuO}_3$  and  $(\text{Ca}_{0.86}\text{Sr}_{0.14})\text{CuO}_2$  from 0.4 to 20 K. *Physica C: Superconductivity*, 167(5-6):598–608, 1990.

- [31] M. F. Crommie, C. P. Lutz, and D. M. Eigler. Imaging standing waves in a two-dimensional electron gas. *Nature*, 363(6429):524–527, 1993.
- [32] E. G. Dalla Torre, D. Benjamin, Y. He, D. Dentelski, and E. Demler. Friedel oscillations as a probe of fermionic quasiparticles. *Phys. Rev. B*, 93(20):205117, 2016.
- [33] A. Damascelli. Probing the electronic structure of complex systems by ARPES. *Physica Scripta*, 2004(T109):61, 2004.
- [34] A. Damascelli, Z. Hussain, and Z.-X. Shen. Angle-resolved photoemission studies of the cuprate superconductors. *Rev. Mod. Phys.*, 75(2):473, 2003.
- [35] R. A. Davison, K. Schalm, and J. Zaanen. Holographic duality and the resistivity of strange metals. *Phys. Rev. B*, 89(24):245116, 2014.
- [36] H. Ding, M. R. Norman, J. C. Campuzano, M. Randeria, A. F. Bellman, T. Yokoya, T. Takahashi, T. Mochiku, and K. Kadowaki. Angle-resolved photoemission spectroscopy study of the superconducting gap anisotropy in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ . *Phys. Rev. B*, 54(14):R9678, 1996.
- [37] N. Doiron-Leyraud, C. Proust, D. LeBoeuf, J. Levallois, J.-B. Bonnemaison, R. Liang, D. A. Bonn, W. N. Hardy, and L. Taillefer. Quantum oscillations and the Fermi surface in an underdoped high- $T_c$  superconductor. *Nature*, 447(7144):565, 2007.
- [38] P. S. Drouvelis, P. Schmelcher, and P. Bastian. Parallel implementation of the recursive Greens function method. *Journal of Computational Physics*, 215(2):741–756, 2006.

## Bibliography

- [39] A. C. Durst and P. A. Lee. Impurity-induced quasiparticle transport and universal-limit Wiedemann-Franz violation in d-wave superconductors. *Phys. Rev. B*, 62(2):1270, 2000.
- [40] A. C. Durst and P. A. Lee. Microwave conductivity due to scattering from extended linear defects in d-wave superconductors. *Phys. Rev. B*, 65(9):094501, 2002.
- [41] A. Einstein. Über einen die Erzeugung und Verwandlung des Lichtes betreffenden heuristischen Gesichtspunkt. *Annalen der physik*, 322(6):132–148, 1905.
- [42] H. Eisaki, N. Kaneko, D. L. Feng, A. Damascelli, P. K. Mang, K. M. Shen, Z.-X. Shen, and M. Greven. Effect of chemical inhomogeneity in bismuth-based copper oxide superconductors. *Phys. Rev. B*, 69(6):064512, 2004.
- [43] V. J. Emery, E. Fradkin, S. A. Kivelson, and T. C. Lubensky. Quantum theory of the smectic metal state in stripe phases. *Phys. Rev. Lett.*, 85(10):2160, 2000.
- [44] V. J. Emery and S. A. Kivelson. Importance of phase fluctuations in superconductors with small superfluid density. *Nature*, 374(6521):434–437, 1995.
- [45] A. Fang, C. Howald, N. Kaneko, M. Greven, and A. Kapitulnik. Periodic coherence-peak height modulations in superconducting  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Phys. Rev. B*, 70(21):214514, 2004.
- [46] D. L. Feng, D. H. Lu, K. M. Shen, C. Kim, H. Eisaki, A. Damascelli, R. Yoshizaki, J.-i. Shimoyama, K. Kishio, G. D. Gu, S. Oh, A. Andrus, J. O'Donnell, J. N. Eckstein, and Z.-X. Shen. Signature of superfluid density in the single-particle excitation spectrum of  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Science*, 289(5477):277–281, 2000.



- [47] M. Franz, C. Kallin, and A. J. Berlinsky. Impurity scattering and localization in d-wave superconductors. *Phys. Rev. B*, 54(10):R6897, 1996.
- [48] M. Franz, C. Kallin, A. J. Berlinsky, and M. I. Salkola. Critical temperature and superfluid density suppression in disordered high- $T_c$  cuprate superconductors. *Phys. Rev. B*, 56(13):7882, 1997.
- [49] L. Fu. Hexagonal warping effects in the surface states of the topological insulator  $\text{Bi}_2\text{Te}_3$ . *Phys. Rev. Lett.*, 103(26):266801, 2009.
- [50] K. Fujita, C. K. Kim, I. Lee, J. Lee, M. H. Hamidian, I. A. Firmo, S. Mukhopadhyay, H. Eisaki, S. Uchida, M. J. Lawler, E.-A. Kim, and J. C. Davis. Simultaneous transitions in cuprate momentum-space topology and electronic symmetry breaking. *Science*, 344(6184):612–616, 2014.
- [51] K. Fujita, A. R. Schmidt, E.-A. Kim, M. J. Lawler, D. Hai Lee, J. C. Davis, H. Eisaki, and S.-i. Uchida. Spectroscopic imaging scanning tunneling microscopy studies of electronic structure in the superconducting and pseudogap phases of cuprate high- $T_c$  superconductors. *Journal of the Physical Society of Japan*, 81(1):011005, 2011.
- [52] E. M. Godfrin. A method to compute the inverse of an  $n$ -block tridiagonal quasi-Hermitian matrix. *Journal of Physics: Condensed Matter*, 3(40):7843, 1991.
- [53] K. K. Gomes, A. N. Pasupathy, A. Pushp, S. Ono, Y. Ando, and A. Yazdani. Visualizing pair formation on the atomic scale in the high- $T_c$  superconductor  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Nature*, 447(7144):569, 2007.

## Bibliography

- [54] L. P. Gorkov and P. A. Kalugin. Defects and an unusual superconductivity. *JETP Letters*, 41:253–255, 1985.
- [55] U. Gottwick, R. Held, G. Sparn, F. Steglich, H. Rietschel, D. Ewert, B. Renker, W. Bauhofer, S. Von Molnar, M. Wilhelm, and H. E. Hoenig. Transport properties of  $\text{YBa}_2\text{Cu}_3\text{O}_7$ : resistivity, thermal conductivity, thermopower and Hall effect. *EPL (Europhysics Letters)*, 4(10):1183, 1987.
- [56] S. S. Gubser, I. R. Klebanov, and A. M. Polyakov. Gauge theory correlators from non-critical string theory. *Physics Letters B*, 428(1-2):105–114, 1998.
- [57] E. Gull and A. J. Millis. Quasiparticle properties of the superconducting state of the two-dimensional Hubbard model. *Phys. Rev. B*, 91(8):085116, 2015.
- [58] H.-M. Guo and M. Franz. Theory of quasiparticle interference on the surface of a strong topological insulator. *Phys. Rev. B*, 81(4):041102, 2010.
- [59] M. Gurvitch and A. T. Fiory. Resistivity of  $\text{La}_{1.825}\text{Sr}_{0.175}\text{CuO}_4$  and  $\text{YBa}_2\text{Cu}_3\text{O}_7$  to 1100 K: Absence of saturation and its implications. *Phys. Rev. Lett.*, 59(12):1337, 1987.
- [60] F. D. M. Haldane. ‘Luttinger liquid theory’ of one-dimensional quantum fluids. I. Properties of the Luttinger model and their extension to the general 1D interacting spinless Fermi gas. *Journal of Physics C: Solid State Physics*, 14(19):2585, 1981.
- [61] T. Hanaguri, Y. Kohsaka, J. C. Davis, C. Lupien, I. Yamada, M. Azuma, M. Takano, K. Ohishi, M. Ono, and H. Takagi. Quasiparticle interference and superconducting gap in  $\text{Ca}_{2-x}\text{Na}_x\text{CuO}_2\text{Cl}_2$ . *Nature Physics*, 3(12):865–871, 2007.

- [62] T. Hanaguri, C. Lupien, Y. Kohsaka, D.-H. Lee, M. Azuma, M. Takano, H. Takagi, and J. C. Davis. A checkerboard electronic crystal state in lightly hole-doped  $\text{Ca}_{2-x}\text{Na}_x\text{CuO}_2\text{Cl}_2$ . *Nature*, 430(7003):1001–1005, 2004.
- [63] S. A. Hartnoll, A. Lucas, and S. Sachdev. *Holographic Quantum Matter*. MIT Press, 2018.
- [64] M. Hashimoto, I. M. Vishik, R.-H. He, T. P. Devereaux, and Z.-X. Shen. Energy gaps in high-transition-temperature cuprate superconductors. *Nature Physics*, 10(7):483, 2014.
- [65] H. Hertz. Ueber einen Einfluss des ultravioletten Lichtes auf die elektrische Entladung. *Annalen der Physik*, 267(8):983–1000, 1887.
- [66] R. W. Hill, C. Lupien, M. Sutherland, E. Boaknin, D. G. Hawthorn, C. Proust, F. Ronning, L. Taillefer, R. Liang, D. A. Bonn, and W. N. Hardy. Transport in Ultraclean  $\text{YBa}_2\text{Cu}_3\text{O}_7$  : Neither Unitary nor Born Impurity Scattering. *Phys. Rev. Lett.*, 92(2):027001, 2004.
- [67] P. J. Hirschfeld and W. A. Atkinson.  $\Pi$  à la Node: Disordered d-wave superconductors in two dimensions for the random masses. *Journal of Low Temperature Physics*, 126(3-4):881–900, 2002.
- [68] P. J. Hirschfeld, P. Wölfle, and D. Einzel. Consequences of resonant impurity scattering in anisotropic superconductors: Thermal and spin relaxation properties. *Phys. Rev. B*, 37(1):83, 1988.
- [69] O. Hod, J. E. Peralta, and G. E. Scuseria. First-principles electronic transport calculations in finite elongated systems: A divide and conquer approach. *The Journal of Chemical Physics*, 125(11):114704, 2006.

## Bibliography

- [70] J. E. Hoffman, K. McElroy, D.-H. Lee, K. M. Lang, H. Eisaki, S. Uchida, and J. C. Davis. Imaging quasiparticle interference in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Science*, 297(5584):1148, 2002.
- [71] P. Hofmann, B. G. Briner, M. Doering, H.-P. Rust, E. W. Plummer, and A. M. Bradshaw. Anisotropic two-dimensional Friedel oscillations. *Phys. Rev. Lett.*, 79(2):265, 1997.
- [72] C. C. Homes, S. V. Dordevic, M. Strongin, D. A. Bonn, R. Liang, W. N. Hardy, S. Komiya, Y. Ando, G. Yu, N. Kaneko, X. Zhao, M. Greven, D. N. Basov, and T. Timusk. A universal scaling relation in high-temperature superconductors. *Nature*, 430(6999):539, 2004.
- [73] C. Howald, H. Eisaki, N. Kaneko, M. Greven, and A. Kapitulnik. Periodic density-of-states modulations in superconducting  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Phys. Rev. B*, 67(1):014533, 2003.
- [74] C. Howald, H. Eisaki, N. Kaneko, and A. Kapitulnik. Coexistence of periodic modulation of quasiparticle states and superconductivity in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Proceedings of the National Academy of Sciences*, 100(17):9705–9709, 2003.
- [75] C. Howald, P. Fournier, and A. Kapitulnik. Inherent inhomogeneities in tunneling spectra of  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8-x}$  crystals in the superconducting state. *Phys. Rev. B*, 64(10):100504, 2001.
- [76] B. Huckestein and A. Altland. Quasi-Particle density of states of disordered d-wave superconductors, 2000.
- [77] E. W. Hudson, K. M. Lang, V. Madhavan, S. H. Pan, H. Eisaki, S. Uchida, and J. C. Davis. Interplay of magnetism and high- $T_c$  superconductivity at individual Ni impurity atoms in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Nature*, 411(6840):920–924, 2001.

- [78] N. Iqbal, H. Liu, and M. Mezei. Lectures on holographic non-Fermi liquids and quantum phase transitions. In *String Theory And Its Applications: TASI 2010 From meV to the Planck Scale*, pages 707–815. World Scientific, 2012.
- [79] N. Iqbal, H. Liu, and M. Mezei. Semi-local quantum liquids. *Journal of High Energy Physics*, 2012(4):86, 2012.
- [80] A. Junod, K.-Q. Wang, T. Tsukamoto, G. Triscone, B. Revaz, E. Walker, and J. Muller. Specific heat up to 14 tesla and magnetization of a  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$  single crystal thermodynamics of a 2D superconductor. *Physica C: Superconductivity*, 229(3-4):209–230, 1994.
- [81] A. Kaminski, H. M. Fretwell, M. R. Norman, M. Randeria, S. Rosenkranz, U. Chatterjee, J. C. Campuzano, J. Mesot, T. Sato, T. Takahashi, T. Terashima, M. Takano, K. Kadowaki, Z. Z. Li, and H. Raffy. Momentum anisotropy of the scattering rate in cuprate superconductors. *Phys. Rev. B*, 71(1):014517, 2005.
- [82] A. Kaminski, J. Mesot, H. Fretwell, J. C. Campuzano, M. R. Norman, M. Randeria, H. Ding, T. Sato, T. Takahashi, T. Mochiku, K. Kadowaki, and H. Hoehst. Quasiparticles in the superconducting state of  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Phys. Rev. Lett.*, 84(8):1788, 2000.
- [83] A. Kanigel, M. R. Norman, M. Randeria, U. Chatterjee, S. Souma, A. Kaminski, H. M. Fretwell, S. Rosenkranz, M. Shi, T. Sato, T. Takahashi, Z. Z. Li, H. Raffy, K. Kadowaki, D. Hinks, L. Ozyuzer, and J. C. Campuzano. Evolution of the pseudogap from Fermi arcs to the nodal liquid. *Nature Physics*, 2(7):447, 2006.

## Bibliography

- [84] B. Keimer, S. A. Kivelson, M. R. Norman, S. Uchida, and J. Zaanen. From quantum matter to high-temperature superconductivity in copper oxides. *Nature*, 518(7538):179, 2015.
- [85] E.-A. Kim and M. J. Lawler. Interference of nematic quantum critical quasiparticles: A route to the octet model. *Phys. Rev. B*, 81(13):132501, 2010.
- [86] E.-A. Kim, M. J. Lawler, P. Oreto, S. Sachdev, E. Fradkin, and S. A. Kivelson. Theory of the nodal nematic quantum phase transition in superconductors. *Phys. Rev. B*, 77(18):184514, 2008.
- [87] S. A. Kivelson, I. P. Bindloss, E. Fradkin, V. Oganesyan, J. M. Tranquada, A. Kapitulnik, and C. Howald. How to detect fluctuating stripes in the high-temperature superconductors. *Rev. Mod. Phys.*, 75(4):1201, 2003.
- [88] S. A. Kivelson and C. M. Varma. Fermi pockets in a d-wave superconductor with coexisting loop-current order. *arXiv preprint arXiv:1208.6498*, 2012.
- [89] Y. Kohsaka, C. Taylor, K. Fujita, A. Schmidt, C. Lupien, T. Hanaguri, M. Azuma, M. Takano, H. Eisaki, H. Takagi, S. Uchida, and J. C. Davis. An intrinsic bond-centered electronic glass with unidirectional domains in underdoped cuprates. *Science*, 315(5817):1380–1385, 2007.
- [90] Y. Kohsaka, C. Taylor, P. Wahl, A. Schmidt, J. Lee, K. Fujita, J. W. Alldredge, K. McElroy, J. Lee, H. Eisaki, S. Uchida, D.-H. Lee, and J. C. Davis. How Cooper pairs vanish approaching the Mott insulator in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Nature*, 454(7208):1072–1078, 2008.

- [91] J. D. Koralek, J. F. Douglas, N. C. Plumb, Z. Sun, A. V. Federov, M. M. Murnane, H. C. Kapteyn, S. T. Cundiff, Y. Aiura, K. Oka, H. Eisaki, and D. S. Dessau. Laser based angle-resolved photoemission, the sudden approximation, and quasiparticle-like spectral peaks in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Phys. Rev. Lett.*, 96(1):017005, 2006.
- [92] B. Kramer and A. MacKinnon. Localization: theory and experiment. *Reports on Progress in Physics*, 56(12):1469, 1993.
- [93] A. Kreisel, P. Choubey, T. Berlijn, W. Ku, B. M. Andersen, and P. J. Hirschfeld. Interpretation of scanning tunneling quasiparticle interference and impurity states in cuprates. *Phys. Rev. Lett.*, 114(21):217002, 2015.
- [94] A. Kuzmin, M. Luisier, and O. Schenk. Fast methods for computing selected elements of the Greens function in massively parallel nanoelectronic device simulations. In *European Conference on Parallel Processing*, pages 533–544. Springer, 2013.
- [95] K. M. Lang, V. Madhavan, J. E. Hoffman, E. W. Hudson, H. Eisaki, S. Uchida, and J. C. Davis. Imaging the granular nature of high- $T_c$  superconductivity in underdoped  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Nature*, 415(6870):412–6, 2002.
- [96] M. J. Lawler, K. Fujita, J. Lee, A. R. Schmidt, Y. Kohsaka, C. K. Kim, H. Eisaki, S. Uchida, J. C. Davis, J. P. Sethna, and E.-A. Kim. Intra-unit-cell electronic nematicity of the high- $T_c$  copper-oxide pseudogap states. *Nature*, 466(7304):347–351, 2010.
- [97] S. Lederer, Y. Schattner, E. Berg, and S. A. Kivelson. Superconductivity and non-Fermi liquid behavior near a nematic quan-

## Bibliography

- tum critical point. *Proceedings of the National Academy of Sciences*, 114(19):4905–4910, 2017.
- [98] J. Lee, M. P. Allan, M. A. Wang, J. Farrell, S. A. Grigera, F. Baumberger, J. C. Davis, and A. P. Mackenzie. Heavy d-electron quasiparticle interference and real-space electronic structure of  $\text{Sr}_3\text{Ru}_2\text{O}_7$ . *Nature Physics*, 5(11):800–804, 2009.
- [99] J. Lee, K. Fujita, A. R. Schmidt, C. K. Kim, H. Eisaki, S. Uchida, and J. C. Davis. Spectroscopic fingerprint of phase-incoherent superconductivity in the underdoped  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Science*, 325(5944):1099–1103, 2009.
- [100] P. A. Lee. Localized states in a d-wave superconductor. *Phys. Rev. Lett.*, 71(12):1887, 1993.
- [101] S.-S. Lee. Low-energy effective theory of Fermi surface coupled with  $U(1)$  gauge field in  $2+1$  dimensions. *Phys. Rev. B*, 80(16):165102, 2009.
- [102] W. S. Lee, I. M. Vishik, K. Tanaka, D. H. Lu, T. Sasagawa, N. Nagaosa, T. P. Devereaux, Z. Hussain, and Z.-X. Shen. Abrupt onset of a second energy gap at the superconducting transition of underdoped  $\text{Bi}_2212$ . *Nature*, 450(7166):81, 2007.
- [103] S. Li and E. Darve. Extension and optimization of the FIND algorithm: Computing Greens and less-than Greens functions. *Journal of Computational Physics*, 231(4):1121–1139, 2012.
- [104] S. Li, W. Wu, and E. Darve. A fast algorithm for sparse matrix computations related to inversion. *Journal of Computational Physics*, 242:915–945, 2013.



- [105] J. M. Luttinger. An Exactly Soluble Model of a Many-Fermion System. *Journal of Mathematical Physics*, 4:1154–1162, 1963.
- [106] A. MacKinnon and B. Kramer. One-parameter scaling of localization length and conductance in disordered systems. *Phys. Rev. Lett.*, 47(21):1546, 1981.
- [107] G. D. Mahan. *Many-Particle Physics*. Springer Science & Business Media, 2013.
- [108] J. Maldacena. The Large-N Limit of Superconformal Field Theories and Supergravity. *International Journal of Theoretical Physics*, 38(4):1113–1133, 1999.
- [109] I. Martin, A. V. Balatsky, and J. Zaanen. Impurity states and interlayer tunneling in high temperature superconductors. *Phys. Rev. Lett.*, 88(9):097003, 2002.
- [110] D. C. Mattis and E. H. Lieb. Exact Solution of a Many-Fermion System and Its Associated Boson Field. *Journal of Mathematical Physics*, 6:304–312, 1965.
- [111] K. McElroy, J. Lee, J. Slezak, D.-H. Lee, H. Eisaki, S. Uchida, and J. C. Davis. Atomic-scale sources and mechanism of nanoscale electronic disorder in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Science*, 309(5737):1048–1052, 2005.
- [112] K. McElroy, R. W. Simmonds, J. E. Hoffman, D.-H. Lee, J. Orenstein, H. Eisaki, S. Uchida, and J. C. Davis. Relating atomic-scale electronic phenomena to wave-like quasiparticle states in superconducting  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Nature*, 422(6932):592–596, 2003.

## Bibliography

- [113] M. A. Metlitski and S. Sachdev. Quantum phase transitions of metals in two spatial dimensions. I. Ising-nematic order. *Phys. Rev. B*, 82(7):075127, 2010.
- [114] S. Misra, M. Vershinin, P. Phillips, and A. Yazdani. Failure of scattering interference in the pseudogap state of cuprate superconductors. *Phys. Rev. B*, 70(22):220503, 2004.
- [115] K. A. Moler, D. J. Baar, J. S. Urbach, R. Liang, W. N. Hardy, and A. Kapitulnik. Magnetic Field Dependence of the Density of States of  $\text{YBa}_2\text{Cu}_3\text{O}_{6.95}$  as Determined from the Specific Heat. *Phys. Rev. Lett.*, 73(20):2744, 1994.
- [116] K. A. Moler, D. L. Sisson, J. S. Urbach, M. R. Beasley, A. Kapitulnik, D. J. Baar, R. Liang, and W. N. Hardy. Specific heat of  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ . *Phys. Rev. B*, 55(6):3954, 1997.
- [117] R. Mukhopadhyay, C. L. Kane, and T. C. Lubensky. Sliding Luttinger liquid phases. *Phys. Rev. B*, 64(4):045120, 2001.
- [118] A. A. Nersisyan, A. M. Tsvelik, and F. Wenger. Disorder effects in two-dimensional d-wave superconductors. *Phys. Rev. Lett.*, 72(16):2628, 1994.
- [119] M. R. Norman, H. Ding, M. Randeria, J. C. Campuzano, T. Yokoya, T. Takeuchi, T. Takahashi, T. Mochiku, K. Kadowaki, P. Guptasarma, and D. G. Hinks. Destruction of the Fermi surface in underdoped high- $T_c$  superconductors. *Nature*, 392(6672):157, 1998.
- [120] M. R. Norman, A. Kanigel, M. Randeria, U. Chatterjee, and J. C. Campuzano. Modeling the Fermi arc in underdoped cuprates. *Phys. Rev. B*, 76(17):174501, 2007.

- [121] M. R. Norman, D. Pines, and C. Kallin. The pseudogap: friend or foe of high  $T_c$ ? *Advances in Physics*, 54(8):715–733, 2005.
- [122] M. R. Norman, M. Randeria, H. Ding, and J. C. Campuzano. Phenomenological models for the gap anisotropy of  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$  as measured by angle-resolved photoemission spectroscopy. *Phys. Rev. B*, 52(1):615, 1995.
- [123] M. R. Norman, M. Randeria, H. Ding, and J. C. Campuzano. Phenomenology of the low-energy spectral function in high- $T_c$  superconductors. *Phys. Rev. B*, 57(18):R11093, 1998.
- [124] T. S. Nunner, B. M. Andersen, A. Melikyan, and P. J. Hirschfeld. Dopant-modulated pair interaction in cuprate superconductors. *Phys. Rev. Lett.*, 95(17):177003, 2005.
- [125] T. S. Nunner, W. Chen, B. M. Andersen, A. Melikyan, and P. J. Hirschfeld. Fourier transform spectroscopy of d-wave quasiparticles in the presence of atomic scale pairing disorder. *Phys. Rev. B*, 73(10):104511, 2006.
- [126] T. S. Nunner and P. J. Hirschfeld. Microwave conductivity of d-wave superconductors with extended impurities. *Phys. Rev. B*, 72(1):014514, 2005.
- [127] D. Orgad, S. A. Kivelson, E. W. Carlson, V. J. Emery, X. J. Zhou, and Z. X. Shen. Evidence of electron fractionalization from photoemission spectra in the high temperature superconductors. *Phys. Rev. Lett.*, 86(19):4362, 2001.
- [128] S. Ouazi, J. Bobroff, H. Alloul, M. Le Tacon, N. Blanchard, G. Collin, M. H. Julien, M. Horvatić, and C. Berthier. Impurity-induced local magnetism and density of states in the superconducting state of  $\text{YBa}_2\text{Cu}_3\text{O}_7$ . *Phys. Rev. Lett.*, 96(12):127005, 2006.

## Bibliography

- [129] S. H. Pan, E. W. Hudson, K. M. Lang, H. Eisaki, S. Uchida, and J. C. Davis. Imaging the effects of individual zinc impurity atoms on superconductivity in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Nature*, 403(6771):746–750, 2000.
- [130] S. H. Pan, J. P. O’Neal, R. L. Badzey, C. Chamon, H. Ding, J. R. Engelbrecht, Z. Wang, H. Eisaki, S. Uchida, A. K. Gupta, K.-W. Ng, E. W. Hudson, K. M. Lang, and J. C. Davis. Microscopic electronic inhomogeneity in the high- $T_c$  superconductor  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ . *Nature*, 413(6853):282–285, 2001.
- [131] C. V. Parker, P. Aynajian, E. H. da Silva Neto, A. Pushp, S. Ono, J. Wen, Z. Xu, G. Gu, and A. Yazdani. Fluctuating stripes at the onset of the pseudogap in the high- $T_c$  superconductor  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Nature*, 468(7324):677, 2010.
- [132] A. N. Pasupathy, A. Pushp, K. K. Gomes, C. V. Parker, J. Wen, Z. Xu, G. Gu, S. Ono, Y. Ando, and A. Yazdani. Electronic origin of the inhomogeneous pairing interaction in the high- $T_c$  superconductor  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Science*, 320(5873):196–201, 2008.
- [133] T. Pereg-Barnea and M. Franz. Theory of quasiparticle interference patterns in the pseudogap phase of the cuprate superconductors. *Phys. Rev. B*, 68(18):180506, 2003.
- [134] T. Pereg-Barnea and M. Franz. Quasiparticle interference patterns as a test for the nature of the pseudogap phase in the cuprate superconductors. *International Journal of Modern Physics B*, 19(04):731–761, 2005.
- [135] T. Pereg-Barnea and M. Franz. Magnetic-field dependence of quasiparticle interference peaks in a d-wave superconductor with weak disorder. *Phys. Rev. B*, 78(2):020509, 2008.

- [136] D. E. Petersen, H. H. B. Sørensen, P. C. Hansen, S. Skelboe, and K. Stokbro. Block tridiagonal matrix inversion and fast transmission calculations. *Journal of Computational Physics*, 227(6):3174–3190, 2008.
- [137] L. Petersen, P. T. Sprunger, P. Hofmann, E. Lægsgaard, B. G. Briner, M. Doering, H.-P. Rust, A. M. Bradshaw, F. Besenbacher, and E. W. Plummer. Direct imaging of the two-dimensional Fermi contour: Fourier-transform STM. *Phys. Rev. B*, 57(12):R6858, 1998.
- [138] T. J. Reber, S. Parham, N. C. Plumb, Y. Cao, H. Li, Z. Sun, Q. Wang, H. Iwasawa, M. Arita, J. S. Wen, Z. J. Xu, G. D. Gu, Y. Yoshida, H. Eisaki, G. B. Arnold, and D. S. Dessau. Pairing, pair-breaking, and their roles in setting the  $T_c$  of cuprate high temperature superconductors. *arXiv preprint arXiv:1508.06252*, 2015.
- [139] T. J. Reber, S. Parham, N. C. Plumb, Y. Cao, H. Li, Z. Sun, Q. Wang, H. Iwasawa, J. S. Wen, Z. J. Xu, G. Gu, S. Ono, H. Berger, Y. Yoshida, H. Eisaki, Y. Aiura, G. B. Arnold, and D. S. Dessau. Coordination of the energy and temperature scales of pairing across the doping phase diagram of  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *arXiv preprint arXiv:1509.01556*, 2015.
- [140] T. J. Reber, N. C. Plumb, Y. Cao, Z. Sun, Q. Wang, K. McElroy, H. Iwasawa, M. Arita, J. S. Wen, Z. J. Xu, G. Gu, Y. Yoshida, H. Eisaki, Y. Aiura, and D. S. Dessau. Preparing and the filling gap in the cuprates from the tomographic density of states. *Phys. Rev. B*, 87(6):060506, 2013.
- [141] T. J. Reber, N. C. Plumb, Z. Sun, Y. Cao, Q. Wang, K. McElroy, H. Iwasawa, M. Arita, J. S. Wen, Z. J. Xu, G. Gu, Y. Yoshida,

## Bibliography

- H. Eisaki, Y. Aiura, and D. S. Dessau. The origin and non-quasiparticle nature of Fermi arcs in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Nature Physics*, 8(8):606, 2012.
- [142] T. J. Reber, X. Zhou, N. C. Plumb, S. Parham, J. A. Waugh, Y. Cao, Z. Sun, H. Li, Q. Wang, J. S. Wen, Z. J. Xu, G. Gu, Y. Yoshida, H. Eisaki, G. B. Arnold, and D. S. Dessau. Power Law Liquid-A Unified Form of Low-Energy Nodal Electronic Interactions in Hole Doped Cuprate Superconductors. *arXiv preprint arXiv:1509.01611*, 2015.
- [143] M. G. Reuter and J. C. Hill. An efficient, block-by-block algorithm for inverting a block tridiagonal, nearly block Toeplitz matrix. *Computational Science & Discovery*, 5(1):014009, 2012.
- [144] S. C. Riggs, O. Vafek, J. B. Kemper, J. B. Betts, A. Migliori, F. F. Balakirev, W. N. Hardy, R. Liang, D. A. Bonn, and G. S. Boebinger. Heat capacity through the magnetic-field-induced resistive transition in an underdoped high-temperature superconductor. *Nature Physics*, 7(4):332–335, 2011.
- [145] P. Roushan, J. Seo, C. V. Parker, Y. S. Hor, D. Hsieh, D. Qian, A. Richardella, M. Z. Hasan, R. J. Cava, and A. Yazdani. Topological surface states protected from backscattering by chiral spin texture. *Nature*, 460(7259):1106–1109, 2009.
- [146] S. Sachdev. *Quantum Phase Transitions*. Wiley Online Library, 2007.
- [147] S. Sakai, M. Civelli, and M. Imada. Hidden-fermion representation of self-energy in pseudogap and superconducting states of the two-dimensional Hubbard model. *Phys. Rev. B*, 94(11):115130, 2016.

- [148] D. J. Scalapino, S. R. White, and S. Zhang. Insulator, metal, or superconductor: The criteria. *Phys. Rev. B*, 47(13):7995, 1993.
- [149] D. J. Scalapino, S. R. White, and S. C. Zhang. Superfluid density and the Drude weight of the Hubbard model. *Phys. Rev. Lett.*, 68(18):2830, 1992.
- [150] A. R. Schmidt, K. Fujita, E.-A. Kim, M. J. Lawler, H. Eisaki, S. Uchida, D.-H. Lee, and J. C. Davis. Electronic structure of the cuprate superconducting and pseudogap phases from spectroscopic imaging STM. *New Journal of Physics*, 13(6):065014, 2011.
- [151] A. R. Schmidt, M. H. Hamidian, P. Wahl, F. Meier, A. V. Balatsky, J. D. Garrett, T. J. Williams, G. M. Luke, and J. C. Davis. Imaging the Fano lattice to hidden ordertransition in URu<sub>2</sub>Si<sub>2</sub>. *Nature*, 465(7298):570–576, 2010.
- [152] G. Schubert, J. Schleede, K. Byczuk, H. Fehske, and D. Vollhardt. Distribution of the local density of states as a criterion for Anderson localization: Numerically exact results for various lattices in two and three dimensions. *Phys. Rev. B*, 81(15):155106, 2010.
- [153] S. E. Sebastian, N. Harrison, F. F. Balakirev, M. M. Altarawneh, P. A. Goddard, R. Liang, D. A. Bonn, W. N. Hardy, and G. G. Lonzarich. Normal-state nodal electronic structure in underdoped high- $T_c$  copper oxides. *Nature*, 511(7507):61, 2014.
- [154] S. E. Sebastian, N. Harrison, and G. G. Lonzarich. Towards resolution of the Fermi surface in underdoped high- $T_c$  superconductors. *Reports on Progress in Physics*, 75(10):102501, 2012.
- [155] T. Senthil and M. P. A. Fisher. Quasiparticle density of states in dirty high- $T_c$  superconductors. *Phys. Rev. B*, 60(9):6893, 1999.

## Bibliography

- [156] T. Senthil, M. P. A. Fisher, L. Balents, and C. Nayak. Quasiparticle transport and localization in high- $T_c$  superconductors. *Phys. Rev. Lett.*, 81(21):4704, 1998.
- [157] Z.-X. Shen, D. S. Dessau, B. O. Wells, D. M. King, W. E. Spicer, A. J. Arko, D. Marshall, L. W. Lombardo, A. Kapitulnik, P. Dickinson, S. Doniach, J. DiCarlo, T. Loeser, and C. H. Park. Anomalous large gap anisotropy in the a-b plane of  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Phys. Rev. Lett.*, 70(10):1553, 1993.
- [158] S. L. Sondhi, S. M. Girvin, J. P. Carini, and D. Shahar. Continuous quantum phase transitions. *Rev. Mod. Phys.*, 69(1):315, 1997.
- [159] P. T. Sprunger, L. Petersen, E. W. Plummer, E. Lægsgaard, and F. Besenbacher. Giant Friedel oscillations on the beryllium (0001) surface. *Science*, 275(5307):1764–1767, 1997.
- [160] S. Sugai. Phonon Raman scattering in  $(\text{La}_{1-x}\text{Sr}_x)_2\text{CuO}_4$  single crystals. *Phys. Rev. B*, 39(7):4306, 1989.
- [161] M. A. Sulangi, M. P. Allan, and J. Zaanen. Revisiting quasiparticle scattering interference in high-temperature superconductors: The problem of narrow peaks. *Phys. Rev. B*, 96(13):134507, 2017.
- [162] M. A. Sulangi and J. Zaanen. Quasiparticle density of states, localization, and distributed disorder in the cuprate superconductors. *Phys. Rev. B*, 97(14):144512, 2018.
- [163] K. Tanaka, W. S. Lee, D. H. Lu, A. Fujimori, T. Fujii, I. Terasaki, D. J. Scalapino, T. P. Devereaux, Z. Hussain, and Z.-X. Shen. Distinct Fermi-momentum-dependent energy gaps in deeply underdoped  $\text{Bi}_2\text{Tl}_2$ . *Science*, 314(5807):1910–1913, 2006.



- [164] T. Timusk and B. Statt. The pseudogap in high-temperature superconductors: an experimental survey. *Reports on Progress in Physics*, 62(1):61, 1999.
- [165] S. Tomonaga. Remarks on Bloch's Method of Sound Waves applied to Many-Fermion Problems. *Progress of Theoretical Physics*, 5:544–569, 1950.
- [166] Y. J. Uemura, G. M. Luke, B. J. Sternlieb, J. H. Brewer, J. F. Carolan, W. N. Hardy, R. Kadono, J. R. Kempton, R. F. Kiefl, S. R. Kreitzman, P. Mulhern, T. M. Riseman, D. L. Williams, B. X. Yang, S. Uchida, H. Takagi, J. Gopalakrishnan, A. W. Sleight, M. A. Subramanian, C. L. Chien, M. Z. Cieplak, G. Xiao, V. Y. Lee, B. W. Statt, C. E. Stronach, W. J. Kossler, and X. H. Yu. Universal Correlations between  $T_c$  and  $\frac{n_s}{m^*}$  (Carrier Density over Effective Mass) in High- $T_c$  Cuprate Superconductors. *Phys. Rev. Lett.*, 62(19):2317, 1989.
- [167] J. S. Urbach, D. B. Mitzi, A. Kapitulnik, J. Y. T. Wei, and D. E. Morris. Low-temperature specific heat of single-crystal  $\text{Bi}_2\text{CaSr}_2\text{Cu}_2\text{O}_8$  and  $\text{Tl}_2\text{Ca}_2\text{Ba}_2\text{Cu}_3\text{O}_{10}$ . *Phys. Rev. B*, 39(16):12391, 1989.
- [168] T. Valla, A. V. Fedorov, P. D. Johnson, Q. Li, G. D. Gu, and N. Koshizuka. Temperature dependent scattering rates at the Fermi surface of optimally doped  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Phys. Rev. Lett.*, 85(4):828, 2000.
- [169] T. Valla, A. V. Fedorov, P. D. Johnson, B. O. Wells, S. L. Hulbert, Q. Li, G. D. Gu, and N. Koshizuka. Evidence for quantum critical behavior in the optimally doped cuprate  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Science*, 285(5436):2110–2113, 1999.

## Bibliography

- [170] T. Valla, T. E. Kidd, J. D. Rameau, H.-J. Noh, G. D. Gu, P. D. Johnson, H.-B. Yang, and H. Ding. Fine details of the nodal electronic excitations in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Phys. Rev. B*, 73(18):184518, 2006.
- [171] J. S. Van Dyke, F. Masee, M. P. Allan, J. C. S. Davis, C. Petrovic, and D. K. Morr. Direct evidence for a magnetic f-electron-mediated pairing mechanism of heavy-fermion superconductivity in  $\text{CeCoIn}_5$ . *Proceedings of the National Academy of Sciences*, 111(32):11663–11667, 2014.
- [172] C. M. Varma and E. Abrahams. Effective Lorentz force due to small-angle impurity scattering: magnetotransport in high- $T_c$  superconductors. *Phys. Rev. Lett.*, 86(20):4652, 2001.
- [173] C. M. Varma, P. B. Littlewood, S. Schmitt-Rink, E. Abrahams, and A. E. Ruckenstein. Phenomenology of the normal state of Cu-O high-temperature superconductors. *Phys. Rev. Lett.*, 63(18):1996, 1989.
- [174] M. Vershinin, S. Misra, S. Ono, Y. Abe, Y. Ando, and A. Yazdani. Local ordering in the pseudogap state of the high- $T_c$  superconductor  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Science*, 303(5666):1995–1998, 2004.
- [175] I. Vishik. Photoemission perspective on pseudogap, superconducting fluctuations, and charge order: a review of recent progress. *Reports on Progress in Physics*, 2018.
- [176] I. Vishik, E. Nowadnick, W. Lee, Z. Shen, B. Moritz, T. Devereaux, K. Tanaka, T. Sasagawa, and T. Fujii. A momentum-dependent perspective on quasiparticle interference in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ . *Nature Physics*, 5(10):718, 2009.
- [177] I. M. Vishik, M. Hashimoto, R.-H. He, W.-S. Lee, F. Schmitt, D. Lu, R. G. Moore, C. Zhang, W. Meevasana, T. Sasagawa,

- S. Uchida, K. Fujita, S. Ishida, M. Ishikado, Y. Yoshida, H. Eisaki, Z. Hussain, T. P. Devereaux, and Z.-X. Shen. Phase competition in trisected superconducting dome. *Proceedings of the National Academy of Sciences*, 109(45):18332–18337, 2012.
- [178] I. M. Vishik, W. S. Lee, F. Schmitt, B. Moritz, T. Sasagawa, S. Uchida, K. Fujita, S. Ishida, C. Zhang, T. P. Devereaux, and Z.-X. Shen. Doping-dependent nodal Fermi velocity of the high-temperature superconductor  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$  revealed using high-resolution angle-resolved photoemission spectroscopy. *Phys. Rev. Lett.*, 104(20):207002, 2010.
- [179] A. Vishwanath and D. Carpentier. Two-dimensional anisotropic non-Fermi-liquid phase of coupled Luttinger liquids. *Phys. Rev. Lett.*, 86(4):676, 2001.
- [180] R. E. Walstedt and W. W. Warren. Nuclear resonance properties of  $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$  superconductors. *Science*, 248(4959):1082–1087, 1990.
- [181] L. Wang and O. Vafek. Quantum oscillations of the specific heat in d-wave superconductors with loop current order. *Phys. Rev. B*, 88(2):024506, 2013.
- [182] Q.-H. Wang and D.-H. Lee. Quasiparticle scattering interference in high-temperature superconductors. *Phys. Rev. B*, 67(2):020511, 2003.
- [183] W. W. Warren Jr, R. Walstedt, G. Brennert, R. Cava, R. Tycko, R. Bell, and G. Dabbagh. Cu spin dynamics and superconducting precursor effects in planes above  $T_c$  in  $\text{YBa}_2\text{Cu}_3\text{O}_{6.7}$ . *Phys. Rev. Lett.*, 62(10):1193, 1989.

## Bibliography

- [184] M. Wimmer and K. Richter. Optimal block-tridiagonalization of matrices for coherent charge transport. *Journal of Computational Physics*, 228(23):8548–8565, 2009.
- [185] E. Witten. Anti-de Sitter space and holography. *Advances in Theoretical and Mathematical Physics*, 2:253–291, 1998.
- [186] T. Xiang. Effect of superconducting correlation on the localization of quasiparticles in low dimensions. *Phys. Rev. B*, 52(9):6204, 1995.
- [187] A. G. Yashenkin, W. A. Atkinson, I. V. Gornyi, P. J. Hirschfeld, and D. V. Khveshchenko. Nesting symmetries and diffusion in disordered d-wave superconductors. *Phys. Rev. Lett.*, 86(26):5982, 2001.
- [188] J. Zaanen. High-temperature superconductivity: Quantum salad dressing. *Nature*, 415(6870):379, 2002.
- [189] J. Zaanen. Superconductivity: Pebbles in the nodal pond. *Nature*, 422(6932):569–570, 2003.
- [190] J. Zaanen. Superconductivity: Why the temperature is high. *Nature*, 430(6999):512, 2004.
- [191] J. Zaanen, Y. Liu, Y.-W. Sun, and K. Schalm. *Holographic Duality in Condensed Matter Physics*. Cambridge University Press, 2015.
- [192] R. Zhou, M. Hirata, T. Wu, I. Vinograd, H. Mayaffre, S. Krämer, M. Horvatić, C. Berthier, A. P. Reyes, P. L. Kuhns, R. Liang, W. N. Hardy, D. A. Bonn, and M.-H. Julien. Quasiparticle scattering off defects and possible bound states in charge-ordered  $\text{YBa}_2\text{Cu}_3\text{O}_y$ . *Phys. Rev. Lett.*, 118(1):017001, 2017.

- [193] R. Zhou, M. Hirata, T. Wu, I. Vinograd, H. Mayaffre, S. Krämer, A. P. Reyes, P. L. Kuhns, R. Liang, W. N. Hardy, D. A. Bonn, and M.-H. Julien. Spin susceptibility of charge-ordered  $\text{YBa}_2\text{Cu}_3\text{O}_y$  across the upper critical field. *Proceedings of the National Academy of Sciences*, page 201711445, 2017.
- [194] J.-X. Zhu, D. N. Sheng, and C. S. Ting. Quasiparticle localization in disordered d-wave superconductors. *Phys. Rev. Lett.*, 85(23):4944, 2000.
- [195] L. Zhu, W. A. Atkinson, and P. J. Hirschfeld. Two impurities in a d-wave superconductor: Local density of states. *Phys. Rev. B*, 67(9):094508, 2003.
- [196] L. Zhu, W. A. Atkinson, and P. J. Hirschfeld. Power spectrum of many impurities in a d-wave superconductor. *Phys. Rev. B*, 69(6):060503, 2004.

