



Universiteit
Leiden
The Netherlands

Putting a spin on it: amyloid aggregation from oligomers to fibrils

Zurlo, E.

Citation

Zurlo, E. (2020, July 9). *Putting a spin on it: amyloid aggregation from oligomers to fibrils. Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/123273>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/123273>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/123273> holds various files of this Leiden University dissertation.

Author: Zurlo, E.

Title: Putting a spin on it: amyloid aggregation from oligomers to fibrils

Issue Date: 2020-07-09

Putting a Spin on it: Amyloid Aggregation from Oligomers to Fibrils

Enrico Zurlo

Putting a Spin on it: Amyloid Aggregation from Oligomers to Fibrils

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof.mr. C.J.J.M. Stolk,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 9 Juli 2020
klokke 15:00

door

Enrico Zurlo

geboren te Cittadella (Italië)
in 1987

Promotores: Dr. Martina Huber

Prof. Dr. Eric Eliel

Promotiecommissie: Dr. Marilena Di Valentin (Università di Padova, Italië)

Prof.dr. Thomas Schmidt (Universiteit Leiden)

Prof.dr. Marcellus Ubbink (Universiteit Leiden)

Dr. Shai Rahimipour (Bar-Ilan University, Israël)

Dr. Patrick van der Wel (Rijksuniversiteit Groningen)



Universiteit
Leiden
The Netherlands



Casimir PhD series, Delft-Leiden 2020-16

ISBN 978-90-8593-443-1

An electronic version of this thesis can be found at <https://openaccess.leidenuniv.nl>

To

**my beloved mother Giuseppina who could not witness my
achievements in the last few years**

Contents

1	Introduction.....	1
1.1	Proteins and their properties	2
1.1.1	Structure of Proteins	2
1.1.2	Intrinsically disordered proteins.....	4
1.1.3	Alzheimer's disease: the amyloid β peptide	5
1.1.4	Parkinson's disease: the alpha synuclein protein	6
1.1.5	Solid Phase Peptide Synthesis	6
1.2	Electron paramagnetic resonance.....	7
1.2.1	Electron Zeeman interaction and g-factor	8
1.2.2	Electron spin – nuclear spin interaction: hyperfine interaction.....	10
1.2.3	Spin-label EPR.....	11
1.2.4	Spin-label dynamics: The rotational correlation time	12
1.2.5	Distance determination by EPR: Dipole-dipole interaction	14
1.2.6	Double electron-electron resonance	14
1.3	Thesis outline	17
2	Synthesis and first CD and EPR characterization of small amyloid peptides designed to form oligomers.....	19
2.1	Introduction.....	20
2.2	Results	21
2.3	Discussion.....	23
2.4	Supporting information	24
2.4.1	Synthesis and Characterization of Peptides	24
2.4.2	Electron Paramagnetic Resonance.....	25
2.4.3	Circular Dichroism	26
2.4.4	Protocol of Aggregation Experiments	26
3	Tracking amyloid oligomerization with monomer resolution using a 13-amino acid peptide with a backbone-fixed spin label.....	29
3.1	Introduction.....	30
3.2	Materials and methods	32
3.2.1	Synthesis and characterization of peptides	32
3.2.2	Protocol for the aggregation experiments.....	33
3.2.3	ThioflavinT fluorescence	34
3.2.4	EPR measurement conditions	34
3.2.5	Simulations of EPR spectra	34

3.2.6	Interpretation of τ_r values and molecular volumes	35
3.3	Results	36
3.4	Discussion	40
3.4.1	Is TOAC a good monitor for peptide size?	40
3.4.2	Influence of TOAC position on the aggregation of the EZ peptides	40
3.4.3	Oligomerization of TOEZ as followed by EPR	41
3.4.4	Aggregation of TOEZ.....	42
3.5	Conclusions and outlook	43
3.6	Supporting information	44
3.6.1	Supplementary figures	44
3.6.2	Supplementary materials and methods	47
3.6.3	Supplementary data	47
4	In situ kinetic measurements of α -synuclein aggregation reveal large population of short-lived oligomers.....	57
4.1	Introduction.....	58
4.2	Material and methods.....	59
4.2.1	Protein expression and labeling	59
4.2.2	Sample preparation	59
4.2.3	EPR measurement conditions.....	60
4.2.4	Simulations of EPR spectra	60
4.2.5	Fitting of kinetics	61
4.3	Results	62
4.4	Discussion	64
4.4.1	Relation of the EPR derived fractions to the aggregation state of α S.....	64
4.5	Conclusion	66
4.6	Supporting information	67
5	A two-armed probe for in-cell DEER measurements on protein.....	71
5.1	Introduction.....	72
5.2	Materials and methods.....	73
5.2.1	Protein expression and purification	74
5.2.2	DEER sample preparation	74
5.2.3	EPR measurements conditions	75
5.3	Results	76
5.3.1	Design and synthesis of Gd(III)-CLaNP13.....	76
5.3.2	Protein labeling.....	77
5.3.3	Results of EPR experiments	77

5.3.4	Results of distance measurements	78
5.3.5	In-cell DEER.....	79
5.4	Discussion	81
5.5	Supporting information	83
5.5.1	Cell culture and live cell imaging.....	84
5.5.2	Quantification of the in-cell T4-ATTO-647 concentration.....	84
6	Synthesis and characterization by EPR of backbone-labeled Amyloid β peptides and influence of an antiamyloidogenic cyclic D,L- α -peptide as potential inhibitor for their aggregation	89
6.1	Introduction.....	90
6.2	Materials and methods	92
6.2.1	Synthesis and Characterization of Peptides	92
6.2.2	Protocol for the aggregation experiments.....	93
6.2.3	ThioflavinT fluorescence plate reader experiments.....	94
6.2.4	EPR measurement conditions	94
6.2.5	Simulations of EPR spectra	95
6.3	Results	95
6.4	Discussion	100
6.4.1	EPR properties of monomers	100
6.4.2	Influence of TOAC on aggregation behavior	101
6.4.3	Cyclic peptide CP-2 as amyloid aggregation inhibitor.....	101
6.5	Conclusions.....	102
6.6	Supporting information	103
6.6.1	Interpretation of τ_r values and molecular volumes.....	105
6.6.2	EPR experiments on spin-labeled CP-2.....	105
Bibliography.....		107
Summary		119
Samenvatting.....		121
Curriculum vitae		125
List of publications.....		127
Acknowledgments.....		129

