



Universiteit
Leiden
The Netherlands

Exploring means to facilitate software debugging

SOLTANI, M.S.

Citation

SOLTANI, M. S. (2020, August 25). *Exploring means to facilitate software debugging*. Retrieved from <https://hdl.handle.net/1887/135948>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/135948>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/135948> holds various files of this Leiden University dissertation.

Author: Soltani, M.S.

Title: Exploring means to facilitate software debugging

Issue Date: 2020-08-25

English Summary

Today we rely on computer systems in numerous ways. Yet, these systems are susceptible to failure. These failures may disrupt lives, cause deaths, and cost billions of dollars. Thus, software testing and verification play paramount roles in attempting to prevent such catastrophic failures. Since software testing and verification activities are costly and labor-intensive, much effort has been put into automating as many activities in these areas as possible. In this thesis, the overarching goal is to investigate different means to facilitate automated software debugging.

We present *EvoCrash*, which is a search-based approach to automated crash reproduction. *EvoCrash* applies a genetic algorithm to search for a test case that reproduces a software crash. We performed a large-scale evaluation to assess the performance of the *EvoCrash* approach and identify the areas where further improvement is needed.

Furthermore, we introduce the *IMaChecker* approach, which mines Github bug repositories, using Github APIs. In addition, *IMaChecker* parses bug reports and identifies which elements (e.g. reproducing steps) are included in them. Using statistical tests, *IMaChecker* identifies the impact of different bug report elements on bug resolution times.

Finally, we develop static analyzers which detect the use of program contracts in open source programs which are developed in Java, C++, and Python. In addition, we develop parsers to identify fixing commits among the entire commit histories. Using Poisson regression tests, we show there is a negative correlation between the use of contracts and bug occurrences. Thus, we show one way to avoid bugs is to use program contracts.

