



Universiteit
Leiden
The Netherlands

Advances in endothelial keratoplasty

Birbal, R.S.

Citation

Birbal, R. S. (2020, November 17). *Advances in endothelial keratoplasty*. Retrieved from <https://hdl.handle.net/1887/138387>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/138387>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/138387> holds various files of this Leiden University dissertation.

Author: Birbal, R.S.

Title: Advances in endothelial keratoplasty

Issue Date: 2020-11-17

Advances in Endothelial Keratoplasty

Rénuka S. Birbal

Advances in Endothelial Keratoplasty

Thesis, Leiden University Medical Center, The Netherlands

Cover image and design by: Claudia Claas, Valetti

Cover: The cover image displays a watercolor drawing of the Sakura flower. The Sakura flower is a symbol of spiritual beauty and hope. When it blooms, it is a stunningly, transformative depiction of spring's promise of renewal after a dark winter. Its fleeting presence reminds us to live life with gratitude and to savour small joys in every moment.

Photography: Netherlands Institute for Innovative Ocular Surgery (NIIOS), Rotterdam, The Netherlands

Layout and printed by: Optima Grafische Communicatie, Rotterdam, The Netherlands
(www.ogc.nl)

ISBN: 978-94-6361-455-9

Copyright © 2020 Rénuka Sadhna Birbal, Leiden, The Netherlands

No part of this thesis may be reproduced in any form or by any means without written permission from the author.

Financial support for the cover design and printing of this thesis was generously provided by:

Frédérique Bak Oogprothesen B.V., Visser Contactlenzen, Stichting Researchfonds Cornea Centrum Nederland and Stichting Leids Oogheekundig Ondersteuningsfonds

Advances in Endothelial Keratoplasty

Proefschrift

Ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus prof. mr. C.J.J.M. Stolker
volgens besluit van het College voor Promoties
te verdedigen op dinsdag 17 november 2020
klokke 16.15 uur

door

Rénuka Sadhna Birbal
Geboren te 's-Gravenhage
in 1987

Promotor

Prof. Dr. M.J. Jager

Copromotor

Dr. G.R.J. Melles, Netherlands Institute for Innovative Ocular Surgery (NIIOS), Rotterdam, Nederland

Leden Promotiecommissie

Prof. Dr. G.P.M. Luyten

Prof. Dr. F.H.J. Claas

Dr. D. Gatinel, Rothschild Foundation, Parijs, Frankrijk

Dr. V. Kocaba, NIIOS, Rotterdam, Nederland & Singapore Eye Research Institute, Singapore

For my Family

CONTENTS

Preface		8
Chapter 1	General Introduction and Thesis Outline	11
Part I	Donor Tissue Preparation	
Chapter 2	Donor Tissue Preparation for Descemet Membrane Endothelial Keratoplasty: An Updated Review. <i>Cornea 2018;37:128-35</i>	43
Part II	Selective, Minimally-Invasive and Potentially Tissue-Sparing Surgical Treatment Modalities for Corneal Endothelial Disorders	
Chapter 3	Effect of Surgical Indication and Preoperative Lens Status on Descemet Membrane Endothelial Keratoplasty Outcomes. <i>Am J Ophthalmol 2020;212:79-87</i>	65
Chapter 4	Five-Year Graft Survival and Clinical Outcomes after Descemet Membrane Endothelial Keratoplasty: Results of the First 500 Consecutive Cases. <i>Cornea 2020;39:290-7</i>	85
Chapter 5	Clinical Outcomes of Descemet Membrane Endothelial Keratoplasty in Eyes with a Glaucoma Drainage Device. <i>Am J Ophthalmol 2019;199:150-8</i>	103
Chapter 6	Descemet Membrane Endothelial Transfer: Ultimate Outcome. <i>Cornea 2018;37:141-4</i>	125
Chapter 7	Outcomes of Hemi-Descemet Membrane Endothelial Keratoplasty for Fuchs Endothelial Corneal Dystrophy. <i>Cornea 2018;37:854-8</i>	134
Chapter 8	Quarter-Descemet Membrane Endothelial Keratoplasty: One- to Two-Year Clinical Outcomes. <i>Cornea 2020;39:277-82</i>	149
Chapter 9	Summary and Future Directions	163
Chapter 10	Nederlandse Samenvatting (Dutch Summary)	183
Appendices	List of Publications	206
	Acknowledgements	208
	Curriculum Vitae	211

PREFACE

Corneal diseases are among the leading causes of reversible blindness worldwide. When conservative measures fail, many eyes can be managed with corneal transplantation, also known as corneal grafting or keratoplasty.

The first successful corneal allograft transplantation in a human was performed by Dr. Eduard Zirm in 1905. Since then, innumerable ophthalmologists and scientists have contributed to the development of operating microscopes, the refinement of surgical instruments and new methodologies for corneal transplantation and the establishment of eye banks. Additionally, an increased understanding of corneal biology and an improved management of allograft rejection with anti-inflammatory agents, such as corticosteroids, have dramatically improved clinical outcomes.

Currently, corneal transplantation is one of the most often performed and most successful types of tissue transplantation. Historically, *full* thickness corneal transplantation, also known as penetrating keratoplasty (PK), has been the mainstay of care in the treatment of corneal disorders. In the past two decades, however, there has been a trend towards the selective, minimally-invasive replacement of the diseased corneal layers, rather than replacement of all layers. These *partial* thickness corneal transplantations are known as *lamellar keratoplasties*. Lamellar keratoplasty has revolutionized the management of corneal disorders and has significantly improved the utilization of cadaveric corneal grafts and clinical outcomes after keratoplasty.

In 2006, *Descemet membrane endothelial keratoplasty* (DMEK), the latest refinement of lamellar keratoplasty, was introduced, enabling selective replacement of Descemet membrane (DM) with its endothelial layer. DMEK provides a near-perfect corneal restoration yielding drastically improved clinical outcomes for patients with endothelial disorders.

Shortly after its introduction, corneal clearance was described in eyes with a (partial) graft detachment after DMEK or an almost 'free-floating' DMEK graft in the recipient anterior chamber. The latter procedure, which at some point was performed intentionally, was tentatively referred to as *Descemet membrane endothelial transfer* (DMET). DMET entailed descemetorhexis followed by insertion of a free-floating DMEK graft that contacted the posterior cornea only at the corneal incision. While some eyes showed corneal clearance after

the procedure, a major drawback of DMET is that, if corneal clearance occurs at all, it may take up to several months.

While DMEK was clinically very successful, it had yet failed to adequately address the significant shortage of corneal donor tissue in many parts of the world. Therefore, attempts were made to obtain more than one endothelial graft out of one donor cornea and a further refinement of DMEK included Hemi-DMEK, that is, transplantation of a full diameter, semi-circular graft. A preliminary study on the clinical outcomes of Hemi-DMEK showed that Hemi-DMEK may result in visual outcomes similar to those after conventional DMEK.

Aiming to use donor tissue even more efficiently and to surpass the drawbacks of DMET, Quarter-DMEK was developed as a hybrid technique that aimed to combine the advantages of both DMEK (fast corneal clearance) with DMET and 'descemetorhexis only' (host peripheral endothelial cell migration). Quarter-DMEK has shown promising 6-month results for an initial cohort of Fuchs endothelial corneal dystrophy eyes and bears the advantage of potentially quadrupling the availability of endothelial donor grafts if outcomes would remain stable on the longer term.

This thesis will focus on donor tissue preparation for DMEK and the feasibility and clinical outcomes of DMEK, DMET, Hemi-DMEK and Quarter-DMEK.

