Universiteit
Leiden
The Netherlands

From the root of variation: A metabolomics perspective to plant soil-feedback

Huberty, M.D.

Citation
Huberty, M. D. (2020, November 24). *From the root of variation: A metabolomics perspective to plant soil-feedback*. *NIOO-thesis*. Retrieved from https://hdl.handle.net/1887/138402

Version:	Publisher's Version
License:	Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden
Downloaded from:	https://hdl.handle.net/1887/138402

Note: To cite this publication please use the final published version (if applicable).

Cover Page

Universiteit Leiden

The handle http://hdl.handle.net/1887/138402 holds various files of this Leiden University dissertation.

Author: Huberty, M.D.
Title: From the root of variation: A metabolomics perspective to plant soil-feedback
Issue date: 2020-11-24

References

Akashi, T., Furuno, T., Takahashi, T., Ayabe, S.-I., 1994. Biosynthesis of triterpenoids in cultured cells, and regenerated and wild plant organs of *Taraxacum officinale*. Phytochemistry, The International Journal of Plant Biochemistry 36, 303–308. https://doi.org/10.1016/S0031-9422(00)97065-1

Amin Mir, M., Sawhney, S.S., Jassal, M.M.S., 2013. Qualitative and quantitative analysis of phytochemicals of *Taraxacum officinale*. Wudpecker J. Pharm. Pharmocology, 1 2, 001–005. https://doi.org/10.3390/ijms140612780

Andersen S.O., 2010. Insect cuticular sclerotization: A review. Insect Biochem Mol Biol 40(3):166-178, https://doi.org/10.1016/j.ibmb.2009.10.007

Apprill, A., McNally, S., Parsons, R., Weber, L. (2015). Minor revision to V4 region SSU rRNA 806R gene primer greatly increases detection of SAR11 bacterioplankton. Aquatic Microbial Ecology, 75(2), 129–137. https://doi.org.10.3354/ame01753

Audoin, C., Holderith, S., Romari, K., Thomas, O.P., Genta-Jouve, G., 2014. Development of a work-flow for high-performance thin-layer chromatography data processing for untargeted metabolomics. JPC – J. Planar Chromatogr. – Mod. TLC 27, 328–332. https://doi.org/10.1556/JPC.27.2014.5.1

Badri, D. V., Zolla, G., Bakker, M. G., Manter, D. K., Vivanco, J. M. (2013). Potential impact of soil microbiomes on the leaf metabolome and on herbivore feeding behavior. New Phytologist, 198(1), 264–273. doi: 10.1111/nph.12124

Bain J.F., 1991. The biology of Canadian weeds.: 96. *Senecio jacobaea* L. Can J Plant Sci 127–140. https://doi.org/10.4141/cjps91-014

Bais, H. P., Vepachedu, R., Gilroy, S., Callaway, R. M., Vivanco, J. M., 2003. Allelopathy and exotic plant invasion: from molecules and genes to species interactions. Science, 301(5638), 1377–1380. doi: 10.1126/science.1083245

Bardgett, R.D., van der Putten, W.H., 2014. Belowground biodiversity and ecosystem functioning. Nature 515, 505–511. https://doi.org/10.1038/nature13855

Bayona, L.M., Verpoorte, R., Klinkhamer, P.G.L., Choi, Y.H., 2019. Thin-Layer Chromatography | Metabolomics., in: Encyclopedia of Analytical Science. Elsevier, pp. 59–75.

Beckers, V., Dersch, L.M., Lotz, K., Melzer, G., Bläsing, O.E., Fuchs, R., … , Wittmann, C., 2016. In silico metabolic network analysis of Arabidopsis leaves. BMC Syst. Biol. 10, 102. https://doi.org/10.1186/s12918-016-0347-3

Behmer, S.T., David Nes, W., 2003. Insect sterol nutrition and physiology: a global overview, in: advances in insect physiology. Academic Press, pp. 1–72. https://doi.org/10.1016/S0065-2806(03)31001-X

Behmer, S.T., Elias, D.O., Grebenok, R.J., 1999. Phytosterol metabolism and absorption in the generalist grasshopper, *Schistocerca americana* (Orthoptera: Acrididae). Arch. Insect Biochem. Physiol. 42, 13–25. https://doi.org/10.1002/(SICI)1520-6327(199909)42:1<13::AID-ARCH3>3.0.CO;2-P

Behmer, S.T., Grebenok, R.J., Douglas, A.E., 2011. Plant sterols and host plant suitability for a phloem-feeding insect. Funct. Ecol. 25, 484–491. https://doi.org/10.1111/j.1365-2435.2010.01810.x

Benjamini, Y., Hochberg, Y., 1995. Controlling the false discovery rate: a practical and powerful approach to multiple testing. Journal of the Royal Statistical Society. Series B (Methodological), 57(1), 289–300.

Bennett, J.A., Klironomos, J., 2019. Mechanisms of plant–soil feedback: interactions among biotic and abiotic drivers. New Phytologist 222: 91– 96. https://doi.org/10.1111/nph.15603

Berenbaum, M.R., 1995. Turnabout is fair play: Secondary roles for primary compounds. J. Chem. Ecol. 21, 925–940. https://doi.org/10.1007/BF02033799

Berenbaum, M.R., Zangerl, A.R., 1993. Furanocoumarin metabolism in *Papilio polyxenes*: biochemistry, genetic variability, and ecological significance. Oecologia 95, 370–375. https://doi.org/10.1007/BF00320991

Bever, J.D., 1994. Feedback between plants and their soil community in an oil field community. https://doi.org/10.2307/1941601

Bever, J.D., 2003. Soil community feedback and the coexistence of competitors: conceptual frameworks and empirical tests. New Phytol. 157, 465–473. https://doi.org/10.1046/j.1469-8137.2003.00714.x

Bezemer, T. M., Harvey, J. A., Kowalchuk, G. A., Korpershoek, H., van der Putten, W. H., 2006. Interplay between *Senecio Jacobaea* and plant, soil, and aboveground insect community composition. Ecology, 87(8), 2002–2013. doi: 10.1890/0012-9658(2006)87[2002:IBSJAP]2.0.CO;2

Bezemer, T. M., Van Der Putten, W. H., Martens, H., Van der Voorde, T. F. J., Mulder, P. P. J., Kostenko, O., 2013. Above- and below-ground herbivory effects on below-ground plant–fungus interactions and plant–soil feedback responses. Journal of Ecology, 101(2), 325–333. doi: 10.1111/1365-2745.12045

Bezemer, T.M., Van Dam, N. M., 2005. Linking aboveground and belowground interactions via induced plant defenses. Trends in Ecology & Evolution, 20(11), 617–624. doi: 10.1016/j.tree.2005.08.006

Bezemer, T.M., De Deyn, G.B., Bossinga, T.M., Van Dam, N.M., Harvey, J.A., Van der Putten, W.H., 2005. Soil community composition drives aboveground plant–herbivore–parasitoid interactions. Ecol Lett 8: 652–661. https://doi.org/10.1111/j.1461-0248.2005.00762.x

Bezemer, T.M., Fountain, M.T., Barea, J.M., Christensen, S., Dekker, S.C., Duyts, H., ... , Van der Putten, W.H., 2010. Divergent composition but similar function of soil food webs of individual plants: plant species and community effects. Ecology 91, 3027–3036. https://doi.org/10.1890/09-2198.1

Bezemer, T.M., Jing, J., Bakx-Schotman, J.M.T., Bijleveld, Bijleveld, E.-J., 2018. Plant competition alters the temporal dynamics of plant-soil feedbacks. J. Ecol. 106, 2287–2300. https://doi.org/10.1111/1365-2745.12999

Bezemer, T.M., Lawson, C.S., Hedlund, K., Edwards, A.R., Brook, A.J., … , Van der Putten, W.H., 2006. Plant species and functional group effects on abiotic and microbial soil properties and plant–soil feedback responses in two grasslands. J. Ecol. 94, 893–904. https://doi.org/10.1111/j.1365-2745.2006.01158.x

Biere, A., Goverse, A., 2016. Plant-mediated systemic interactions between pathogens, parasitic nematodes, and herbivores above- and belowground. Annual Review of Phytopathology, 54(1), 499–527. doi: 10.1146/annurev-phyto-080615-100245

Brinkman, E.P., Van der Putten, W.H., Bakker, E.-J., Verhoeven, K.J.F., 2010. Plant-soil feedback: experimental approaches, statistical analyses and ecological interpretations. J. Ecol. 98, 1063–1073.

Brockett, B.F.T., Prescott, C.E., Grayston, S.J., 2012. Soil moisture is the major factor influencing microbial community structure and enzyme activities across seven biogeoclimatic zones in western Canada. Soil Biol Biochem 44: 9–20. https://doi.org/10.1016/j.soilbio.2011.09.003

Brundrett, M.C., 2002. Coevolution of roots and mycorrhizas of land plants. New Phytol. 154, 275–304. https://doi.org/10.1046/j.1469-8137.2002.00397.x

Bundy, J.G., Davey, M.P., Viant, M.R., 2009. Environmental metabolomics: a critical review and future perspectives. Metabolomics 5, 3. https://doi.org/10.1007/s11306-008-0152-0

Burrows, S., Simpson, J.C.E., 1938. The triterpene group. Part IV. The triterpene alcohols of Taraxacum root. J. Chem. Soc. Part II 2042–2047. https://doi.org/10.1039/JR9380002042

CABI, 2020. Crop Protection Compendium. Wallingford, UK: CAB International.www.cabi.org/cpc.

Cao, K.-A. L., Rohart, F., Gonzalez, I., Dejean, S., Abadi, A., Gautier, B., … Liquet, B., 2020. mixOmics: Omics data integration project (Version 6.10.9). doi: 10.18129/B9.bioc.mixOmics

Caporaso, J. G., Lauber, C. L., Walters, W. A., Berg-Lyons, D., Huntley, J., Fierer, N., … Knight, R., 2012. Ultra-high-throughput microbial community analysis on the Illumina HiSeq and MiSeq platforms. The ISME Journal, 6(8), 1621–1624. doi: 10.1038/ismej.2012.8

Cardoso, P., Barton, P.S., Birkhofer, K., Chichorro, F., Deacon, C., Fartmann, T., … Samways, M.J., 2020. Scientists' warning to humanity on insect extinctions. Biol. Conserv. 242, 108426. https://doi.org/10.1016/j.biocon.2020.108426

Castro-Moretti, F.R., Gentzel, I.N., Mackey, D., Alonso, A.P., 2020. Metabolomics as an emerging tool for the study of plant–pathogen interactions. metabolites 10, 52. https://doi.org/10.3390/metabo10020052

Chadha, A., Florentine, S.K., Chauhan, B.S., Long, B., Jayasundera, M., 2019. Influence of soil moisture regimes on growth, photosynthetic capacity, leaf biochemistry and reproductive capabilities of the invasive agronomic weed; *Lactuca serriola.* PLOS ONE 14, e0218191. https://doi.org/10.1371/journal.pone.0218191

Chen, H.-J., Inbaraj, B.S., Chen, B.-H., 2012. Determination of phenolic acids and flavonoids in *Taraxacum formosanum Kitam* by liquid chromatography-tandem mass spectrometry coupled with a post-column derivatization technique. Int. J. Mol. Sci. 13, 260–285. https://doi.org/10.3390/ijms13010260

Choi, J., Yoon, K.D., Kim, J., 2018. Chemical constituents from *Taraxacum officinale* and their α-glucosidase inhibitory activities. Bioorg. Med. Chem. Lett. 28, 476–481. https://doi.org/10.1016/j.bmcl.2017.12.014

Chong, J., Soufan, O., Li, C., Caraus, I., Li, S., Bourque, G., Wishart, D.S., Xia, J., 2018. MetaboAnalyst 4.0: towards more transparent and integrative metabolomics analysis. Nucleic Acids Res 46: W486–W494. https://doi.org/10.1093/nar/gky310

Cocuron, J.-C., Anderson, B., Boyd, A., Alonso, A.P., 2014. Targeted metabolomics of *Physaria fendleri*, an industrial crop producing hydroxy fatty acids. Plant Cell Physiol. 55, 620–633. https://doi.org/10.1093/pcp/pcu011

Cocuron, J.-C., Casas, M.I., Yang, F., Grotewold, E., Alonso, A.P., 2019. Beyond the wall: High-throughput quantification of plant soluble and cell-wall bound phenolics by liquid chromatography tandem mass spectrometry. J. Chromatogr. A 1589, 93–104. https://doi.org/10.1016/j.chroma.2018.12.059

Compant, S., Duffy, B., Nowak, J., Clément, C., Barka, E.A., 2005. Use of plant growth-promoting bacteria for biocontrol of plant diseases: principles, mechanisms of action, and future prospects. Appl. Environ. Microbiol. 71, 4951–4959. https://doi.org/10.1128/AEM.71.9.4951-4959.2005

Constancias, F., Saby, N.P.A., Terrat, S., Dequiedt, S., Horrigue, W., Nowak, V., … , Ranjard, L. 2015, Contrasting spatial patterns and ecological attributes of soil bacterial and archaeal taxa across a landscape. Microbiologyopen 4: 518–531. https://doi.org/10.1002/mbo3.256

Cortois, R., Schröder-Georgi, T., Weigelt, A., Van der Putten, W. H., De Deyn, G. B., 2016. Plant–soil feedbacks: role of plant functional group and plant traits. Journal of Ecology, 104(6), 1608–1617. doi: 10.1111/1365-2745.12643

Crockford, D.J, Holmes, E., Lindon, J.C., Plumb, R.S, Zirah, S., Bruce, S.J, … Stumpf, C.L, Nicholson, J.K., 2006. Statistical heterospectroscopy, an approach to the integrated analysis of NMR and UPLC-MS data sets: application in metabonomic toxicology studies. Anal. Chem. 78, 363–371. https://doi.org/10.1021/ac051444m

Da Silva, R.R., Wang, M., Nothias, L.-F., Hooft, J.J.J. van der, Caraballo-Rodríguez, A.M., Fox, E., Balunas, M.J., Klassen, J.L., Lopes, N.P., Dorrestein, P.C., 2018. Propagating annotations of molecular networks using in silico fragmentation. PLOS Comput. Biol. 14, e1006089. https://doi.org/10.1371/journal.pcbi.1006089

Darandeh N, Hadavi E (2012) Effect of pre-harvest foliar application of citric acid and malic acid on chlorophyll content and post-harvest vase life of *Lilium* cv. Brunello. Front Plant Sci 2: 106. https://doi.org/10.3389/fpls.2011.00106

De Hollander, M. 2017. nioo-knaw/hydra: 1.3.3. doi: 10.5281/zenodo.884028

De Long, J.R., Fry, E.L., Veen, G.F., Kardol, P., 2019. Why are plant–soil feedbacks so unpredictable, and what to do about it? Funct. Ecol. 33, 118–128. https://doi.org/10.1111/1365-2435.13232

Dechassa, N., Schenk, M. K. (2004). Exudation of organic anions by roots of cabbage, carrot, and potato as influenced by environmental factors and plant age. Journal of Plant Nutrition and Soil Science, 167(5), 623–629. doi: 10.1002/jpln.200420424

Díaz, K., Espinoza, L., Madrid, A., Pizarro, L., Chamy, R., 2018. Isolation and identification of compounds from bioactive extracts of *Taraxacum officinale* Weber ex F. H. Wigg. (Dandelion) as a potential source of antibacterial agents. Evid.-Based Complement. Altern. Med. ECAM 2018, 2706417. https://doi.org/10.1155/2018/2706417

Djoumbou Feunang, Y., Eisner, R., Knox, C., Chepelev, L., Hastings, J., Owen, G., … , Wishart, D.S., 2016. ClassyFire: automated chemical classification with a comprehensive, computable taxonomy. J. Cheminformatics 8, 61. https://doi.org/10.1186/s13321-016-0174-y

Dostál, P., Müllerová, J., Pyšek, P., Pergl, J., Klinerová, T. 2013. The impact of an invasive plant changes over time. Ecology Letters, 16(10), 1277–1284. doi: 10.1111/ele.12166

Dostálek, T., Münzbergová, Z., Kladivová, A., Macel, M., 2016. Plant–soil feedback in native vs. invasive populations of a range expanding plant. Plant Soil 399, 209–220. https://doi.org/10.1007/s11104-015-2688-x

Dupont, P.-Y., Eaton, C.J., Wargent, J.J., Fechtner, S., Solomon, P., Schmid, J., Day, R.C., Scott, B., Cox, M.P., 2016. Fungal endophyte infection of ryegrass reprograms host metabolism and alters development. New Phytologist 208, 1227–1240. https://doi.org/10.1111/nph.13614

Dyer, L. A., Philbin, C. S., Ochsenrider, K. M., Richards, L. A., Massad, T. J., Smilanich, A. M., … Jeffrey, C. S., 2018. Modern approaches to study plant–insect interactions in chemical ecology. Nature Reviews Chemistry, 2(6), 50–64. doi: 10.1038/s41570-018-0009-7

Ernst, M., Kang, K.B., Caraballo-Rodríguez, A.M., Nothias, L.-F., Wandy, J., Chen, C., … , van der Hooft, J.J.J., 2019. MolNetEnhancer: enhanced molecular networks by integrating metabolome mining and annotation tools. Metabolites 9, 144. https://doi.org/10.3390/metabo9070144

Etalo, D. W., Jeon, J.-S., Raaijmakers, J. M., 2018. Modulation of plant chemistry by beneficial root microbiota. Natural Product Reports, 35(5), 398–409. doi: 10.1039/C7NP00057J

Ettema, C.H., Wardle, D.A., 2002. Spatial soil ecology. Trends Ecol. Evol. 17, 177–183. https://doi.org/10.1016/S0169-5347(02)02496-5

Fernandez, O., Béthencourt, L., Quero, A., Sangwan, R.S., Clément, C., 2010. Trehalose and plant stress responses: friend or foe? Trends Plant Sci 15: 409–417. https://doi.org/10.1016/j.tplants.2010.04.004

Ferreira, C.M.H., Soares, H.M.V.M., Soares, E.V., 2019. Promising bacterial genera for agricultural practices: An insight on plant growth-promoting properties and microbial safety aspects. Sci. Total Environ. 682, 779–799. https://doi.org/10.1016/j.scitotenv.2019.04.225

Fichou, D., Ristivojević, P., Morlock, G.E., 2016. Proof-of-Principle of rTLC, an open-source software developed for image evaluation and multivariate analysis of planar chromatograms. Anal. Chem. 88, 12494–12501. https://doi.org/10.1021/acs.analchem.6b04017

Fierer, N., 2017. Embracing the unknown: disentangling the complexities of the soil microbiome. Nat. Rev. Microbiol. 15, 579–590. https://doi.org/10.1038/nrmicro.2017.87

Fierer, N., Jackson, R.B., 2006. The diversity and biogeography of soil bacterial communities. Proc. Natl. Acad. Sci. U. S. A. 103, 626–631. https://doi.org/10.1073/pnas.0507535103

Forero, L.E., Grenzer, J., Heinze, J., Schittko, C., Kulmatiski, A., 2019. Greenhouse- and field-measured plant-soil feedbacks are not correlated. Front. Environ. Sci. 7. https://doi.org/10.3389/fenvs.2019.00184

Galati, G., Gandin, A., Jolivet, Y., Larbat, R., Hehn, A., 2019. Untargeted Metabolomics Approach Reveals Diverse Responses of Pastinaca Sativa to Ozone and Wounding Stresses. Metabolites 9. https://doi.org/10.3390/metabo9070153

Ge, Y., Sun, M., Salomé-Abarca, L.F., Wang, M., Choi, Y.H., 2018. Investigation of species and environmental effects on rhubarb roots metabolome using 1H NMR combined with high performance thin layer chromatography. Metabolomics Off. J. Metabolomic Soc. 14, 137. https://doi.org/10.1007/s11306-018-1421-1

González, I., Cao, K.-A. L., Davis, M. J., Déjean, S., 2012. Visualising associations between paired 'omics' data sets. BioData Mining, 5(1), 19. doi: 10.1186/1756-0381-5-19

Gundale, M.J., Wardle, D.A., Kardol, P., Nilsson, M.-C., 2019. Comparison of plant–soil feedback experimental approaches for testing soil biotic interactions among ecosystems. New Phytol. 221, 577–587. https://doi.org/10.1111/nph.15367

Gweon, H. S., Oliver, A., Taylor, J., Booth, T., Gibbs, M., Read, D. S., … Schonrogge, K., 2015. PIPITS: an automated pipeline for analyses of fungal internal transcribed spacer sequences from the Illumina sequencing platform. Methods in Ecology and Evolution, 6(8), 973–980. doi: 10.1111/2041-210X.12399

Hagel, J.M., Mandal, R., Han, B., Han, J., Dinsmore, D.R., Borchers, C.H., … , Facchini, P.J., 2015. Metabolome analysis of 20 taxonomically related benzylisoquinoline alkaloid-producing plants. BMC Plant Biol. 15, 220. https://doi.org/10.1186/s12870-015-0594-2

Hall, R.D., 2011. Biology of Plant Metabolomics. Wiley-Blackwell.

Hannula, S.E., Kielak, A.M., Steinauer, K., Huberty, M., Jongen, R., Long, J.R.D., … , Bezemer, T.M., 2019a. Time after Time: Temporal variation in the effects of grass and forb species on soil bacterial and fungal communities. mBio 10. https://doi.org/10.1128/mBio.02635-19

Hannula, S.E., Zhu, F., Heinen, R., Bezemer, T.M., 2019b. Foliar-feeding insects acquire microbiomes from the soil rather than the host plant. Nat. Commun. 10, 1254. https://doi.org/10.1038/s41467-019-09284-w

Hänsel, R., Kartarahardja, M., Huang, J.-T., Bohlmann, F., 1980. Sesquiterpenlacton-β-d-glucopyranoside sowie ein neues eudesmanolid aus *Taraxacum officinale*. Phytochemistry 19, 857–861. https://doi.org/10.1016/0031-9422(80)85126-0

Hanson, C.A., Fuhrman, J.A., Horner-Devine, M.C., Martiny, J.B.H., 2012. Beyond biogeographic patterns: processes shaping the microbial landscape. Nat Rev Microbiol 10: 497–506. https://doi.org/10.1038/nrmicro2795

Hartmann, T., 1999 Chemical ecology of pyrrolizidine alkaloids. Planta 207: 483–495. https://doi.org/10.1007/s004250050508

Hawkes, C., Kivlin, S., Du, J., Eviner, V., 2013. The temporal development and additivity of plant-soil feedback in perennial grasses. Plant and Soil, 369, 141–150.

Heil, M., Bostock, R. M., 2002. Induced Systemic Resistance (ISR) against pathogens in the context of induced plant defences. Annals of Botany, 89(5), 503–512. doi: 10.1093/aob/mcf076

Heinen, R., Biere, A., Bezemer, T.M., 2019. Plant traits shape soil legacy effects on individual plant–insect interactions. Oikos n/a, 1–13. https://doi.org/10.1111/oik.06812

Heinen, R., Hannula, S.E., Long, J.R.D., Huberty, M., Jongen, R., Kielak, A., … , Bezemer, T.M., 2020. Plant community composition steers grassland vegetation via soil legacy effects. Ecol. Lett. 23, 973–982. https://doi.org/10.1111/ele.13497

Heinen, R., Sluijs, M., Biere, A., Harvey, J.A., Bezemer, T.M., 2018. Plant community composition but not plant traits determine the outcome of soil legacy effects on plants and insects. J. Ecol. 1217–1229. https://doi.org/10.1111/1365-2745.12907

Hendriks, M., Visser, E.J.W., Visschers, I.G.S., Aarts, B.H.J., De Caluwe, H., Smit-Tiekstra, A.E., … ., Mommer, L., 2015. Root responses of grassland species to spatial heterogeneity of plant–soil feedback. Funct. Ecol. 29, 177–186. https://doi.org/10.1111/1365-2435.12367

Hervé, M.R., Erb, M., 2019. Distinct defense strategies allow different grassland species to cope with root herbivore attack. Oecologia 191: 127–139. https://doi.org/10.1007/s00442-019-04479-w

Hfaiedh, M., Brahmi, D., Zourgui, L., 2016. Hepatoprotective effect of *Taraxacum officinale* leaf extract on sodium dichromate-induced liver injury in rats. Environ. Toxicol. 31, 339–349. https://doi.org/10.1002/tox.22048

Hill, E.M., Robinson, L.A., Abdul-Sada, A., Vanbergen, A.J., Hodge, A., Hartley, S.E., 2018. Arbuscular mycorrhizal fungi and plant chemical defence: effects of colonisation on aboveground and belowground metabolomes. J Chem Ecol 44: 198–208. https://doi.org/10.1007/s10886-017-0921-1

Hol, W.H.G., 2011. The effect of nutrients on pyrrolizidine alkaloids in Senecio plants and their interactions with herbivores and pathogens. Phytochem. Rev. 10, 119–126. https://doi.org/10.1007/s11101-010-9188-7

Houston, K., Tucker, M.R., Chowdhury, J., Shirley, N., Little, A., 2016. The plant cell wall: a complex and dynamic structure as revealed by the responses of genes under stress conditions. Front. Plant Sci. 7. https://doi.org/10.3389/fpls.2016.00984

Hu, C., Kitts, D.D., 2003. Antioxidant, prooxidant, and cytotoxic activities of solvent-fractionated dandelion (Taraxacum officinale) flower extracts in vitro. J. Agric. Food Chem. 51, 301–310. https://doi.org/10.1021/jf0258858

Hu, L., Robert, C.A.M., Cadot, S., Zhang, X., Ye, M., Li, B., … ., Erb, M., 2018. Root exudate metabolites drive plant-soil feedbacks on growth and defense by shaping the rhizosphere microbiota. Nat. Commun. 9, 2738. https://doi.org/10.1038/s41467-018-05122-7

Huang, W., Bont, Z., Hervé, M. R., Robert, C. A. M., Erb, M., 2020. Impact of seasonal and temperature-dependent variation in root defense metabolites on herbivore preference in *Taraxacum officinale*. Journal of Chemical Ecology, 46(1), 63–75. doi: 10.1007/s10886-019-01126-9

Huberty, M., Hae Choi, Y., Heinen , R., Bezemer, T.M., 2020b. Aboveground plant metabolomic responses to plant-soil feedbacks and herbivory. Figshare. doi: 10.6084/m9.figshare.8834537

Huberty, M., Martis, B., van Kampen, J., Choi, Y.H., Vrieling, K., Klinkhamer, P.G.L., Bezemer, T.M., 2020a. Soil inoculation alters leaf metabolic profiles in genetically identical plants. J. Chem. Ecol. https://doi.org/10.1007/s10886-020-01156-8

Hulten, M. van, Pelser, M., Van Loon, L.C., Pieterse, C.M.J., Ton, J., 2006. Costs and benefits of priming for defense in Arabidopsis. Proc. Natl. Acad. Sci. 103, 5602–5607. https://doi.org/10.1073/pnas.0510213103

Inderjit, Wardle, D.A., Karban, R., Callaway, R.M., 2011. The ecosystem and evolutionary contexts of allelopathy. Trends Ecol. Evol. 26, 655–662. https://doi.org/10.1016/j.tree.2011.08.003

Jayachandran Nair, C.V., Ahamad, S., Khan, W., Anjum, V., Mathur, R., 2017. Development and validation of High-performance Thin-layer Chromatography Method for Simultaneous Determination of Polyphenolic Compounds in Medicinal Plants. Pharmacogn. Res. 9, S67–S73. https://doi.org/10.4103/pr.pr_122_16

Joosten, L., Mulder, P.P.J., Klinkhamer, P.G.L., Van Veen, J.A., 2009. Soil-borne microorganisms and soil-type affect pyrrolizidine alkaloids in *Jacobaea vulgaris*. Plant Soil 325, 133. https://doi.org/10.1007/s11104-009-9963-7

Kanehisa, M., Goto, S., 2000. KEGG: Kyoto Encyclopedia of Genes and Genomes. Nucleic Acids Res 28(1): 27–30. https://doi.org/10.1093/nar/28.1.27

Karban, R., Baldwin, I. T., 1997. Induced responses to herbivory. Chicago: Chicago University Press.

Khare, E., Mishra, J., Arora, N.K., 2018. Multifaceted interactions between endophytes and plant: developments and prospects. Front. Microbiol. 9. https://doi.org/10.3389/fmicb.2018.02732

Kim, H.K., Choi, Y.H., Verpoorte, R., 2010. NMR-based metabolomic analysis of plants. Nat. Protoc. 5, 536–549. https://doi.org/10.1038/nprot.2009.237

Kleine, S., Müller, C., 2011. Intraspecific plant chemical diversity and its relation to herbivory. Oecologia 166: 175–186. https://doi.org/10.1007/s00442-010-1827-6

Kos, M., Bukovinszky, T., Mulder, P. P., Bezemer, T. M., 2015a. Disentangling above-and belowground neighbor effects on the growth, chemistry, and arthropod community on a focal plant. Ecology, 96(1), 164–175. doi: 10.1890/14-0563.1

Kos, M., Tuijl, M. A. B., De Roo, J., Mulder, P. P. J., Bezemer, T. M., 2015b. Plant–soil feedback effects on plant quality and performance of an aboveground herbivore interact with fertilisation. Oikos, 124(5), 658–667. doi: 10.1111/oik.01828

Kos, M., Tuijl, M. A. B., De Roo, J., Mulder, P. P. J., Bezemer, T. M., 2015c. Species-specific plant–soil feedback effects on above-ground plant–insect interactions. Journal of Ecology, 103(4), 904–914. doi: 10.1111/1365-2745.12402

Kostenko, O., Bezemer, T.M., 2013 a. Intraspecific variation in plant size, secondary plant compounds, herbivory and parasitoid assemblages during secondary succession. Basic Appl. Ecol. 14, 337–346. https://doi.org/10.1016/j.baae.2013.02.006

Kostenko, O., Mulder, P.P.J., Bezemer, T.M., 2013 b. Effects of root herbivory on pyrrolizidine alkaloid content and aboveground plant-herbivore-parasitoid interactions in *Jacobaea vulgaris*. J Chem Ecol 39: 109–119. https://doi.org/10.1007/s10886-012-0234-3

Kostenko, O., van de Voorde, T. F. J., Mulder, P. P. J., van der Putten, W. H., Bezemer, T. M., 2012. Legacy effects of aboveground-belowground interactions. Ecology Letters, 15(8), 813–821. doi: 10.1111/j.1461-0248.2012.01801.x

Kuhlisch, C., Pohnert, G., 2015. Metabolomics in chemical ecology. Nat. Prod. Rep. 32, 937–955. https://doi.org/10.1039/C5NP00003C

Kulmatiski, A., Beard, K. H., Heavilin, J., 2012. Plant–soil feedbacks provide an additional explanation for diversity–productivity relationships. Proceedings of the Royal Society of London B: Biological Sciences, 279(1740), 3020–3026. doi: 10.1098/rspb.2012.0285

Kulmatiski, A., Beard, K. H., Stevens, J. R., Cobbold, S. M., 2008. Plant–soil feedbacks: A meta-analytical review. Ecology Letters, 11, 980–992. https://doi.org/10.1111/j.1461-0248.2008.01209.x

Kusano, M., Redestig, H., Hirai, T., Oikawa, A., Matsuda, F., Fukushima, A., … , Saito, K., 2011. Covering chemical diversity of genetically-modified tomatoes using metabolomics for objective substantial equivalence assessment. PLOS ONE 6, e16989. https://doi.org/10.1371/journal.pone.0016989

Kuzina, V., Ekstrøm, C.T., Andersen, S.B., Nielsen, J.K., Olsen, C.E., Bak, S., 2009. Identification of defense compounds in *Barbarea vulgaris* against the herbivore *Phyllotreta nemorum* by an ecometabolomic approach. Plant Physiol. 151, 1977–1990. https://doi.org/10.1104/pp.109.136952

Latz, E., Eisenhauer, N., Rall, B.C., Allan, E., Roscher, C., Scheu, S., Jousset, A., 2012. Plant diversity improves protection against soil-borne pathogens by fostering antagonistic bacterial communities. J. Ecol. 100, 597–604. https://doi.org/10.1111/j.1365-2745.2011.01940.x

Latz, E., Eisenhauer, N., Rall, B.C., Scheu, S., Jousset, A., 2016. Unravelling linkages between plant community composition and the pathogen-suppressive potential of soils. Sci. Rep. 6, 23584. https://doi.org/10.1038/srep23584

Latz, E., Eisenhauer, N., Scheu, S., Jousset, A., 2015. Plant identity drives the expression of biocontrol factors in a rhizosphere bacterium across a plant diversity gradient. Funct. Ecol. 29, 1225–1234. https://doi.org/10.1111/1365-2435.12417

Lauber, C.L., Ramirez, K.S., Aanderud, Z., Lennon, J., Fierer, N., 2013. Temporal variability in soil microbial communities across land-use types. ISME J. 7, 1641–1650. https://doi.org/10.1038/ismej.2013.50

Lepinay, C., Vondráková, Z., Dostálek, T., Münzbergová, Z., 2018. Duration of the conditioning phase affects the results of plant-soil feedback experiments via soil chemical properties. Oecologia 186, 459–470. https://doi.org/10.1007/s00442-017-4033-y

Li, X.-Z., Starratt, A. N., Cuppels, D. A., 1998. Identification of tomato leaf factors that activate toxin gene expression in *Pseudomonas syringae pv. tomato* DC3000. Phytopathology, 88(10), 1094–1100. doi: 10.1094/PHYTO.1998.88.10.1094

Lisec, J., Meyer, R.C., Steinfath, M., Redestig, H., Becher, M., Witucka-Wall, H., Fiehn, O., … , Willmitzer, L., 2008. Identification of metabolic and biomass QTL in *Arabidopsis thaliana* in a parallel analysis of RIL and IL populations. Plant Journal 53: 960–972. https://doi.org/10.1111/j.1365-313X.2007.03383.x

Liu, L., Xiong, H., Ping, J., Ju, Y., Zhang, X., 2010. *Taraxacum officinale* protects against lipopolysaccharide-induced acute lung injury in mice. J. Ethnopharmacol. 130, 392–397. https://doi.org/10.1016/j.jep.2010.05.029

Liu, X., Vrieling, K., Klinkhamer, P.G.L., 2017. Interactions between Plant Metabolites Affect Herbivores: A Study with Pyrrolizidine Alkaloids and Chlorogenic Acid. Front. Plant Sci. 8, 1–14. https://doi.org/10.3389/fpls.2017.00903

Loewus, F.A., Murthy, P.P.N., 2000. Myo-Inositol metabolism in plants. Plant Sci. 150, 1–19. https://doi.org/10.1016/S0168-9452(99)00150-8

Lundberg, D.S., Lebeis, S.L., Paredes, S.H., Yourstone, S., Gehring, J., Malfatti, S., Tremblay, … , Dangl, J.L., 2012. Defining the core *Arabidopsis thaliana* root microbiome. Nature 488, 86–90. https://doi.org/10.1038/nature11237

Ma, H., Pineda, A., van der Wurff, A.W.G., Bezemer, T.M., 2018. Carry-over effects of soil inoculation on plant growth and health under sequential exposure to soil-borne diseases. Plant Soil. https://doi.org/10.1007/s11104-018-3837-9

Ma, H., Pineda, A., van der Wurff, A.W.G., Raaijmakers, C., Bezemer, T.M., 2017. Plant–soil feedback effects on growth, defense and susceptibility to a soil-borne disease in a cut flower crop: species and functional group effects. Front. Plant Sci. 8, 2127. https://doi.org/10.3389/fpls.2017.02127

Macel, M., 2011. Attract and deter: a dual role for pyrrolizidine alkaloids in plant–insect interactions. Phytochem Rev 10: 75–82. https://doi.org/10.1007/s11101-010-9181-1

Mahmood, A., Kataoka, R., 2020. Metabolite profiling reveals a complex response of plants to application of plant growth-promoting endophytic bacteria. Microbiol. Res. 234, 126421. https://doi.org/10.1016/j.micres.2020.126421

Maldini, M., D'Urso, G., Pagliuca, G., Petretto, G.L., Foddai, M., Gallo, F.R., … , Pintore, G., 2019. HPTLC-PCA complementary to hrms-pca in the case study of *Arbutus unedo* antioxidant phenolic profiling. Foods 8. https://doi.org/10.3390/foods8080294

Marti, G., Erb, M., Boccard, J., Glauser, G., Doyen, G.R., Villard, … , Wolfender, J.-L., 2013. Metabolomics reveals herbivore-induced metabolites of resistance and susceptibility in maize leaves and roots. Plant Cell Environ. 36, 621–639. https://doi.org/10.1111/pce.12002

Martinez, A., 2017. pairwiseAdonis: Pairwise multilevel comparison using adonis. R 542 package version 0.0.1.

Martinez-Medina, A., Flors, V., Heil, M., Mauch-Mani, B., Pieterse, C. M. J., Pozo, M. J., … Conrath, U., 2016. Recognizing plant defense priming. Trends in Plant Science, 21(10), 818–822. doi: 10.1016/j.tplants.2016.07.009

Mazzoleni, S., Bonanomi, G., Incerti, G., Chiusano, M.L., Termolino, P., Mingo, A., Senatore, M., … , Lanzotti, V., 2015. Inhibitory and toxic effects of extracellular self-DNA in litter: a mechanism for negative plant–soil feedbacks? New Phytol. 205, 1195–1210. https://doi.org/10.1111/nph.13121

Micallef, S. A., Channer, S., Shiaris, M. P., Colón-Carmona, A., 2009. Plant age and genotype impact the progression of bacterial community succession in the Arabidopsis rhizosphere. Plant Signaling & Behavior, 4(8), 777–780. doi: 10.4161/psb.4.8.9229

Mills, K.E., Bever, J.D., 1998. Maintenance of diversity within plant communities: soil pathogens as agents of negative feedback. Ecology 79, 1595–1601. https://doi.org/10.1890/0012-9658(1998)079[1595:MODWPC]2.0.CO;2

Moghe, G.D., Last, R.L., 2015. Something old, something new: conserved enzymes and the evolution of novelty in plant specialized metabolism. Plant Physiol. 169, 1512–1523. https://doi.org/10.1104/pp.15.00994

Morlock, G.E., Ristivojevic, P., Chernetsova, E.S., 2014. Combined multivariate data analysis of high-performance thin-layer chromatography fingerprints and direct analysis in real time mass spectra for profiling of natural products like propolis. J. Chromatogr. A 1328, 104–112. https://doi.org/10.1016/j.chroma.2013.12.053

Nagler, M., Nägele, T., Gilli, C., Fragner, L., Korte, A., Platzer, … , Weckwerth, W., 2018. Eco-metabolomics and metabolic modeling: making the leap from model systems in the lab to native populations in the field. Front. Plant Sci. 9. https://doi.org/10.3389/fpls.2018.01556

Nelson, A.C., Kursar, T.A., 1999. Interactions among plant defense compounds: a method for analysis. Chemoecology 9, 81–92. https://doi.org/10.1007/s000490050037

Nijjer, S., Rogers, W.E., Siemann, E., 2007. Negative plant–soil feedbacks may limit persistence of an invasive tree due to rapid accumulation of soil pathogens. Proc. R. Soc. Lond. B Biol. Sci. 274, 2621–2627. https://doi.org/10.1098/rspb.2007.0804

Nilsson, R. H., Larsson, K.-H., Taylor, A. F. S., Bengtsson-Palme, J., Jeppesen, T. S., Schigel, D., … Abarenkov, K., 2019. The UNITE database for molecular identification of fungi: handling dark taxa and parallel taxonomic classifications. Nucleic Acids Research, 47(D1), D259–D264. doi: 10.1093/nar/gky1022

O'Brien, S.L., Gibbons, S.M., Owens, S.M., Hampton-Marcell, J., Johnston, E.R., Jastrow, J.D., … ., Antonopoulos, D.A., 2016. Spatial scale drives patterns in soil bacterial diversity. Environ. Microbiol. 18, 2039–2051. https://doi.org/10.1111/1462-2920.13231

Oda, Y., Star, B., Huisman, L.A., Gottschal, J.C., Forney, L.J., 2003. Biogeography of the purple nonsulfur bacterium *Rhodopseudomonas palustris*. Appl Environ Microbiol 69: 5186–5191. https://doi.org/10.1128/AEM.69.9.5186-5191.2003

Ogegbo, O.L., Eyob, S., Parmar, S., Wang, Z.-T., Bligh, S.W.A., 2012. Metabolomics of four TCM herbal products: application of HPTLC analysis. Anal. Methods 4, 2522–2527. https://doi.org/10.1039/C2AY25373A

Oksanen, J., Blanchet, F.G., Friendly, M., Kindt, R., Legendre, P., McGlinn, D., … , Wagner, H., 2018. vegan: Community Ecology Package. R package version 2.5-2. https://CRAN.R-project.org/package=vegan.

Olanrewaju, O. S., Babalola, O. O. 2019. Streptomyces: implications and interactions in plant growth promotion. Applied Microbiology and Biotechnology, 103(3), 1179–1188. doi: 10.1007/s00253-018-09577-y

Oliverio, A.M., Bradford, M.A., Fierer, N., 2017. Identifying the microbial taxa that consistently respond to soil warming across time and space. Glob. Change Biol. 23, 2117–2129. https://doi.org/10.1111/gcb.13557

Pandey, S.S., Singh, S., Babu, C.S.V., Shanker, K., Srivastava, N.K., Shukla, A.K., Kalra, A., 2016. Fungal endophytes of Catharanthus roseus enhance vindoline content by modulating structural and regulatory genes related to terpenoid indole alkaloid biosynthesis. Scientific Reports 6, 26583. https://doi.org/10.1038/srep26583

Pangesti, N., Weldegergis, B.T., Langendorf, B., Van Loon, J.J.A., Dicke, M., Pineda, A., 2015. Rhizobacterial colonization of roots modulates plant volatile emission and enhances the attraction of a parasitoid wasp to host-infested plants. Oecologia 178, 1169–1180. https://doi.org/10.1007/s00442-015-3277-7

Papazian, S., Girdwood, T., Wessels, B.A., Poelman, E.H., Dicke, M., Moritz, T., Albrectsen, B.R., 2019. Leaf metabolic signatures induced by real and simulated herbivory in black mustard (*Brassica nigra*). Metabolomics 15, 130. https://doi.org/10.1007/s11306-019-1592-4

Parada, A. E., Needham, D. M., Fuhrman, J. A., 2016. Every base matters: assessing small subunit rRNA primers for marine microbiomes with mock communities, time series and global field samples. Environmental Microbiology, 18(5), 1403–1414. doi: 10.1111/1462-2920.13023

Patterson, D.T., 1995. Effects of environmental stress on weed/crop interactions. Weed Sci. 43, 483–490. https://doi.org/10.1017/S0043174500081510

Peñuelas, J., Sardans, J., 2009. Ecological metabolomics. Chem. Ecol. 25, 305–309. https://doi.org/10.1080/02757540903062517

Petermann, J.S., Fergus, A.J.F., Turnbull, L.A., Schmid, B., 2008. Janzen-connell effects are widespread and strong enough to maintain diversity in grasslands. Ecology 89, 2399–2406. https://doi.org/10.1890/07-2056.1

Peters, K., Gorzolka, K., Bruelheide, H., Neumann, S., 2018. Seasonal variation of secondary metabolites in nine different bryophytes. Ecology and Evolution, 8(17), 9105–9117. doi: 10.1002/ece3.4361

Peters, K., Worrich, A., Weinhold, A., Alka, O., Balcke, G., Birkemeyer, C., Bruelheide, H., … , Van Dam, N.M., 2018. Current challenges in plant eco-metabolomics. Int. J. Mol. Sci. 19, 1385. https://doi.org/10.3390/ijms19051385

Pichersky, E., Lewinsohn, E., 2011. Convergent evolution in plant specialized metabolism. Annu. Rev. Plant Biol. 62, 549–566. https://doi.org/10.1146/annurev-arplant-042110-103814

Pieterse, C. M. J., Wees, S. C. M. Van, Pelt, J. A. Van, Knoester, M., Laan, R., Gerrits, H., … Van Loon, L. C., 1998. A novel signaling pathway controlling induced systemic resistance in Arabidopsis. The Plant Cell, 10(9), 1571–1580. doi: 10.1105/tpc.10.9.1571

Pieterse, C. M. J., Zamioudis, C., Berendsen, R. L., Weller, D. M., Van Wees, S. C. M., Bakker, P. A. H. M., 2014. Induced systemic resistance by beneficial microbes. Annual Review of Phytopathology, 52(1), 347–375. doi: 10.1146/annurev-phyto-082712-102340

Pineda, A., Kaplan, I., Bezemer, T.M., 2017. Steering soil microbiomes to suppress aboveground insect pests. Trends Plant Sci. 22, 770–778. https://doi.org/10.1016/j.tplants.2017.07.002

Pineda, A., Kaplan, I., Hannula, S.E., Ghanem, W., Bezemer, T.M., 2020. Conditioning the soil microbiome through plant–soil feedbacks suppresses an aboveground insect pest. New Phytol. n/a. https://doi.org/10.1111/nph.16385

Pineda, A., Zheng, S.-J., Van Loon, J.J.A., Pieterse, C.M.J., Dicke, M., 2010. Helping plants to deal with insects: the role of beneficial soil-borne microbes. Trends Plant Sci. 15, 507–514. https://doi.org/10.1016/j.tplants.2010.05.007

Quast, C., Pruesse, E., Yilmaz, P., Gerken, J., Schweer, T., Yarza, P., … Glöckner, F. O., 2013. The SILVA ribosomal RNA gene database project: improved data processing and web-based tools. Nucleic Acids Research, 41(D1), D590–D596. doi: 10.1093/nar/gks1219

Ramos, A.E.F., Evanno, L., Poupon, E., Champy, P., Beniddir, M.A., 2019. Natural products targeting strategies involving molecular networking: different manners, one goal. Nat. Prod. Rep. 36, 960–980. https://doi.org/10.1039/C9NP00006B

Ratcliffe, R.G., Shachar-Hill, Y., 2001. Probing plant metabolism with NMR. Annu. Rev. Plant Physiol. Plant Mol. Biol. 52, 499–526. https://doi.org/10.1146/annurev.arplant.52.1.499

Reynolds, H.L., Packer, A., Bever, J.D., Clay, K., 2003. Grassroots Ecology: Plant–microbe–soil interactions as drivers of plant community structure and dynamics. ecology 84, 2281–2291. https://doi.org/10.1890/02-0298

Ristok, C., Poeschl, Y., Dudenhöffer, J.-H., Ebeling, A., Eisenhauer, N., Vergara, F., … , Weinhold, A., 2019. Plant species richness elicits changes in the metabolome of grassland species via soil biotic legacy. J. Ecol. 0. https://doi.org/10.1111/1365-2745.13185

Rojas, J.C., Wyatt, T.D., Birch, M.C., 2000. flight and oviposition behavior toward different host plant species by the cabbage moth, *Mamestra brassicae* (L.) (Lepidoptera: Noctuidae). J. Insect Behav. 13, 247–254. https://doi.org/10.1023/A:1007792332046

RStudio Team. 2016. RStudio: Integrated Development for R. RStudio, Inc., Boston, MA URL http://www.rstudio.com/.

Rudrappa ,T., Czymmek, K.J., Paré, P.W., Bais ,H.P., 2008. Root-secreted malic acid recruits beneficial soil bacteria. Plant Physiol 148: 1547–1556. https://doi.org/10.1104/pp.108.127613

Ryu, S.B., Wang, X., 1996. Activation of phospholipase D and the possible mechanism of activation in wound-induced lipid hydrolysis in castor bean leaves. Biochim. Biophys. Acta BBA - Lipids Lipid Metab. 1303, 243–250. https://doi.org/10.1016/0005-2760(96)00096-3

Saeed, A.I., Sharov, V., White, J., Li, J., Liang, W., Bhagabati, N., … Quackenbush J. 2003 TM4: a free, open-source system for microarray data management and analysis. Biotechniques. 34(2):374-8. https://doi.org/10.2144/03342mt01

Salomé-Abarca, L.F., van der Pas, J., Kim, H.K., van Uffelen, G.A., Klinkhamer, P.G.L., Choi, Y.H., 2018. Metabolic discrimination of pine resins using multiple analytical platforms. Phytochemistry 155, 37–44. https://doi.org/10.1016/j.phytochem.2018.07.011

Sampaio, B. L., Edrada-Ebel, R., Costa, F. B. D. 2016. Effect of the environment on the secondary metabolic profile of *Tithonia diversifolia*: a model for environmental metabolomics of plants. Scientific Reports, 6, 29265. doi: 10.1038/srep29265

Sardans, J., Peñuelas, J., Rivas-Ubach, A., 2011. Ecological metabolomics: overview of current developments and future challenges. Chemoecology 21, 191–225. https://doi.org/10.1007/s00049-011-0083-5

Scherling, C., Ulrich, K., Ewald, D., Weckwerth, W., 2009. A Metabolic Signature of the Beneficial Interaction of the Endophyte Paenibacillus sp. Isolate and In Vitro–Grown Poplar Plants Revealed by Metabolomics. MPMI 22, 1032–1037. https://doi.org/10.1094/MPMI-22-8-1032

Schulze, E.D., 1986. Whole-plant responses to drought. Funct. Plant Biol. 13, 127–141. https://doi.org/10.1071/pp9860127

Schütz, K., Carle, R., Schieber, A., 2006. Taraxacum--a review on its phytochemical and pharmacological profile. J. Ethnopharmacol. 107, 313–323. https://doi.org/10.1016/j.jep.2006.07.021

Schweiger, R., Baier, M.C., Persicke, M., Müller, C., 2014. High specificity in plant leaf metabolic responses to arbuscular mycorrhiza. Nat. Commun. 5, 3886. https://doi.org/10.1038/ncomms4886

Shannon, P., Markiel, A., Ozier, O., Baliga, N.S., Wang, J.T., Ramage, D., Amin, N., Schwikowski, B., Ideker, T., 2003. Cytoscape: a software environment for integrated models of biomolecular interaction networks. Genome Res. 13, 2498–2504. https://doi.org/10.1101/gr.1239303

Šmilauer, P., Lepš, J., 2014. Multivariate analysis of ecological data using CANOCO 5 by Petr Šmilauer. Cambridge Core. https://doi.org/10.1017/CBO9781139627061

Smith-Ramesh, L.M., Reynolds, H.L., 2017. The next frontier of plant–soil feedback research: unraveling context dependence across biotic and abiotic gradients. J. Veg. Sci. n/a-n/a. https://doi.org/10.1111/jvs.12519

Speek, T. A. A., Schaminée, J. H. J., Stam, J. M., Lotz, L. A. P., Ozinga, W. A., van der Putten, W. H. (2015). Local dominance of exotic plants declines with residence time: a role for plant–soil feedback? AoB PLANTS, 7. doi: 10.1093/aobpla/plv021

Steinbrenner, A.D., Gómez, S., Osorio, S., Fernie, A.R., Orians, C.M., 2011. Herbivore-induced Changes in Tomato (Solanum lycopersicum) Primary Metabolism: A Whole Plant Perspective. J. Chem. Ecol. 37, 1294–1303. https://doi.org/10.1007/s10886-011-0042-1

Stobiecki, M., Kachlicki, P., 2005. Metabolomics and metabolite profiling — can we achieve the goal? Acta Physiol. Plant. 27, 109–116. https://doi.org/10.1007/s11738-005-0043-1

Tautenhahn, R., Patti, G.J., Rinehart, D., Siuzdak, G., 2012. XCMS Online: A web-based platform to process untargeted metabolomic data. Anal. Chem. 84, 5035–5039. https://doi.org/10.1021/ac300698c

Tedersoo, L., Anslan, S., Bahram, M., Polme, S., Riit, T., Liiv, I., … Abarenkov, K. (2015). Shotgun metagenomes and multiple primer pair-barcode combinations of amplicons reveal biases in metabarcoding analyses of fungi. MycoKeys, (10), 1–43.

Thorpe, W.H., Crombie, A.C., Hill, R., Darrah, J.H., 1947. The behaviour of wireworms in response to chemical stimulation. J Exp Biol 23: 234–266.

Thorsteinson, A.J., Nayar, J.K., 1963. Plant phospholipids as feeding stimulants for grasshoppers. Can. J. Zool. 41, 931–935. https://doi.org/10.1139/z63-067

Tikunov, Y.M., Vos, R.C.H. de, Paramás, A.M.G., Hall, R.D., Bovy, A.G., 2010. A role for differential glycoconjugation in the emission of phenylpropanoid volatiles from tomato fruit discovered using a metabolic data fusion approach. Plant Physiol. 152, 55–70. https://doi.org/10.1104/pp.109.146670

Van Dam, N.M., Oomen, M.W.A.T., 2008. Root and shoot jasmonic acid applications differentially affect leaf chemistry and herbivore growth. Plant Signal. Behav. 3, 91–98. https://doi.org/10.4161/psb.3.2.5220

Van Dam, N.M., Van der Meijden, E., 2011. A role for metabolomics in plant ecology, in: Annual Plant Reviews Volume 43. John Wiley & Sons, Ltd, pp. 87–107. https://doi.org/10.1002/9781444339956.ch4

Van Dam, N.M., Vuister, L.W.M., Bergshoeff, C., de Vos, H., Van Der Meijden, E., 1995. The "Raison D'être" of pyrrolizidine alkaloids in *Cynoglossum officinale*: Deterrent effects against generalist herbivores. J Chem Ecol 21: 507–523. https://doi.org/10.1007/BF02033698

Van de Mortel, J.E., De Vos, R.C.H., Dekkers, E., Pineda, A., Guillod, L., Bouwmeester, K., Van Loon, J.J.A., … , Raaijmakers, J.M., 2012. Metabolic and transcriptomic changes induced in Arabidopsis by the rhizobacterium *Pseudomonas fluorescens* SS1011[W][OA]. Plant Physiol 160: 2173–2188. https://doi.org/10.1104/pp.112.207324

Van de Voorde, T. F. J., Van der Putten, W. H., & Bezemer, T. M., 2011. Intra- and interspecific plant–soil interactions, soil legacies and priority effects during old-field succession. Journal of Ecology, 99(4), 945–953. doi: 10.1111/j.1365-2745.2011.01815.x

Van de Voorde, T.F.J., Ruijten, M., Van der Putten, W.H., Bezemer, T.M., 2012. Can the negative plant–soil feedback of *Jacobaea vulgaris* be explained by autotoxicity? Basic Appl. Ecol. 13, 533–541. https://doi.org/10.1016/j.baae.2012.08.012

Van de Voorde, T.F.J., Van der Putten, W.H., Bezemer, T.M., 2011. Intra- and interspecific plant–soil interactions, soil legacies and priority effects during old-field succession. J. Ecol. 99, 945–953. https://doi.org/10.1111/j.1365-2745.2011.01815.x

van de Voorde, T.F.J., van der Putten, W.H., Bezemer, T.M., 2012. The importance of plant–soil interactions, soil nutrients, and plant life history traits for the temporal dynamics of *Jacobaea vulgaris* in a chronosequence of old-fields. Oikos 121, 1251–1262. https://doi.org/10.1111/j.1600-0706.2011.19964.x

Van der Heijden, M.G.A., Bardgett, R.D., Van Straalen, N.M., 2008. The unseen majority: soil microbes as drivers of plant diversity and productivity in terrestrial ecosystems. Ecol. Lett. 11, 296–310. https://doi.org/10.1111/j.1461-0248.2007.01139.x

Van der Putten, W.H., Bardgett, R.D., Bever, J.D., Bezemer, T.M., Casper, B.B., Fukami, T., Kardol, P., Klironomos, … , Wardle, D.A., 2013. Plant-soil feedbacks: the past, the present and future challenges. J. Ecol. 101, 265–276. https://doi.org/10.1111/1365-2745.12054

Van der Putten, W.H., Bradford, M.A., Pernilla Brinkman, E., Van de Voorde, T.F.J., Van Veen, G.F., 2016. Where, when and how plant–soil feedback matters in a changing world. Funct. Ecol. n/a-n/a. https://doi.org/10.1111/1365-2435.12657

Van der Putten, W.H., Van Dijk, C., Peters, B. a. M., 1993. Plant-specific soil-borne diseases contribute to succession in foredune vegetation. Nature 362, 53–56. https://doi.org/10.1038/362053a0

Van Loon, L. C., Bakker, P. A. H. M., Pieterse, C. M. J., 1998. Systemic resistance induced by rhizosphere bacteria. Annual Review of Phytopathology, 36(1), 453–483. doi: 10.1146/annurev.phyto.36.1.453

Van Oosten, V.R., Bodenhausen, N., Reymond, P., Van Pelt, J.A., Van Loon, L.C., Dicke, M., Pieterse, C.M.J., 2008. Differential effectiveness of microbially induced resistance against herbivorous insects in Arabidopsis. Mol. Plant-Microbe Interact. MPMI 21, 919–930. https://doi.org/10.1094/MPMI-21-7-0919

Vandenkoornhuyse, P., Quaiser, A., Duhamel, M., Van, A.L., Dufresne, A., 2015. The importance of the microbiome of the plant holobiont. New Phytol. 206, 1196–1206. https://doi.org/10.1111/nph.13312

Verpoorte, R., Choi, Y. H., Kim, H. K. 2007. NMR-based metabolomics at work in phytochemistry. Phytochemistry Reviews, 6(1), 3–14. doi: 10.1007/s11101-006-9031-3

Viaene, T., Langendries, S., Beirinckx, S., Maes, M., Goormachtig, S. 2016. Streptomyces as a plant's best friend? FEMS Microbiology Ecology, 92(8). doi: 10.1093/femsec/fiw119

Vickery, M.L., Vickery, B., 1981. Secondary plant metabolism. Second. Plant Metab.

Vílchez J.I., García-Fontana, C., Román-Naranjo, D., González-López, J., Manzanera, M., 2016. Plant drought tolerance enhancement by trehalose production of desiccation-tolerant microorganisms. Front Microbiol 7. https://doi.org/10.3389/fmicb.2016.01577

Vivanco, J.M., Bais, H.P., Stermitz, F.R., Thelen, G.C., Callaway, R.M., 2004. Biogeographical variation in community response to root allelochemistry: novel weapons and exotic invasion. Ecol. Lett. 7, 285–292. https://doi.org/10.1111/j.1461-0248.2004.00576.x

Vos, M., Wolf, A.B., Jennings, S.J., Kowalchuk, G.A., 2013. Micro-scale determinants of bacterial diversity in soil. FEMS Microbiol Rev 37: 936–954. https://doi.org/10.1111/1574-6976.12023

Vrieling, K., Soldaat, L.L., Smit, W., 1990 The influence of pyrrolizidine alkaloids of *Senecio Jacobaea* on *Tyria Jacobaeae, Brachycaudus Cardii* and *Haplothrips Senecionis*. Neth J Zool 41: 228–239. https://doi.org/10.1163/156854291X00162

Vurukonda, S.S.K.P., Vardharajula, S., Shrivastava, M., SkZ, A., 2016. Enhancement of drought stress tolerance in crops by plant growth promoting rhizobacteria. Microbiol. Res. 184, 13–24. https://doi.org/10.1016/j.micres.2015.12.003

Wagner, H., Bladt, S., Zgainski, E.M., 1984. Plant drug analysis, ISBN 0-387-13195-7.

Walling, L.L., 2000. The myriad plant responses to herbivores. J. Plant Growth Regul. 19, 195–216. https://doi.org/10.1007/s003440000026

Wang, J., Zhang, T., Li, L., Li, J., Feng, Y., Lu, Q., 2017. The patterns and drivers of bacterial and fungal β-diversity in a typical dryland ecosystem of northwest China. Front Microbiol 8: 2126. https://doi.org/10.3389/fmicb.2017.02126

Wang, M., Carver, J.J., Phelan, V.V., Sanchez, L.M., Garg, N., Peng, Y., … , Bandeira, N., 2016. Sharing and community curation of mass spectrometry data with Global Natural Products Social Molecular Networking. Nat. Biotechnol. 34, 828–837. https://doi.org/10.1038/nbt.3597

Wang, M., De Deyn, G.B., Bezemer, T.M., 2019a Separating effects of soil microorganisms and nematodes on plant community dynamics. Plant Soil 441: 455–467. https://doi.org/10.1007/s11104-019-04137-3

Wang, M., Ruan, W., Kostenko, O., Carvalho, S., Hannula, S.E., Mulder, P.P.J., Bu, F., Van der Putten, W.H., Bezemer, T.M., 2019b Removal of soil biota alters soil feedback effects on plant growth and defense chemistry. New Phytol 221: 1478–1491. https://doi.org/10.1111/nph.15485

Warashina, T., Umehara, K., Miyase, T., 2012. Constituents from the roots of *Taraxacum platycarpum* and their effect on proliferation of human skin fibroblasts. Chem. Pharm. Bull. (Tokyo) 60, 205–212. https://doi.org/10.1248/cpb.60.205

Wardle, D. A., Bardgett, R. D., Klironomos, J. N., Setälä, H., Van der Putten, W. H., Wall, D. H., 2004. Ecological linkages between aboveground and belowground Biota. Science, 304(5677), 1629–1633. doi: 10.1126/science.1094875

Waring, B.G., Álvarez-Cansino, L., Barry, K.E., Becklund, K.K., Dale, S., Gei, M.G., … , Schnitzer, S.A., Powers, J.S., 2015. Pervasive and strong effects of plants on soil chemistry: a meta-analysis of individual plant 'Zinke' effects. Proc. R. Soc. B Biol. Sci. 282. https://doi.org/10.1098/rspb.2015.1001

Weng, J.-K., Philippe, R.N., Noel, J.P., 2012. The rise of chemodiversity in plants. Science 336, 1667–1670. https://doi.org/10.1126/science.1217411

Widarto, H. T., Van Der Meijden, E., Lefeber, A. W. M., Erkelens, C., Kim, H. K., Choi, Y. H., Verpoorte, R., 2006. Metabolomic differentiation of *Brassica rapa* following herbivory by different insect instars using two-dimensional nuclear magnetic resonance spectroscopy. Journal of Chemical Ecology, 32(11), 2417–2428. doi: 10.1007/s10886-006-9152-6

Williams, C.A., Goldstone, F., Greenham, J., 1996. Flavonoids, cinnamic acids and coumarins from the different tissues and medicinal preparations of *Taraxacum officinale*. Phytochemistry 42, 121–127. https://doi.org/10.1016/0031-9422(95)00865-9

Wubs, E. R. J., Bezemer, T. M., 2016. Effects of spatial plant–soil feedback heterogeneity on plant performance in monocultures. Journal of Ecology, 104(2), 364–376. doi: 10.1111/1365-2745.12521

Wubs, E. R. J., Bezemer, T. M., 2018. Temporal carry-over effects in sequential plant–soil feedbacks. Oikos, 127(2), 220–229. doi: 10.1111/oik.04526

Xue P.-P., Carrillo Y., Pino V., Minasny B., McBratney A.B., 2018. Soil properties drive microbial community structure in a large scale transect in south eastern Australia. Sci Rep 8: 1–11. https://doi.org/10.1038/s41598-018-30005-8

Xue, W., Bezemer, T. M., Berendse, F., 2018. Density-dependency and plant-soil feedback: former plant abundance influences competitive interactions between two grassland plant species through plant-soil feedbacks. Plant and Soil, 428(1), 441–452. doi: 10.1007/s11104-018-3690-x

Zhang, K., Delgado-Baquerizo, M., Zhu, Y.-G., Chu, H., 2020. Space is more important than season when shaping soil microbial communities at a large spatial scale. mSystems 5. https://doi.org/10.1128/mSystems.00783-19

Zhou, D., Huang, X.-F., Guo, J., dos-Santos, M.L., Vivanco, J.M., 2018. *Trichoderma gamsii* affected herbivore feeding behaviour on *Arabidopsis thaliana* by modifying the leaf metabolome and phytohormones. Microb. Biotechnol. 11, 1195–1206. https://doi.org/10.1111/1751-7915.13310

Zhou, S., Lou, Y.-R., Tzin, V., Jander, G., 2015. Alteration of plant primary metabolism in response to insect herbivory. Plant Physiol 169: 1488–1498. https://doi.org/10.1104/pp.15.01405

Zhu, F., Heinen, R., Sluijs, M. van der, Raaijmakers, C., Biere, A., Bezemer, T.M., 2018. Species-specific plant–soil feedbacks alter herbivore-induced gene expression and defense chemistry in *Plantago lanceolata*. Oecologia 1–11. https://doi.org/10.1007/s00442-018-4245-9