

Ocular inflammation in age-related eye diseases Vu , $\mathrm{T.H.K.}$

Citation

Vu, T. H. K. (2019, June 27). *Ocular inflammation in age-related eye diseases*. Retrieved from https://hdl.handle.net/1887/74440

Version: Not Applicable (or Unknown)

License: Leiden University Non-exclusive license

Downloaded from: https://hdl.handle.net/1887/74440

 ${f Note:}$ To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle http://hdl.handle.net/1887/74440 holds various files of this Leiden University dissertation.

Author: Vu, T.H.K.

Title: Ocular inflammation in age-related eye diseases

Issue Date: 2019-06-27

STELLINGEN

behorende bij het proefschrift

- In uveal melanoma, the presence of an immune infiltrate is associated with a bad prognosis. (This Thesis)
- 2. The presence of an immune infiltrate is especially a consequence of the primary tumor characteristics and not of irradiation. (*This Thesis*)
- 3. Glaucomatous neurodegeneration is mediated in part by T cells that have been pre-sensitized by exposure to commensal microflora. (*This Thesis*)
- 4. T cell-mediated responses in the pathogenesis of neural ischemia may reveal a potential novel therapeutic strategy for limiting or preventing neuron and function loss in the currently untreatable condition of ischemic optic neuropathy. (*This Thesis*)
- 5. "The free radical theory of aging" implicates that reactive free radicals are formed endogenously via normal oxygen-utilizing metabolic processes and that tissue damage induced by free-radicals is progressively accumulated during aging. (D. Harman, Proceedings of the National Academy of Sciences of the United States of America. 1981)
- In the presence of accumulating tissue stress/injury and risk factors associated with aging, chronic microglial activation in the neuroretina may result in dysfunction of their regulatory activity, leading to innate and adaptive cytotoxicity. (R. Ransohoff, Annual review of immunology. 2009)
- (Low-grade) para-inflammation may increase and evolve into a chronic (maladaptive) classical inflammatory response, which contributes to the initiation and progression of age-related diseases. (H. Xu, Progress in Retinal and Eye Research. 2009)
- 8. An improved understanding of how tissue stress, neuronal injury, and glial responses during glaucomatous neurodegeneration orchestrate individual components of immunity can help to design immunomodulation-based treatment strategies. (C. Luo. Invest Ophthalmol Vis Sci. 2010)
- Beter een benaderend antwoord op de juiste hypothese, die vaak vaag is, dan een exact antwoord op de verkeerde hypothese, die altijd nauwkeurig kan worden gemaakt. (John Tukey, Statistician, 1962)
- 10. Tijdens de vele stortbuien van tegenslagen tijdens een promotietraject, vergeet dan niet je glimlach te gebruiken als paraplu.