



Universiteit
Leiden
The Netherlands

Exploration on and of networks

Güldas, H.

Citation

Güldas, H. (2019, July 3). *Exploration on and of networks*. Retrieved from <https://hdl.handle.net/1887/74479>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/74479>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:

<http://hdl.handle.net/1887/74479>

Author: Guldás, H.

Title: Exploration on and of networks

Issue Date: 2019-07-03

Bibliography

- [1] P. K. Agarwal, J. Pach, and M. Sharir. State of the union (of geometric objects). In J. E. Goodman, J. Pach, and R. Pollack, editors, *Surveys on Discrete and Computational Geometry: Twenty Years Later*, volume 452 of *Contemp. Math.*, pages 9–48. Amer. Math. Society, 2008.
- [2] R. Albert and A.-L. Barabási. Statistical mechanics of complex networks. *Rev. Mod. Phys.*, 74:47–97, 2002.
- [3] R. Albert, H. Jeong, and A.-L. Barabási. Error and attack tolerance of complex networks. *Nature*, 406:378–382, 2000.
- [4] D. Aldous and J. A. Fill. Reversible Markov chains and random walks on graphs (in preparation). Online version available at <http://www.stat.berkeley.edu/users/aldous/RWG/book.html>, 2002.
- [5] D. Aldous and R. Lyons. Processes on unimodular random networks. *Electron. J. Probab.*, 12(54):1454–1508, 2007.
- [6] D. Aldous and J. M. Steele. The objective method: Probabilistic combinatorial optimization and local weak convergence. In H. Kesten, editor, *Probability on Discrete Structures*, pages 1–72. Springer, 2004.
- [7] D. J. Aldous. Random walks on finite groups and rapidly mixing Markov chains. *Séminaire de probabilités de Strasbourg*, 17:243–297, 1983.
- [8] N. Alon and J. H. Spencer. *The Probabilistic Method*. Wiley-Interscience Series in Discrete Mathematics and Optimization. Wiley Publishing, 4th edition, 2016.
- [9] B. Amorim, D. Figueiredo, G. Iacobelli, and G. Neglia. Growing networks through random walks without restarts. In H. Cherifi, B. Gonçalves, R. Menezes, and R. Sinatra, editors, *Complex Networks VII: Proceedings of the 7th Workshop on Complex Networks CompleNet 2016*, pages 199–211. Springer, 2016.
- [10] O. Angel, R. van der Hofstad, and C. Holmgren. Limit laws for self-loops and multiple edges in the configuration model, 2016. arXiv preprint, arXiv:1603.07172.
- [11] L. Avena. *Random walks in dynamic random environments*. PhD thesis, Leiden University, 2010.
- [12] L. Avena, H. Güldaş, R. van der Hofstad, and F. den Hollander. Mixing times of random walks on dynamic configuration models. *Ann. Appl. Probab.*, 28(4):1977–2002, 2018.

- [13] L. Avena, H. Güldaş, R. van der Hofstad, and F. den Hollander. Random walks on dynamic configuration models: A trichotomy. *Stochastic Process. Appl.*, 2018. In press.
- [14] A.-L. Barabási and R. Albert. Emergence of scaling in random networks. *Science*, 286(5439):509–512, 1999.
- [15] A.-L. Barabási, R. Albert, and H. Jeong. Mean-field theory for scale-free random networks. *Phys. A*, 272(1-2):173–187, 1999.
- [16] A. Ben-Hamou and J. Salez. Cutoff for nonbacktracking random walks on sparse random graphs. *Ann. Probab.*, 45(3):1752–1770, 2017.
- [17] E. A. Bender and E. R. Canfield. The asymptotic number of labeled graphs with given degree sequences. *J. Combin. Theory Ser. A*, 24(3):296 – 307, 1978.
- [18] I. Benjamini, G. Kozma, and N. Wormald. The mixing time of the giant component of a random graph. *Random Structures Algorithms*, 45(3):383–407.
- [19] I. Benjamini and E. Mossel. On the mixing time of a simple random walk on the super critical percolation cluster. *Probab. Theory Related Fields*, 125(3):408–420, 2003.
- [20] I. Benjamini and O. Schramm. Recurrence of distributional limits of finite planar graphs. *Electron. J. Probab.*, 6:13 pp., 2001.
- [21] N. Berestycki, E. Lubetzky, Y. Peres, and A. Sly. Random walks on the random graph. *Ann. Probab.*, 46(1):456–490, 2018.
- [22] N. Berestycki, R. van der Hofstad, and J. Salez. In preparation (personal communication).
- [23] S. A. Bethuelsen. *Random walks and the contact process*. PhD thesis, Leiden University, 2016.
- [24] B. Bollobás. A probabilistic proof of an asymptotic formula for the number of labelled regular graphs. *European J. Combin.*, 1(4):311–316, 1980.
- [25] B. Bollobás. *Random Graphs*. Cambridge Studies in Advanced Mathematics. Cambridge University Press, 2nd edition, 2001.
- [26] B. Bollobás, S. Janson, and O. Riordan. The phase transition in inhomogeneous random graphs. *Random Structures Algorithms*, 31(1):3–122, 2007.
- [27] B. Bollobás, O. Riordan, J. Spencer, and G. Tusnády. The degree sequence of a scale-free random graph process. *Random Structures Algorithms*, 18(3):279–290, 2001.
- [28] C. Bordenave, P. Caputo, and J. Salez. Random walk on sparse random digraphs. *Probab. Theory Related Fields*, 170(3):933–960, 2018.

-
- [29] T. Britton, M. Deijfen, and A. Martin-Löf. Generating simple random graphs with prescribed degree distribution. *J. Stat. Phys.*, 124(6):1377–1397, 2006.
- [30] C. Cannings and J. Jordan. Random walk attachment graphs. *Electron. Commun. Probab.*, 18:5 pp., 2013.
- [31] F. Caravenna, A. Garavaglia, and R. van der Hofstad. Diameter in ultra-small scale-free random graphs. *Random Structures Algorithms*, 2018. In press.
- [32] F. Chung and L. Lu. The diameter of sparse random graphs. *Adv. Appl. Math.*, 26(4):257–279, 2001.
- [33] F. Chung and L. Lu. The average distances in random graphs with given expected degrees. *Proc. Natl. Acad. Sci. USA*, 99(25):15879–15882, 2002.
- [34] C. Cooper, M. Dyer, and C. Greenhill. Sampling regular graphs and a peer-to-peer network. *Combin. Probab. Comput.*, 16(4):557–593, 2007.
- [35] C. Cooper and A. Frieze. Random walks on random graphs. In M. Cheng, editor, *Nano-Net*, pages 95–106, Berlin, Heidelberg, 2009. Springer.
- [36] P. Diaconis and M. Shahshahani. Generating a random permutation with random transpositions. *Probab. Theory Related Fields*, 57(2):159–179, 1981.
- [37] J. Ding, E. Lubetzky, and Y. Peres. Mixing time of near-critical random graphs. *Ann. Probab.*, 40(3):979–1008, 2012.
- [38] R. Durrett. *Random Graph Dynamics*. Cambridge Series in Statistical and Probabilistic Mathematics. Cambridge University Press, 2006.
- [39] B. Efron. The convex hull of a random set of points. *Biometrika*, 52(3/4):331–343, 1965.
- [40] R. B. Eggleton and D. A. Holton. The graph of type $(0, \infty, \infty)$ realizations of a graphic sequence. In A. F. Horadam and W. D. Wallis, editors, *Combinatorial Mathematics VI*, pages 41–54. Springer Berlin Heidelberg, Berlin, Heidelberg, 1979.
- [41] P. Erdős. Some remarks on the theory of graphs. *Bull. Amer. Math. Soc.*, 53(4):292–294, 1947.
- [42] P. Erdős and A. Rényi. On random graphs I. *Publ. Math. Debrecen*, 6:290–297, 1959.
- [43] P. Erdős and A. Rényi. On the evolution of random graphs. 5:17–61, 1960.
- [44] P. Erdős and A. Rényi. On the strength of connectedness of a random graph. *Acta Math. Hungar.*, 12(1-2):261–267, 1961.

- [45] G. Even, Z. Lotker, D. Ron, and S. Smorodinsky. Conflict-free colorings of simple geometric regions with applications to frequency assignment in cellular networks. In *The 43rd Annual IEEE Symposium on Foundations of Computer Science, 2002. Proceedings.*, pages 691–700, 2002.
- [46] T. Feder, A. Guetz, M. Mihail, and A. Saberi. A local switch markov chain on given degree graphs with application in connectivity of peer-to-peer networks. In *Proc. of 47th Annual IEEE Symposium on Foundations of Computer Science (FOCS'06)*, pages 69–76, 2006.
- [47] L. Federico and R. van der Hofstad. Critical window for connectivity in the configuration model. *Combin. Probab. Comput.*, 26(5):660–680, 2017.
- [48] D. Fernholz and V. Ramachandran. The diameter of sparse random graphs. *Random Structures Algorithms*, 31(4):482–516, 2007.
- [49] D. Figueiredo, P. Nain, B. Ribeiro, E. de Souza e Silva, and D. Towsley. Characterizing continuous time random walks on time varying graphs. In *Proceedings of the 12th ACM SIGMETRICS/PERFORMANCE Joint International Conference on Measurement and Modeling of Computer Systems*, SIGMETRICS '12, pages 307–318, New York, NY, USA, 2012. ACM.
- [50] N. Fountoulakis and B. Reed. The evolution of the mixing rate of a simple random walk on the giant component of a random graph. *Random Structures Algorithms*, 33(1):68–86, 2008.
- [51] N. Fountoulakis and B. A. Reed. Faster mixing and small bottlenecks. *Probab. Theory Related Fields*, 137(3):475–486, 2007.
- [52] P. Gao and N. C. Wormald. Uniform generation of random regular graphs. In *Proceedings of the 56th Annual IEEE Symposium on Foundations of Computer Science*, pages 1218–1230. IEEE, 2015.
- [53] C. Greenhill and M. Sfragara. The switch Markov chain for sampling irregular graphs and digraphs. *Theoret. Comput. Sci.*, 719:1–20, 2018.
- [54] C. S. Greenhill. The switch Markov chain for sampling irregular graphs. In *Proceedings of the Twenty-Sixth Annual ACM–SIAM Symposium on Discrete Algorithms*, pages 1564–1572. SIAM, 2015.
- [55] S. Har-peled. On the expected complexity of random convex hulls. Technical Report 330, School of Mathematical Sciences, Tel-Aviv University, 1997.
- [56] M. Hildebrand. Random walks on random simple graphs. *Random Structures Algorithms*, 8(4):301–318.
- [57] G. Iacobelli and D. R. Figueiredo. Edge-attractor random walks on dynamic networks. *Journal of Complex Networks*, 5(1):84–110, 2017.
- [58] S. Janson. The probability that a random multigraph is simple. *Combin. Probab. Comput.*, 18(1-2):205–225, 2009.

-
- [59] S. Janson. The probability that a random multigraph is simple. ii. *J. Appl. Probab.*, 51A:123–137, 2014.
 - [60] M. Jerrum and A. Sinclair. Fast uniform generation of regular graphs. *Theoret. Comput. Sci.*, 73(1):91–100, 1990.
 - [61] R. Kannan, P. Tetali, and S. Vempala. Simple Markov-chain algorithms for generating bipartite graphs and tournaments. *Random Structures Algorithms*, 14(4):293–308, 1999.
 - [62] K. Kedem, R. Livne, J. Pach, and M. Sharir. On the union of jordan regions and collision-free translational motion amidst polygonal obstacles. *Discrete Comput. Geom.*, 1(1):59–71, 1986.
 - [63] G. Kozma. Reinforced random walk, 2012. ArXiv preprint, arXiv:1208.0364.
 - [64] N. Lev-Tov and D. Peleg. Conflict-free coloring of unit disks. *Discrete Appl. Math.*, 157(7):1521–1532, 2009.
 - [65] D. Levin and Y. Peres. *Markov Chains and Mixing Times: Second Edition*. American Mathematical Society, 2017.
 - [66] L. Lovász and R. Kannan. Faster mixing via average conductance. In *Proceedings of the Thirty-first Annual ACM Symposium on Theory of Computing*, STOC '99, pages 282–287, New York, NY, USA, 1999. ACM.
 - [67] E. Lubetzky and A. Sly. Cutoff phenomena for random walks on random regular graphs. *Duke Math. J.*, 153(3):475–510, 2010.
 - [68] T. Łuczak. Sparse random graphs with a given degree sequence. In *Proceedings of the Symposium on Random Graphs, Poznan*, pages 165–182, 1989.
 - [69] P. Mähmann and C. Schindelhauer. Peer-to-peer networks based on random transformations of connected regular undirected graphs. In *Proceedings of the Seventeenth Annual ACM Symposium on Parallelism in Algorithms and Architectures*, SPAA '05, pages 155–164, New York, NY, USA, 2005. ACM.
 - [70] M. Mandjes, N. J. Starreveld, R. Bekker, and P. Spreij. Dynamic Erdős-Rényi graphs, 2017. arXiv preprint, arXiv:1703.05505.
 - [71] B. D. McKay and N. C. Wormald. Uniform generation of random regular graphs of moderate degree. *J. Algorithms*, 11(1):52–67, 1990.
 - [72] M. Molloy and B. Reed. A critical point for random graphs with a given degree sequence. *Random Structures Algorithms*, 6(2-3):161–180, 1995.
 - [73] M. Molloy and B. Reed. The size of the giant component of a random graph with a given degree sequence. *Combin. Probab. Comput.*, 7(3):295–305, 1998.
 - [74] B. Morris and Y. Peres. Evolving sets, mixing and heat kernel bounds. *Probab. Theory Related Fields*, 133(2):245–266, 2005.

- [75] A. Nachmias and Y. Peres. Critical random graphs: Diameter and mixing time. *Ann. Probab.*, 36(4):1267–1286, 2008.
- [76] M. Newman and D. J. Watts. Renormalization group analysis of the small-world network model. *Phys. Lett. A*, 263(4):341–346, 1999.
- [77] M. Newman and D. J. Watts. Scaling and percolation in the small-world network model. *Phys. Rev. E*, 60:7332–42, 1999.
- [78] M. E. J. Newman. The structure and function of complex networks. *SIAM Rev.*, 45(2):167–256, 2003.
- [79] I. Norros and H. Reittu. On a conditionally poissonian graph process. *Adv. in Appl. Probab.*, 38(1):59–75, 2006.
- [80] H. Olle, P. Yuval, and E. S. Jeffrey. Dynamical percolation. *Ann. Inst. Henri Poincaré Probab. Stat.*, 33(4):497–528, 1997.
- [81] R. Pemantle. A survey of random processes with reinforcement. *Probab. Surveys*, 4:1–79, 2007.
- [82] Y. Peres, P. Sousi, and J. E. Steif. Mixing time for random walk on supercritical dynamical percolation, 2017. ArXiv preprint, arXiv:1707.07632.
- [83] Y. Peres, A. Stauffer, and J. E. Steif. Random walks on dynamical percolation: mixing times, mean squared displacement and hitting times. *Probab. Theory Related Fields*, 162(3):487–530, 2015.
- [84] G. Pólya. Über eine Aufgabe der Wahrscheinlichkeitsrechnung betreffend die Irrfahrt im Straßennetz. *Math. Ann.*, 84:149–160, 1921.
- [85] A. Rényi and R. Sulanke. Über die konvexe Hülle von n zufällig gewählten Punkten. II. *Probab. Theory Related Fields*, 3(2):138–147, 1964.
- [86] J. Saramäki and K. Kaski. Scale-free networks generated by random walkers. *Phys. A*, 341:80–86, 2004.
- [87] A. Sinclair. Improved bounds for mixing rates of Markov chains and multicommodity flow. *Combin. Probab. Comput.*, 1(4):351–370, 1992.
- [88] A. Sinclair and M. Jerrum. Approximate counting, uniform generation and rapidly mixing Markov chains. *Inform. and Comput.*, 82(1):93–133, 1989.
- [89] P. Sousi and S. Thomas. Cutoff for Random Walk on Dynamical Erdős-Rényi Graph, 2018. ArXiv preprint, arXiv:1807.04719.
- [90] S. H. Strogatz. Exploring complex networks. *Nature*, 410:268–276, 2001.
- [91] H. Thorisson. *Coupling, Stationarity, and Regeneration*. Probability and Its Applications. Springer New York, 2000.

-
- [92] P. Trapman. On analytical approaches to epidemics on networks. *Theor. Popul. Biol.*, 71(2):160–173, 2007.
 - [93] R. van der Hofstad. *Random Graphs and Complex Networks*, volume 1 of *Cambridge Series in Statistical and Probabilistic Mathematics*. Cambridge University Press, 2016.
 - [94] R. van der Hofstad. *Random Graphs and Complex Networks*, volume 2 of *Cambridge Series in Statistical and Probabilistic Mathematics*. Cambridge University Press, 2018. To appear.
 - [95] R. van der Hofstad, G. Hooghiemstra, and P. Van Mieghem. Distances in random graphs with finite variance degrees. *Random Structures Algorithms*, 27(1):76–123, 2005.
 - [96] R. van der Hofstad, G. Hooghiemstra, and D. Znamenski. Distances in random graphs with finite mean and infinite variance degrees. *Electron. J. Probab.*, 12:703–766, 2007.
 - [97] R. van der Hofstad, J. S. H. van Leeuwen, and C. Stegehuis. Hierarchical Configuration Model, 2015. ArXiv preprint, arXiv:1512.08397.
 - [98] D. J. Watts and S. H. Strogatz. Collective dynamics of ‘small-world’ networks. *Nature*, 393:440–442, 1998.
 - [99] W. Weil and J. A. Wieacker. Stochastic geometry. In P. Gruber and J. Wills, editors, *Handbook of Convex Geometry*, pages 1391–1438. North-Holland, Amsterdam, 1993.
 - [100] N. C. Wormald. Generating random regular graphs. *J. Algorithms*, 5(2):247–280, 1984.
 - [101] X. Zhang, C. Moore, and M. E. J. Newman. Random graph models for dynamic networks. *Eur. Phys. J. B*, 90(10):200, 2017.