



Universiteit
Leiden
The Netherlands

Mixed models for correlated compositional data: applied to microbiome studies in Indonesia

Martin, I.

Citation

Martin, I. (2019, October 8). *Mixed models for correlated compositional data: applied to microbiome studies in Indonesia*. Retrieved from <https://hdl.handle.net/1887/79254>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/79254>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/79254> holds various files of this Leiden University dissertation.

Author: Martin, I.

Title: Mixed models for correlated compositional data: applied to microbiome studies in Indonesia

Issue Date: 2019-10-08

Bibliography

- (2012). A framework for human microbiome research. *Nature* 486(7402), 215–221.
- Abrams, G. D., H. BAUER, and H. SPRINZ (1963). Influence of the normal flora on mucosal morphology and cellular renewal in the ileum. a comparison of germ-free and conventional mice. *Laboratory investigation; a journal of technical methods and pathology* 12, 355–364.
- Agresti, A. (2013). *Categorical data analysis* (3rd ed. ed.), Volume 792 of *Wiley series in probability and statistics*. Hoboken, NJ: Wiley.
- Albonico, M., H. Allen, L. Chitsulo, D. Engels, A.-F. Gabrielli, and L. Savioli (2008). Controlling soil-transmitted helminthiasis in pre-school-age children through preventive chemotherapy. *PLoS neglected tropical diseases* 2(3), e126.
- Alderman, H., J. Konde-Lule, I. Sebuliba, D. Bundy, and A. Hall (2006). Effect on weight gain of routinely giving albendazole to preschool children during child health days in uganda: cluster randomised controlled trial. *BMJ (Clinical research ed.)* 333(7559), 122.
- Arumugam, M., J. Raes, E. Pelletier, D. Le Paslier, T. Yamada, D. R. Mende, G. R. Fernandes, J. Tap, T. Bruls, J.-M. Batto, M. Bertalan, N. Borruel, F. Casellas, L. Fernandez, L. Gautier, T. Hansen, M. Hattori, T. Hayashi, M. Kleerebezem, K. Kurokawa, M. Leclerc, F. Levenez, C. Manichanh, H. B. Nielsen, T. Nielsen, N. Pons, J. Poulain, J. Qin, T. Sicheritz-Ponten, S. Tims, D. Torrents, E. Ugarte, E. G. Zoetendal, J. Wang, F. Guarner, O. Pedersen, W. M. de Vos, S. Brunak, J. Doré, M. Antolín, F. Artiguenave, H. M. Blottiere, M. Almeida, C. Brechot, C. Cara, C. Chervaux, A. Cultrone, C. Delorme, G. Denariáz, R. Dervyn, K. U. Foerstner, C. Friss, M. van de Guchte, E. Guedon, F. Haimet, W. Huber, J. van Hylckama-Vlieg, A. Jamet, C. Juste, G. Kaci, J. Knol, O. Lakhdari, S. Layec, K. Le Roux, E. Maguin, A. Mérieux, R. Melo Minardi, C. M’rini, J. Muller, R. Oozeer, J. Parkhill, P. Renault, M. Rescigno, N. Sanchez, S. Sunagawa, A. Torrejon, K. Turner, G. Vandemeulebrouck, E. Varela, Y. Winogradsky, G. Zeller, J. Weissenbach, S. D. Ehrlich, and P. Bork (2011). Enterotypes of the human gut microbiome. *Nature* 473(7346), 174–180.

- Bach, J.-F. (2002). The effect of infections on susceptibility to autoimmune and allergic diseases. *The New England journal of medicine* 347(12), 911–920.
- Barron, L. K., B. B. Warner, P. I. Tarr, W. D. Shannon, E. Deych, and B. W. Warner (2017). Independence of gut bacterial content and neonatal necrotizing enterocolitis severity. *Journal of pediatric surgery* 52(6), 993–998.
- Bates, D., M. Mächler, B. Bolker, and S. Walker (2015). Fitting linear mixed-effects models using lme4. *Journal of Statistical Software* 67(1).
- Belkaid, Y. and T. W. Hand (2014). Role of the microbiota in immunity and inflammation. *Cell* 157(1), 121–141.
- Bethony, J., S. Brooker, M. Albonico, S. M. Geiger, A. Loukas, D. Diemert, and P. J. Hotez (2006). Soil-transmitted helminth infections: Ascariasis, trichuriasis, and hookworm. *The Lancet* 367(9521), 1521–1532.
- Booth, J. G., G. Casella, H. Friedl, and J. P. Hobert (2003). Negative binomial loglinear mixed models. *Statistical Modelling* 3(3), 179–191.
- Broadhurst, M. J., A. Ardeshir, B. Kanwar, J. Mirpuri, U. M. Gundra, J. M. Leung, K. E. Wiens, I. Vujkovic-Cvijin, C. C. Kim, F. Yarovinsky, N. W. Lerche, J. M. McCune, and P. Loke (2012). Therapeutic helminth infection of macaques with idiopathic chronic diarrhea alters the inflammatory signature and mucosal microbiota of the colon. *PLoS pathogens* 8(11), e1003000.
- Burgess, S. and D. S. Small (2016). Predicting the direction of causal effect based on an instrumental variable analysis: A cautionary tale. *Journal of Causal Inference* 0(0), 1525.
- Catalano, P. J. and L. M. Ryan (1992). Bivariate latent variable models for clustered discrete and continuous outcomes. *Journal of the American Statistical Association* 87(419), 651.
- Catalano, P. J., D. O. Scharfstein, L. M. Ryan, C. A. Kimmel, and G. L. Kimmel (1993). Statistical model for fetal death, fetal weight, and malformation in developmental toxicity studies. *Teratology* 47(4), 281–290.
- Chen, J. and H. Li (2013). Variable selection for sparse dirichlet-multinomial regression with an application to microbiome data analysis. *The annals of applied statistics* 7(1).
- Cole, J. R., Q. Wang, J. A. Fish, B. Chai, D. M. McGarrell, Y. Sun, C. T. Brown, A. Porras-Alfaro, C. R. Kuske, and J. M. Tiedje (2014). Ribosomal database project: data and tools for high throughput rrna analysis. *Nucleic acids research* 42(Database issue), D633–42.

- Collender, P. A., A. E. Kirby, D. G. Addiss, M. C. Freeman, and J. V. Remais (2015). Methods for quantification of soil-transmitted helminths in environmental media: Current techniques and recent advances. *Trends in parasitology* 31(12), 625–639.
- Conlon, M. A. and A. R. Bird (2014). The impact of diet and lifestyle on gut microbiota and human health. *Nutrients* 7(1), 17–44.
- Cooper, P., A. W. Walker, J. Reyes, M. Chico, S. J. Salter, M. Vaca, and J. Parkhill (2013). Patent human infections with the whipworm, *trichuris trichiura*, are not associated with alterations in the faecal microbiota. *PloS one* 8(10), e76573.
- Crompton, D. W. T. and M. C. Nesheim (2002). Nutritional impact of intestinal helminthiasis during the human life cycle. *Annual review of nutrition* 22, 35–59.
- de Filippo, C., D. Cavalieri, M. Di Paola, M. Ramazzotti, J. B. Poullet, S. Massart, S. Collini, G. Pieraccini, and P. Lionetti (2010). Impact of diet in shaping gut microbiota revealed by a comparative study in children from europe and rural africa. *Proceedings of the National Academy of Sciences of the United States of America* 107(33), 14691–14696.
- de Filippo, C., M. Di Paola, M. Ramazzotti, D. Albanese, G. Pieraccini, E. Banci, F. Miglietta, D. Cavalieri, and P. Lionetti (2017). Diet, environments, and gut microbiota. a preliminary investigation in children living in rural and urban burkina faso and italy. *Frontiers in microbiology* 8, 1979.
- Eckburg, P. B., E. M. Bik, C. N. Bernstein, E. Purdom, L. Dethlefsen, M. Sargent, S. R. Gill, K. E. Nelson, and D. A. Relman (2005). Diversity of the human intestinal microbial flora. *Science (New York, N.Y.)* 308(5728), 1635–1638.
- Efendi, A., G. Molenberghs, and S. Iddi (2014). A marginalized combined gamma frailty and normal random-effects model for repeated, overdispersed, time-to-event outcomes. *Communications in Statistics - Theory and Methods* 43(22), 4806–4828.
- Endara, P., M. Vaca, M. E. Chico, S. Erazo, G. Oviedo, I. Quinzo, A. Rodriguez, R. Lovato, A.-L. Moncayo, M. L. Barreto, L. C. Rodrigues, and P. J. Cooper (2010). Long-term periodic anthelmintic treatments are associated with increased allergen skin reactivity. *Clinical and experimental allergy : journal of the British Society for Allergy and Clinical Immunology* 40(11), 1669–1677.
- Fisher, R. A. (1925). *Statistical Methods for Research Workers*. Edinburgh: Oliver and Boyd.
- Gazzinelli-Guimaraes, P. H. and T. B. Nutman (2018). Helminth parasites and immune regulation. *F1000Research* 7.

- Gensollen, T., S. S. Iyer, D. L. Kasper, and R. S. Blumberg (2016). How colonization by microbiota in early life shapes the immune system. *Science (New York, N.Y.)* 352(6285), 539–544.
- Geys, H., P. Catalano, and C. Faes (2008). Joint models for continuous and discrete longitudinal data. In G. Verbeke, M. Davidian, G. Fitzmaurice, and G. Molenberghs (Eds.), *Longitudinal Data Analysis*, Volume 20085746 of *Chapman & Hall/CRC Handbooks of Modern Statistical Methods*, pp. 327–348. Chapman and Hall/CRC.
- Gilbert, J. A., M. J. Blaser, J. G. Caporaso, J. K. Jansson, S. V. Lynch, and R. Knight (2018). Current understanding of the human microbiome. *Nature medicine* 24(4), 392–400.
- Gloor, G. B., J. M. Macklaim, V. Pawlowsky-Glahn, and J. J. Egozcue (2017). Microbiome datasets are compositional: And this is not optional. *Frontiers in microbiology* 8, 2224.
- Goodrich, J. K., S. C. Di Rienzi, A. C. Poole, O. Koren, W. A. Walters, J. G. Caporaso, R. Knight, and R. E. Ley (2014). Conducting a microbiome study. *Cell* 158(2), 250–262.
- Grice, E. A. and J. A. Segre (2012). The human microbiome: our second genome. *Annual review of genomics and human genetics* 13, 151–170.
- Group HDGW. Generalized draft form of hmp data generation working group 16s 454 default protocol version 4.2- pilot study p.1 (15).
- Gueorguieva, R. (2016). A multivariate generalized linear mixed model for joint modelling of clustered outcomes in the exponential family. *Statistical Modelling: An International Journal* 1(3), 177–193.
- Guimarães, P. and R. C. Lindrooth (2007). Controlling for overdispersion in grouped conditional logit models: A computationally simple application of dirichlet-multinomial regression. *The Econometrics Journal* 10(2), 439–452.
- Gupta, V. K., S. Paul, and C. Dutta (2017). Geography, ethnicity or subsistence-specific variations in human microbiome composition and diversity. *Frontiers in microbiology* 8, 1162.
- Hadju, V., L. S. Stephenson, H. O. Mohammed, D. D. Bowman, and R. S. Parker (1998). Improvements of growth, appetite, and physical activity in helminth-infected schoolboys 6 months after single dose of albendazole. *Asia Pacific journal of clinical nutrition* 7(2), 170–176.

- Hall, A., G. Hewitt, V. Tuffrey, and N. de Silva (2008). A review and meta-analysis of the impact of intestinal worms on child growth and nutrition. *Maternal & child nutrition* 4 Suppl 1, 118–236.
- Hall, N. S. (2007). R. a. fisher and his advocacy of randomization. *Journal of the History of Biology* 40(2), 295–325.
- Haro, C., O. A. Rangel-Zúñiga, J. F. Alcalá-Díaz, F. Gómez-Delgado, P. Pérez-Martínez, J. Delgado-Lista, G. M. Quintana-Navarro, B. B. Landa, J. A. Navas-Cortés, M. Tena-Sempere, J. C. Clemente, J. López-Miranda, F. Pérez-Jiménez, and A. Camargo (2016). Intestinal microbiota is influenced by gender and body mass index. *PloS one* 11(5), e0154090.
- Hartzel, J., A. Agresti, and B. Caffo (2016). Multinomial logit random effects models. *Statistical Modelling: An International Journal* 1(2), 81–102.
- Heagerty, P. J. (1999). Marginally specified logistic-normal models for longitudinal binary data. *Biometrics* 55(3), 688–698.
- Hedeker, D. (2003). A mixed-effects multinomial logistic regression model. *Statistics in medicine* 22(9), 1433–1446.
- Hernán, M. A. and J. M. Robins (2006a). Estimating causal effects from epidemiological data. *Journal of epidemiology and community health* 60(7), 578–586.
- Hernán, M. A. and J. M. Robins (2006b). Instruments for causal inference: an epidemiologist's dream? *Epidemiology (Cambridge, Mass.)* 17(4), 360–372.
- Hernan, M. A. and J. M. Robins (2018). *Causal inference*. Chapman & Hall/CRC monographs on statistics & applied probability. Boca Raton, Fla. and London: CRC and Taylor & Francis [distributor].
- Holm, J. B., D. Sorobetea, P. Kiilerich, Y. Ramayo-Caldas, J. Estellé, T. Ma, L. Madsen, K. Kristiansen, and M. Svensson-Frej (2015). Chronic trichuris muris infection decreases diversity of the intestinal microbiota and concomitantly increases the abundance of lactobacilli. *PloS one* 10(5), e0125495.
- Hotez, P. J., P. J. Brindley, J. M. Bethony, C. H. King, E. J. Pearce, and J. Jacobson (2008). Helminth infections: the great neglected tropical diseases. *The Journal of clinical investigation* 118(4), 1311–1321.
- Humphries, D., S. Nguyen, S. Kumar, J. E. Quagraine, J. Otchere, L. M. Harrison, M. Wilson, and M. Cappello (2017). Effectiveness of albendazole for hookworm varies widely by community and correlates with nutritional factors: A cross-sectional study of school-age children in Ghana. *The American journal of tropical medicine and hygiene* 96(2), 347–354.

- Iddi, S. and G. Molenberghs (2012). A joint marginalized multilevel model for longitudinal outcomes. *Journal of Applied Statistics* 39(11), 2413–2430.
- Jackson, C. H., N. G. Best, and S. Richardson (2008). Hierarchical related regression for combining aggregate and individual data in studies of socio-economic disease risk factors. *Journal of the Royal Statistical Society, Series A: Statistics In Society* 171(1), 159–178.
- Kassahun, W., T. Neyens, G. Molenberghs, C. Faes, and G. Verbeke (2013). A joint model for hierarchical continuous and zero-inflated overdispersed count data. *Journal of Statistical Computation and Simulation* 85(3), 552–571.
- Kay, G. L., A. Millard, M. J. Sergeant, N. Midzi, R. Gwisai, T. Mduluzza, A. Ivens, N. Nausch, F. Mutapi, and M. Pallen (2015). Differences in the faecal microbiome in schistosoma haematobium infected children vs. uninfected children. *PLoS neglected tropical diseases* 9(6), e0003861.
- Khurana, S. and S. Sethi (2017). Laboratory diagnosis of soil transmitted helminthiasis. *Tropical parasitology* 7(2), 86–91.
- Koliada, A., G. Syzenko, V. Moseiko, L. Budovska, K. Puchkov, V. Perederiy, Y. Gavalko, A. Dorofeyev, M. Romanenko, S. Tkach, L. Sineok, O. Lushchak, and A. Vaiserman (2017). Association between body mass index and firmicutes/bacteroidetes ratio in an adult ukrainian population. *BMC microbiology* 17(1), 120.
- Kuznetsova, A., P. B. Brockhoff, and R. H. B. Christensen (2017). lmerTest package: Tests in linear mixed effects models. *Journal of Statistical Software* 82(13).
- Laird, N. M. and J. H. Ware (1982). Random-effects models for longitudinal data. *Biometrics* 38(4), 963.
- Lee, S. C., M. S. Tang, Y. A. L. Lim, S. H. Choy, Z. D. Kurtz, L. M. Cox, U. M. Gundra, I. Cho, R. Bonneau, M. J. Blaser, K. H. Chua, and P. Loke (2014). Helminth colonization is associated with increased diversity of the gut microbiota. *PLoS neglected tropical diseases* 8(5), e2880.
- Leung, J. M., A. L. Graham, and S. C. L. Knowles (2018). Parasite-microbiota interactions with the vertebrate gut: Synthesis through an ecological lens. *Frontiers in microbiology* 9, 843.
- Ley, R. E., D. A. Peterson, and J. I. Gordon (2006). Ecological and evolutionary forces shaping microbial diversity in the human intestine. *Cell* 124(4), 837–848.
- Li, H. (2015). Microbiome, metagenomics, and high-dimensional compositional data analysis. *Annual Review of Statistics and Its Application* 2(1), 73–94.

- Li, R. W., S. Wu, W. Li, K. Navarro, R. D. Couch, D. Hill, and J. F. Urban (2012). Alterations in the porcine colon microbiota induced by the gastrointestinal nematode *trichuris suis*. *Infection and immunity* 80(6), 2150–2157.
- Lin, A., E. M. Bik, E. K. Costello, L. Dethlefsen, R. Haque, D. A. Relman, and U. Singh (2013). Distinct distal gut microbiome diversity and composition in healthy children from bangladesh and the united states. *PloS one* 8(1), e53838.
- Liu, Q. and D. A. Pierce (1994). A note on gauss-hermite quadrature. *Biometrika* 81(3), 624.
- Llewellyn, S., T. Inpankaew, S. V. Nery, D. J. Gray, J. J. Verweij, A. C. A. Clements, S. J. Gomes, R. Traub, and J. S. McCarthy (2016). Application of a multiplex quantitative pcr to assess prevalence and intensity of intestinal parasite infections in a controlled clinical trial. *PLoS neglected tropical diseases* 10(1), e0004380.
- Lumley, T., P. K. Diehr, S. S. Emerson, and L. Chen (2002). The importance of the normality assumption in large public health data sets. *Annual review of public health* 23, 151–69.
- MacKinnon, D. P., A. J. Fairchild, and M. S. Fritz (2007). Mediation analysis. *Annual review of psychology* 58, 593–614.
- Macpherson, A. J. and N. L. Harris (2004). Interactions between commensal intestinal bacteria and the immune system. *Nature reviews. Immunology* 4(6), 478–485.
- Martin, I., Y. Djuardi, E. Sartono, B. A. Rosa, T. Supali, M. Mitreva, J. J. Houwing-Duistermaat, and M. Yazdanbakhsh (2018). Dynamic changes in human-gut microbiome in relation to a placebo-controlled anthelmintic trial in indonesia. *PLoS neglected tropical diseases* 12(8), e0006620.
- Mazmanian, S. K., J. L. Round, and D. L. Kasper (2008). A microbial symbiosis factor prevents intestinal inflammatory disease. *Nature* 453(7195), 620–625.
- McCulloch, C. (2008). Joint modelling of mixed outcome types using latent variables. *Statistical methods in medical research* 17(1), 53–73.
- McSorley, H. J. and R. M. Maizels (2012). Helminth infections and host immune regulation. *Clinical microbiology reviews* 25(4), 585–608.
- Molenberghs, G. and G. Verbeke (2005). *Models for Discrete Longitudinal Data*. New York: Springer-Verlag.
- Molenberghs, G., G. Verbeke, and C. G. B. Demétrio (2007). An extended random-effects approach to modeling repeated, overdispersed count data. *Lifetime data analysis* 13(4), 513–531.

- Molenberghs, G., G. Verbeke, C. G. B. Demétrio, and A. M. C. Vieira (2010). A family of generalized linear models for repeated measures with normal and conjugate random effects. *Statistical Science* 25(3), 325–347.
- Molenberghs, G., G. Verbeke, S. Iddi, and C. G. Demétrio (2012). A combined beta and normal random-effects model for repeated, overdispersed binary and binomial data. *Journal of Multivariate Analysis* 111, 94–109.
- Mosimann, J. E. (1962). On the compound multinomial distribution, the multivariate β -distribution, and correlations among proportions. *Biometrika* 49(1/2), 65.
- Murtagh, F. and P. Legendre (2014). Ward’s hierarchical agglomerative clustering method: Which algorithms implement ward’s criterion? *Journal of Classification* 31(3), 274–295.
- Mysara, M., P. Vandamme, R. Props, F.-M. Kerckhof, N. Leys, N. Boon, J. Raes, and P. Monsieurs (2017). Reconciliation between operational taxonomic units and species boundaries. *FEMS microbiology ecology* 93(4).
- Neuhaus, A., T. Augustin, C. Heumann, and D. Daumer (2009). A review on joint models in biometrical research. *Journal of Statistical Theory and Practice* 3(4), 855–868.
- Oksanen, J., F. G. Blanchet, M. Friendly, and R. Kindt (2017). R-package: Community ecology package.
- Park, S.-H., K.-A. Kim, Y.-T. Ahn, J.-J. Jeong, C.-S. Huh, and D.-H. Kim (2015). Comparative analysis of gut microbiota in elderly people of urbanized towns and longevity villages. *BMC microbiology* 15, 49.
- Pham, T. V. (2013). *ibb: The (inverted) beta-binomial test for count data*. R package.
- Pham, T. V. and C. R. Jimenez (2012). An accurate paired sample test for count data. *Bioinformatics (Oxford, England)* 28(18), i596–i602.
- Pourhoseingholi, M. A., A. R. Baghestani, and M. Vahedi (2012). How to control confounding effects by statistical analysis. *Gastroenterology and hepatology from bed to bench* 5(2), 79–83.
- R Core Team. R: A language and environment for statistical computing.
- Ramanan, D., R. Bowcutt, S. C. Lee, M. S. Tang, Z. D. Kurtz, Y. Ding, K. Honda, W. C. Gause, M. J. Blaser, R. A. Bonneau, Y. A. L. Lim, P. Loke, and K. Cadwell (2016). Helminth infection promotes colonization resistance via type 2 immunity. *Science (New York, N.Y.)* 352(6285), 608–612.

- Rapin, A. and N. L. Harris (2018). Helminth-bacterial interactions: Cause and consequence. *Trends in immunology* 39(9), 724–733.
- Reynolds, L. A., B. B. Finlay, and R. M. Maizels (2015). Cohabitation in the intestine: Interactions among helminth parasites, bacterial microbiota, and host immunity. *Journal of immunology (Baltimore, Md. : 1950)* 195(9), 4059–4066.
- Robinson, C. K., R. M. Brotman, and J. Ravel (2016). Intricacies of assessing the human microbiome in epidemiologic studies. *Annals of epidemiology* 26(5), 311–321.
- Rodrigues Hoffmann, A., L. M. Proctor, M. G. Surette, and J. S. Suchodolski (2016). The microbiome: The trillions of microorganisms that maintain health and cause disease in humans and companion animals. *Veterinary pathology* 53(1), 10–21.
- Rook, G. A. W. (2009). Review series on helminths, immune modulation and the hygiene hypothesis: the broader implications of the hygiene hypothesis. *Immunology* 126(1), 3–11.
- Rosa, B. A., T. Supali, L. Gankpala, Y. Djuardi, E. Sartono, Y. Zhou, K. Fischer, J. Martin, R. Tyagi, F. K. Bolay, P. U. Fischer, M. Yazdanbakhsh, and M. Mitreva (2018). Differential human gut microbiome assemblages during soil-transmitted helminth infections in indonesia and liberia. *Microbiome* 6(1), 33.
- Rosenthal, M., A. E. Aiello, C. Chenoweth, D. Goldberg, E. Larson, G. Gloor, and B. Foxman (2014). Impact of technical sources of variation on the hand microbiome dynamics of healthcare workers. *PloS one* 9(2), e88999.
- Round, J. L. and S. K. Mazmanian (2009). The gut microbiota shapes intestinal immune responses during health and disease. *Nature reviews. Immunology* 9(5), 313–323.
- Rubin, D. B. (1974). Estimating causal effects of treatments in randomized and nonrandomized studies. *Journal of Educational Psychology* 66(5), 688–701.
- Savage, D. C. (1977). Microbial ecology of the gastrointestinal tract. *Annual review of microbiology* 31, 107–133.
- Schloss, P. D., D. Gevers, and S. L. Westcott (2011). Reducing the effects of pcr amplification and sequencing artifacts on 16s rrna-based studies. *PloS one* 6(12), e27310.
- Sonnenburg, J. L. and F. Bäckhed (2016). Diet-microbiota interactions as moderators of human metabolism. *Nature* 535(7610), 56–64.

- Stephenson, L. S., M. C. Latham, E. J. Adams, S. N. Kinoti, and A. Pertet (1993). Physical fitness, growth and appetite of kenyan school boys with hookworm, trichuris trichiura and ascaris lumbricoides infections are improved four months after a single dose of albendazole. *The Journal of nutrition* 123(6), 1036–1046.
- Teixeira-Pinto, A., J. Siddique, R. Gibbons, and S.-L. Normand (2009). Statistical approaches to modeling multiple outcomes in psychiatric studies. *Psychiatric Annals* 39(7), 729–735.
- Thorburn, A. N., L. Macia, and C. R. Mackay (2014). Diet, metabolites, and western-lifestyle inflammatory diseases. *Immunity* 40(6), 833–842.
- Thursby, E. and N. Juge (2017). Introduction to the human gut microbiota. *The Biochemical journal* 474(11), 1823–1836.
- Torbati, M. E., M. Mitreva, and V. Gopalakrishnan (2016). Application of taxonomic modeling to microbiota data mining for detection of helminth infection in global populations. *Data* 1(3).
- Tsonaka, R., D. van der Woude, and J. Houwing-Duistermaat (2015). Marginal genetic effects estimation in family and twin studies using random-effects models. *Biometrics* 71(4), 1130–1138.
- Turnbaugh, P. J., R. E. Ley, M. Hamady, C. M. Fraser-Liggett, R. Knight, and J. I. Gordon (2007). The human microbiome project. *Nature* 449(7164), 804–810.
- Turnbaugh, P. J., R. E. Ley, M. A. Mahowald, V. Magrini, E. R. Mardis, and J. I. Gordon (2006). An obesity-associated gut microbiome with increased capacity for energy harvest. *Nature* 444(7122), 1027–1031.
- Turnbaugh, P. J., V. K. Ridaura, J. J. Faith, F. E. Rey, R. Knight, and J. I. Gordon (2009). The effect of diet on the human gut microbiome: a metagenomic analysis in humanized gnotobiotic mice. *Science translational medicine* 1(6), 6ra14.
- Tutz, G. (2012). *Regression for categorical data*. Cambridge series in statistical and probabilistic mathematics. Cambridge and New York: Cambridge University Press.
- Ursell, L. K., J. L. Metcalf, L. W. Parfrey, and R. Knight (2012). Defining the human microbiome. *Nutrition reviews* 70 Suppl 1, S38–44.
- Verbeke, G., S. Fieuws, G. Molenberghs, and M. Davidian (2014). The analysis of multivariate longitudinal data: a review. *Statistical methods in medical research* 23(1), 42–59.

- Verweij, J. J., E. A. T. Brienen, J. Ziem, L. Yelifari, A. M. Polderman, and L. van Lieshout (2007). Simultaneous detection and quantification of *ancylostoma duodenale*, *necator americanus*, and *oesophagostomum bifurcum* in fecal samples using multiplex real-time pcr. *The American journal of tropical medicine and hygiene* 77(4), 685–690.
- Wammes, L. J., F. Hamid, A. E. Wiria, L. May, M. M. M. Kaisar, M. A. Prasetyani-Gieseler, Y. Djuardi, H. Wibowo, Y. C. M. Kruize, J. J. Verweij, S. E. de Jong, R. Tsonaka, J. J. Houwing-Duistermaat, E. Sartono, A. J. F. Luty, T. Supali, and M. Yazdanbakhsh (2016). Community deworming alleviates geohelminth-induced immune hyporesponsiveness. *Proceedings of the National Academy of Sciences of the United States of America* 113(44), 12526–12531.
- Wammes, L. J., H. Mpairwe, A. M. Elliott, and M. Yazdanbakhsh (2014). Helminth therapy or elimination: Epidemiological, immunological, and clinical considerations. *The Lancet Infectious Diseases* 14(11), 1150–1162.
- Wegener Parfrey, L., M. Jirků, R. Šíma, M. Jalovecká, B. Sak, K. Grigore, and K. Jirků Pomajbíková (2017). A benign helminth alters the host immune system and the gut microbiota in a rat model system. *PLoS one* 12(8), e0182205.
- Weiss, S., Z. Z. Xu, S. Peddada, A. Amir, K. Bittinger, A. Gonzalez, C. Lozupone, J. R. Zaneveld, Y. Vázquez-Baeza, A. Birmingham, E. R. Hyde, and R. Knight (2017). Normalization and microbial differential abundance strategies depend upon data characteristics. *Microbiome* 5(1), 27.
- Wexler, H. M. (2007). Bacteroides: the good, the bad, and the nitty-gritty. *Clinical microbiology reviews* 20(4), 593–621.
- White, E. C., A. Houlden, A. J. Bancroft, K. S. Hayes, M. Goldrick, R. K. Grenis, and I. S. Roberts (2018). Manipulation of host and parasite microbiotas: Survival strategies during chronic nematode infection. *Science advances* 4(3), eaap7399.
- Whitley, E. and J. Ball (2002). *Critical Care* 6(6), 509.
- Wilson, M. S., M. D. Taylor, A. Balic, C. A. M. Finney, J. R. Lamb, and R. M. Maizels (2005). Suppression of allergic airway inflammation by helminth-induced regulatory t cells. *The Journal of experimental medicine* 202(9), 1199–1212.
- Wiria, A. E., Y. Djuardi, T. Supali, E. Sartono, and M. Yazdanbakhsh (2012). Helminth infection in populations undergoing epidemiological transition: a friend or foe? *Seminars in immunopathology* 34(6), 889–901.
- Wiria, A. E., F. Hamid, L. J. Wammes, M. M. M. Kaisar, L. May, M. A. Prasetyani, S. Wahyuni, Y. Djuardi, I. Ariawan, H. Wibowo, B. Lell, R. Sauerwein, G. T.

- Brice, I. Sutanto, L. van Lieshout, A. J. M. de Craen, R. van Ree, J. J. Verweij, R. Tsonaka, J. J. Houwing-Duistermaat, A. J. F. Luty, E. Sartono, T. Supali, and M. Yazdanbakhsh (2013). The effect of three-monthly albendazole treatment on malarial parasitemia and allergy: a household-based cluster-randomized, double-blind, placebo-controlled trial. *PloS one* 8(3), e57899.
- Wiria, A. E., M. A. Prasetyani, F. Hamid, L. J. Wammes, B. Lell, I. Ariawan, H. W. Uh, H. Wibowo, Y. Djuardi, S. Wahyuni, I. Sutanto, L. May, A. J. F. Luty, J. J. Verweij, E. Sartono, M. Yazdanbakhsh, and T. Supali (2010). Does treatment of intestinal helminth infections influence malaria? background and methodology of a longitudinal study of clinical, parasitological and immunological parameters in nangapanda, flores, indonesia (immunospin study). *BMC infectious diseases* 10, 77.
- Wu, G. D., J. Chen, C. Hoffmann, K. Bittinger, Y.-Y. Chen, S. A. Keilbaugh, M. Bewtra, D. Knights, W. A. Walters, R. Knight, R. Sinha, E. Gilroy, K. Gupta, R. Baldassano, L. Nessel, H. Li, F. D. Bushman, and J. D. Lewis (2011). Linking long-term dietary patterns with gut microbial enterotypes. *Science (New York, N.Y.)* 334(6052), 105–108.
- Wunsch, G., F. Russo, and M. Mouchart (2010). Do we necessarily need longitudinal data to infer causal relations? *Bulletin of Sociological Methodology/Bulletin de Méthodologie Sociologique* 106(1), 5–18.
- Xia, F., J. Chen, W. K. Fung, and H. Li (2013). A logistic normal multinomial regression model for microbiome compositional data analysis. *Biometrics* 69(4), 1053–1063.
- Xia, Y. and J. Sun (2017). Hypothesis testing and statistical analysis of microbiome. *Genes & diseases* 4(3), 138–148.
- Xie, Y. (2018). *knitr: A General-Purpose Package for Dynamic Report Generation in R*. R package version 1.21.
- Xu, L., A. D. Paterson, W. Turpin, and W. Xu (2015). Assessment and selection of competing models for zero-inflated microbiome data. *PloS one* 10(7), e0129606.
- Yadav, M., M. K. Verma, and N. S. Chauhan (2018). A review of metabolic potential of human gut microbiome in human nutrition. *Archives of microbiology* 200(2), 203–217.
- Yang, Y. and J. Kang (2010). Joint analysis of mixed poisson and continuous longitudinal data with nonignorable missing values. *Computational Statistics & Data Analysis* 54(1), 193–207.

- Yatsunenکو, T., F. E. Rey, M. J. Manary, I. Trehan, M. G. Dominguez-Bello, M. Contreras, M. Magris, G. Hidalgo, R. N. Baldassano, A. P. Anokhin, A. C. Heath, B. Warner, J. Reeder, J. Kuczynski, J. G. Caporaso, C. A. Lozupone, C. Lauber, J. C. Clemente, D. Knights, R. Knight, and J. I. Gordon (2012). Human gut microbiome viewed across age and geography. *Nature* 486(7402), 222–227.
- Yazdanbakhsh, M., P. G. Kremsner, and R. van Ree (2002). Allergy, parasites, and the hygiene hypothesis. *Science (New York, N.Y.)* 296(5567), 490–494.
- Zaiss, M. M. and N. L. Harris (2016). Interactions between the intestinal microbiome and helminth parasites. *Parasite immunology* 38(1), 5–11.
- Zaiss, M. M., A. Rapin, L. Lebon, L. K. Dubey, I. Mosconi, K. Sarter, A. Piersigilli, L. Menin, A. W. Walker, J. Rougemont, O. Paerewijck, P. Geldhof, K. D. McCoy, A. J. Macpherson, J. Croese, P. R. Giacomin, A. Loukas, T. Junt, B. J. Marsland, and N. L. Harris (2015). The intestinal microbiota contributes to the ability of helminths to modulate allergic inflammation. *Immunity* 43(5), 998–1010.
- Zhang, C. and L. Zhao (2016). Strain-level dissection of the contribution of the gut microbiome to human metabolic disease. *Genome medicine* 8(1), 41.
- Zhang, Y. and H. Zhou (2017). R-package: Multivariate response generalized linear models.
- Zhao, L. (2013). The gut microbiota and obesity: from correlation to causality. *Nature reviews. Microbiology* 11(9), 639–647.
- Zhou, Y. and F. Zhi (2016). Lower level of bacteroides in the gut microbiota is associated with inflammatory bowel disease: A meta-analysis. *BioMed research international* 2016, 5828959.