



Universiteit
Leiden
The Netherlands

Hydrodynamics and the quantum butterfly effect in black holes and large N quantum field theories

Scopelliti, V.

Citation

Scopelliti, V. (2019, October 9). *Hydrodynamics and the quantum butterfly effect in black holes and large N quantum field theories*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/79256>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/79256>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/79256> holds various files of this Leiden University dissertation.

Author: Scopelliti, V.

Title: Hydrodynamics and the quantum butterfly effect in black holes and large N quantum field theories

Issue Date: 2019-10-09

Bibliography

- [1] H. Poincaré. “Sur le problème des trois corps et les équations de la dynamique”. In: *Acta Math.* 13 (1980), pp. 1–270.
- [2] Marcos Rigol, Vanja Dunjko, and Maxim Olshanii. “Thermalization and its mechanism for generic isolated quantum systems”. In: *Nature* 452.7189 (2008), pp. 854–858. DOI: [10.1038/nature06838](https://doi.org/10.1038/nature06838). arXiv: [0708.1324](https://arxiv.org/abs/0708.1324) [[cond-mat.stat-mech](https://arxiv.org/abs/0708.1324)].
- [3] Luca D’Alessio et al. “From quantum chaos and eigenstate thermalization to statistical mechanics and thermodynamics”. In: *Advances in Physics* 65.3 (2016), pp. 239–362. DOI: [10.1080/00018732.2016.1198134](https://doi.org/10.1080/00018732.2016.1198134). eprint: <https://doi.org/10.1080/00018732.2016.1198134>. URL: <https://doi.org/10.1080/00018732.2016.1198134>.
- [4] S. Sachdev. “Strange metals and black holes”. In: *talk at Dirac medal award ceremony, Trieste* (2019). URL: <http://qpt.physics.harvard.edu/talks/trieste19.pdf>.
- [5] J. M. Deutsch. “Quantum statistical mechanics in a closed system”. In: *Phys. Rev. A* 43 (4 1991), pp. 2046–2049. DOI: [10.1103/PhysRevA.43.2046](https://doi.org/10.1103/PhysRevA.43.2046). URL: <https://link.aps.org/doi/10.1103/PhysRevA.43.2046>.
- [6] Mark Srednicki. “Chaos and quantum thermalization”. In: *Phys. Rev. E* 50 (2 1994), pp. 888–901. DOI: [10.1103/PhysRevE.50.888](https://doi.org/10.1103/PhysRevE.50.888). URL: <https://link.aps.org/doi/10.1103/PhysRevE.50.888>.
- [7] Mark Srednicki. “The approach to thermal equilibrium in quantized chaotic systems”. In: *Journal of Physics A: Mathematical and General* 32.7 (1999), pp. 1163–1175. DOI: [10.1088/0305-4470/32/7/007](https://doi.org/10.1088/0305-4470/32/7/007). URL: <https://doi.org/10.1088/0305-4470/32/7/007>.
- [8] Julian Sonner and Manuel Vielma. “Eigenstate thermalization in the Sachdev-Ye-Kitaev model”. In: *Journal of High Energy Physics* 2017.11 (2017), p. 149. ISSN: 1029-8479. DOI: [10.1007/JHEP11\(2017\)149](https://doi.org/10.1007/JHEP11(2017)149). URL: [https://doi.org/10.1007/JHEP11\(2017\)149](https://doi.org/10.1007/JHEP11(2017)149).

Bibliography

- [9] A. Larkin and Y. N. Ovchinnikov. “Quasiclassical method in the theory of superconductivity”. In: *Sov. Phys. JETP* 28 (1969), pp. 1200–1205. URL: <https://doi.org/10.1038/s41567-018-0295-5>.
- [10] A. Kitaev. “A simple model of quantum holography, Part 1 and Part 2”. In: *talks at KITP, Santa Barbara* (2015). URL: <http://online.kitp.ucsb.edu/online/entangled15/kitaev/>.
- [11] Nima Lashkari et al. “Towards the fast scrambling conjecture”. In: *Journal of High Energy Physics* 2013.4 (2013), p. 22. ISSN: 1029-8479. DOI: [10.1007/JHEP04\(2013\)022](https://doi.org/10.1007/JHEP04(2013)022). URL: [https://doi.org/10.1007/JHEP04\(2013\)022](https://doi.org/10.1007/JHEP04(2013)022).
- [12] Stephen H. Shenker and Douglas Stanford. “Black holes and the butterfly effect”. In: *JHEP* 03 (2014), p. 067. DOI: [10.1007/JHEP03\(2014\)067](https://doi.org/10.1007/JHEP03(2014)067). arXiv: [1306.0622](https://arxiv.org/abs/1306.0622) [[hep-th](#)].
- [13] Stephen H. Shenker and Douglas Stanford. “Multiple Shocks”. In: *JHEP* 12 (2014), p. 046. DOI: [10.1007/JHEP12\(2014\)046](https://doi.org/10.1007/JHEP12(2014)046). arXiv: [1312.3296](https://arxiv.org/abs/1312.3296) [[hep-th](#)].
- [14] Stephen H. Shenker and Douglas Stanford. “Stringy effects in scrambling”. In: *Journal of High Energy Physics* 2015.5 (2015), p. 132. ISSN: 1029-8479. DOI: [10.1007/JHEP05\(2015\)132](https://doi.org/10.1007/JHEP05(2015)132). URL: [https://doi.org/10.1007/JHEP05\(2015\)132](https://doi.org/10.1007/JHEP05(2015)132).
- [15] Daniel A. Roberts, Douglas Stanford, and Leonard Susskind. “Localized shocks”. In: *JHEP* 03 (2015), p. 051. DOI: [10.1007/JHEP03\(2015\)051](https://doi.org/10.1007/JHEP03(2015)051). arXiv: [1409.8180](https://arxiv.org/abs/1409.8180) [[hep-th](#)].
- [16] Juan Maldacena, Stephen H. Shenker, and Douglas Stanford. “A bound on chaos”. In: *JHEP* 08 (2016), p. 106. DOI: [10.1007/JHEP08\(2016\)106](https://doi.org/10.1007/JHEP08(2016)106). arXiv: [1503.01409](https://arxiv.org/abs/1503.01409) [[hep-th](#)].
- [17] Subir Sachdev and Jinwu Ye. “Gapless spin-fluid ground state in a random quantum Heisenberg magnet”. In: *Phys. Rev. Lett.* 70 (21 1993), pp. 3339–3342. DOI: [10.1103/PhysRevLett.70.3339](https://doi.org/10.1103/PhysRevLett.70.3339). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.70.3339>.
- [18] Juan Maldacena and Douglas Stanford. “Comments on the Sachdev-Ye-Kitaev model”. In: (2016). arXiv: [1604.07818](https://arxiv.org/abs/1604.07818). URL: <http://arxiv.org/abs/1604.07818>.
- [19] Brian Swingle et al. “Measuring the scrambling of quantum information”. In: *Phys. Rev. A* 94 (4 2016), p. 040302. DOI: [10.1103/PhysRevA.94.040302](https://doi.org/10.1103/PhysRevA.94.040302). URL: <https://link.aps.org/doi/10.1103/PhysRevA.94.040302>.

- [20] Guanyu Zhu, Mohammad Hafezi, and Tarun Grover. “Measurement of many-body chaos using a quantum clock”. In: *Phys. Rev. A* 94 (6 2016), p. 062329. DOI: [10.1103/PhysRevA.94.062329](https://doi.org/10.1103/PhysRevA.94.062329). URL: <https://link.aps.org/doi/10.1103/PhysRevA.94.062329>.
- [21] Norman Y. Yao et al. “Interferometric Approach to Probing Fast Scrambling”. In: (2016). arXiv: [1607.01801](https://arxiv.org/abs/1607.01801) [[quant-ph](#)].
- [22] Nicole Yunger Halpern. “Jarzynski-like equality for the out-of-time-ordered correlator”. In: *Phys. Rev. A* 95 (1 2017), p. 012120. DOI: [10.1103/PhysRevA.95.012120](https://doi.org/10.1103/PhysRevA.95.012120). URL: <https://link.aps.org/doi/10.1103/PhysRevA.95.012120>.
- [23] Nicole Yunger Halpern, Brian Swingle, and Justin Dressel. “Quasiprobability behind the out-of-time-ordered correlator”. In: *Phys. Rev. A* 97 (4 2018), p. 042105. DOI: [10.1103/PhysRevA.97.042105](https://doi.org/10.1103/PhysRevA.97.042105). URL: <https://link.aps.org/doi/10.1103/PhysRevA.97.042105>.
- [24] Michele Campisi and John Goold. “Thermodynamics of quantum information scrambling”. In: *Phys. Rev. E* 95 (6 2017), p. 062127. DOI: [10.1103/PhysRevE.95.062127](https://doi.org/10.1103/PhysRevE.95.062127). URL: <https://link.aps.org/doi/10.1103/PhysRevE.95.062127>.
- [25] Beni Yoshida and Alexei Kitaev. “Efficient decoding for the Hayden-Preskill protocol”. In: (2017). arXiv: [1710.03363](https://arxiv.org/abs/1710.03363) [[hep-th](#)].
- [26] Martin Gärttner et al. “Measuring out-of-time-order correlations and multiple quantum spectra in a trapped ion quantum magnet”. In: *Nature Phys.* 13 (2017), p. 781. DOI: [10.1038/nphys4119](https://doi.org/10.1038/nphys4119). arXiv: [1608.08938](https://arxiv.org/abs/1608.08938) [[quant-ph](#)].
- [27] Ken Xuan Wei, Chandrasekhar Ramanathan, and Paola Cappellaro. “Exploring Localization in Nuclear Spin Chains”. In: *Phys. Rev. Lett.* 120 (7 2018), p. 070501. DOI: [10.1103/PhysRevLett.120.070501](https://doi.org/10.1103/PhysRevLett.120.070501). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.120.070501>.
- [28] Jun Li et al. “Measuring Out-of-Time-Order Correlators on a Nuclear Magnetic Resonance Quantum Simulator”. In: *Phys. Rev. X* 7 (3 2017), p. 031011. DOI: [10.1103/PhysRevX.7.031011](https://doi.org/10.1103/PhysRevX.7.031011). URL: <https://link.aps.org/doi/10.1103/PhysRevX.7.031011>.
- [29] Eric J. Meier et al. “Exploring quantum signatures of chaos on a Floquet synthetic lattice”. In: *arXiv e-prints*, arXiv:1705.06714 (May 2017), arXiv:1705.06714. arXiv: [1705.06714](https://arxiv.org/abs/1705.06714) [[cond-mat.quant-gas](#)].

Bibliography

- [30] Adam Nahum et al. “Quantum Entanglement Growth under Random Unitary Dynamics”. In: *Phys. Rev. X* 7 (3 2017), p. 031016. DOI: [10.1103/PhysRevX.7.031016](https://doi.org/10.1103/PhysRevX.7.031016). URL: <https://link.aps.org/doi/10.1103/PhysRevX.7.031016>.
- [31] C. W. von Keyserlingk et al. “Operator Hydrodynamics, OTOCs, and Entanglement Growth in Systems without Conservation Laws”. In: *Phys. Rev. X* 8 (2 2018), p. 021013. DOI: [10.1103/PhysRevX.8.021013](https://doi.org/10.1103/PhysRevX.8.021013). URL: <https://link.aps.org/doi/10.1103/PhysRevX.8.021013>.
- [32] Shenglong Xu and Brian Swingle. “Accessing scrambling using matrix product operators”. In: (2018). arXiv: [1802.00801](https://arxiv.org/abs/1802.00801) [[quant-ph](https://arxiv.org/abs/1802.00801)].
- [33] Yingfei Gu, Xiao-Liang Qi, and Douglas Stanford. “Local criticality, diffusion and chaos in generalized Sachdev-Ye-Kitaev models”. In: *Journal of High Energy Physics* 2017.5 (2017), p. 125. ISSN: 1029-8479. DOI: [10.1007/JHEP05\(2017\)125](https://doi.org/10.1007/JHEP05(2017)125). URL: [https://doi.org/10.1007/JHEP05\(2017\)125](https://doi.org/10.1007/JHEP05(2017)125).
- [34] David J. Luitz and Yevgeny Bar Lev. “Information propagation in isolated quantum systems”. In: *Phys. Rev. B* 96 (2 2017), p. 020406. DOI: [10.1103/PhysRevB.96.020406](https://doi.org/10.1103/PhysRevB.96.020406). URL: <https://link.aps.org/doi/10.1103/PhysRevB.96.020406>.
- [35] A Bohrdt et al. “Scrambling and thermalization in a diffusive quantum many-body system”. In: *New Journal of Physics* 19.6 (2017), p. 063001. DOI: [10.1088/1367-2630/aa719b](https://doi.org/10.1088/1367-2630/aa719b). URL: <https://doi.org/10.1088/1367-2630/aa719b>.
- [36] Markus Heyl, Frank Pollmann, and Balázs Dóra. “Detecting Equilibrium and Dynamical Quantum Phase Transitions in Ising Chains via Out-of-Time-Ordered Correlators”. In: *Phys. Rev. Lett.* 121 (1 2018), p. 016801. DOI: [10.1103/PhysRevLett.121.016801](https://doi.org/10.1103/PhysRevLett.121.016801). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.121.016801>.
- [37] Cheng-Ju Lin and Olexei I. Motrunich. “Out-of-time-ordered correlators in a quantum Ising chain”. In: *Phys. Rev. B* 97 (14 2018), p. 144304. DOI: [10.1103/PhysRevB.97.144304](https://doi.org/10.1103/PhysRevB.97.144304). URL: <https://link.aps.org/doi/10.1103/PhysRevB.97.144304>.
- [38] Adam Nahum, Sagar Vijay, and Jeongwan Haah. “Operator Spreading in Random Unitary Circuits”. In: *Phys. Rev. X* 8 (2 2018), p. 021014. DOI: [10.1103/PhysRevX.8.021014](https://doi.org/10.1103/PhysRevX.8.021014). URL: <https://link.aps.org/doi/10.1103/PhysRevX.8.021014>.

- [39] Tibor Rakovszky, Frank Pollmann, and C. W. von Keyserlingk. “Diffusive Hydrodynamics of Out-of-Time-Ordered Correlators with Charge Conservation”. In: *Phys. Rev. X* 8 (3 2018), p. 031058. DOI: [10.1103/PhysRevX.8.031058](https://doi.org/10.1103/PhysRevX.8.031058). URL: <https://link.aps.org/doi/10.1103/PhysRevX.8.031058>.
- [40] Vedika Khemani, David A. Huse, and Adam Nahum. “Velocity-dependent Lyapunov exponents in many-body quantum, semiclassical, and classical chaos”. In: *Phys. Rev. B* 98 (14 2018), p. 144304. DOI: [10.1103/PhysRevB.98.144304](https://doi.org/10.1103/PhysRevB.98.144304). URL: <https://link.aps.org/doi/10.1103/PhysRevB.98.144304>.
- [41] Vedika Khemani, Ashvin Vishwanath, and David A. Huse. “Operator Spreading and the Emergence of Dissipative Hydrodynamics under Unitary Evolution with Conservation Laws”. In: *Phys. Rev. X* 8 (3 2018), p. 031057. DOI: [10.1103/PhysRevX.8.031057](https://doi.org/10.1103/PhysRevX.8.031057). URL: <https://link.aps.org/doi/10.1103/PhysRevX.8.031057>.
- [42] Igor L. Aleiner, Lara Faoro, and Lev B. Ioffe. “Microscopic model of quantum butterfly effect: Out-of-time-order correlators and traveling combustion waves”. In: *Annals of Physics* 375 (2016), pp. 378–406. ISSN: 0003-4916. DOI: <https://doi.org/10.1016/j.aop.2016.09.006>. URL: <http://www.sciencedirect.com/science/article/pii/S0003491616301919>.
- [43] Brian Swingle and Debanjan Chowdhury. “Slow scrambling in disordered quantum systems”. In: *Phys. Rev. B* 95 (6 2017), p. 060201. DOI: [10.1103/PhysRevB.95.060201](https://doi.org/10.1103/PhysRevB.95.060201). URL: <https://link.aps.org/doi/10.1103/PhysRevB.95.060201>.
- [44] Sašo Grozdanov, Koenraad Schalm, and Vincenzo Scopelliti. “Kinetic theory for classical and quantum many-body chaos”. In: *Phys. Rev. E* 99 (1 2019), p. 012206. DOI: [10.1103/PhysRevE.99.012206](https://doi.org/10.1103/PhysRevE.99.012206). URL: <https://link.aps.org/doi/10.1103/PhysRevE.99.012206>.
- [45] Aavishkar A. Patel et al. “Quantum Butterfly Effect in Weakly Interacting Diffusive Metals”. In: *Phys. Rev. X* 7 (3 2017), p. 031047. DOI: [10.1103/PhysRevX.7.031047](https://doi.org/10.1103/PhysRevX.7.031047). URL: <https://link.aps.org/doi/10.1103/PhysRevX.7.031047>.
- [46] Brian Swingle and Nicole Yunger Halpern. “Resilience of scrambling measurements”. In: *Phys. Rev. A* 97 (6 2018), p. 062113. DOI: [10.1103/PhysRevA.97.062113](https://doi.org/10.1103/PhysRevA.97.062113). URL: <https://link.aps.org/doi/10.1103/PhysRevA.97.062113>.

Bibliography

- [47] Justin Dressel et al. “Strengthening weak measurements of qubit out-of-time-order correlators”. In: *Phys. Rev. A* 98 (1 2018), p. 012132. DOI: [10.1103/PhysRevA.98.012132](https://doi.org/10.1103/PhysRevA.98.012132). URL: <https://link.aps.org/doi/10.1103/PhysRevA.98.012132>.
- [48] G. Menezes and J. Marino. “Slow scrambling in sonic black holes”. In: *EPL (Europhysics Letters)* 121.6 (2018), p. 60002. DOI: [10.1209/0295-5075/121/60002](https://doi.org/10.1209/0295-5075/121/60002). URL: <https://doi.org/10.1209%2F0295-5075%2F121%2F60002>.
- [49] Thomas Scaffidi and Ehud Altman. “Semiclassical Theory of Many-Body Quantum Chaos and its Bound”. In: (2017). arXiv: [1711.04768](https://arxiv.org/abs/1711.04768) [[cond-mat.stat-mech](https://arxiv.org/abs/1711.04768)].
- [50] Márk Mezei. “Membrane theory of entanglement dynamics from holography”. In: *Phys. Rev. D* 98 (10 2018), p. 106025. DOI: [10.1103/PhysRevD.98.106025](https://doi.org/10.1103/PhysRevD.98.106025). URL: <https://link.aps.org/doi/10.1103/PhysRevD.98.106025>.
- [51] Daniel A. Roberts, Douglas Stanford, and Alexandre Streicher. “Operator growth in the SYK model”. In: *Journal of High Energy Physics* 2018.6 (2018), p. 122. ISSN: 1029-8479. DOI: [10.1007/JHEP06\(2018\)122](https://doi.org/10.1007/JHEP06(2018)122). URL: [https://doi.org/10.1007/JHEP06\(2018\)122](https://doi.org/10.1007/JHEP06(2018)122).
- [52] Xiao Chen and Tianci Zhou. “Operator scrambling and quantum chaos”. In: (2018). arXiv: [1804.08655](https://arxiv.org/abs/1804.08655) [[cond-mat.str-el](https://arxiv.org/abs/1804.08655)].
- [53] Cheryne Jonay, David A. Huse, and Adam Nahum. “Coarse-grained dynamics of operator and state entanglement”. In: (2018). arXiv: [1803.00089](https://arxiv.org/abs/1803.00089) [[cond-mat.stat-mech](https://arxiv.org/abs/1803.00089)].
- [54] Yi-Zhuang You and Yingfei Gu. “Entanglement features of random Hamiltonian dynamics”. In: *Phys. Rev. B* 98 (1 2018), p. 014309. DOI: [10.1103/PhysRevB.98.014309](https://doi.org/10.1103/PhysRevB.98.014309). URL: <https://link.aps.org/doi/10.1103/PhysRevB.98.014309>.
- [55] Brian Swingle. “Unscrambling the physics of out-of-time-order correlators”. In: *Nature Physics* 14.10 (2018), pp. 988–990. ISSN: 1745-2481. DOI: [10.1038/s41567-018-0295-5](https://doi.org/10.1038/s41567-018-0295-5). URL: <https://doi.org/10.1038/s41567-018-0295-5>.
- [56] Mike Blake, Hyunseok Lee, and Hong Liu. “A quantum hydrodynamical description for scrambling and many-body chaos”. In: *JHEP* 10 (2018), p. 127. DOI: [10.1007/JHEP10\(2018\)127](https://doi.org/10.1007/JHEP10(2018)127). arXiv: [1801.00010](https://arxiv.org/abs/1801.00010) [[hep-th](https://arxiv.org/abs/1801.00010)].

- [57] L. D. Landau. “The theory of a Fermi liquid”. In: *Soviet Physics JETP* 3 (1957), pp. 920–925.
- [58] J. A. N. Bruin et al. “Similarity of Scattering Rates in Metals Showing T-Linear Resistivity”. In: *Science* 339.6121 (2013), pp. 804–807. ISSN: 0036-8075. DOI: [10.1126/science.1227612](https://doi.org/10.1126/science.1227612). eprint: <http://science.sciencemag.org/content/339/6121/804.full.pdf>. URL: <http://science.sciencemag.org/content/339/6121/804>.
- [59] A Legros et al. “Universal T-linear resistivity and Planckian dissipation in overdoped cuprates”. In: *Nature Physics* 15.2 (2019), pp. 142–147. ISSN: 1745-2481. DOI: [10.1038/s41567-018-0334-2](https://doi.org/10.1038/s41567-018-0334-2). URL: <https://doi.org/10.1038/s41567-018-0334-2>.
- [60] Jan Zaanen. “Why the temperature is high”. In: *Nature* 430 (2004), p. 512. URL: <https://doi.org/10.1038/430512a><http://10.0.4.14/430512a>.
- [61] S. Sachdev. *Quantum Phase Transitions*. Cambridge University Press, 2011. ISBN: 9781139500210.
- [62] Jan Zaanen. “Planckian dissipation, minimal viscosity and the transport in cuprate strange metals”. In: (2018). arXiv: [1807.10951](https://arxiv.org/abs/1807.10951) [[cond-mat.str-el](https://arxiv.org/abs/1807.10951)].
- [63] J. C. Zhang et al. “Anomalous Thermal Diffusivity in Underdoped $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$ ”. In: *Proc. Nat. Acad. Sci.* 114 (2017), pp. 5378–5383. DOI: [10.1073/pnas.1703416114](https://doi.org/10.1073/pnas.1703416114). arXiv: [1610.05845](https://arxiv.org/abs/1610.05845) [[cond-mat.supr-con](https://arxiv.org/abs/1610.05845)].
- [64] Mike Blake. “Universal Charge Diffusion and the Butterfly Effect in Holographic Theories”. In: *Phys. Rev. Lett.* 117.9 (2016), p. 091601. DOI: [10.1103/PhysRevLett.117.091601](https://doi.org/10.1103/PhysRevLett.117.091601). arXiv: [1603.08510](https://arxiv.org/abs/1603.08510) [[hep-th](https://arxiv.org/abs/1603.08510)].
- [65] Mike Blake. “Universal Diffusion in Incoherent Black Holes”. In: *Phys. Rev.* D94.8 (2016), p. 086014. DOI: [10.1103/PhysRevD.94.086014](https://doi.org/10.1103/PhysRevD.94.086014). arXiv: [1604.01754](https://arxiv.org/abs/1604.01754) [[hep-th](https://arxiv.org/abs/1604.01754)].
- [66] Mike Blake, Richard A. Davison, and Subir Sachdev. “Thermal diffusivity and chaos in metals without quasiparticles”. In: *Phys. Rev.* D96.10 (2017), p. 106008. DOI: [10.1103/PhysRevD.96.106008](https://doi.org/10.1103/PhysRevD.96.106008). arXiv: [1705.07896](https://arxiv.org/abs/1705.07896) [[hep-th](https://arxiv.org/abs/1705.07896)].
- [67] Mike Blake and Aristomenis Donos. “Diffusion and Chaos from near AdS_2 horizons”. In: *JHEP* 02 (2017), p. 013. DOI: [10.1007/JHEP02\(2017\)013](https://doi.org/10.1007/JHEP02(2017)013). arXiv: [1611.09380](https://arxiv.org/abs/1611.09380) [[hep-th](https://arxiv.org/abs/1611.09380)].

Bibliography

- [68] Mike Blake, Richard A. Davison, and Subir Sachdev. “Thermal diffusivity and chaos in metals without quasiparticles”. In: *Phys. Rev. D* 96 (10 2017), p. 106008. DOI: [10.1103/PhysRevD.96.106008](https://doi.org/10.1103/PhysRevD.96.106008). URL: <https://link.aps.org/doi/10.1103/PhysRevD.96.106008>.
- [69] Aavishkar A. Patel and Subir Sachdev. “Quantum chaos on a critical Fermi surface”. In: *Proc. Nat. Acad. Sci.* 114 (2017), pp. 1844–1849. DOI: [10.1073/pnas.1618185114](https://doi.org/10.1073/pnas.1618185114). arXiv: [1611.00003](https://arxiv.org/abs/1611.00003) [cond-mat.str-el].
- [70] Juan Martin Maldacena. “The Large N limit of superconformal field theories and supergravity”. In: *Int. J. Theor. Phys.* 38 (1999). [Adv. Theor. Math. Phys.2,231(1998)], pp. 1113–1133. DOI: [10.1023/A:1026654312961](https://doi.org/10.1023/A:1026654312961), [10.4310/ATMP.1998.v2.n2.a1](https://doi.org/10.4310/ATMP.1998.v2.n2.a1). arXiv: [hep-th/9711200](https://arxiv.org/abs/hep-th/9711200) [hep-th].
- [71] Ofer Aharony et al. “Large N field theories, string theory and gravity”. In: *Phys. Rept.* 323 (2000), pp. 183–386. DOI: [10.1016/S0370-1573\(99\)00083-6](https://doi.org/10.1016/S0370-1573(99)00083-6). arXiv: [hep-th/9905111](https://arxiv.org/abs/hep-th/9905111) [hep-th].
- [72] Martin Ammon and Johanna Erdmenger. *Gauge/gravity duality*. Cambridge: Cambridge University Press, 2015. ISBN: 9781107010345, 9781316235942. URL: <http://www.cambridge.org/de/academic/subjects/physics/theoretical-physics-and-mathematical-physics/gaugegravity-duality-foundations-and-applications>.
- [73] Jan Zaanen et al. *Holographic Duality in Condensed Matter Physics*. Cambridge Univ. Press, 2015. ISBN: 9781107080089. URL: <http://www.cambridge.org/mw/academic/subjects/physics/condensed-matter-physics-nanoscience-and-mesoscopic-physics/holographic-duality-condensed-matter-physics?format=HB>.
- [74] Sean A. Hartnoll, Andrew Lucas, and Subir Sachdev. “Holographic quantum matter”. In: (2016). arXiv: [1612.07324](https://arxiv.org/abs/1612.07324) [hep-th].
- [75] G.’t Hooft. “A planar diagram theory for strong interactions”. In: *Nuclear Physics B* 72.3 (1974), pp. 461–473. ISSN: 0550-3213. DOI: [https://doi.org/10.1016/0550-3213\(74\)90154-0](https://doi.org/10.1016/0550-3213(74)90154-0). URL: <http://www.sciencedirect.com/science/article/pii/0550321374901540>.
- [76] Jacob D. Bekenstein. “Black Holes and Entropy”. In: *Phys. Rev. D* 7 (8 1973), pp. 2333–2346. DOI: [10.1103/PhysRevD.7.2333](https://doi.org/10.1103/PhysRevD.7.2333). URL: <https://link.aps.org/doi/10.1103/PhysRevD.7.2333>.

- [77] Gerard 't Hooft. “Dimensional reduction in quantum gravity”. In: *Conf. Proc.* C930308 (1993), pp. 284–296. arXiv: [gr-qc/9310026 \[gr-qc\]](#).
- [78] Leonard Susskind. “The World as a hologram”. In: *J. Math. Phys.* 36 (1995), pp. 6377–6396. DOI: [10.1063/1.531249](#). arXiv: [hep-th/9409089 \[hep-th\]](#).
- [79] Kenneth G. Wilson. “The renormalization group: Critical phenomena and the Kondo problem”. In: *Rev. Mod. Phys.* 47 (4 1975), pp. 773–840. DOI: [10.1103/RevModPhys.47.773](#). URL: <https://link.aps.org/doi/10.1103/RevModPhys.47.773>.
- [80] John McGreevy. “Holographic duality with a view toward many-body physics”. In: *Adv. High Energy Phys.* 2010 (2010), p. 723105. DOI: [10.1155/2010/723105](#). arXiv: [0909.0518 \[hep-th\]](#).
- [81] S. S. Gubser, Igor R. Klebanov, and Alexander M. Polyakov. “Gauge theory correlators from noncritical string theory”. In: *Phys. Lett.* B428 (1998), pp. 105–114. DOI: [10.1016/S0370-2693\(98\)00377-3](#). arXiv: [hep-th/9802109 \[hep-th\]](#).
- [82] Edward Witten. “Anti-de Sitter space and holography”. In: *Adv. Theor. Math. Phys.* 2 (1998), pp. 253–291. DOI: [10.4310/ATMP.1998.v2.n2.a2](#). arXiv: [hep-th/9802150 \[hep-th\]](#).
- [83] Sayantani Bhattacharyya et al. “Nonlinear Fluid Dynamics from Gravity”. In: *JHEP* 02 (2008), p. 045. DOI: [10.1088/1126-6708/2008/02/045](#). arXiv: [0712.2456 \[hep-th\]](#).
- [84] Veronika E. Hubeny, Shiraz Minwalla, and Mukund Rangamani. “The fluid/gravity correspondence”. In: *Black holes in higher dimensions*. [817(2011)]. 2012, pp. 348–383. arXiv: [1107.5780 \[hep-th\]](#).
- [85] K. S. Thorne, R. H. Price, and D. A. MacDonald. *Black holes: The membrane paradigm*. 1986.
- [86] Hong Liu and Paolo Glorioso. “Lectures on non-equilibrium effective field theories and fluctuating hydrodynamics”. In: *PoS TASI2017* (2018), p. 008. DOI: [10.22323/1.305.0008](#). arXiv: [1805.09331 \[hep-th\]](#).
- [87] Sašo Grozdanov and Janos Polonyi. “Viscosity and dissipative hydrodynamics from effective field theory”. In: *Phys. Rev.* D91.10 (2015), p. 105031. DOI: [10.1103/PhysRevD.91.105031](#). arXiv: [1305.3670 \[hep-th\]](#).

Bibliography

- [88] Michael Crossley, Paolo Glorioso, and Hong Liu. “Effective field theory of dissipative fluids”. In: *JHEP* 09 (2017), p. 095. DOI: [10.1007/JHEP09\(2017\)095](https://doi.org/10.1007/JHEP09(2017)095). arXiv: [1511.03646](https://arxiv.org/abs/1511.03646) [[hep-th](#)].
- [89] Paolo Glorioso, Michael Crossley, and Hong Liu. “Effective field theory of dissipative fluids (II): classical limit, dynamical KMS symmetry and entropy current”. In: *JHEP* 09 (2017), p. 096. DOI: [10.1007/JHEP09\(2017\)096](https://doi.org/10.1007/JHEP09(2017)096). arXiv: [1701.07817](https://arxiv.org/abs/1701.07817) [[hep-th](#)].
- [90] Paolo Glorioso, Hong Liu, and Srivatsan Rajagopal. “Global Anomalies, Discrete Symmetries, and Hydrodynamic Effective Actions”. In: *JHEP* 01 (2019), p. 043. DOI: [10.1007/JHEP01\(2019\)043](https://doi.org/10.1007/JHEP01(2019)043). arXiv: [1710.03768](https://arxiv.org/abs/1710.03768) [[hep-th](#)].
- [91] Ping Gao, Paolo Glorioso, and Hong Liu. “Ghostbusters: Unitarity and Causality of Non-equilibrium Effective Field Theories”. In: (2018). arXiv: [1803.10778](https://arxiv.org/abs/1803.10778) [[hep-th](#)].
- [92] Ping Gao and Hong Liu. “Emergent Supersymmetry in Local Equilibrium Systems”. In: *JHEP* 01 (2018), p. 040. DOI: [10.1007/JHEP01\(2018\)040](https://doi.org/10.1007/JHEP01(2018)040). arXiv: [1701.07445](https://arxiv.org/abs/1701.07445) [[hep-th](#)].
- [93] Paolo Glorioso and Hong Liu. “The second law of thermodynamics from symmetry and unitarity”. In: (2016). arXiv: [1612.07705](https://arxiv.org/abs/1612.07705) [[hep-th](#)].
- [94] Felix M. Haehl, R. Loganayagam, and Mukund Rangamani. “The eightfold way to dissipation”. In: *Phys. Rev. Lett.* 114 (2015), p. 201601. DOI: [10.1103/PhysRevLett.114.201601](https://doi.org/10.1103/PhysRevLett.114.201601). arXiv: [1412.1090](https://arxiv.org/abs/1412.1090) [[hep-th](#)].
- [95] Felix M. Haehl, R. Loganayagam, and Mukund Rangamani. “Adiabatic hydrodynamics: The eightfold way to dissipation”. In: *JHEP* 05 (2015), p. 060. DOI: [10.1007/JHEP05\(2015\)060](https://doi.org/10.1007/JHEP05(2015)060). arXiv: [1502.00636](https://arxiv.org/abs/1502.00636) [[hep-th](#)].
- [96] Kristan Jensen, Natalia Pinzani-Fokeeva, and Amos Yarom. “Dissipative hydrodynamics in superspace”. In: *JHEP* 09 (2018), p. 127. DOI: [10.1007/JHEP09\(2018\)127](https://doi.org/10.1007/JHEP09(2018)127). arXiv: [1701.07436](https://arxiv.org/abs/1701.07436) [[hep-th](#)].
- [97] Felix M. Haehl, R. Loganayagam, and Mukund Rangamani. “The Fluid Manifesto: Emergent symmetries, hydrodynamics, and black holes”. In: *JHEP* 01 (2016), p. 184. DOI: [10.1007/JHEP01\(2016\)184](https://doi.org/10.1007/JHEP01(2016)184). arXiv: [1510.02494](https://arxiv.org/abs/1510.02494) [[hep-th](#)].

- [98] Felix M. Haehl, R. Loganayagam, and M. Rangamani. “Topological sigma models & dissipative hydrodynamics”. In: *JHEP* 04 (2016), p. 039. DOI: [10.1007/JHEP04\(2016\)039](https://doi.org/10.1007/JHEP04(2016)039). arXiv: [1511.07809](https://arxiv.org/abs/1511.07809) [[hep-th](#)].
- [99] Dam T. Son and Andrei O. Starinets. “Viscosity, Black Holes, and Quantum Field Theory”. In: *Ann. Rev. Nucl. Part. Sci.* 57 (2007), pp. 95–118. DOI: [10.1146/annurev.nucl.57.090506.123120](https://doi.org/10.1146/annurev.nucl.57.090506.123120). arXiv: [0704.0240](https://arxiv.org/abs/0704.0240) [[hep-th](#)].
- [100] Giuseppe Policastro, Dam T. Son, and Andrei O. Starinets. “From AdS / CFT correspondence to hydrodynamics”. In: *JHEP* 09 (2002), p. 043. DOI: [10.1088/1126-6708/2002/09/043](https://doi.org/10.1088/1126-6708/2002/09/043). arXiv: [hep-th/0205052](https://arxiv.org/abs/hep-th/0205052) [[hep-th](#)].
- [101] Sangyong Jeon. “Hydrodynamic transport coefficients in relativistic scalar field theory”. In: *Physical Review D* 52.6 (1995), pp. 3591–3642. ISSN: 05562821. DOI: [10.1103/PhysRevD.52.3591](https://doi.org/10.1103/PhysRevD.52.3591). arXiv: [9409250](https://arxiv.org/abs/9409250) [[hep-ph](#)].
- [102] Peter Brockway Arnold, Guy D. Moore, and Laurence G. Yaffe. “Transport coefficients in high temperature gauge theories. 1. Leading log results”. In: *JHEP* 11 (2000), p. 001. DOI: [10.1088/1126-6708/2000/11/001](https://doi.org/10.1088/1126-6708/2000/11/001). arXiv: [hep-ph/0010177](https://arxiv.org/abs/hep-ph/0010177) [[hep-ph](#)].
- [103] Peter Brockway Arnold, Guy D. Moore, and Laurence G. Yaffe. “Effective kinetic theory for high temperature gauge theories”. In: *JHEP* 01 (2003), p. 030. DOI: [10.1088/1126-6708/2003/01/030](https://doi.org/10.1088/1126-6708/2003/01/030). arXiv: [hep-ph/0209353](https://arxiv.org/abs/hep-ph/0209353) [[hep-ph](#)].
- [104] Peter Brockway Arnold, Guy D Moore, and Laurence G. Yaffe. “Transport coefficients in high temperature gauge theories. 2. Beyond leading log”. In: *JHEP* 05 (2003), p. 051. DOI: [10.1088/1126-6708/2003/05/051](https://doi.org/10.1088/1126-6708/2003/05/051). arXiv: [hep-ph/0302165](https://arxiv.org/abs/hep-ph/0302165) [[hep-ph](#)].
- [105] Mark Abraao York and Guy D. Moore. “Second order hydrodynamic coefficients from kinetic theory”. In: *Phys. Rev.* D79 (2009), p. 054011. DOI: [10.1103/PhysRevD.79.054011](https://doi.org/10.1103/PhysRevD.79.054011). arXiv: [0811.0729](https://arxiv.org/abs/0811.0729) [[hep-ph](#)].
- [106] G. S. Denicol, T. Koide, and D. H. Rischke. “Dissipative relativistic fluid dynamics: a new way to derive the equations of motion from kinetic theory”. In: *Phys. Rev. Lett.* 105 (2010), p. 162501. DOI: [10.1103/PhysRevLett.105.162501](https://doi.org/10.1103/PhysRevLett.105.162501). arXiv: [1004.5013](https://arxiv.org/abs/1004.5013) [[nucl-th](#)].

Bibliography

- [107] G. S. Denicol et al. “Derivation of transient relativistic fluid dynamics from the Boltzmann equation”. In: *Phys. Rev. D* 85 (2012). [Erratum: *Phys. Rev. D* 91, no. 3, 039902 (2015)], p. 114047. DOI: [10.1103/PhysRevD.85.114047](https://doi.org/10.1103/PhysRevD.85.114047), [10.1103/PhysRevD.91.039902](https://doi.org/10.1103/PhysRevD.91.039902). arXiv: [1202.4551](https://arxiv.org/abs/1202.4551) [[nucl-th](#)].
- [108] G. S. Denicol, S. Jeon, and C. Gale. “Transport Coefficients of Bulk Viscous Pressure in the 14-moment approximation”. In: *Phys. Rev. C* 90.2 (2014), p. 024912. DOI: [10.1103/PhysRevC.90.024912](https://doi.org/10.1103/PhysRevC.90.024912). arXiv: [1403.0962](https://arxiv.org/abs/1403.0962) [[nucl-th](#)].
- [109] Guy D. Moore and Kiyoumars A. Sohrabi. “Kubo Formulae for Second-Order Hydrodynamic Coefficients”. In: *Phys. Rev. Lett.* 106 (2011), p. 122302. DOI: [10.1103/PhysRevLett.106.122302](https://doi.org/10.1103/PhysRevLett.106.122302). arXiv: [1007.5333](https://arxiv.org/abs/1007.5333) [[hep-ph](#)].
- [110] Guy D. Moore and Kiyoumars A. Sohrabi. “Thermodynamical second-order hydrodynamic coefficients”. In: *JHEP* 11 (2012), p. 148. DOI: [10.1007/JHEP11\(2012\)148](https://doi.org/10.1007/JHEP11(2012)148). arXiv: [1210.3340](https://arxiv.org/abs/1210.3340) [[hep-ph](#)].
- [111] D. N. Zubarev. *Nonequilibrium Statistical Thermodynamics*. New York: Consultants Bureau–Plenum, 1974.
- [112] Sangyong Jeon. “Computing spectral densities in Finite temperature field theory”. In: *PHYSICAL REVIEW D* 47.10 (1993).
- [113] Enke Wang and Ulrich Heinz. “Nonperturbative calculation of the shear viscosity in hot ϕ^4 theory in real time”. In: *Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics* 471.2-3 (1999), pp. 208–213. ISSN: 03702693. DOI: [10.1016/S0370-2693\(99\)01324-6](https://doi.org/10.1016/S0370-2693(99)01324-6). arXiv: [9910367](https://arxiv.org/abs/9910367) [[hep-ph](#)].
- [114] Enke Wang and Ulrich Heinz. “Shear viscosity of hot scalar field theory in the real-time formalism”. In: *Phys. Rev. D* 67 (2 2003), p. 025022. DOI: [10.1103/PhysRevD.67.025022](https://doi.org/10.1103/PhysRevD.67.025022). URL: <https://link.aps.org/doi/10.1103/PhysRevD.67.025022>.
- [115] Manuel A. Valle Basagoiti. “Transport coefficients and ladder summation in hot gauge theories”. In: *Phys. Rev. D* 66 (4 2002), p. 045005. DOI: [10.1103/PhysRevD.66.045005](https://doi.org/10.1103/PhysRevD.66.045005). URL: <https://link.aps.org/doi/10.1103/PhysRevD.66.045005>.
- [116] Gert Aarts and J. M. Martinez Resco. “Ward identity and electrical conductivity in hot QED”. In: *JHEP* 11 (2002), p. 022. DOI: [10.1088/1126-6708/2002/11/022](https://doi.org/10.1088/1126-6708/2002/11/022). arXiv: [hep-ph/0209048](https://arxiv.org/abs/hep-ph/0209048) [[hep-ph](#)].

- [117] Gert Aarts and Jose M. Martínez Resco. “Transport coefficients from the two particle irreducible effective action”. In: *Phys. Rev. D* 68 (8 2003), p. 085009. DOI: [10.1103/PhysRevD.68.085009](https://doi.org/10.1103/PhysRevD.68.085009). URL: <https://link.aps.org/doi/10.1103/PhysRevD.68.085009>.
- [118] G. Policastro, Dan T. Son, and Andrei O. Starinets. “The Shear viscosity of strongly coupled N=4 supersymmetric Yang-Mills plasma”. In: *Phys. Rev. Lett.* 87 (2001), p. 081601. DOI: [10.1103/PhysRevLett.87.081601](https://doi.org/10.1103/PhysRevLett.87.081601). arXiv: [hep-th/0104066](https://arxiv.org/abs/hep-th/0104066) [hep-th].
- [119] Pavel Kovtun, Dam T. Son, and Andrei O. Starinets. “Holography and hydrodynamics: Diffusion on stretched horizons”. In: *JHEP* 10 (2003), p. 064. DOI: [10.1088/1126-6708/2003/10/064](https://doi.org/10.1088/1126-6708/2003/10/064). arXiv: [hep-th/0309213](https://arxiv.org/abs/hep-th/0309213) [hep-th].
- [120] Pavel K. Kovtun and Andrei O. Starinets. “Quasinormal modes and holography”. In: *Phys. Rev. D* 72 (2005), p. 086009. DOI: [10.1103/PhysRevD.72.086009](https://doi.org/10.1103/PhysRevD.72.086009). arXiv: [hep-th/0506184](https://arxiv.org/abs/hep-th/0506184) [hep-th].
- [121] Paul Romatschke. “Retarded correlators in kinetic theory: branch cuts, poles and hydrodynamic onset transitions”. In: *Eur. Phys. J. C* 76.6 (2016), p. 352. DOI: [10.1140/epjc/s10052-016-4169-7](https://doi.org/10.1140/epjc/s10052-016-4169-7). arXiv: [1512.02641](https://arxiv.org/abs/1512.02641) [hep-th].
- [122] Aleksi Kurkela and Urs Achim Wiedemann. “Analytic structure of nonhydrodynamic modes in kinetic theory”. In: (2017). arXiv: [1712.04376](https://arxiv.org/abs/1712.04376) [hep-ph].
- [123] Kristan Jensen. “Chaos in AdS₂ Holography”. In: *Phys. Rev. Lett.* 117.11 (2016), p. 111601. DOI: [10.1103/PhysRevLett.117.111601](https://doi.org/10.1103/PhysRevLett.117.111601). arXiv: [1605.06098](https://arxiv.org/abs/1605.06098) [hep-th].
- [124] Kedar Damle and Subir Sachdev. “Nonzero-temperature transport near quantum critical points”. In: *Phys. Rev. B* 56 (14 1997), pp. 8714–8733. DOI: [10.1103/PhysRevB.56.8714](https://doi.org/10.1103/PhysRevB.56.8714). URL: <https://link.aps.org/doi/10.1103/PhysRevB.56.8714>.
- [125] Alexander Altland and Ben Simons. *Condensed matter field theory; 2nd ed.* Cambridge: Cambridge Univ. Press, 2010. URL: <https://cds.cern.ch/record/1257155>.
- [126] Sangyong Jeon and Laurence G. Yaffe. “From quantum field theory to hydrodynamics: Transport coefficients and effective kinetic theory”. In: *Phys. Rev. D* 53 (10 1996), pp. 5799–5809. DOI: [10.1103/PhysRevD.53.5799](https://doi.org/10.1103/PhysRevD.53.5799). URL: <https://link.aps.org/doi/10.1103/PhysRevD.53.5799>.

Bibliography

- [127] E. Gross and E. Jackson. “Kinetic Models and the Linearized Boltzmann Equation”. In: *Phys. Fluids* 2 (1959), p. 432.
- [128] Sašo Grozdanov, Koenraad Schalm, and Vincenzo Scopelliti. “Black Hole Scrambling from Hydrodynamics”. In: *Phys. Rev. Lett.* 120 (23 2018), p. 231601. DOI: [10.1103/PhysRevLett.120.231601](https://doi.org/10.1103/PhysRevLett.120.231601). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.120.231601>.
- [129] Mike Blake et al. “Many-body chaos and energy dynamics in holography”. In: *JHEP* 10 (2018), p. 035. DOI: [10.1007/JHEP10\(2018\)035](https://doi.org/10.1007/JHEP10(2018)035). arXiv: [1809.01169](https://arxiv.org/abs/1809.01169) [[hep-th](#)].
- [130] Sašo Grozdanov et al. “The complex life of hydrodynamic modes”. In: (2019). arXiv: [1904.12862](https://arxiv.org/abs/1904.12862) [[hep-th](#)].
- [131] Sašo Grozdanov. “On the connection between hydrodynamics and quantum chaos in holographic theories with stringy corrections”. In: *JHEP* 01 (2019), p. 048. DOI: [10.1007/JHEP01\(2019\)048](https://doi.org/10.1007/JHEP01(2019)048). arXiv: [1811.09641](https://arxiv.org/abs/1811.09641) [[hep-th](#)].
- [132] Mike Blake, Richard A. Davison, and David Vegh. “Horizon constraints on holographic Green’s functions”. In: (2019). arXiv: [1904.12883](https://arxiv.org/abs/1904.12883) [[hep-th](#)].
- [133] Sašo Grozdanov, Koenraad Schalm, and Vincenzo Scopelliti. *In preparation*.
- [134] Gert Aarts and Jose M. Martinez Resco. “Transport coefficients and the 2π effective action in the large N limit”. In: *Proceedings, 6th International Conference on Strong and Electroweak Matter (SEWM 2004): Helsinki, Finland, June 16-19, 2004*. 2005, pp. 231–240. DOI: [10.1142/9789812702159_0030](https://doi.org/10.1142/9789812702159_0030). arXiv: [hep-ph/0409090](https://arxiv.org/abs/hep-ph/0409090) [[hep-ph](#)].
- [135] Gert Aarts and Jose M. Martinez Resco. “Shear viscosity in the $O(N)$ model”. In: *JHEP* 02 (2004), p. 061. DOI: [10.1088/1126-6708/2004/02/061](https://doi.org/10.1088/1126-6708/2004/02/061). arXiv: [hep-ph/0402192](https://arxiv.org/abs/hep-ph/0402192) [[hep-ph](#)].
- [136] Debanjan Chowdhury and Brian Swingle. “Onset of many-body chaos in the $O(N)$ model”. In: *Phys. Rev.* D96.6 (2017), p. 065005. DOI: [10.1103/PhysRevD.96.065005](https://doi.org/10.1103/PhysRevD.96.065005). arXiv: [1703.02545](https://arxiv.org/abs/1703.02545) [[cond-mat.str-el](#)].
- [137] Shao-Kai Jian and Hong Yao. “Universal properties of many-body quantum chaos at Gross-Neveu criticality”. In: (2018). arXiv: [1805.12299](https://arxiv.org/abs/1805.12299) [[cond-mat.str-el](#)].

- [138] Aurelio Romero-Bermúdez, Koenraad Schalm, and Vincenzo Scopel-
liti. “Regularization dependence of the OTOC. Which Lyapunov
spectrum is the physical one?” In: *Journal of High Energy Physics*
2019.7 (2019), p. 107. ISSN: 1029-8479. DOI: [10.1007/JHEP07\(2019\)
107](https://doi.org/10.1007/JHEP07(2019)107). URL: [https://doi.org/10.1007/JHEP07\(2019\)107](https://doi.org/10.1007/JHEP07(2019)107).
- [139] S. Chapman and T.G. Cowling. *The mathematical theory of non-
uniform gases*. 3rd ed. Cambridge, UK: Cambridge University Press,
1970.
- [140] Iridii A Kvasnikov. *Thermodynamics and statistical physics: A
theory of non-equilibrium systems (in Russian)*. Moscow, USSR:
Moscow University Press, 1987.
- [141] Laure Saint-Raymond. *Hydrodynamic Limits of the Boltzmann
Equation*. Berlin, FRG: Springer-Verlag, 2009.
- [142] J.H. Ferziger and H.G. Kaper. *Mathematical theory of transport pro-
cesses in gases*. Amsterdam, Netherlands: North-Holland Publishing
Company, 1972.
- [143] G.E. Uhlenbeck and G.W. Ford. *Lectures in Statistical Mechanics*.
Providence, R.I., USA: American Mathematical Society, 1963.
- [144] S. R. De Groot. *Relativistic Kinetic Theory. Principles and Appli-
cations*. Ed. by W. A. Van Leeuwen and C. G. Van Weert. 1980.
- [145] V.P. Silin. *Introduction to Kinetic Theory of Gases (in Russian)*.
3rd ed. Moscow, USSR: Nauka, 1971.
- [146] H. Grad. “Asymptotic Theory of the Boltzmann Equation”. In:
Phys. Fluids 6 (1963), p. 0147.
- [147] H. van Beijeren, R. van Zon, and J. R. Dorfman. “Kinetic The-
ory Estimates for the Kolmogorov-Sinai Entropy and the Largest
Lyapunov Exponents for Dilute, Hard-Ball Gases and for Dilute,
Random Lorentz Gases”. In: *In: Szász D. (eds) Hard Ball Systems
and the Lorentz Gas, (Springer Berlin, 2000)* (Sept. 1999). arXiv:
[chao-dyn/9909034](https://arxiv.org/abs/chao-dyn/9909034) [chao-dyn].
- [148] I. L. Aleiner and A. I. Larkin. “Role of divergence of classical
trajectories in quantum chaos”. In: *pre* 55 (Feb. 1997), R1243–
R1246. DOI: [10.1103/PhysRevE.55.R1243](https://doi.org/10.1103/PhysRevE.55.R1243). eprint: [cond-mat/
9610034](https://arxiv.org/abs/cond-mat/9610034).
- [149] I. L. Aleiner and A. I. Larkin. “Divergence of classical trajectories
and weak localization”. In: *prb* 54 (Nov. 1996), pp. 14423–14444.
DOI: [10.1103/PhysRevB.54.14423](https://doi.org/10.1103/PhysRevB.54.14423). eprint: [cond-mat/9603121](https://arxiv.org/abs/cond-mat/9603121).

Bibliography

- [150] A. I. Larkin and Y. N. Ovchinnikov. “Quasiclassical Method in the Theory of Superconductivity”. In: *Soviet Journal of Experimental and Theoretical Physics* 28 (June 1969), p. 1200.
- [151] Joseph Polchinski. “Chaos in the black hole S-matrix”. In: (2015). arXiv: [1505.08108](https://arxiv.org/abs/1505.08108) [[hep-th](#)].
- [152] Douglas Stanford. “Many-body chaos at weak coupling”. In: *JHEP* 10 (2016), p. 009. DOI: [10.1007/JHEP10\(2016\)009](https://doi.org/10.1007/JHEP10(2016)009). arXiv: [1512.07687](https://arxiv.org/abs/1512.07687) [[hep-th](#)].
- [153] Igor L. Aleiner, Lara Faoro, and Lev B. Ioffe. “Microscopic model of quantum butterfly effect: out-of-time-order correlators and traveling combustion waves”. In: *Annals Phys.* 375 (2016), pp. 378–406. DOI: [10.1016/j.aop.2016.09.006](https://doi.org/10.1016/j.aop.2016.09.006). arXiv: [1609.01251](https://arxiv.org/abs/1609.01251) [[cond-mat.stat-mech](#)].
- [154] Aavishkar A. Patel et al. “Quantum butterfly effect in weakly interacting diffusive metals”. In: *Phys. Rev. X* 7.3 (2017), p. 031047. DOI: [10.1103/PhysRevX.7.031047](https://doi.org/10.1103/PhysRevX.7.031047). arXiv: [1703.07353](https://arxiv.org/abs/1703.07353) [[cond-mat.str-el](#)].
- [155] Daniel A. Roberts and Brian Swingle. “Lieb-Robinson Bound and the Butterfly Effect in Quantum Field Theories”. In: *Phys. Rev. Lett.* 117.9 (2016), p. 091602. DOI: [10.1103/PhysRevLett.117.091602](https://doi.org/10.1103/PhysRevLett.117.091602). arXiv: [1603.09298](https://arxiv.org/abs/1603.09298) [[hep-th](#)].
- [156] Ivan Kukuljan, Sašo Grozdanov, and Tomaž Prosen. “Weak Quantum Chaos”. In: *Phys. Rev. B* 96.6 (2017), p. 060301. DOI: [10.1103/PhysRevB.96.060301](https://doi.org/10.1103/PhysRevB.96.060301). arXiv: [1701.09147](https://arxiv.org/abs/1701.09147) [[cond-mat.stat-mech](#)].
- [157] Efim B. Rozenbaum, Sriram Ganeshan, and Victor Galitski. “Lyapunov Exponent and Out-of-Time-Ordered Correlator’s Growth Rate in a Chaotic System”. In: *Phys. Rev. Lett.* 118 (8 2017), p. 086801. DOI: [10.1103/PhysRevLett.118.086801](https://doi.org/10.1103/PhysRevLett.118.086801). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.118.086801>.
- [158] Tibor Rakovszky, Frank Pollmann, and C. W. von Keyserlingk. “Diffusive hydrodynamics of out-of-time-ordered correlators with charge conservation”. In: (2017). arXiv: [1710.09827](https://arxiv.org/abs/1710.09827) [[cond-mat.stat-mech](#)].
- [159] Vedita Khemani, Ashvin Vishwanath, and D. A. Huse. “Operator spreading and the emergence of dissipation in unitary dynamics with conservation laws”. In: (2017). arXiv: [1710.09835](https://arxiv.org/abs/1710.09835) [[cond-mat.stat-mech](#)].
- [160] Andrew Lucas. “Constraints on hydrodynamics from many-body quantum chaos”. In: (2017). arXiv: [1710.01005](https://arxiv.org/abs/1710.01005) [[hep-th](#)].

- [161] R. van Zon, H. van Beijeren, and Ch. Dellago. “Largest Lyapunov Exponent for Many Particle Systems at Low Densities”. In: *Phys. Rev. Lett.* 80 (10 1998), pp. 2035–2038. DOI: [10.1103/PhysRevLett.80.2035](https://doi.org/10.1103/PhysRevLett.80.2035). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.80.2035>.
- [162] Henrik Smith and Hojgaard H Jensen. *Transport phenomena*. Oxford: Clarendon Press, 1989.
- [163] R. Balescu. *Equilibrium and nonequilibrium statistical mechanics*. New York: Wiley, 1975.
- [164] H. Haug and A.-P. Jauho. *Quantum Kinetics in Transport and Optics of Semiconductors*. Berlin Heidelberg: Springer-Verlag, 2008. DOI: [10.1007/978-3-540-73564-9](https://doi.org/10.1007/978-3-540-73564-9).
- [165] Sašo Grozdanov, Nikolaos Kaplis, and Andrei O. Starinets. “From strong to weak coupling in holographic models of thermalization”. In: *JHEP* 07 (2016), p. 151. DOI: [10.1007/JHEP07\(2016\)151](https://doi.org/10.1007/JHEP07(2016)151). arXiv: [1605.02173 \[hep-th\]](https://arxiv.org/abs/1605.02173).
- [166] A. Altland and B.D. Simons. *Condensed Matter Field Theory*. Cambridge books online. Cambridge University Press, 2010. ISBN: 9780521769754. URL: <https://books.google.rs/books?id=GpF0Pgo8CqAC>.
- [167] A. H. Mueller and D. T. Son. “On the Equivalence between the Boltzmann equation and classical field theory at large occupation numbers”. In: *Phys. Lett.* B582 (2004), pp. 279–287. DOI: [10.1016/j.physletb.2003.12.047](https://doi.org/10.1016/j.physletb.2003.12.047). arXiv: [hep-ph/0212198 \[hep-ph\]](https://arxiv.org/abs/hep-ph/0212198).
- [168] Enke Wang and Ulrich W. Heinz. “Shear viscosity of hot scalar field theory in the real time formalism”. In: *Phys. Rev.* D67 (2003), p. 025022. DOI: [10.1103/PhysRevD.67.025022](https://doi.org/10.1103/PhysRevD.67.025022). arXiv: [hep-th/0201116 \[hep-th\]](https://arxiv.org/abs/hep-th/0201116).
- [169] Alina Czajka and Sangyong Jeon. “Kubo formulas for the shear and bulk viscosity relaxation times and the scalar field theory shear τ_π calculation”. In: *Phys. Rev.* C95.6 (2017), p. 064906. DOI: [10.1103/PhysRevC.95.064906](https://doi.org/10.1103/PhysRevC.95.064906). arXiv: [1701.07580 \[nucl-th\]](https://arxiv.org/abs/1701.07580).
- [170] Guy D. Moore. “Stress-stress correlator in ϕ^4 theory: poles or a cut?” In: *JHEP* 05 (2018), p. 084. DOI: [10.1007/JHEP05\(2018\)084](https://doi.org/10.1007/JHEP05(2018)084). arXiv: [1803.00736 \[hep-ph\]](https://arxiv.org/abs/1803.00736).

Bibliography

- [171] Jorge Casalderrey Solana, Sašo Grozdanov, and Andrei O. Starinets. “Transport peak in thermal spectral function of $\mathcal{N} = 4$ supersymmetric Yang-Mills plasma at intermediate coupling”. In: (2018). arXiv: [1806.10997](https://arxiv.org/abs/1806.10997) [[hep-th](#)].
- [172] W. van Saarloos. “Front propagation into unstable states”. In: *Phys.Rep.* 386 (Nov. 2003), pp. 29–222. DOI: [10.1016/j.physrep.2003.08.001](https://doi.org/10.1016/j.physrep.2003.08.001). eprint: [cond-mat/0308540](https://arxiv.org/abs/cond-mat/0308540).
- [173] Julian S. Schwinger. “Brownian motion of a quantum oscillator”. In: *J. Math. Phys.* 2 (1961), pp. 407–432. DOI: [10.1063/1.1703727](https://doi.org/10.1063/1.1703727).
- [174] Pradip M. Bakshi and Kalyana T. Mahanthappa. “Expectation value formalism in quantum field theory. 1.” In: *J. Math. Phys.* 4 (1963), pp. 1–11. DOI: [10.1063/1.1703883](https://doi.org/10.1063/1.1703883).
- [175] Pradip M. Bakshi and Kalyana T. Mahanthappa. “Expectation value formalism in quantum field theory. 2.” In: *J. Math. Phys.* 4 (1963), pp. 12–16. DOI: [10.1063/1.1703879](https://doi.org/10.1063/1.1703879).
- [176] L. V. Keldysh. “Diagram technique for nonequilibrium processes”. In: *Zh. Eksp. Teor. Fiz.* 47 (1964). [Sov. Phys. JETP20,1018(1965)], pp. 1515–1527.
- [177] Matthew P. A. Fisher et al. “Boson localization and the superfluid-insulator transition”. In: *Phys. Rev. B* 40 (1 1989), pp. 546–570. DOI: [10.1103/PhysRevB.40.546](https://doi.org/10.1103/PhysRevB.40.546). URL: <https://link.aps.org/doi/10.1103/PhysRevB.40.546>.
- [178] Sudip Chakravarty, Bertrand I. Halperin, and David R. Nelson. “Two-dimensional quantum Heisenberg antiferromagnet at low temperatures”. In: *Phys. Rev. B* 39 (4 1989), pp. 2344–2371. DOI: [10.1103/PhysRevB.39.2344](https://doi.org/10.1103/PhysRevB.39.2344). URL: <https://link.aps.org/doi/10.1103/PhysRevB.39.2344>.
- [179] Andrey V. Chubukov, Subir Sachdev, and Jinwu Ye. “Theory of two-dimensional quantum Heisenberg antiferromagnets with a nearly critical ground state”. In: *Phys. Rev. B* 49 (17 1994), pp. 11919–11961. DOI: [10.1103/PhysRevB.49.11919](https://doi.org/10.1103/PhysRevB.49.11919). URL: <https://link.aps.org/doi/10.1103/PhysRevB.49.11919>.
- [180] G. Aarts and J. M. Martinez Resco. “Transport coefficients from the 2PI effective action: Weak coupling and large N analysis”. In: *J. Phys. Conf. Ser.* 35 (2006), pp. 414–419. DOI: [10.1088/1742-6596/35/1/039](https://doi.org/10.1088/1742-6596/35/1/039).

- [181] Gert Aarts and Jose M. Martinez Resco. “Transport coefficients in large $N(f)$ gauge theories with massive fermions”. In: *JHEP* 03 (2005), p. 074. DOI: [10.1088/1126-6708/2005/03/074](https://doi.org/10.1088/1126-6708/2005/03/074). arXiv: [hep-ph/0503161](https://arxiv.org/abs/hep-ph/0503161) [hep-ph].
- [182] John M. Cornwall, R. Jackiw, and E. Tomboulis. “Effective action for composite operators”. In: *Phys. Rev. D* 10 (8 1974), pp. 2428–2445. DOI: [10.1103/PhysRevD.10.2428](https://doi.org/10.1103/PhysRevD.10.2428). URL: <https://link.aps.org/doi/10.1103/PhysRevD.10.2428>.
- [183] T. Holstein. “Theory of transport phenomena in an electron-phonon gas”. In: *Annals of Physics* 29 (Oct. 1964), pp. 410–535. DOI: [10.1016/0003-4916\(64\)90008-9](https://doi.org/10.1016/0003-4916(64)90008-9).
- [184] S Sorella and E Tosatti. “Semi-Metal-Insulator Transition of the Hubbard Model in the Honeycomb Lattice”. In: *Europhysics Letters (EPL)* 19.8 (1992), pp. 699–704. DOI: [10.1209/0295-5075/19/8/007](https://doi.org/10.1209/0295-5075/19/8/007). URL: <https://doi.org/10.1209/0295-5075/19/8/007>.
- [185] Carsten Honerkamp. “Density Waves and Cooper Pairing on the Honeycomb Lattice”. In: *Phys. Rev. Lett.* 100 (14 2008), p. 146404. DOI: [10.1103/PhysRevLett.100.146404](https://doi.org/10.1103/PhysRevLett.100.146404). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.100.146404>.
- [186] Sandro Sorella, Yuichi Otsuka, and Seiji Yunoki. “Absence of a Spin Liquid Phase in the Hubbard Model on the Honeycomb Lattice”. In: *Scientific Reports* 2 (2012), p. 992. URL: <https://doi.org/10.1038/srep00992><http://10.0.4.14/srep00992><https://www.nature.com/articles/srep00992#supplementary-information>.
- [187] Igor F. Herbut. “Interactions and Phase Transitions on Graphene’s Honeycomb Lattice”. In: *Phys. Rev. Lett.* 97 (14 2006), p. 146401. DOI: [10.1103/PhysRevLett.97.146401](https://doi.org/10.1103/PhysRevLett.97.146401). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.97.146401>.
- [188] Tarun Grover, D. N. Sheng, and Ashvin Vishwanath. “Emergent Space-Time Supersymmetry at the Boundary of a Topological Phase”. In: *Science* 344.6181 (2014), pp. 280–283. DOI: [10.1126/science.1248253](https://doi.org/10.1126/science.1248253). arXiv: [1301.7449](https://arxiv.org/abs/1301.7449) [cond-mat.str-el].
- [189] Sung-Sik Lee. “Emergence of supersymmetry at a critical point of a lattice model”. In: *Phys. Rev. B* 76 (7 2007), p. 075103. DOI: [10.1103/PhysRevB.76.075103](https://doi.org/10.1103/PhysRevB.76.075103). URL: <https://link.aps.org/doi/10.1103/PhysRevB.76.075103>.

Bibliography

- [190] Igor F. Herbut, and Bitan Roy. “Theory of interacting electrons on the honeycomb lattice”. In: *Phys. Rev. B* 79 (8 2009), p. 085116. DOI: [10.1103/PhysRevB.79.085116](https://doi.org/10.1103/PhysRevB.79.085116). URL: <https://link.aps.org/doi/10.1103/PhysRevB.79.085116>.
- [191] Rahul Nandkishore et al. “Superconductivity of disordered Dirac fermions”. In: *Phys. Rev. B* 87 (17 2013), p. 174511. DOI: [10.1103/PhysRevB.87.174511](https://doi.org/10.1103/PhysRevB.87.174511). URL: <https://link.aps.org/doi/10.1103/PhysRevB.87.174511>.
- [192] Pedro Ponte and Sung-Sik Lee. “Emergence of supersymmetry on the surface of three dimensional topological insulators”. In: *New J. Phys.* 16.1 (2014), p. 013044. DOI: [10.1088/1367-2630/16/1/013044](https://doi.org/10.1088/1367-2630/16/1/013044). arXiv: [1206.2340](https://arxiv.org/abs/1206.2340) [[cond-mat.str-el](https://arxiv.org/abs/1206.2340)].
- [193] Zhichao Zhou et al. “Mott insulating states and quantum phase transitions of correlated $SU(2N)$ Dirac fermions”. In: *Phys. Rev. B* 93 (24 2016), p. 245157. DOI: [10.1103/PhysRevB.93.245157](https://doi.org/10.1103/PhysRevB.93.245157). URL: <https://link.aps.org/doi/10.1103/PhysRevB.93.245157>.
- [194] Laura Classen, Igor F. Herbut, and Michael M. Scherer. “Fluctuation-induced continuous transition and quantum criticality in Dirac semimetals”. In: *Phys. Rev. B* 96 (11 2017), p. 115132. DOI: [10.1103/PhysRevB.96.115132](https://doi.org/10.1103/PhysRevB.96.115132). URL: <https://link.aps.org/doi/10.1103/PhysRevB.96.115132>.
- [195] Zi-Xiang Li et al. “Fermion-induced quantum critical points”. In: *Nature Communications* 8.1 (2017), p. 314. ISSN: 2041-1723. DOI: [10.1038/s41467-017-00167-6](https://doi.org/10.1038/s41467-017-00167-6). URL: <https://doi.org/10.1038/s41467-017-00167-6>.
- [196] David J. Gross and André Neveu. “Dynamical symmetry breaking in asymptotically free field theories”. In: *Phys. Rev. D* 10 (10 1974), pp. 3235–3253. DOI: [10.1103/PhysRevD.10.3235](https://doi.org/10.1103/PhysRevD.10.3235). URL: <https://link.aps.org/doi/10.1103/PhysRevD.10.3235>.
- [197] J. Zinn-Justin. “Four-fermion interaction near four dimensions”. In: *Nuclear Physics B* 367.1 (1991), pp. 105–122. ISSN: 0550-3213. DOI: [https://doi.org/10.1016/0550-3213\(91\)90043-W](https://doi.org/10.1016/0550-3213(91)90043-W). URL: <http://www.sciencedirect.com/science/article/pii/055032139190043W>.
- [198] K S Novoselov et al. “Two-dimensional gas of massless Dirac fermions in graphene”. In: *Nature* 438.7065 (2005), pp. 197–200. ISSN: 1476-4687. DOI: [10.1038/nature04233](https://doi.org/10.1038/nature04233). URL: <https://doi.org/10.1038/nature04233>.

- [199] A. H. Castro Neto et al. “The electronic properties of graphene”. In: *Rev. Mod. Phys.* 81 (1 2009), pp. 109–162. DOI: [10.1103/RevModPhys.81.109](https://doi.org/10.1103/RevModPhys.81.109). URL: <https://link.aps.org/doi/10.1103/RevModPhys.81.109>.
- [200] Daniel Greif et al. “Short-Range Quantum Magnetism of Ultra-cold Fermions in an Optical Lattice”. In: *Science* 340.6138 (2013), pp. 1307–1310. ISSN: 0036-8075. DOI: [10.1126/science.1236362](https://doi.org/10.1126/science.1236362). eprint: <http://science.sciencemag.org/content/340/6138/1307.full.pdf>. URL: <http://science.sciencemag.org/content/340/6138/1307>.
- [201] Daniel Greif et al. “Formation and Dynamics of Antiferromagnetic Correlations in Tunable Optical Lattices”. In: *Phys. Rev. Lett.* 115 (26 2015), p. 260401. DOI: [10.1103/PhysRevLett.115.260401](https://doi.org/10.1103/PhysRevLett.115.260401). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.115.260401>.
- [202] Anton Mazurenko et al. “A cold-atom Fermi-Hubbard antiferromagnet”. In: *Nature* 545 (2017), p. 462. URL: <https://doi.org/10.1038/nature22362><http://10.0.4.14/nature22362>.
- [203] Moshe Moshe and Jean Zinn-Justin. “Quantum field theory in the large N limit: A Review”. In: *Phys. Rept.* 385 (2003), pp. 69–228. DOI: [10.1016/S0370-1573\(03\)00263-1](https://doi.org/10.1016/S0370-1573(03)00263-1). arXiv: [hep-th/0306133](https://arxiv.org/abs/hep-th/0306133) [[hep-th](#)].
- [204] B. Rosenstein, Hoi-Lai Yu, and A. Kovner. “Critical exponents of new universality classes”. In: *Physics Letters B* 314.3 (1993), pp. 381–386. ISSN: 0370-2693. DOI: [https://doi.org/10.1016/0370-2693\(93\)91253-J](https://doi.org/10.1016/0370-2693(93)91253-J). URL: <http://www.sciencedirect.com/science/article/pii/037026939391253J>.
- [205] Mark Pollicott. “On the rate of mixing of Axiom A flows”. In: *Invent. Math.* 81.3 (1985), pp. 413–426.
- [206] David Ruelle. “Resonances of chaotic dynamical systems”. In: *Phys. Rev. Lett.* 56.5 (1986), p. 405.
- [207] Patrick Hayden and John Preskill. “Black holes as mirrors: Quantum information in random subsystems”. In: *JHEP* 09 (2007), p. 120. DOI: [10.1088/1126-6708/2007/09/120](https://doi.org/10.1088/1126-6708/2007/09/120). arXiv: [0708.4025](https://arxiv.org/abs/0708.4025) [[hep-th](#)].
- [208] Yasuhiro Sekino and Leonard Susskind. “Fast Scramblers”. In: *JHEP* 10 (2008), p. 065. DOI: [10.1088/1126-6708/2008/10/065](https://doi.org/10.1088/1126-6708/2008/10/065). arXiv: [0808.2096](https://arxiv.org/abs/0808.2096) [[hep-th](#)].

Bibliography

- [209] Yi Ling, Peng Liu, and Jian-Pin Wu. “Holographic Butterfly Effect at Quantum Critical Points”. In: (2016). arXiv: [1610.02669 \[hep-th\]](#).
- [210] Kedar S. Kolekar, Debangshu Mukherjee, and K. Narayan. “Notes on hyperscaling violating Lifshitz and shear diffusion”. In: (2016). arXiv: [1612.05950 \[hep-th\]](#).
- [211] Andrew Lucas and Julia Steinberg. “Charge diffusion and the butterfly effect in striped holographic matter”. In: *JHEP* 10 (2016), p. 143. DOI: [10.1007/JHEP10\(2016\)143](#). arXiv: [1608.03286 \[hep-th\]](#).
- [212] Richard A. Davison et al. “Thermoelectric transport in disordered metals without quasiparticles: The Sachdev-Ye-Kitaev models and holography”. In: *Phys. Rev. B* 95.15 (2017), p. 155131. DOI: [10.1103/PhysRevB.95.155131](#). arXiv: [1612.00849 \[cond-mat.str-el\]](#).
- [213] Pavel Kovtun. “Lectures on hydrodynamic fluctuations in relativistic theories”. In: *J. Phys.* A45 (2012), p. 473001. DOI: [10.1088/1751-8113/45/47/473001](#). arXiv: [1205.5040 \[hep-th\]](#).
- [214] Dam T. Son and Andrei O. Starinets. “Minkowski space correlators in AdS / CFT correspondence: Recipe and applications”. In: *JHEP* 09 (2002), p. 042. DOI: [10.1088/1126-6708/2002/09/042](#). arXiv: [hep-th/0205051 \[hep-th\]](#).
- [215] C. P. Herzog and D. T. Son. “Schwinger-Keldysh propagators from AdS/CFT correspondence”. In: *JHEP* 03 (2003), p. 046. DOI: [10.1088/1126-6708/2003/03/046](#). arXiv: [hep-th/0212072 \[hep-th\]](#).
- [216] Steven S. Gubser, Igor R. Klebanov, and Arkady A. Tseytlin. “Coupling constant dependence in the thermodynamics of N=4 supersymmetric Yang-Mills theory”. In: *Nucl. Phys.* B534 (1998), pp. 202–222. DOI: [10.1016/S0550-3213\(98\)00514-8](#). arXiv: [hep-th/9805156 \[hep-th\]](#).
- [217] Yevgeny Kats and Pavel Petrov. “Effect of curvature squared corrections in AdS on the viscosity of the dual gauge theory”. In: *JHEP* 01 (2009), p. 044. DOI: [10.1088/1126-6708/2009/01/044](#). arXiv: [0712.0743 \[hep-th\]](#).
- [218] Mauro Brigante et al. “Viscosity Bound Violation in Higher Derivative Gravity”. In: *Phys. Rev.* D77 (2008), p. 126006. DOI: [10.1103/PhysRevD.77.126006](#). arXiv: [0712.0805 \[hep-th\]](#).

- [219] Sašo Grozdanov and Andrei O. Starinets. “On the universal identity in second order hydrodynamics”. In: *JHEP* 03 (2015), p. 007. DOI: [10.1007/JHEP03\(2015\)007](https://doi.org/10.1007/JHEP03(2015)007). arXiv: [1412.5685](https://arxiv.org/abs/1412.5685) [hep-th].
- [220] Stefan A. Stricker. “Holographic thermalization in N=4 Super Yang-Mills theory at finite coupling”. In: *Eur. Phys. J. C* 74.2 (2014), p. 2727. DOI: [10.1140/epjc/s10052-014-2727-4](https://doi.org/10.1140/epjc/s10052-014-2727-4). arXiv: [1307.2736](https://arxiv.org/abs/1307.2736) [hep-th].
- [221] Sebastian Waeber et al. “Finite coupling corrections to holographic predictions for hot QCD”. In: *JHEP* 11 (2015), p. 087. DOI: [10.1007/JHEP11\(2015\)087](https://doi.org/10.1007/JHEP11(2015)087). arXiv: [1509.02983](https://arxiv.org/abs/1509.02983) [hep-th].
- [222] Sašo Grozdanov and Wilke van der Schee. “Coupling constant corrections in holographic heavy ion collisions”. In: (2016). arXiv: [1610.08976](https://arxiv.org/abs/1610.08976) [hep-th].
- [223] Sašo Grozdanov and Andrei O. Starinets. “Second-order transport, quasinormal modes and zero-viscosity limit in the Gauss-Bonnet holographic fluid”. In: *JHEP* 03 (2017), p. 166. DOI: [10.1007/JHEP03\(2017\)166](https://doi.org/10.1007/JHEP03(2017)166). arXiv: [1611.07053](https://arxiv.org/abs/1611.07053) [hep-th].
- [224] Konstadinos Sfetsos. “On gravitational shock waves in curved space-times”. In: *Nucl. Phys. B* 436 (1995), pp. 721–745. DOI: [10.1016/0550-3213\(94\)00573-W](https://doi.org/10.1016/0550-3213(94)00573-W). arXiv: [hep-th/9408169](https://arxiv.org/abs/hep-th/9408169) [hep-th].
- [225] Giuseppe Policastro, Dam T. Son, and Andrei O. Starinets. “From AdS / CFT correspondence to hydrodynamics. 2. Sound waves”. In: *JHEP* 12 (2002), p. 054. DOI: [10.1088/1126-6708/2002/12/054](https://doi.org/10.1088/1126-6708/2002/12/054). arXiv: [hep-th/0210220](https://arxiv.org/abs/hep-th/0210220) [hep-th].
- [226] Sašo Grozdanov and Nikolaos Kaplis. “Constructing higher-order hydrodynamics: The third order”. In: *Phys. Rev. D* 93.6 (2016), p. 066012. DOI: [10.1103/PhysRevD.93.066012](https://doi.org/10.1103/PhysRevD.93.066012). arXiv: [1507.02461](https://arxiv.org/abs/1507.02461) [hep-th].
- [227] Paul M. Chesler and Laurence G. Yaffe. “Holography and colliding gravitational shock waves in asymptotically AdS_5 spacetime”. In: *Phys. Rev. Lett.* 106 (2011), p. 021601. DOI: [10.1103/PhysRevLett.106.021601](https://doi.org/10.1103/PhysRevLett.106.021601). arXiv: [1011.3562](https://arxiv.org/abs/1011.3562) [hep-th].
- [228] Yingfei Gu, Andrew Lucas, and Xiao-Liang Qi. “Energy diffusion and the butterfly effect in inhomogeneous Sachdev-Ye-Kitaev chains”. In: *SciPost Phys.* 2.3 (2017), p. 018. DOI: [10.21468/SciPostPhys.2.3.018](https://doi.org/10.21468/SciPostPhys.2.3.018). arXiv: [1702.08462](https://arxiv.org/abs/1702.08462) [hep-th].

Bibliography

- [229] Thomas Hartman, Sean A. Hartnoll, and Raghu Mahajan. “An upper bound on transport”. In: *Phys. Rev. Lett.* 119.14 (2017), p. 141601. DOI: [10.1103/PhysRevLett.119.141601](https://doi.org/10.1103/PhysRevLett.119.141601). arXiv: [1706.00019](https://arxiv.org/abs/1706.00019) [[hep-th](#)].
- [230] Wilke van der Schee. “Equilibration and hydrodynamics at strong and weak coupling”. In: *26th International Conference on Ultrarelativistic Nucleus-Nucleus Collisions (Quark Matter 2017) Chicago, Illinois, USA, February 6-11, 2017*. 2017. arXiv: [1705.01556](https://arxiv.org/abs/1705.01556) [[nucl-th](#)]. URL: <https://inspirehep.net/record/1598155/files/arXiv:1705.01556.pdf>.
- [231] Brandon S. DiNunno et al. “Holographic constraints on Bjorken hydrodynamics at finite coupling”. In: (2017). arXiv: [1707.08812](https://arxiv.org/abs/1707.08812) [[hep-th](#)].
- [232] Sean A. Hartnoll. “Theory of universal incoherent metallic transport”. In: *Nature Phys.* 11 (2015), p. 54. DOI: [10.1038/nphys3174](https://doi.org/10.1038/nphys3174). arXiv: [1405.3651](https://arxiv.org/abs/1405.3651) [[cond-mat.str-el](#)].
- [233] Tomaž Prosen. “Lower bounds on high-temperature diffusion constants from quadratically extensive almost-conserved operators”. In: *Phys. Rev. E* 89 (1 2014), p. 012142. DOI: [10.1103/PhysRevE.89.012142](https://doi.org/10.1103/PhysRevE.89.012142). URL: <https://link.aps.org/doi/10.1103/PhysRevE.89.012142>.
- [234] Sašo Grozdanov et al. “Absence of disorder-driven metal-insulator transitions in simple holographic models”. In: *Phys. Rev. Lett.* 115.22 (2015), p. 221601. DOI: [10.1103/PhysRevLett.115.221601](https://doi.org/10.1103/PhysRevLett.115.221601). arXiv: [1507.00003](https://arxiv.org/abs/1507.00003) [[hep-th](#)].
- [235] Sašo Grozdanov, Andrew Lucas, and Koenraad Schalm. “Incoherent thermal transport from dirty black holes”. In: *Phys. Rev.* D93.6 (2016), p. 061901. DOI: [10.1103/PhysRevD.93.061901](https://doi.org/10.1103/PhysRevD.93.061901). arXiv: [1511.05970](https://arxiv.org/abs/1511.05970) [[hep-th](#)].
- [236] P. Kovtun, Dan T. Son, and Andrei O. Starinets. “Viscosity in strongly interacting quantum field theories from black hole physics”. In: *Phys. Rev. Lett.* 94 (2005), p. 111601. DOI: [10.1103/PhysRevLett.94.111601](https://doi.org/10.1103/PhysRevLett.94.111601). arXiv: [hep-th/0405231](https://arxiv.org/abs/hep-th/0405231) [[hep-th](#)].
- [237] Stephen H. Shenker and Douglas Stanford. “Black holes and the butterfly effect”. In: *J. High Energy Phys.* 2014.3 (2014), pp. 0–30. ISSN: 10298479. DOI: [10.1007/JHEP03\(2014\)067](https://doi.org/10.1007/JHEP03(2014)067). arXiv: [1306.0622](https://arxiv.org/abs/1306.0622).

- [238] Stephen H. Shenker and Douglas Stanford. “Multiple shocks”. In: *J. High Energy Phys.* 2014.12 (2014). ISSN: 10298479. DOI: [10.1007/JHEP12\(2014\)046](https://doi.org/10.1007/JHEP12(2014)046). arXiv: [1312.3296](https://arxiv.org/abs/1312.3296).
- [239] Debanjan Chowdhury and Brian Swingle. “Onset of many-body chaos in the $O(N)$ model”. In: *Phys. Rev. D* 96 (2017), p. 065005. DOI: [10.1103/PhysRevD.96.065005](https://doi.org/10.1103/PhysRevD.96.065005). arXiv: [1703.02545](https://arxiv.org/abs/1703.02545). URL: <http://arxiv.org/abs/1703.02545><http://dx.doi.org/10.1103/PhysRevD.96.065005>.
- [240] Yunxiang Liao and Victor Galitski. “Nonlinear sigma model approach to many-body quantum chaos: Regularized and unregularized out-of-time-ordered correlators”. In: *Phys. Rev.* B98.20 (2018), p. 205124. DOI: [10.1103/PhysRevB.98.205124](https://doi.org/10.1103/PhysRevB.98.205124). arXiv: [1807.09799](https://arxiv.org/abs/1807.09799) [[cond-mat.dis-nn](https://arxiv.org/abs/1807.09799)].
- [241] H. Matsumoto et al. “Thermo Field Dynamics in Interaction Representation”. In: *Prog. Theor. Phys.* 70.2 (1983), pp. 599–602. ISSN: 0033-068X. DOI: [10.1143/PTP.70.599](https://doi.org/10.1143/PTP.70.599). URL: <https://academic.oup.com/ptp/article-lookup/doi/10.1143/PTP.70.599>.
- [242] H. Matsumoto, Y. Nakano, and H. Umezawa. “An equivalence class of quantum field theories at finite temperature”. In: *J. Math. Phys.* 25.10 (1984), pp. 3076–3085. ISSN: 00222488. DOI: [10.1063/1.526023](https://doi.org/10.1063/1.526023).
- [243] Douglas Stanford. “Many-body chaos at weak coupling”. In: *J. High Energy Phys.* 10 (2016), p. 009. ISSN: 10298479. DOI: [10.1007/JHEP10\(2016\)009](https://doi.org/10.1007/JHEP10(2016)009). arXiv: [1512.07687](https://arxiv.org/abs/1512.07687).
- [244] Avijit Das et al. “Light-Cone Spreading of Perturbations and the Butterfly Effect in a Classical Spin Chain”. In: *Phys. Rev. Lett.* 121.2 (2018), p. 024101. ISSN: 0031-9007. DOI: [10.1103/PhysRevLett.121.024101](https://doi.org/10.1103/PhysRevLett.121.024101). arXiv: [1711.07505](https://arxiv.org/abs/1711.07505). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.121.024101>.
- [245] Martin Gärttner et al. “Measuring out-of-time-order correlations and multiple quantum spectra in a trapped-ion quantum magnet”. In: *Nat. Phys.* 13.8 (2017), pp. 781–786. ISSN: 1745-2473. DOI: [10.1038/nphys4119](https://doi.org/10.1038/nphys4119). URL: <http://www.nature.com/doi/10.1038/nphys4119>.
- [246] R. van Zon, H. van Beijeren, and J. R. Dorfman. “Kinetic Theory Estimates for the Kolmogorov-Sinai Entropy, and the Largest Lyapunov Exponents for Dilute, Hard Ball Gases and for Dilute, Random Lorentz Gases”. In: 2000, pp. 231–278. DOI: [10.1007/978-](https://doi.org/10.1007/978-)

Bibliography

- 3-662-04062-1_10. arXiv: 9909034 [chao-dyn]. URL: http://link.springer.com/10.1007/978-3-662-04062-1_10<http://arxiv.org/abs/chao-dyn/9909034>.
- [247] Alexei Kitaev and S. Josephine Suh. “The soft mode in the Sachdev-Ye-Kitaev model and its gravity dual”. In: (2017). arXiv: 1711.08467. URL: <http://arxiv.org/abs/1711.08467>.
- [248] Mike Blake, Hyunseok Lee, and Hong Liu. “A quantum hydrodynamical description for scrambling and many-body chaos”. In: (2017), pp. 1–53. arXiv: 1801.00010. URL: <http://arxiv.org/abs/1801.00010>.
- [249] Yingfei Gu and Alexei Kitaev. “On the relation between the magnitude and exponent of OTOCs”. In: (2018), pp. 1–20. arXiv: 1812.00120. URL: <http://arxiv.org/abs/1812.00120>.
- [250] Yochai Werman, Steven A. Kivelson, and Erez Berg. “Quantum chaos in an electron-phonon bad metal”. In: (2017). arXiv: 1705.07895 [cond-mat.str-el].
- [251] Markus J. Klug, Mathias S. Scheurer, and Jörg Schmalian. “Hierarchy of information scrambling, thermalization, and hydrodynamic flow in graphene”. In: *Phys. Rev. B* 98.4 (2018), p. 045102. DOI: 10.1103/PhysRevB.98.045102. arXiv: 1712.08813 [cond-mat.str-el].
- [252] Antonio M. García-García et al. “Chaotic-Integrable Transition in the Sachdev-Ye-Kitaev Model”. In: *Phys. Rev. Lett.* 120.24 (2018), p. 241603. ISSN: 0031-9007. DOI: 10.1103/PhysRevLett.120.241603. arXiv: 1707.02197. URL: <http://arxiv.org/abs/1707.02197><http://dx.doi.org/10.1103/PhysRevLett.120.241603><https://link.aps.org/doi/10.1103/PhysRevLett.120.241603>.
- [253] Horacio M Pastawski, Patricia R Levstein, and Gonzalo Usaj. “Quantum Dynamical Echoes in the Spin Diffusion in Mesoscopic Systems”. In: *Phys. Rev. Lett.* 75.23 (1995), pp. 4310–4313. ISSN: 0031-9007. DOI: 10.1103/PhysRevLett.75.4310. URL: <https://link.aps.org/doi/10.1103/PhysRevLett.75.4310>.
- [254] Rodolfo A. Jalabert and Horacio M. Pastawski. “Environment-independent decoherence rate in classically chaotic systems”. In: *Phys. Rev. Lett.* 86.12 (2001), pp. 2490–2493. ISSN: 00319007. DOI: 10.1103/PhysRevLett.86.2490. arXiv: 0010094 [cond-mat].

- [255] Tomaž Prosen. “General relation between quantum ergodicity and fidelity of quantum dynamics”. In: *Phys. Rev. E* 65.3 (2002), p. 036208. ISSN: 1063-651X. DOI: [10.1103/PhysRevE.65.036208](https://doi.org/10.1103/PhysRevE.65.036208). arXiv: [0106149v2](https://arxiv.org/abs/0106149v2) [quant-ph]. URL: <https://link.aps.org/doi/10.1103/PhysRevE.65.036208>.
- [256] Tomaž Prosen and Marko Znidaric. “Stability of quantum motion and correlation decay”. In: *J. Phys. A. Math. Gen.* 35.6 (2002), pp. 1455–1481. ISSN: 0305-4470. DOI: [10.1088/0305-4470/35/6/309](https://doi.org/10.1088/0305-4470/35/6/309). arXiv: [0111014v2](https://arxiv.org/abs/0111014v2) [arXiv:nlin]. URL: <http://stacks.iop.org/0305-4470/35/i=6/a=309?key=crossref.2ad33b3981f849499d451d6404c402fc>.
- [257] F. Haug et al. “Motional stability of the quantum kicked rotor: A fidelity approach”. In: *Phys. Rev. A - At. Mol. Opt. Phys.* 71.4 (2005), pp. 1–11. ISSN: 10502947. DOI: [10.1103/PhysRevA.71.043803](https://doi.org/10.1103/PhysRevA.71.043803).
- [258] Guanyu Zhu, Mohammad Hafezi, and Tarun Grover. “Measurement of many-body chaos using a quantum clock”. In: *Phys. Rev. A* 94.6 (2016), p. 062329. ISSN: 2469-9926. DOI: [10.1103/PhysRevA.94.062329](https://doi.org/10.1103/PhysRevA.94.062329). arXiv: [1607.00079](https://arxiv.org/abs/1607.00079). URL: <https://link.aps.org/doi/10.1103/PhysRevA.94.062329>.
- [259] Norman Y. Yao et al. “Interferometric Approach to Probing Fast Scrambling”. In: (2016), pp. 1–6. arXiv: [1607.01801](https://arxiv.org/abs/1607.01801). URL: <http://arxiv.org/abs/1607.01801>.
- [260] Brian Swingle et al. “Measuring the scrambling of quantum information”. In: *Phys. Rev. A* 94.4 (2016), p. 040302. ISSN: 2469-9926. DOI: [10.1103/PhysRevA.94.040302](https://doi.org/10.1103/PhysRevA.94.040302). arXiv: [1602.06271](https://arxiv.org/abs/1602.06271). URL: <http://arxiv.org/abs/1602.06271><http://dx.doi.org/10.1103/PhysRevA.94.040302><https://link.aps.org/doi/10.1103/PhysRevA.94.040302>.
- [261] Jorge Kurchan. “Quantum Bound to Chaos and the Semiclassical Limit”. In: *Journal of Statistical Physics* 171.6 (2018), pp. 965–979. ISSN: 1572-9613. DOI: [10.1007/s10955-018-2052-7](https://doi.org/10.1007/s10955-018-2052-7). URL: <https://doi.org/10.1007/s10955-018-2052-7>.
- [262] Tomaž Prosen, Thomas H. Seligman, and Marko Znidaric. “Theory of Quantum Loschmidt Echoes”. In: *Prog. Theor. Phys. Suppl.* 150 (2003), pp. 200–228. ISSN: 0375-9687. DOI: [10.1143/PTPS.150.200](https://doi.org/10.1143/PTPS.150.200). arXiv: [0304104](https://arxiv.org/abs/0304104) [quant-ph]. URL: <http://arxiv.org/abs/quant-ph/0304104><http://dx.doi.org/10.1143/PTPS.150.200>.

- PTPS.150.200 <https://academic.oup.com/ptps/article-lookup/doi/10.1143/PTPS.150.200>.
- [263] Charles H Bennett et al. “Teleporting an unknown quantum state via dual classical and Einstein-Podolsky-Rosen channels”. In: *Phys. Rev. Lett.* 70.13 (1993), pp. 1895–1899. ISSN: 0031-9007. DOI: [10.1103/PhysRevLett.70.1895](https://doi.org/10.1103/PhysRevLett.70.1895). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.70.1895>.
- [264] Charles H. Bennett et al. “Mixed-state entanglement and quantum error correction”. In: *Phys. Rev. A* 54.5 (1996), pp. 3824–3851. ISSN: 1050-2947. DOI: [10.1103/PhysRevA.54.3824](https://doi.org/10.1103/PhysRevA.54.3824). URL: <https://link.aps.org/doi/10.1103/PhysRevA.54.3824>.
- [265] A. Uhlmann. “The “transition probability” in the state space of a \ast -algebra”. In: *Reports Math. Phys.* 9.2 (1976), pp. 273–279. ISSN: 00344877. DOI: [10.1016/0034-4877\(76\)90060-4](https://doi.org/10.1016/0034-4877(76)90060-4). URL: <http://linkinghub.elsevier.com/retrieve/pii/0034487776900604>.
- [266] Richard Jozsa. “Fidelity for Mixed Quantum States”. In: *J. Mod. Opt.* 41.12 (1994), p. 2315. ISSN: 0950-0340. DOI: [10.1080/09500349414552171](https://doi.org/10.1080/09500349414552171). URL: <http://www.tandfonline.com/doi/abs/10.1080/09500349414552171>.
- [267] E. P. Wigner and M. M. Yanase. “Information contents of distributions”. In: *Proc. Natl. Acad. Sci.* 49.6 (1963), pp. 910–918. ISSN: 0027-8424. DOI: [10.1073/pnas.49.6.910](https://doi.org/10.1073/pnas.49.6.910). URL: <http://www.pnas.org/cgi/doi/10.1073/pnas.49.6.910>.
- [268] Felix M. Haehl and Moshe Rozali. “Effective Field Theory for Chaotic CFTs”. In: *JHEP* 10 (2018), p. 118. DOI: [10.1007/JHEP10\(2018\)118](https://doi.org/10.1007/JHEP10(2018)118). arXiv: [1808.02898](https://arxiv.org/abs/1808.02898) [hep-th].
- [269] Jordan S. Cotler et al. “Black Holes and Random Matrices”. In: (2016), pp. 1–71. arXiv: [1611.04650](https://arxiv.org/abs/1611.04650). URL: <http://arxiv.org/abs/1611.04650>.
- [270] Antonio M. García-García and Jacobus J. M. Verbaarschot. “Spectral and thermodynamic properties of the Sachdev-Ye-Kitaev model”. In: *Phys. Rev.* D94.12 (2016), p. 126010. DOI: [10.1103/PhysRevD.94.126010](https://doi.org/10.1103/PhysRevD.94.126010). arXiv: [1610.03816](https://arxiv.org/abs/1610.03816) [hep-th].
- [271] Antonio M. García-García and Jacobus J. M. Verbaarschot. “Analytical Spectral Density of the Sachdev-Ye-Kitaev Model at finite N ”. In: *Phys. Rev.* D96.6 (2017), p. 066012. DOI: [10.1103/PhysRevD.96.066012](https://doi.org/10.1103/PhysRevD.96.066012). arXiv: [1701.06593](https://arxiv.org/abs/1701.06593) [hep-th].

- [272] Bruno Bertini, Pavel Kos, and Tomaž Prosen. “Exact Spectral Form Factor in a Minimal Model of Many-Body Quantum Chaos”. In: 2 (2018). DOI: [arXiv:1805.00931v1](https://doi.org/10.48550/arXiv.1805.00931v1). arXiv: [1805.00931](https://arxiv.org/abs/1805.00931). URL: <http://arxiv.org/abs/1805.00931>.