

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:
<http://hdl.handle.net/1887/80414>

Author: Moerman, S.

Title: Predictors of outcome in hip fracture patients

Issue Date: 2019-11-21

Predictors of outcome in hip fracture patients

Sophie Moerman

Coverdesign: Iris Slappendel, www.irisslappendel.com

Foto: Stephan Tellier, www.telliermedia.nl

Layout: Lara Leijtens, www.persoonlijkproefschrift.nl

Printing: Ridderprint, www.ridderprint.nl

ISBN: 978-94-6375-566-5

© 2019 S. Moerman. All right reserved. No part of this thesis may be reproduced, distributed, stored in a retrieval system or transmitted in any form or by any means, without prior written permission of the author.

The research described in chapter three of this thesis was awarded with the 'Educational Grant 2017' of the NVOT / NOV

Publication of this thesis was kindly supported by: Nederlandse Orthopaedische Vereniging, Vakgroep orthopedie en traumatologie Reinier de Graaf, Delft, Heraeus Medical, Chipsoft

Predictors of outcome in hip fracture patients

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof.mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 21 november 2019
klokke 11.15 uur

door Sophie Moerman

geboren te Rotterdam

in 1985

Promotor:

Prof. dr. R.G.H.H. Nelissen

Copromotores:

Dr. N.M.C. Mathijssen Reinier de Graaf Gasthuis

Dr. A.J.H. Vochteloo OCON Orthopedische kliniek

Leden promotiecommissie:

Prof. dr. I.B. Schipper

Prof. dr. P. Kloen Amsterdam Universitair Medisch Centrum

Dr. R.M. Bloem Reinier de Graaf Gasthuis

Table of Contents

Chapter 1: General introduction and outline of this thesis	6
Part I: (hemi) arthroplasty in hip fractures	
Chapter 2: Hemiarthroplasty and total hip arthroplasty in 30,830 patients with hip fractures: data from the Dutch Arthroplasty Register on revision and risk factors for revision.	16
Chapter 3: More complications in uncemented compared to cemented hemiarthroplasty for displaced femoral neck fractures. A Randomized Controlled Trial of 201 patients, with one year follow-up.	32
Part II: predictors of mortality, delirium, quality of life and daily life functioning after a hip fracture	
Chapter 4: External validation of the Almelo Hip Fracture Score to predict mortality.	50
Chapter 5: Delirium risk screening and haloperidol prophylaxis program in hip fracture patients is a helpful tool in identifying high-risk patients, but does not reduce the incidence of delirium.	62
Chapter 6: Validation of the Risk Model for Delirium in hip fracture patients.	78
Chapter 7: Factors associated with the course of health-related quality of life after a hip fracture.	94
Chapter 8: Less than one-third of hip fracture patients return to their prefracture level of (instrumental) Activities of Daily Living in a prospective cohort study of 480 patients.	112
Chapter 9: Summary	128
Chapter 10: General discussion	134
Chapter 11: Nederlandse Samenvatting	144
Appendices	
List of publications	152
Dankwoord	154
Curriculum Vitae	155