



Universiteit
Leiden
The Netherlands

DNA Mechanics Inside Plectonemes, Nucleosomes and Chromatin Fibers

Lanzani, G.

Citation

Lanzani, G. (2013, October 2). *DNA Mechanics Inside Plectonemes, Nucleosomes and Chromatin Fibers*. Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/21856>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/21856>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/21856> holds various files of this Leiden University dissertation.

Author: Lanzani, Giovanni

Title: DNA mechanics inside plectonemes, nucleosomes and chromatin fibers

Issue Date: 2013-10-02

Bibliography

- [1] A. Arneodo, C. Vaillant, B. Audit, F. Argoul, Y. d'Aubenton Carafa, and C. Thermes. “Multi-scale coding of genomic information: From DNA sequence to genome structure and function”. In: *Phys. Rep.* 498.2-3 (2011), pp. 45–188.
- [2] A. Bancaud, G. Wagner, N. Conde E Silva, C. Lavelle, H. Wong, J. Mozziconacci, M. Barbi, A. Sivolob, E. Le Cam, L. Mouawad, J.-L. Viovy, J.-M. Victor, and A. Prunell. “Nucleosome chiral transition under positive torsional stress in single chromatin fibers”. In: *Mol. Cell.* 27.1 (2007), pp. 135–147.
- [3] J. Bednar, R. A. Horowitz, J. Dubochet, and C. L. Woodcock. “Chromatin Conformation and Salt-Induced Compaction - 3-Dimensional Structural Information From Cryoelectron Microscopy”. In: *J. Cell. Biol.* 131.6 (1995), pp. 1365–1376.
- [4] J. Bednar, R. A. Horowitz, S. Grigoryev, Carruthers, Lenny M, J. C. Hansen, A. J. Koster, and C. L. Woodcock. “Nucleosomes, linker DNA, and linker histone form a unique structural motif that directs the higher-order folding and compaction of chromatin”. In: *Proc. Natl. Acad. Sci. U.S.A.* 95.24 (1998), pp. 14173–14178.
- [5] H. Brutzer, R. Schöpflin, and R. Stehr. “A Theoretical Description of DNA Plectonemes under Tension”. In: *Biophys. J.* 98.3 (2010), 470a.
- [6] T. Burkhardt. “Free energy of a semiflexible polymer confined along an axis”. In: *Journal of Physics. London A Mathematical and General* 28 (1995), pp. L629–L635.

Bibliography

- [7] A. G. Cherstvy. "Looping charged elastic rods: applications to protein-induced DNA loop formation". In: *Eur. Biophys. J. Biophys.* 40.1 (2011), pp. 69–80.
- [8] N. Clauvelin, B. Audoly, and S. Neukirch. "Mechanical response of plectonemic DNA: An analytical solution". In: *Macromolecules* 41.12 (2008), pp. 4479–4483.
- [9] A. Crut, D. A. Koster, R. Seidel, C. Wiggins, and N. H. Dekker. "From the Cover: Fast dynamics of supercoiled DNA revealed by single-molecule experiments". In: *Proc. Natl. Acad. Sci. U.S.A.* 104.29 (2007), pp. 11957–11962.
- [10] F. Cui and V. B. Zhurkin. "Distinctive sequence patterns in metazoan and yeast nucleosomes: Implications for linker histone binding to AT-rich and methylated DNA". In: *Nucleic Acids Res.* 37.9 (2009), pp. 2818–2829.
- [11] Y. Cui and C. Bustamante. "Pulling a single chromatin fiber reveals the forces that maintain its higher-order structure". In: *Proc. Natl. Acad. Sci. U.S.A.* 97.1 (2000), pp. 127–132.
- [12] J. R. Daban and A. Bermudez. "Interdigitated solenoid model for compact chromatin fibers". In: *Biochemistry-US* 37.13 (1998), pp. 4299–4304.
- [13] B. C. Daniels, S. Forth, M. Y. Sheinin, M. D. Wang, and J. P. Sethna. "Discontinuities at the DNA supercoiling transition". In: *Phys. Rev. E* 80.4 (2009), p. 040901.
- [14] M. Depken and H. Schiessel. "Nucleosome Shape Dictates Chromatin Fiber Structure". In: *Biophys. J.* 96.3 (2009), pp. 777–784.
- [15] P. M. Diesinger and D. W. Heermann. "Average crossing number of Gaussian and equilateral chains with and without excluded volume". In: *Eur. Phys. J. B* 62.2 (2008), pp. 209–214.
- [16] B. Dorigo, T. Schalch, K. Bystricky, and T. J. Richmond. "Chromatin fiber folding: Requirement for the histone H4N-terminal tail". In: *J. Mol. Biol.* 327.1 (2003), pp. 85–96.
- [17] B. Dorigo, T. Schalch, A. Kulangara, S. Duda, R. R. Schroeder, and T. J. Richmond. "Nucleosome arrays reveal the two-start organization of the chromatin fiber". In: *Science* 306.5701 (2004), pp. 1571–1573.

- [18] R. P. C. Driesssen, H. Meng, R. Shahapure, G. Lanzani, M. Emanuel, U. D. Priyakumar, M. F. White, H. Schiessel, J. van Noort, and R. T. Dame. “Plectoneme formation of double-stranded DNA under torsion”. In: *Nucl. Acids Res.* 41.1 (2013).
- [19] J. Dubochet and M. Noll. “Nucleosome Arcs and Helices”. In: *Science* 202.4365 (1978), pp. 280–286.
- [20] M. Emanuel. “On the confinement of semiflexible chains under torsion”. In: *In preparation* (2012).
- [21] M. Emanuel, G. Lanzani, and H. Schiessel. “Plectoneme formation of double-stranded DNA under torsion”. In: *Submitted* (2012).
- [22] J. T. Finch and A. Klug. “Solenoidal model for superstructure in chromatin”. In: *Proc. Natl. Acad. Sci. U.S.A.* 73.6 (1976), pp. 1897–1901.
- [23] P. Flory. *Principles of polymer solutions*. Cornell University Press, 1953.
- [24] S. Forth, C. Deufel, M. Y. Sheinin, B. Daniels, J. P. Sethna, and M. D. Wang. “Abrupt buckling transition observed during the plectoneme formation of individual DNA molecules”. In: *Phys. Rev. Lett.* 100.14 (2008), p. 148301.
- [25] F. B. Fuller. “Decomposition of linking number of a closed ribbon: A problem from molecular biology”. In: *Proc. Natl. Acad. Sci. U.S.A.* 75.8 (1978), pp. 3557–3561.
- [26] V. K. Gangaraju and B. Bartholomew. “Mechanisms of ATP dependent chromatin remodeling”. In: *Mutat. Res-Fund. Mol. M.* 618.1-2 (May 2007), pp. 3–17.
- [27] S. A. Grigoryev, G. Arya, S. Correll, C. L. Woodcock, and T. Schlick. “Evidence for heteromorphic chromatin fibers from analysis of nucleosome interactions”. In: *Proc. Natl. Acad. Sci. U.S.A.* 106.32 (2009), pp. 13317–13322.
- [28] K. Holde van and J. Zlatanova. “Chromatin fiber structure: Where is the problem now?” In: *Semin. Cell. Dev. Biol.* 18.5 (2007), pp. 651–658.
- [29] S. C. Kampranis, A. D. Bates, and A. Maxwell. “A model for the mechanism of strand passage by DNA gyrase.” In: *Proc. Natl. Acad. Sci. U.S.A.* 96.15 (July 1999), pp. 8414–8419.

Bibliography

- [30] N. Kaplan, I. K. Moore, Y. Fondufe-Mittendorf, A. J. Gossett, D. Tillo, Y. Field, E. M. LeProust, T. R. Hughes, J. D. Lieb, J. Widom, and E. Segal. “The DNA-encoded nucleosome organization of a eukaryotic genome”. In: *Nature* 458.7236 (2009), 362–U129.
- [31] N. Kepper, D. Foethke, R. Stehr, G. Wedemann, and K. Rippe. “Nucleosome geometry and internucleosomal interactions control the chromatin fiber conformation”. In: *Biophys. J.* 95.8 (2008), pp. 3692–3705.
- [32] O. Kratky and G. Porod. “Rontgenuntersuchung Geloster Fadenmoleküle”. In: *Recl. Trav. Chim. Pay. B.* 68.12 (1949), pp. 1106–1122.
- [33] M. Kruithof, F.-T. Chien, A. Routh, C. Logie, D. Rhodes, and J. v. Noort. “Single-molecule force spectroscopy reveals a highly compliant helical folding for the 30-nm chromatin fiber”. In: *Nat. Struct. Mol. Biol.* 16.5 (2009), pp. 534–540.
- [34] I. M. Kulic, H. Mohrbach, R. Thaokar, and H. Schiessel. “Equation of state of looped DNA”. In: *Phys. Rev. E* 75.1 (2007), p. 011913.
- [35] I. M. Kulic and H. Schiessel. “Chromatin dynamics: Nucleosomes go mobile through twist defects”. In: *Phys. Rev. Lett.* 91.14 (2003), p. 148103.
- [36] I. M. Kulic and H. Schiessel. “DNA spools under tension”. In: *Phys. Rev. Lett.* 92.22 (2004), p. 228101.
- [37] A. Lesne and J.-M. Victor. “Chromatin fiber functional organization: Some plausible models”. In: *Eur. Phys. J. E* 19.3 (2006), pp. 279–290.
- [38] R. Levien. *The elastica: a mathematical history*. Tech. rep. UCB/EECS-2008-103. EECS Department, University of California, Berkeley, 2008. URL: <http://www.eecs.berkeley.edu/Pubs/TechRpts/2008/EECS-2008-103.html>.
- [39] K. Luger, A. W. Mader, R. K. Richmond, D. F. Sargent, and T. J. Richmond. “Crystal structure of the nucleosome core particle at 2.8 angstrom resolution”. In: *Nature* 389.6648 (1997), pp. 251–260.
- [40] K. Maeshima, S. Hihara, and M. Eltsov. “Chromatin structure: does the 30-nm fibre exist in vivo?” In: *Curr. Opin. Cell Biol.* 22.3 (June 2010), pp. 291–297.

- [41] V. Makarov, S. Dimitrov, V. Smirnov, and I. Pashev. “A Triple Helix Model for the Structure of Chromatin Fiber”. In: *Febs. Lett.* 181.2 (1985), pp. 357–361.
- [42] B. Mergell, R. Everaers, and H. Schiessel. “Nucleosome interactions in chromatin: fiber stiffening and hairpin formation”. In: *Phys. Rev. E* 70.1 (2004), p. 011915.
- [43] S. Mihardja, A. J. Spakowitz, Y. Zhang, and C. Bustamante. “Effect of force on mononucleosomal dynamics”. In: *Proc. Natl. Acad. Sci. U.S.A.* 103.43 (2006), pp. 15871–15876.
- [44] W. Möbius and U. Gerland. “Quantitative Test of the Barrier Nucleosome Model for Statistical Positioning of Nucleosomes Up- and Downstream of Transcription Start Sites”. In: *PLoS Comput. Biol.* 6.8 (Aug. 2010), e1000891.
- [45] F. Mohammad-Rafiee, I. M. Kulic, and H. Schiessel. “Theory of nucleosome corkscrew sliding in the presence of synthetic DNA ligands.” In: *J. Mol. Biol.* 344.1 (Nov. 2004), pp. 47–58.
- [46] L. Mollazadeh-Beidakhti, F. Mohammad-Rafiee, and H. Schiessel. “Nucleosome Dynamics between Tension-Induced States”. In: *Biophys. J.* 102.10 (2012), pp. 2235–2240.
- [47] J. D. Moroz and P. Nelson. “Entropic Elasticity of Twist-Storing Polymers”. In: *Macromolecules* 31.18 (Sept. 1998), pp. 6333–6347.
- [48] F. Mosconi, J. F. Allemand, D. Bensimon, and V. Croquette. “Measurement of the Torque on a Single Stretched and Twisted DNA Using Magnetic Tweezers”. In: *Phys. Rev. Lett.* 102.7 (Feb. 2009), p. 078301.
- [49] S. Neukirch. “Extracting DNA twist rigidity from experimental supercoiling data”. In: *Phys. Rev. Lett.* 93.19 (2004), p. 198107.
- [50] S. Neukirch and J. F. Marko. “Analytical Description of Extension, Torque, and Supercoiling Radius of a Stretched Twisted DNA”. In: *Phys. Rev. Lett.* 106.13 (2011), p. 138104.
- [51] M. Nizette and A. Goriely. “Towards a classification of Euler–Kirchhoff filaments”. In: *J. Math. Phys.* 40.6 (1999), pp. 2830–2866.
- [52] T. Odijk. “Polyelectrolytes near the rod limit”. In: *J. Polym. Sci. Polym. Phys. Ed.* 15.3 (Mar. 1977), pp. 477–483.

Bibliography

- [53] J. Philip and R. A. Wooding. "Solution of the Poisson–Boltzmann Equation about a Cylindrical Particle". In: *The Journal of Chemical Physics* 113.20 (1970), pp. 953–959.
- [54] C. Rivetti, M. Guthold, and C. Bustamante. "Wrapping of DNA around the E.coli RNA polymerase open promoter complex." In: *Embo. J.* 18.16 (Aug. 1999), pp. 4464–4475.
- [55] P. J. J. Robinson, L. Fairall, A. T. van Huynh, and D. Rhodes. "EM measurements define the dimensions of the "30-nm" chromatin fiber: Evidence for a compact, interdigitated structure". In: *Proc. Natl. Acad. Sci. U.S.A.* 103.17 (2006), pp. 6506–6511.
- [56] A. Routh, S. Sandin, and D. Rhodes. "Nucleosome repeat length and linker histone stoichiometry determine chromatin fiber structure". In: *Proc. Natl. Acad. Sci. U.S.A.* 105.26 (July 2008), pp. 8872–8877.
- [57] J. SantaLucia. "A unified view of polymer, dumbbell, and oligonucleotide DNA nearest-neighbor thermodynamics". In: *Proc. Natl. Acad. Sci. U.S.A.* 95.4 (Feb. 1998), pp. 1460–1465.
- [58] T. Schalch, S. Duda, D. F. Sargent, and T. J. Richmond. "X-ray structure of a tetranucleosome and its implications for the chromatin fibre". In: *Nature* 436.7047 (2005), pp. 138–141.
- [59] M. P. Scheffer, M. Eltsov, and A. S. Frangakis. "Evidence for short-range helical order in the 30-nm chromatin fibers of erythrocyte nuclei". In: *Proc. Natl. Acad. Sci. U.S.A.* 108.41 (2011), pp. 16992–16997.
- [60] H. Schiessel, W. M. Gelbart, and R. Bruinsma. "DNA folding: structural and mechanical properties of the two-angle model for chromatin". In: *Biophys. J.* 80.4 (2001), pp. 1940–1956.
- [61] M. Shogren-Knaak. "Histone H4-K16 Acetylation Controls Chromatin Structure and Protein Interactions". In: *Science* 311.5762 (Feb. 2006), pp. 844–847.
- [62] A. Sivolob and A. Prunell. "Linker histone-dependent organization and dynamics of nucleosome entry/exit DNAs". In: *J. Mol. Biol.* 331.5 (2003), pp. 1025–1040.
- [63] J. Skolnick and M. Fixman. "Electrostatoc Persistence Length of a wormlike polyelectrolyte". In: *Macromolecules* 10.5 (1977), pp. 944–948.

- [64] J. Starostin E. L. edited by Calvo, K. Millett, E. Rawdon, and A. Stasiak. “Physical and numerical models in knot theory including applications to the life sciences”. In: World Scientific Publishing: Singapore, 2005. Chap. 26.
- [65] B. Sudhanshu, S. Mihardja, E. F. Koslover, S. Mehraeen, C. Bustamante, and A. J. Spakowitz. “Tension-dependent structural deformation alters single-molecule transition kinetics.” In: *Proc. Natl. Acad. Sci. U.S.A.* 108.5 (Feb. 2011), pp. 1885–1890.
- [66] S. H. Syed, D. Goutte-Gattat, N. Becker, S. Meyer, M. S. Shukla, J. J. Hayes, R. Everaers, D. Angelov, J. Bednar, and S. Dimitrov. “Single-base resolution mapping of H1-nucleosome interactions and 3D organization of the nucleosome”. In: *Proc. Natl. Acad. Sci. U.S.A.* 107.21 (2010), pp. 9620–9625.
- [67] O. V. Tsodikov, R. M. Saecker, S. E. Melcher, M. M. Levandoski, D. E. Frank, M. W. Capp, and M. T. Record. “Wrapping of flanking non-operator DNA in lac repressor-operator complexes: implications for DNA looping.” In: *J. Mol. Biol.* 294.3 (Dec. 1999), pp. 639–655.
- [68] J. Ubbink and T. Odijk. “Electrostatic-Undulatory Theory of Plectonemically Supercoiled DNA”. In: *Biophys. J.* 76.5 (1999), pp. 2502–2519.
- [69] C. Vaillant, L. Palmeira, G. Chevereau, B. Audit, Y. d’Aubenton Carafa, C. Thermes, and A. Arneodo. “A novel strategy of transcription regulation by intragenic nucleosome ordering”. In: *Genome Res.* 20.1 (2010), pp. 59–67.
- [70] J. White. “Self-linking and Gauss-integral in higher dimensions”. In: *Am. J. Math.* 91.3 (1969), pp. 693–728.
- [71] J. Widom and A. Klug. “Structure of the 300A Chromatin Filament:X-Ray Diffraction from Oriented Samples”. In: *Cell* 43.1 (1985), pp. 207–213.
- [72] S. P. Williams, B. D. Athey, L. J. Muglia, R. S. Schappe, A. H. Gough, and J. P. Langmore. “Chromatin Fibers Are Left-Handed Double Helices with Diameter and Mass Per Unit Length That Depend on Linker Length”. In: *Biophys. J.* 49.1 (1986), pp. 233–248.

Bibliography

- [73] H. Wong, J.-M. Victor, and J. Mozziconacci. “An all-atom model of the chromatin fiber containing linker histones reveals a versatile structure tuned by the nucleosomal repeat length”. In: *PLoS One* 2.9 (2007).
- [74] C. L. Woodcock, S. A. Grigoryev, R. A. Horowitz, and N. Whitaker. “A chromatin folding model that incorporates linker variability generates fibers resembling the native structures”. In: *Proc. Natl. Acad. Sci. U.S.A.* 90.19 (1993), pp. 9021–9025.
- [75] A. Worcel, S. Strogatz, and D. Riley. “Structure of Chromatin and the Linking Number of Dna”. In: *P. Natl. Acad. Sci-Biol.* 78.3 (1981), pp. 1461–1465.