



Universiteit
Leiden
The Netherlands

Current challenges in statistical DNA evidence evaluation

Cereda, G.

Citation

Cereda, G. (2017, January 12). *Current challenges in statistical DNA evidence evaluation*. Retrieved from <https://hdl.handle.net/1887/45172>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/45172>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/45172> holds various files of this Leiden University dissertation.

Author: Cereda, G.

Title: Current challenges in statistical DNA evidence evaluation

Issue Date: 2017-01-12

Bibliography

- Aitken, C. and Gammerman, A. (1989). Probabilistic reasoning in evidential assessment. *Journal of the Forensic Science Society*, 29:303–316.
- Aitken, C. and Taroni, F. (2004). *Statistics and the Evaluation of Evidence for Forensics Scientists*. John Wiley & Sons, Chichester.
- Aitken, C., Taroni, F., Barnett, P. D., and Tsatsakis, A. M. (1998). A verbal scale for the interpretation of evidence. *Science & Justice*, 38:279–283.
- Aldous, D. J. (1985). *Exchangeability and Related Topics*, volume 1117 of *École D'Été de Probabilités de Saint-Flour*. Springer-Verlag, New York.
- Andersen, M. M. (2013). A gentle introduction to the discrete Laplace method for estimating Y-STR haplotype frequencies. arXiv:1304.2129.
- Andersen, M. M., Caliebe, A., Jochens, A., Willuweit, S., and Krawczak, M. (2013a). Estimating trace-suspect match probabilities for singleton Y-STR haplotypes using coalescent theory. *Forensic Science International: Genetics*, 7:264–271.
- Andersen, M. M., Eriksen, P. S., and Morling, N. (2013b). The discrete Laplace exponential family and estimation of Y-STR haplotype frequencies. *Journal of Theoretical Biology*, 329:39–51.
- Anevski, D., Gill, R. D., and Zohren, S. (2013). Estimating a probability mass function with unknown labels. arXiv:1312.1200.
- Applied Biosystems (2012). *AmpFlSTR Profiler Plus PCR Amplification Kit User's Manual*. Foster City, California.
- Balding, D. (2005). *Weight-of-evidence for Forensic DNA Profiles*. John Wiley & Sons, Chichester.
- Balding, D. J. (1995). Estimating products in forensic identification using DNA profiles. *Journal of the American Statistical Association*, 90:839–844.
- Ballantyne, K. N., Keerl, V., Wollstein, A., Choi, Y., Zuniga, S. B., Ralf, A., Vermeulen, M., de Knijff, P., and Kayser, M. (2012). A new future of forensic Y-chromosome analysis: rapidly mutating Y-STRs for differentiating male relatives and paternal lineages. *Forensic Science International: Genetics*, 6:208–218.

- Bangsø, O. and Wuillemin, P. H. (2000). Object Oriented Bayesian Networks A Framework for Topdown Specification of Large Bayesian Networks and Repetitive Structures. Technical report, Hewlett-Packard Laboratory for Normative Systems, Aalborg University.
- Barger, K. and Bunge, J. (2010). Objective Bayesian estimation for the number of species. *Bayesian Analysis*, 5:765–785.
- Berger, C. E. and Slooten, K. (2016). The LR does not exist. *Science & Justice*, 56:388–391.
- Biedermann, A. (2007). *Bayesian Networks and the Evaluation of Scientific Evidence in Forensic Science*. PhD thesis, University of Lausanne.
- Biedermann, A., Garbolino, P., and Taroni, F. (2013). The subjectivist interpretation of probability and the problem of individualisation in forensic science. *Science & Justice*, 53:192–200.
- Biedermann, A. and Taroni, F. (2012). Bayesian networks for evaluating forensic DNA profiling evidence: A review and guide to literature. *Forensic Science International: Genetics*, 6:147–157.
- Biedermann, A., Taroni, F., Bozza, S., and Aitken, C. (2008). Analysis of sampling issues using Bayesian networks. *Law, Probability and Risk*, 7:35–60.
- Biedermann, A., Taroni, F., Bozza, S., and Mazzella, W. D. (2011a). Implementing statistical learning methods through Bayesian networks (part 2): Bayesian evaluations for results of black toner analyses in forensic document examination. *Forensic Science International*, 204:58–66.
- Biedermann, A., Taroni, F., and Thompson, W. C. (2011b). Using graphical probability analysis (Bayes Nets) to evaluate a conditional DNA inclusion. *Law, Probability and Risk*, 10:89–121.
- Brandwein, A. C. and Strawderman, W. (2005). Bayesian estimation of multivariate location parameters. In *Handbook of Statistics*, volume 25, pages 221–244. Elsevier, Amsterdam.
- Brenner, C. H. (2010). Fundamental problem of forensic mathematics – The evidential value of a rare haplotype. *Forensic Science International: Genetics*, 4:281–291.
- Brenner, C. H. (2014). Understanding Y haplotype matching probability. *Forensic Science International: Genetics*, 8:233–243.
- Brümmmer, N. and Swart, A. (2014). Bayesian calibration for forensic evidence reporting. arXiv:1403.5997.
- Buckleton, J. and Curran, J. (2005). Sampling effects. In Buckleton, J., Triggs, C., and Walsh, S. J., editors, *Forensic DNA evidence interpretation*, chapter 6, pages 197–216. CRC Press, Boca Raton.
- Buckleton, J., Krawczak, M., and Weir, B. (2011). The interpretation of lineage markers in forensic DNA testing. *Forensic Science International: Genetics*, 5:78–83.

- Buckleton, J., Triggs, C., and Walsh, S. (2005). *Forensic DNA Evidence Interpretation*. CRC Press, Boca Raton.
- Budowle, B., Ge, J., and Chakraborty, R. (2007). Basic principles for estimating the rarity of Y-STR haplotypes derived from forensic evidence. In *18th International Symposium on Human Identification*, Hollywood, CA.
- Buntine, W. and Hutter, M. (2010). A Bayesian view of the Poisson-Dirichlet process. arXiv:1007.0296.
- Butler, J. (2005). *Forensic DNA Typing: Biology, Technology, and Genetics of STR Markers*. Elsevier Academic Press, New York.
- Butler, J. (2011). *Advanced Topics in Forensic DNA Typing: Methodology*. Elsevier Academic Press, New York.
- Caliebe, A., Jochens, A., Krawczak, M., and Rösler, U. (2010). A markov chain description of the stepwise mutation model: local and global behaviour of the allele process. *Journal of Theoretical Biology*, 266:336–342.
- Carlton, M. A. (1999). *Applications of the Two-Parameter Poisson-Dirichlet Distribution*. PhD thesis, University of California, Los Angeles.
- Carracedo, A., Bar, W., Lincoln, P., Mayr, W., Morling, N., Olaisen, B., Schneider, P., Budowle, B., Brinkmann, B., Gill, P., Holland, M., Tully, G., and Wilson, M. (2000). DNA commission of the international society for forensic genetics: guidelines for mitochondrial DNA typing. *Forensic Science International*, 110(2):79–85.
- Castella, V., Gervaix, J., and Hall, D. (2013). DIP-STR: Highly sensitive markers for the analysis of unbalanced genomic mixtures. *Human Mutation*, 34:644–654.
- Cavallini, D. and Corradi, F. (2006). Forensic identification of relatives of individuals included in a database of DNA profiles. *Biometrika*, 93:525–536.
- Cereda, G. (2016a). Bayesian approach to LR for the rare match problem. *Statistica Neerlandica*, In Press.
- Cereda, G. (2016b). Impact of model choice on LR assessment in case of rare haplotype match (frequentist approach). *Scandinavian Journal of Statistics*, In Press.
- Cereda, G. (2016c). Nonparametric Bayesian approach to LR assessment in case of rare haplotype match. arXiv:1506.08444.
- Cereda, G., Biedermann, A., Hall, D., and Taroni, F. (2014a). An investigation of the potential of DIP-STR markers for DNA mixture analyses. *Forensic Science International: Genetics*, 11:229–240.
- Cereda, G., Biedermann, A., Hall, D., and Taroni, F. (2014b). Object-oriented Bayesian networks for evaluating DIP-STR profiling results from unbalanced DNA mixtures. *Forensic Science International: Genetics*, 8:159–169.

- Cereda, G., Gill, R. D., and Taroni, F. (2016). A solution for the rare type match problem when using DIP-STR marker system. Submitted to *Forensic Science International: Genetics*.
- Cerquetti, A. (2010). Bayesian nonparametric analysis for a species sampling model with finitely many types. arXiv:1001.0245.
- Chakraborty, R., Stivers, D., Su, B., Zhong, Y., and Budowle, B. (1999). The utility of short tandem repeat loci beyond human identification: Implications for development of new DNA typing systems. *Electrophoresis*, 20:1682–1696.
- Champod, C., Biedermann, A., Vuille, J., S., W., and J., D. K. (2016). ENFSI guideline for evaluative reporting in forensic science: A primer for legal practitioners. *Criminal Law & Justice Weekly*, 180(189-193).
- Chao, A. and Lee, S.-M. (1992). Estimating the number of classes via sample coverage. *Journal of the American Statistical Association*, 87:210–217.
- Chen, Z. and McGee, M. (2008). A Bayesian approach to zero numerator problems using hierarchical models. *Journal of Data Science*, 6:261–268.
- Clayton, T. and Buckleton, J. (2005). Mixtures. In Buckleton, J., Triggs, C., and Walsh, S. J., editors, *Forensic DNA Evidence Interpretation*, chapter 7, pages 217–274. CRC Press, Boca Raton.
- Cook, R., Evett, I., Jackson, G., Jones, P., and Lambert, J. (1998). A hierarchy of propositions: deciding which level to address in casework. *Science & Justice*, 38:231–239.
- Cooper, D. and Krawczak, M. (1991). Mechanisms of insertional mutagenesis in human genes causing genetic disease. *Human Genetics*, 87:409–415.
- Coquoz, R. and Taroni, F. (2006). *Preuve par l'ADN: La Génétique au Service de la Justice. Sciences forensiques*. Presses polytechniques et universitaires romandes, Lausanne.
- Cowell, R., Dawid, P., Lauritzen, S., and Spiegelhalter, D. (2007a). *Probabilistic Networks and Expert Systems: Exact Computational Methods for Bayesian Networks*. Springer, New York.
- Cowell, R., Lauritzen, S., and Mortera, J. (2006a). MAIES: A Tool for DNA Mixture Analysis. In *22nd Conference on Uncertainty in Artificial Intelligence*, pages 90–97, San Francisco.
- Cowell, R., Lauritzen, S., and Mortera, J. (2006b). Object-oriented Bayesian networks for DNA mixture analyses. (Manuscript available at <http://www.staff.city.ac.uk/rgc>).
- Cowell, R., Lauritzen, S., and Mortera, J. (2011). Probabilistic expert systems for handling artifacts in complex DNA mixtures. *Forensic Science International: Genetics*, 5:202–209.
- Cowell, R. G. (2009). Validation of an STR peak area model. *Forensic Science International: Genetics*, 3:193–199.

- Cowell, R. G., Lauritzen, S. L., and Mortera, J. (2007b). Identification and separation of DNA mixtures using peak area information. *Forensic Science International*, 166:28–34.
- Cowell, R. G., Lauritzen, S. L., and Mortera, J. (2008). Probabilistic modelling for DNA mixture analysis. *Forensic Science International: Genetics Supplement Series*, 1:640–642.
- Curran, J., Buckleton, J., Triggs, C., and Weir, B. (2002). Assessing uncertainty in DNA evidence caused by sampling effects. *Science & Justice*, 42:29–37.
- Curran, J. M. (2005). An introduction to Bayesian credible intervals for sampling error in DNA profiles. *Law, Probability and Risk*, 4:115–126.
- Curran, J. M. (2016). Admitting to uncertainty in the LR. *Science & Justice*, 56:380–382.
- da Costa Francez, P. A., Ribeiro Rodrigues, E. M., de Velasco, A. M., and Batista dos Santos, S. E. (2012). Insertion-deletion polymorphisms—utilization on forensic analysis. *International Journal of Legal Medicine*, 126:491–496.
- Dawid, A. P. (2001). Comment on Stockmarr’s “Likelihood ratios for evaluating DNA evidence when the suspect is found through a database search”. *Biometrics*, 57:976–980.
- Dawid, A. P. (2016). Forensic likelihood ratio: statistical problems and pitfalls.
- Dawid, A. P. and Evett, I. (1997). Using a graphical method to assist the evaluation of complicated patterns of evidence. *Journal of Forensic Sciences*, 42:226–231.
- Dawid, A. P. and Mortera, J. (1996). Coherent analysis of forensic identification evidence. *Journal of the Royal Statistical Society. Series B (Methodological)*, 58:425–443.
- Dawid, A. P., Mortera, J., Pascali, V., and Van Boxel, D. (2002). Probabilistic expert systems for forensic inference from genetic markers. *Scandinavian Journal of Statistics*, 29:577–595.
- Dawid, A. P., Mortera, J., and Vicard, P. (2007). Object-oriented Bayesian networks for complex forensic DNA profiling problems. *Forensic Science International*, 169:195–205.
- Dawid, A. P., Van Boxel, D., Mortera, J., and Pascali, V. L. (1999). Inference about disputed paternity from an incomplete pedigree using a probabilistic expert system. *Bulletin of the International Statistical Institute*, 58:241–242.
- De Finetti, B. (1931). Sul significato soggettivo della probabilità. *Fundamenta Mathematicae*, 17:298–329.
- De Finetti, B. (1937). La prévision, ses lois logiques, ses sources subjectives. *Ann. Inst. Henri Poincaré*, 7:1–68.
- Dempster, A., Laird, N., and Rubin, D. (1977). Maximum likelihood from incomplete data via EM algorithm. *Journal of the Royal Statistical Society: Series B (Methodological)*, 39:1–38.
- Egeland, T. and Salas, A. (2008). Estimating haplotype frequency and coverage of databases. *PLoS ONE*, 3:e3988–e3988.

- Engen, S. (1975). A note on the geometric series as a species frequency model. *Biometrika*, 62:694–699.
- Essen-Möller, E. (1938). Die Beweiskraft der Ähnlichkeit im Vaterschaftsnachweis – Theoretische Grundlagen. *Mitteilungen der Anthropologischen Gesellschaft*, 68:9–53.
- Evett, I., Gill, P., Jackson, G., Whitaker, J., and Champod, C. (2002). Interpreting small quantities of DNA: The hierarchy of propositions and the use of Bayesian networks. *Journal of Forensic Sciences*, 47:520–530.
- Evett, I., Jackson, G., Lambert, J., and McCrossan, S. (2000). The impact of the principles of evidence interpretation on the structure and content of statements. *Science & Justice*, 40:233–239.
- Evett, I. and Weir, B. (1998). *Interpreting DNA evidence: Statistical Genetics for Forensic Scientists*. Sinauer Associates, Sunderland.
- Evett, I. W. and Buckleton, J. S. (1996). Statistical analysis of STR data. In *Advances in Forensic Haemogenetics*. Springer Verlag.
- Evett, I. W., Buffery, C., Willott, G., and Stoney, D. (1991). A guide to interpreting single locus profiles of DNA mixtures in forensic cases. *Journal of the Forensic Science Society*, 31:41–47.
- Ewens, W. (1972). Sampling theory of selectively neutral alleles. *Theoretical Population Biology*, 3:87–112.
- Favaro, S., Lijoi, A., Mena, R. H., and Pruenster, I. (2009). Bayesian nonparametric inference for species variety with a two parameter Poisson-Dirichlet process prior. *Journal of the Royal Statistical Society: Series B (Methodological)*, 71:993–1008.
- Feng, S. (2010). *The Poisson-Dirichlet Distribution and Related Topics: Models and Asymptotic Behaviors*. Springer, Berlin.
- Fenton, N. and Neil, M. (2012). *Risk Assessment and Decision Analysis with Bayesian Networks*. CRC Press, Boca Raton.
- Foreman, L., Smith, A., and Evett, I. (1997). Bayesian analysis of DNA profiling data in forensic identification applications. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 160:429–459.
- Gadi, V., Nelson, J., Boespflug, N., Guthrie, K., and Kuhr, C. (2006). Soluble donor DNA concentrations in recipient serum correlate with pancreas-kidney rejection. *Clinical Chemistry*, 52:379–382.
- Gale, W. A. and Church, K. W. (1994). What's wrong with adding one? In *Corpus-Based Research into Language*. Rodopi.
- Garbolino, P. and Taroni, F. (2002). Evaluation of scientific evidence using Bayesian networks. *Forensic Science International*, 125:149–155.

- Gill, P., Brenner, C., Brinkmann, B., Budowle, B., Carracedo, A., Jobling, M. A., de Knijff, P., Kayser, M., Krawczak, M., Mayr, W. R., Morling, N., Olaisen, B., Pascali, V., Prinz, M., Roewer, L., Schneider, P. M., Sajantila, A., and Tyler-Smith, C. (2001). DNA Commission of the International Society of Forensic Genetics: recommendations on forensic analysis using Y-chromosome STRs. *Forensic Science International*, 124:5–10.
- Gittelson, S., Biedermann, A., Bozza, S., and Taroni, F. (2012). The database search problem: A question of rational decision making. *Forensic Science International*, 222:186–199.
- Gnedin, A. (2009). A Species Sampling Model with Finitely many Types. arXiv:0910.1988.
- Gnedin, A., Hansen, B., and Pitman, J. (2007). Notes on the occupancy problem with infinitely many boxes: general asymptotics and power laws. *Probability Surveys*, pages 146–171.
- Gnedin, A. and Pitman, J. (2006). Exchangeable Gibbs partitions and Stirling triangles. *Journal of Mathematical Sciences*, 138:5674–5685.
- Gómez, M. (2004). Real-World Applications of Influence Diagrams. In Gámez, J. A., Moral, S., and Salmerón, A., editors, *Advances in Bayesian Networks*. Springer, Berlin.
- Good, I. (1950). *Probability and the Weighing of Evidence*. Charles Griffin, London.
- Good, I. (1953). The population frequencies of species and the estimation of population parameters. *Biometrika*, 40:237–264.
- Gorenflo, R., Kilbas, A., Mainardi, F., and Rogosin, S. (2014). *Mittag-Leffler Functions, Related Topics and Applications*. Springer Monographs in Mathematics. Springer Berlin Heidelberg.
- Green, P. J. and Mortera, J. (2009). Sensitivity of inferences in forensic genetics to assumptions about founding genes. *Annals of Applied Statistics*, 3:731–763.
- Green, R. L., Lagace, R. E., Oldroyd, N. J., Hennessy, L. K., and Mulero, J. J. (2013). Developmental validation of the AmpFℓSTR®NGM SElect™PCR Amplification Kit: A next-generation STR multiplex with the SE33 locus. *Forensic Science International: Genetics*, 7:41–51.
- Gunel, E. and Wearden, S. (1995). Bayesian estimation and testing of gene frequencies. *Theoretical and Applied Genetics*, 91:534–543.
- Guo, X., Bayliss, P., Damewood, M., Varney, J., Ma, E., Vallecillo, B., and Dhallan, R. (2012). A noninvasive test to determine paternity in pregnancy. *New England Journal of Medicine*, 366:1743–1745.
- Haas, C., Wangensteen, T., Giezendanner, N., Kratzer, A., and Bär, W. (2006). Y-chromosome STR haplotypes in a population sample from Switzerland (Zurich area). *Forensic Science International*, 158:213–218.
- Haas, P. J. and Stokes, L. (1998). Estimating the number of classes in a finite population. *Journal of the American Statistical Association*, 93:1475–1487.

- Hepler, A. B., Dawid, A. P., and Leucari, V. (2007). Object-oriented graphical representations of complex patterns of evidence. *Law, Probability and Risk*, 6:275–293.
- Hepler, A. B. and Weir, B. S. (2008). Object-oriented Bayesian networks for paternity cases with allelic dependencies. *Forensic Science International: Genetics*, 2:166–175.
- Hill, B. M. (1968). Posterior distribution of percentiles: Bayes' theorem for sampling from a population. *Journal of the American Statistical Association*, 63:677–691.
- Hill, B. M. (1979). Posterior moments of the number of species in a finite population and the posterior probability of finding a new species. *Journal of the American Statistical Association*, 74:668–673.
- Hjort, N., Holmes, C., Müller, P., and Walker, S. (2010). *Bayesian Nonparametrics*. Cambridge University Press, Cambridge.
- Inusah, S. and Kozubowski, T. (2006). A discrete analogue of the Laplace distribution. *Journal of Statistical Planning and Inference*, 136:1090–1102.
- Jensen, F. and Nielsen, T. (2007). *Bayesian Networks and Decision Graphs*. Springer, New York.
- Jobling, M. A. and Gill, P. (2004). Encoded evidence: DNA in forensic analysis. *Nature Reviews Genetics*, 5:739–751.
- Jordan, M. (1998). *Learning in Graphical Models*. MIT Press, Cambridge.
- Jordan, M. I. (2004). Graphical models. *Statistical Science*, 19:140–155.
- Jovanovic, B. D. and Levy, P. S. (1997). A look at the rule of three. *The American Statistician*, 51:137–139.
- Karlin, S. (1967). Central limit theorems for certain infinite urn schemes. *Journal of Mathematics and Mechanics*, 17:373–401.
- Karlin, S. and McGregor, J. (1972). Addendum to a paper of W. Ewens. *Theoretical Population Biology*, 3:113–116.
- Kaufman, L. and Rousseeuw, P. (2009). *Finding Groups in Data: An Introduction to Cluster Analysis*. Wiley Series in Probability and Statistics. John Wiley & Sons, Hoboken, New Jersey.
- Kimura, M. (1964). The number of alleles that can be maintained in a finite population. *Genetics*, 49:725–738.
- Kimura, M. and Ohta, T. (1978). Stepwise mutation model and distribution of allelic frequencies in a finite population. *Proceedings of the National Academy of Sciences of the United States of America*, 75:2868–2872.
- Kingman, J. (1977). The population structure associated with the Ewens sampling formula. *Theoretical Population Biology*, 11:274–283.

- Kingman, J. (1978). Random partitions in population-genetics. *Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences*, 361:1–20.
- Kingman, J. (1980). *Mathematics of Genetic Diversity*. Society for Industrial and Applied Mathematics, Philadelphia.
- Kingman, J. F. C. (1975). Random discrete distributions. *Journal of the Royal Statistical Society. Series B (Methodological)*, 37:1–22.
- Kjærulff, U. B. and Madsen, A. L. (2008). *Bayesian Networks and Influence Diagrams, A Guide to Construction and Analysis*. Springer, New York.
- Koller, D. and Pfeffer, A. (1997). Object-oriented Bayesian networks. In *Proceedings of the 13th Annual Conference on Uncertainty in Artificial Intelligence (UAI)*, pages 302–313.
- Konis, K. (2010). *RHugin: RHugin*. R package version 7.4/r247.
- Korb, K. and Nicholson, A. (2011). *Bayesian Artificial Intelligence*. CRC Press, Boca Raton.
- Koski, T. and Noble, J. (2011). *Bayesian Networks: An Introduction*. John Wiley & Sons, Chichester.
- Krawczak, M. (2001). Forensic evaluation of Y-STR haplotype matches: a comment. *Forensic Science International*, 118:114–115.
- Krichevsky, R. and Trofimov, V. (1981). The performance of universal coding. *IEEE Transactions on Information Theory*, 27:199–207.
- Lange, K. (1995). Applications of the Dirichlet distribution to forensic match probabilities. *Genetica*, 96:107–117.
- Laplace, P. (1814). *Essai Philosophique sur les Probabilités*. Mme. Ve Courcier, Paris.
- Laskey, K. and Mahoney, S. (1997). Network fragments: Representing knowledge for constructing probabilistic models. In *UAI'97 Proceedings of the Thirteenth conference on Uncertainty in artificial intelligence*, pages 334–341.
- Lewins, W. A. and Joanes, D. N. (1984). Bayesian estimation of the number of species. *Biometrics*, 40:323–328.
- Lijoi, A., Mena, R. H., and Pruenster, I. (2007). Bayesian nonparametric estimation of the probability of discovering new species. *Biometrika*, 94:769–786.
- Lindley, D. (1977a). Probability and the law. *The Statistician*, 26:203–220.
- Lindley, D. (1977b). A problem in forensic science. *Biometrika*, 64:207–213.
- Lindley, D. (1978). The Bayesian approach. *Scandinavian Journal of Statistics*, 5:1–26.
- Lindley, D. (1991). Subjective probability, decision analysis and their legal consequences. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 154:83–92.

- Lo, Y., Tein, M., Lau, T., Haines, C., Leung, T., Poon, P., Wainscoat, J., Johnson, P., Chang, A., and Hjelm, N. (1998). Quantitative analysis of fetal DNA in maternal plasma and serum: Implications for noninvasive prenatal diagnosis. *American Journal of Human Genetics*, 62:768–775.
- Louis, T. A. (1981). Confidence intervals for a binomial parameter after observing no successes. *The American Statistician*, 35:154–154.
- Lucy, D. (2005). *Introduction to Statistics for Forensic Scientists*. John Wiley & Sons, Chichester.
- Mills, R. E., Luttig, C. T., Larkins, C. E., Beauchamp, A., Tsui, C., Pittard, W. S., and Devine, S. E. (2006). An initial map of insertion and deletion (INDEL) variation in the human genome. *Genome Research*, 16:1182–1190.
- Morrison, G. S. (2010). *Evidence Expert*, chapter Forensic voice comparison. Thomson Reuters, Sidney, Australia.
- Mortera, J., Dawid, A. P., and Lauritzen, S. L. (2003). Probabilistic expert systems for DNA mixture profiling. *Theoretical Population Biology*, 63:191–205.
- Neapolitan, R. E. (1990). *Probabilistic Reasoning in Expert Systems*. John Wiley & Sons, Inc., New York.
- Neuvonen, A. M., Palo, J. U., Hedman, M., and Sajantila, A. (2012). Discrimination power of investigator DIPplex loci in Finnish and Somali populations. *Forensic Science International: Genetics*, 6:e99 – e102.
- Newman, M. (2005). Power laws, Pareto distributions and Zipf’s law. *Contemporary Physics*, 46:323–351.
- Oldoni, F., Castella, V., and Hall, D. (2015). A novel set of DIP-STR markers for improved analysis of challenging DNA mixtures. *Forensic Science International: Genetics*, 18:156–164.
- Orlitsky, A., Santhanam, N., and Zhang, J. (2003). Always Good Turing: asymptotically optimal probability estimation. *Science*, 302:427–431.
- Orlitsky, A., Santhanam, N. P., Viswanathan, K., and Zhang, J. (2004). On Modeling Profiles Instead of Values. In *Uncertainty in Artificial Intelligence*, pages 426–435.
- Pearl, J. (1982). Reverend Bayes on inference engines: A distributed hierarchical approach. In *Proceedings of the National Conference on Artificial Intelligence (AAAI’82)*, pages 133–136, Pittsburgh. Morgan Kaufmann.
- Pearl, J. (1988). *Probabilistic Reasoning in Intelligent Systems: Networks of Plausible Inference*. The Morgan Kaufmann Series in Representation and Learning. Morgan Kaufmann Publisher, Inc., San Mateo.

- Pereira, R., Phillips, C., Alves, C., Amorim, A., Carracedo, A., and Gusmao, L. (2009a). A new multiplex for human identification using insertion deletion polymorphisms. *Electrophoresis*, 30:3682–3690.
- Pereira, R., Phillips, C., Alves, C., Amorim, A., Carracedo, Á., and Gusmão, L. (2009b). Insertion/deletion polymorphisms: A multiplex assay and forensic applications. *Forensic Science International: Genetics Supplement Series*, 2:513 – 515.
- Perman, M., Pitman, J., and Yor, M. (1992). Size-biased sampling of Poisson point-processes and excursions. *Probability Theory and Related Fields*, 92:21–39.
- Pitman, J. (1992). The two-parameter generalization of Ewens' random partition structure. Technical report 345, Department of Statistics U.C. Berkeley CA.
- Pitman, J. (1995). Exchangeable and partially exchangeable random partitions. *Probability Theory and Related Fields*, 102:145–158.
- Pitman, J. (1996). Some Developments of the Blackwell-MacQueen Urn Scheme. In *Lecture Notes-Monograph Series*, volume 30, pages 245–267.
- Pitman, J. and Picard, J. (2006). *Combinatorial Stochastic Processes*. École D'Été de Probabilités de Saint-Flour XXXII - 2002. Springer, Berlin.
- Pitman, J. and Yor, M. (1997). The two-parameter Poisson-Dirichlet distribution derived from a stable subordinator. *Annals of Probability*, 25:855–900.
- Pourret, O., Naïm, P., and Marcot, B. (2008). *Bayesian Networks: A Practical Guide to Applications*. Statistics in Practice. John Wiley & Sons, Chichester.
- Press, S. (2009). *Subjective and Objective Bayesian Statistics: Principles, Models, and Applications*. Wiley Series in Probability and Statistics. Wiley, Hoboken, New Jersey.
- Pujal, J.-M. and Gallardo, D. (2008). PCR-based methodology for molecular microchimerism detection and quantification. *Experimental Biology and Medicine*, 233:1161–1170.
- Purps, J., Siegert, S., Willuweit, S., Nagy, M., Alves, C., Salazar, R., Angustia, S. M. T., Santos, L. H., Anslinger, K., Bayer, B., Ayub, Q., Wei, W., Xue, Y., Tyler-Smith, C., Bafalluy, M. B., Martínez-Jarreta, B., Egyed, B., Balitzki, B., Tschumi, S., Ballard, D., Court, D. S., Barrantes, X., Bäßler, G., Wiest, T., Berger, B., Niederstätter, H., Parson, W., Davis, C., Budowle, B., Burri, H., Borer, U., Koller, C., Carvalho, E. F., Domingues, P. M., Chamoun, W. T., Coble, M. D., Hill, C. R., Corach, D., Caputo, M., D'Amato, M. E., Davison, S., Decorte, R., Larmuseau, M. H. D., Ottoni, C., Rickards, O., Lu, D., Jiang, C., Dobosz, T., Jonkisz, A., Frank, W. E., Furac, I., Gehrig, C., Castella, V., Grskovic, B., Haas, C., Wobst, J., Hadzic, G., Drobnić, K., Honda, K., Hou, Y., Zhou, D., Li, Y., Hu, S., Chen, S., Immel, U.-D., Lessig, R., Jakovski, Z., Ilievska, T., Klann, A. E., García, C. C., de Knijff, P., Kraaijenbrink, T., Kondili, A., Miniati, P., Vouropoulou, M., Kovacevic, L., Marjanovic, D., Lindner, I., Mansour, I., Al-Azem, M., Andari, A. E., Marino, M., Furfuro, S., Locarno, L., Martín, P., Luque, G. M., Alonso, A., Miranda, L. S., Moreira, H., Mizuno, N., Iwashima, Y., Neto, R. S. M., Nogueira, T. L. S., Silva, R., Nastainczyk-Wulf, M., Edelmann, J., Kohl, M., Nie, S., Wang, X., Cheng, B., Núñez, C., Pancorbo, M.

- M. d., Olofsson, J. K., Morling, N., Onofri, V., Tagliabuaci, A., Pamjav, H., Volgyi, A., Barany, G., Pawlowski, R., Maciejewska, A., Pelotti, S., Pepinski, W., Abreu-Glowacka, M., Phillips, C., Cárdenas, J., Rey-Gonzalez, D., Salas, A., Brisighelli, F., Capelli, C., Toscanini, U., Piccinini, A., Piglionica, M., Baldassarra, S. L., Ploski, R., Konarzewska, M., Jastrzebska, E., Robino, C., Sajantila, A., Palo, J. U., Guevara, E., Salvador, J., Ungria, M. C. D., Rodriguez, J. J. R., Schmidt, U., Schlauderer, N., Saukko, P., Schneider, P. M., Sirker, M., Shin, K.-J., Oh, Y. N., Skitsa, I., Ampati, A., Smith, T.-G., Calvit, L. S. d., Stenzl, V., Capal, T., Tillmar, A., Nilsson, H., Turrina, S., De Leo, D., Verzeletti, A., Cortellini, V., Wetton, J. H., Gwynne, G. M., Jobling, M. A., Whittle, M. R., Sumita, D. R., Wolańska-Nowak, P., Yong, R. Y. Y., Krawczak, M., Nothnagel, M., and Roewer, L. (2014). A global analysis of Y-chromosomal haplotype diversity for 23 STR loci. *Forensic Science International: Genetics*, 12:12–23.
- Reynolds, R., Sensabaugh, G., and Blake, E. (1991). Analysis of genetic-markers in forensic DNA samples using the polymerase chain-reaction. *Analytical Chemistry*, 63:2–15.
- Robertson, B. and Vignaux, G. A. (1995). *Interpreting Evidence: Evaluating Forensic Science in the Courtroom*. John Wiley & Sons, Chichester.
- Roewer, L. (2009). Y chromosome STR typing in crime casework. *Forensic Science, Medicine, and Pathology*, 5:77–84.
- Roewer, L., Amemann, J., Spurr, N. K., Grzeschik, K. H., and Epplen, J. T. (1992). Simple repeat sequences on the human Y-chromosome are equally polymorphic as their autosomal counterparts. *Human Genetics*, 89:389–394.
- Roewer, L., Kayser, M., de Knijff, P., Anslinger, K., Betz, A., Caglia, A., Corach, D., Furedi, S., Henke, L., Hidding, M., Kargel, H., Lessig, R., Nagy, M., Pascali, V., Parson, W., Rolf, B., Schmitt, C., Szibor, R., Teifel-Greding, J., and Krawczak, M. (2000). A new method for the evaluation of matches in non-recombining genomes: application to Y-chromosomal short tandem repeat (STR) haplotypes in European males. *Forensic Science International*, 114:31–43.
- Rosenberg, N., Mahajan, S., Ramachandran, S., Zhao, C., Pritchard, J., and Feldman, M. (2005). Clines, clusters, and the effect of study design on the inference of human population structure. *Plos Genetics*, 1:660–671.
- Savage, L. J. (1954). *The Foundations of Statistics*. Wiley, New York.
- Schum, D. (1994). *The Evidential Foundations of Probabilistic Reasoning*. Northwestern University Press, Evanston.
- Schwarz, G. (1978). Estimating the dimension of a model. *The Annals of Statistics*, 6:461–464.
- Sjerps, M. J., Alberink, I., Bolck, A., Stoel, R. D., Vergeer, P., and van Zanten, J. H. (2016). Uncertainty and LR: to integrate or not to integrate, that's the question. *Law, Probability and Risk*, 15:23–29.

- Steele, C. D. and Balding, D. J. (2014). Statistical evaluation of forensic DNA profile evidence. *Annual Review of Statistics and Its Application*, 1:361–384.
- Stoel, R. D. and Sjerps, M. (2012). Interpretation of forensic evidence. In *Handbook of Risk Theory*, pages 135–158. Springer Netherlands.
- Sutherland, C., O'Brien, R., Figarelli, D., Ring, J., and Grates, K. (2009). Evaluation of eight commercially available STR kits - technology evaluation. *NCJRS Abstract Database: National institute*.
- Taroni, F., Aitken, C., Garbolino, P., and Biedermann, A. (2006). *Bayesian Networks and Probabilistic Inference in Forensic Science*. John Wiley & Sons, Chichester.
- Taroni, F., Biedermann, A., Bozza, S., Garbolino, P., and Aitken, C. (2014). *Bayesian Networks for Probabilistic Inference and Decision Analysis in Forensic Science*. John Wiley & Sons, Chichester, second edition.
- Taroni, F., Biedermann, A., Garbolino, P., and Aitken, C. (2004). A general approach to Bayesian networks for the interpretation of evidence. *Forensic Science International*, 139:5–16.
- Taroni, F., Biedermann, A., Vuille, J., and Morling, N. (2013). Whose DNA is this? This is not the relevant question (a note for forensic scientists). *Forensic Science International: Genetics*, 7:467–470.
- Taroni, F., Bozza, S., Biedermann, A., and Aitken, C. (2016). Dismissal of the illusion of uncertainty in the assessment of a likelihood ratio. *Law, Probability and Risk*, 0:1–16.
- Taroni, F., Bozza, S., Biedermann, A., Garbolino, P., and Aitken, C. (2010). *Data Analysis in Forensic Science: A Bayesian Decision Perspective*. John Wiley & Sons, Chichester.
- Teh, Y. W., Jordan, M. I., Beal, M. J., and Blei, D. M. (2006). Hierarchical Dirichlet processes. *Journal of the American Statistical Association*, 101:1566–1581.
- Thompson, J. M., Ewing, M. M., Frank, W. E., Pogemiller, J. J., Nolde, C. A., Koehler, D. J., Shaffer, A. M., Rabbach, D. R., Fulmer, P. M., Sprecher, C. J., and Storts, D. R. (2013). Developmental validation of the PowerPlex (R) Y23 System: A single multiplex Y-STR analysis system for casework and database samples. *Forensic Science International: Genetics*, 7:240–250.
- Tippett, C. F., Emerson, V. J., Fereday, M. J., Lawton, F., Richardson, A., Jones, L. T., and Lampert, M. S. M. (1968). The evidential value of the comparison of paint flakes from sources other than vehicles. *Journal of the Forensic Science Society*, 8:61–65.
- Tiwari, R. C. and Tripathi, R. C. (1989). Nonparametric Bayes estimation of the probability of discovering a new species. *Communications in statistics: Theory and methods*, A18:877–895.
- Tjoa, M. L., Cindrova-Davies, T., Spasic-Boskovic, O., Bianchi, D. W., and Burton, G. J. (2006). Trophoblastic oxidative stress and the release of cell-free feto-placental DNA. *American Journal of Pathology*, 169:400–404.

- Triggs, C. M. and Curran, J. M. (2006). The sensitivity of the Bayesian HPD method to the choice of prior. *Science & Justice*, 46:169–178.
- Vali, U., Brandstrom, M., Johansson, M., and Ellegren, H. (2008). Insertion-deletion polymorphisms (indels) as genetic markers in natural populations. *BMC Genetics*, 9:1–8.
- Van der Hout, A. and Alberink, I. (2015). Posterior distributions for likelihood ratios in forensic science. <http://www.ucl.ac.uk/ucakadl/LR2015.pdf>.
- Vermeulen, M., Wollstein, A., van der Gaag, K., Lao, O., Xue, Y., Wang, Q., Roewer, L., Knoblauch, H., Tyler-Smith, C., de Knijff, P., and Kayser, M. (2009). Improving global and regional resolution of male lineage differentiation by simple single-copy Y-chromosomal short tandem repeat polymorphisms. *Forensic Science International: Genetics*, 3:205–213.
- Wald, A. (1949). Statistical decision functions. *The Annals of Mathematical Statistics*, 20:165–205.
- Walsh, S. J., Ribaux, O., Buckleton, J. S., Ross, A., and Roux, C. (2004). DNA profiling and criminal justice: A contribution to a changing debate. *Australian Journal of Forensic Sciences*, 36:34–43.
- Wambaugh, J. (1989). *The Bloodying*. Bantam Books, New York.
- Weber, J. L., David, D., Heil, J., Fan, Y., Zhao, C., and Marth, G. (2002). Human Diallelic Insertion/Deletion Polymorphisms. *The American Journal of Human Genetics*, 71:854–862.
- Weir, B. (1996). *Genetic Data Analysis 2*. Sinauer Associates, Sunderland.
- Weir, B., Triggs, C., Buckleton, J., Walsh, K., Stowell, L., and Starling, L. (1997). Interpreting DNA mixtures. *Journal of Forensic Sciences*, 42:213–222.
- Willuweit, S., Caliebe, A., Andersen, M. M., and Roewer, L. (2011). Y-STR frequency surveying method: A critical reappraisal. *Forensic Science International: Genetics*, 5:84–90.
- Winkler, R. L., Smith, J. E., and Fryback, G. (2002). The role of informative priors in zero-numerator problems: being conservative versus being candid. *The American Statistician*, 64:1–4.
- Yang, N., Li, H., Criswell, L., Gregersen, P., Alarcon-Riquelme, M., Kittles, R., Shigeta, R., Silva, G., Patel, P., Belmont, J., and Seldin, M. (2005). Examination of ancestry and ethnic affiliation using highly informative diallelic DNA markers: application to diverse and admixed populations and implications for clinical epidemiology and forensic medicine. *Human Genetics*, 118:382–392.