



Universiteit  
Leiden  
The Netherlands

## Photon detection at subwavelength scales

Wang, Q.

### Citation

Wang, Q. (2015, October 27). *Photon detection at subwavelength scales*. Retrieved from <https://hdl.handle.net/1887/35972>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/35972>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/35972> holds various files of this Leiden University dissertation.

**Author:** Wang, Qiang

**Title:** Photon detection at subwavelength scales

**Issue Date:** 2015-10-27

# Bibliography

- [1] H. Hertz. Ueber den einfluss des ultravioletten lichtes auf die electriche entladung. *Annalen der Physik*, 267:983, 1887.
- [2] A. Einstein. On a heuristic point of view about the creation and conversion of light. *Ann. Phys. (Leipz.)*, 17:132, 1905.
- [3] R. H. Hadfield. Single-photon detectors for optical quantum information applications. *Nat. Photonics*, 3:696, 2009.
- [4] M. D. Eisaman, J. Fan, A. Migdall, and S. V. Polyakov. Invited review article: Single-photon sources and detectors. *Rev. Sci. Instrum.*, 82:071101, 2011.
- [5] C. J. Chunnillall, I. P. Degiovanni, S. Kuck, I. Muller, and A. G. Sinclair. Metrology of single-photon sources and detectors: a review. *Opt. Eng.*, 53:081910, 2014.
- [6] T. Isoshima, Y. Isojima, K. Kikuchi, K. Nagai, and H. Nakagawa. Ultra-high sensitivity single photon detector using a silicon avalanche photodiode for the measurement of ultraweak biochemiluminescence. *Rev. Sci. Instr.*, 66:2922, 1995.
- [7] U. Lieberwirth, J. Arden-Jacob, K. H. Drexhage, D. P. Herten, R. Muller, M. Neumann, A. Schulz, S. Siebert, G. Sagner, S. Klingel, M. Sauer, and J. Wolfrum. Multiplex dye DNA sequencing in capillary gel electrophoresis by diode laser-based time-resolved fluorescence detection. *Anal. Chem.*, 70:4771, 1998.
- [8] A. Peacock, P. Verhoeve, N. Rando, A. van Dordrecht, B. G. Taylor, C. Erd, M. A.C. Perryman, R. Venn, J. Howlett, D. J. Goldie, J. Lumley, and M. Wallis. Single optical photon detection with a superconducting tunnel junction. *Nature*, 381:135, 1996.
- [9] C. B. McKitterick, D. E. Prober, and B. S. Karasik. Performance of graphene thermal photon detectors. *J. Appl. Phys.*, 113:044512, 2013.

- [10] A. D. Mora, A. Tosi, F. Zappa, S. Cova, D. Contini, A. Pifferi, L. Spinelli, A. Torricelli, and R. Cubeddu. Fast-gated single-photon avalanche diode for wide dynamic range near infrared spectroscopy. *IEEE J Sel Top Quantum Electron*, 16:1023, 2010.
- [11] N. Gisin, G. Ribordy, W. Tittel, and H. Zbinden. Quantum cryptography. *Rev. Mod. Phys.*, 74:145, 2002.
- [12] D. Stucki, S. Burri, E. Charbon, C. Chunnilall, A. Meneghetti, and F. Regazzoni. Towards a high-speed quantum random number generator. *Proc. SPIE*, 88990:88990R, 2013.
- [13] C. Silberhorn. Detecting quantum light. *Contemp. Phys.*, 48:147, 2007.
- [14] G. N. Gol'tsman, O. Okunev, G. Chulkova, A. Lipatov, A. Semenov, K. Smirnov, B. Voronov, A. Dzardanov, C. Williams, and R. Sobolewski. Picosecond superconducting single-photon optical detector. *Appl. Phys. Lett.*, 79:705, 2001.
- [15] T. Yamashita, S. Miki, K. Makise, W. Qiu, H. Terai, M. Fujiwara, M. Sasaki, and Z. Wang. Origin of intrinsic dark count in superconducting nanowire single-photon detectors. *Appl. Phys. Lett.*, 99:161105, 2011.
- [16] A. Pearlman, A. Cros, W. Slysz, J. Zhang, A. Verevkin, M. Currie, A. Korneev, P. Kouminov, K. Smirnov, B. Voronov, G. Gol'tsman, and R. Sobolewski. Gigahertz counting rates of nbn single-photon detectors for quantum communications. *IEEE Trans. Appl. Supercond.*, 15:579, 2005.
- [17] F. Marsili, V. B. Verma, J. A. Stern, S. Harrington, A. E. Lita, T. Gerrits, I. Vayshenker, B. Baek, M. D. Shaw, R. P. Mirin, and S. W. Nam. Detecting single infrared photons with 93% system efficiency. *Nat. Photonics*, 7:210, 2013.
- [18] F. Marsili, F. Najafi, E. Dauler, F. Bellei, X. Hu, M. Csete, R. J. Molnar, and K. K. Berggren. Single-photon detectors based on ultranarrow superconducting nanowires. *Nano Lett.*, 11:2048, 2011.
- [19] A. Divochiy, F. Marsili, D. Bitauld, A. Gaggero, R. Leoni, F. Mattioli, A. Korneev, V. Seleznev, N. Kaurova, O. Minaeva, K. G Lagoudakis, G. Gol'Tsman, M. Benkhaoul, F. Levy, and A. Fiore. Superconducting nanowire photon-number-resolving detector at telecommunication wavelengths. *Nat. Photonics*, 2:302, 2008.

- [20] R. H. Hadfield and N. Gemmell. Single photon imaging with superconducting nanowire single photon detectors. In *SPIE Optics + Optoelectronics, Prague*, number 9504-6, Prague, Czech, 2015. SPIE.
- [21] S. Miki, T. Yamashita, Z. Wang, and H. Terai. 64-pixel NbTiN superconducting nanowire single-photon detector array for spatially resolved photon detection. *Opt. Express*, 22:7811, 2014.
- [22] A. D. Semenov, G. Gol'tsman, and A. A. Korneev. Quantum detection by current carrying superconducting film. *Physica C*, 351:349, 2001.
- [23] L. Bulaevskii, M. Graf, C. Batista, and V. Kogan. Vortex-induced dissipation in narrow current-biased thin-film superconducting strips. *Phys. Rev. B*, 83:144526, 2011.
- [24] A. Engel and A. Schilling. Numerical analysis of detection-mechanism models of superconducting nanowire single-photon detector. *J. Appl. Phys.*, 114:214501, 2013.
- [25] A. Engel, J. Lonsky, X. Zhang, and A. Schilling. Detection mechanism in SNSPD: Numerical results of a conceptually simple, yet powerful detection model. *IEEE Trans. Appl. Supercond.*, 25:2200407, 2015.
- [26] H. L. Hortensius, E. F. C. Driessen, T. M. Klapwijk, K. K. Berggren, and J. R. Clem. Critical-current reduction in thin superconducting wires due to current crowding. *Appl. Phys. Lett.*, 100:182602, 2012.
- [27] R. Gaudio, K.M.P. op't Hoog, Z. Zhou, D. Sahin, and A. Fiore. Inhomogeneous critical current in nanowire superconducting single-photon detectors. *Appl. Phys. Lett.*, 105:222602, 2014.
- [28] J. S. Lundeen, A. Feito, H. Coldenstrodt-Ronge, K. L. Pregnell, Ch. Silberhorn, T. C. Ralph, J. Eiser, M. B. Plenio, and I. A. Walmsley. Tomography of quantum detectors. *Nat. Phys.*, 5:27, 2009.
- [29] J. J. Renema, G. Frucci, Z. Zhou, F. Mattioli, A. Gaggero, R. Leoni, M. J. A. de Dood, A. Fiore, and M. P. van Exter. Modified detector tomography technique applied to a superconducting multiphoton nanodetector. *Opt. Express*, 20:2806, 2012.
- [30] J. J. Renema, R. Gaudio, Q. Wang, Z. Zhou, A. Gaggero, F. Mattioli, R. Leoni, D. Sahin, M. J. A. de Dood, A. Fiore, and M. P. van Exter. Experimental test of theories of the detection mechanism in a nanowire superconducting single photon detector. *Phys. Rev. Lett.*, 112:117604, 2014.

- [31] H. C. van de Hulst. *Light Scattering by Small Particles*. Dover Publications, Amsterdam, 1981.
- [32] Q. Wang and M. J. A. de Dood. An absorption-based superconducting nano-detector as a near-field optical probe. *Opt. Express*, 21:3682, 2013.
- [33] A. J. Kerman, E. A. Dauler, W. E. Keicher, J. K. W. Yang, K. K. Berggren, G. Gol'tsman, and B. Voronov. Kinetic-inductance-limited reset time of superconducting nanowire photon counters. *Appl. Phys. Lett.*, 88:111116, 2006.
- [34] A. Feito, J. S. Lundeen, H. Coldenstrodt-Ronge, J. Eisert, M. B. Plenio, and I. A. Walmsley. Measuring measurement: theory and practice. *New J. Phys.*, 11:093038, 2009.
- [35] J. J. Renema, Q. Wang, R. Gaudio, I. Komen, K. op' Hoog, D. Sahin, A. Schilling, M. P. van Exter, A. Fiore, A. Engel, and M. J. A. de Dood. Position-dependent local detection efficiency in a nanowire superconducting single-photon detector. *Nano Lett.*, 15:4541, 2015.
- [36] M. K. Akhlaghi, A. H. Majedi, and J. S. Lundeen. Nonlinearity in single photon detection : modeling and quantum tomography. *Opt. Express*, 19:21305, 2011.
- [37] C. M. Natarajan, L. Zhang, H. Coldenstrodt-Ronge, G. Donati, S. N. Dorenbos, V. Zwiller, I. A. Walmsley, and R. H. Hadfield. Quantum detector tomography of a time-multiplexed superconducting nanowire single-photon detector at telecom wavelengths. *Opt. Express*, 21:893, 2013.
- [38] J. J. Renema, G. Frucci, Z. Zhou, F. Mattioli, A. Gaggero, R. Leoni, M. J. A. de Dood, A. Fiore, and M. P. van Exter. Universal response curve for nanowire superconducting single-photon detectors. *Phys. Rev. B*, 87:174526, 2013.
- [39] L. Maingaultg, M. Tarkhovg, I. Floryag, A. Semenovg, R. Espiau de Lamastreg, P. Cavalierg, G. Gol'tsmang, J.-P. Poizat, and J.-C. Villegier. Spectral dependency of superconducting single photon detectors. *J. Appl. Phys.*, 107:116103, 2010.
- [40] R. Lusche, A. Semenovg, K. Iling, M. Siegelg, Y. Korneevag, A. Trifonovg, A. Korneevg, G. Goltsmang, D. Vodolazov, and H.-W. Hubers. Effect of the wire width on the intrinsic detection efficiency of superconducting-nanowire single-photon detectors. *J. Appl. Phys.*, 116:043906, 2014.

- [41] J. R. Clem and K. K. Berggren. Geometry-dependent critical currents in superconducting nanocircuits. *Phys. Rev. B*, 84:174510, 2011.
- [42] V. Anant, A. J. Kerman, E. A. Dauler, J. K. W. Yang, K. M. Rosfjord, and K. K. Berggren. Optical properties of superconducting nanowire single-photon detectors. *Opt. Express*, 16:10750, 2008.
- [43] M. Burreli, D. van Oosten, T. Kampfrath, H. Schoenmaker, R. Heide-  
man, A. Leinse, and L. Kuipers. Mapping local charge recombination  
heterogeneity by multidimensional nanospectroscopic imaging. *Science*,  
23:5952, 2009.
- [44] F. Huth, A. Chuvilin, M. Schnell, I. Amenabar, R. Krutokhvostov,  
S. Lopatin, and R. Hillenbrand. Resonant antenna probes for tip-  
enhanced infrared near-field microscopy. *Nano Lett.*, 13:1065, 2013.
- [45] N. Rotenberg and L. Kuipers. Mapping nanoscale light fields. *Nat.*  
*Photonics*, 8:919, 2014.
- [46] C. H. Henry and R. F. Kazarinov. Quantum noise in photonics. *Rev.*  
*Mod. Phys.*, 68:801, 1996.
- [47] E. F. C. Driessen and M. J. A. de Dood. The perfect absorber. *Appl.*  
*Phys. Lett.*, 94:171109, 2009.
- [48] L. Novotny, R. X. Bian, and X. Xie. Theory of nanometric optical twee-  
zers. *Phys. Rev. Lett.*, 79:645, 1997.
- [49] J. I. Gersten. The effect of surface-roughness on surface enhanced raman  
scattering. *J. Chem. Phys.*, 72:5779, 1980.
- [50] H. Takesue, S. W. Nam, Q. Zhang, R. H. Hadfield, T. Honjo, K. Tamaki,  
and Y. Yamamoto. Quantum key distribution over a 40-db channel loss  
using superconducting single-photon detectors. *Nat. Photonics*, 1:343,  
2007.
- [51] A. Luis and L. L. Sanchez-Soto. Complete characterization of arbitrary  
quantum measurement processes. *Phys. Rev. Lett.*, 83:3573, 1999.
- [52] D. Mogilevtsev Z. Hradil and J. Řeháček. Biased tomography schemes:  
an objective approach. *Phys. Rev. Lett.*, 96:230401, 2006.
- [53] G. Brida, L. Ciavarella, I. P. Degiovanni, M. Genovese, L. Lolli, M. G.  
Mingolla, F. Piacentini, M. Rajteri, E. Taralli, and M. G A Paris. Quan-  
tum characterization of superconducting photon counters. *New J. Phys*,  
14:085001, 2012.

- [54] I. Muller, R. M. Klein, and L. Werner. Traceable calibration of a fibre-coupled superconducting nano-wire single photon detector using characterized synchrotron radiation. *Metrologia*, 51:S329, 2014.
- [55] K. Burnham and D. Anderson. *Model selection and multimodel inference- A Practical Information-Theoretic Approach*. Springer, New York, 1998.
- [56] A. Migdall et al. *Single-Photon Generation and Detection: Physics and Applications*. Academic Press, Oxford, 2013.
- [57] J. J. Renema. *The physics of nanowire superconducting single-photon detectors*. PhD thesis, Leiden University, Leiden, The Netherlands, 2015.
- [58] F. Marsili, M. J. Stevens, A. Kozorezov, V. B. Verma, C. Lambert, J. A. Stern, R. Horansky, M. D. Shaw S. D. Dyer, R. P. Mirin, and S. W. Nam. Hotspot relaxation dynamics in a current carrying superconductor. arXiv:1506.03129, 2015.
- [59] Gentec. Ph20-ge. <https://www.gentec-eo.com>.
- [60] L. N. Bulaevskii, M. J. Graf, and V. G. Kogan. Vortex-assisted photon counts and their magnetic field dependence in single-photon superconducting detectors. *Phys. Rev. B*, 85:014505, 2012.
- [61] C. Natarajan, M. Tanner, and R. Hadfield. Superconducting nanowire single-photon detectors: physics and applications. *Supercond. Sci. Technol*, 25:063001, 2012.
- [62] D. M. Boroson, J. J. Scozzafava, D. V. Murphy, B. S. Robinson, and H. Shaw. The lunar laser communications demonstration. In *Third IEEE International Conference on Space Mission Challenges for Information Technology*, volume Space Mission Challenges for Information Technology, California, USA, 2009. IEEE.
- [63] N. Gemmell, A. McCarthy, B. Liu, M. Tanner, S. Dorenbos, V. Zwiller, M. Patterson, G. Buller, B. Wilson, and R. H. Hadfield. Singlet oxygen luminescence detection with a fiber-coupled superconducting nanowire single-photon detector. *Opt. Express*, 21:5005, 2013.
- [64] D. Bitauld, F. Marsili, A. Gaggero, F. Mattioli, R. Leoni, S. Jahanmirinejad, F. Levy, and A. Fiore. Nanoscale optical detector with single-photon and multiphoton sensitivity. *Nano Lett.*, 10:2977, 2010.
- [65] E. F. C. Driessen, F. Braakman, E. Reiger, S. Dorenbos, V. Zwiller, and M. J. A. de Dood. Impedance model for the polarization-dependent optical absorption of superconducting single-photon detectors. *Eur. Phys. J. Appl. Phys.*, 47:10701, 2009.



- [66] V. Verma, F. Marsili, S. Harrington, A. Lita, R. Mirin, and S. Nam. A three-dimensional, polarization-insensitive superconducting nanowire avalanche photodetector. *Appl. Phys. Lett.*, 101:251114, 2012.
- [67] T. Yamashita, S. Miki, H. Terai, and Z. Wang. Low-filling-factor superconducting single photon detector with high system detection efficiency. *Opt. Express*, 22:27177, 2013.
- [68] M. K. Akhlaghi and A. H. Majedi. Semiempirical modeling of dark count rate and quantum efficiency of superconducting nanowire single-photon detectors. *IEEE Trans. Appl. Supercond.*, 19:361, 2009.
- [69] H. B. Coldenstrodt-Ronge, J. S. Lundeen, K. L. Pregnell, A. Feito, B. J. Smith, W. Mauerer, C. Silberhorn, J. Eisert, M. B. Plenio, and I. A. Walmsley. A proposed testbed for detector tomography. *J. Mod. Optic.*, 56:432, 2009.
- [70] J. J. Renema, G. Frucci, M. J. A. de Dood, R. Gill, A. Fiore, and M. P. van Exter. Tomography and state reconstruction with superconducting single-photon detectors. *Phys. Rev. A*, 86:062113, 2012.
- [71] RSoft. <http://optics.synopsys.com/rssoft/>.
- [72] D. Sahin. *Waveguide single-photon and photon-number resolving detectors*. PhD thesis, Eindhoven University of Technology, Eindhoven, The Netherlands, 2014.
- [73] M. Tinkham. *Introduction to superconductivity*. McGraw-Hill, New York, 2nd edition, 1996.
- [74] A. Semenov, A. Engel, H.-W. Hubers, K. Il'in, and M. Siegel. Spectral cut-off in the efficiency of the resistive state formation caused by absorption of a single-photon in current-carrying superconducting nano-strips. *Euro. Phys. J. B*, 47:495, 2005.
- [75] A. N. Tikhonov. *On the stability of inverse problems*, volume 39. Dokl. Akad. Nauk SSSR, 1943.
- [76] R. Ikuta, H. Kato, Y. Kusaka, S. Miki, T. Yamashita, H. Terai, M. Fujiwara, T. Yamamoto, M. Koashi, M. Sasaki, Z. Wang, and N. Imoto. High-fidelity conversion of photonic quantum information to telecommunication wavelength with superconducting single-photon detectors. *Phys. Rev. A*, 87:010301(R), 2013.
- [77] M. Sasaki, M. Fujiwara, H. Ishizuka, W. Klaus, K. Wakui, M. Takeoka, S. Miki, T. Yamashita, Z. Wang, A. Tanaka, K. Yoshino, Y. Nambu,

- S. Takahashi, A. Tajima, A. Tomita, T. Domeki, T. Hasegawa, Y. Sakai, H. Kobayashi, T. Asai, K. Shimizu, T. Tokura, T. Tsurumaru, M. Matsui, T. Honjo, K. Tamaki, H. Takesue, Y. Tokura, J. F. Dynes, A. R. Dixon, A. W. Sharpe, Z. L. Yuan, A. J. Shields, S. Uchikoga, M. Legre, S. Robyr, P. Trinkler, L. Monat, J.-B. Page, G. Ribordy, A. Poppe, A. Allacher, O. Maurhart, T. Langer, M. Peev, and A. Zeilinger. Field test of quantum key distribution in the Tokyo QKD Network. *Opt. Express*, 19:10387, 2011.
- [78] K. M. Rosfjord, J. K. W. Yang, E. A. Dauler, A. J. Kerman, V. Anant, B. M. Voronov, G. N. Gol'tsman, and K. K. Berggren. Nanowire single-photon detector with an integrated optical cavity and anti-reflection coating. *Opt. Express*, 14:527, 206.
- [79] J. D. Jackson. *Classical Electrodynamics*. Wiley & Sons, New York, 1983.
- [80] R. C. Dunn. Near-field scanning optical microscopy. *Chem. Rev.*, 99:2891, 1999.
- [81] K. Busch, S. Lölkes, R. B. Wehrspohn, and H. Föll. *Photonic Crystals: Advances in Design, Fabrication, and Characterization*. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, 2006.
- [82] F. Keilmann and R. Hillenbrand. Near-field microscopy by elastic light scattering from a tip. *Phil. Trans. R. Soc. Lond. A.*, 362:787, 2004.
- [83] T. Kalkbrenner, M. Ramstein, J. Mlynek, and V. Sandoghdar. A single gold particle as a probe for apertureless scanning near-field optical microscopy. *J. Microsc.*, 202:72, 2001.
- [84] B. Hecht, U. P. Wild B. Sick, V. Decker, R. Zenobi, O. J. F. Martin, and D. W. Pohl. Scanning near-field optical microscopy with aperture probes: fundamentals and applications. *J. Chem. Phys.*, 112:7761, 2000.
- [85] E. Betzig and R. J. Chichester. Single molecules observed by near-field scanning optical microscopy. *Science*, 262:1422, 1993.
- [86] A. Rasmussen and V. Deckert. New dimension in nano-imaging: breaking through the diffraction limit with scanning near-field optical microscopy. *Anal. Bioanal. Chem.*, 381:165, 2005.
- [87] F. Zenhausern, M. P. O'Boyle, and H. K. Wickramasinghe. Apertureless near-field optical microscope. *Appl. Phys. Lett.*, 65:1623, 1994.
- [88] A. V. Zayats and V. Sandoghdar. Apertureless near-field optical microscopy via local second-harmonic generation. *J. Microsc.*, 202:94, 2001.

- [89] T. Vo-Dinh, J. P. Alarie, B. M. Cullum, and G. D. Griffin. Antibody-based nanoprobe for measurement of a fluorescent analyte in a single cell. *Nat. Biotechnol.*, 18:764, 2000.
- [90] Y. Zhang, A. Dhawan, and T. Vo-Dinh. Design and fabrication of fiber-optic nanoprobes for optical sensing. *Nanoscale Res Lett.*, 6:18, 2011.
- [91] J. Smajic and C. Hafner. Numerical analysis of a SNOM tip based on a partially cladded optical fiber. *Opt. Express*, 19:23140, 2011.
- [92] H. A. Bethe. Theory of diffraction by small holes. *Phys. Rev.*, 66:163, 1944.
- [93] I. S. Averbukh, B. M. Chernobrod, O. A. Sedletsy, and Y. Prior. Coherent near field optical microscopy. *Opt. Commun.*, 174:33, 2000.
- [94] B. Knoll and F. Keilmann. Enhanced dielectric contrast in scattering-type scanning near-field optical microscopy. *Opt. Commun.*, 182:321, 2000.
- [95] C. F. Bohren and D. R. Huffman. *Absorption and scattering of light by small particles*. Wiley & Sons, New York, 1983.
- [96] E. D. Palik. *Handbook of Optical Constants of Solids I*. Academic, San Diego, 1998.
- [97] M. Esslinger and R. Vogelgesang. Reciprocity theory of apertureless scanning near-field optical microscopy with point-dipole probes. *ACS Nano*, 6:8173, 2012.
- [98] A. J. L. Adam, N. C. J. van der Valk, and P. C. M. Planken. Measurement and calculation of the near field of a terahertz apertureless scanning optical microscope. *J. Opt. Soc. Am. B*, 24:1080, 2007.
- [99] L. Novotny and B. Hecht. *Principles of Nano-optics*. Cambridge University Press, New York, 2006.
- [100] K. H. Drexhage. Influence of a dielectric interface on fluorescence decay time. *J. Luminescence*, 1,2:693, 1970.
- [101] K. H. Drexhage. Interaction of light with monomolecular dye layers. *Prog. Optics*, 12:165, 1974.
- [102] R. R. Chance, A. Prock, and R. Silbey. Molecular fluorescence and energy transfer near interfaces. *Adv. Chem. Phys.*, 37:1, 1978.

- [103] K. Joulain, R. Carminati, J. Mulet, and J. Greffet. Definition and measurement of the local density of electromagnetic states close to an interface. *Phys. Rev. B*, 68:245405, 2003.
- [104] K. Tanabe, H. Asano, Y. Katoh, and O. Michikami. Ellipsometric and optical reflectivity studies of reactively sputtered NbN thin films. *J. Appl. Phys.*, 63:1733, 1988.
- [105] D. A. Bonnell, D. N. Basov, M. Bode, U. Diebold, S. V. Kalinin, V. Madhavan, L. Novotny, M. Salmeron, U. D. Schwarz, and P. S. Weiss. Imaging physical phenomena with local probes: From electron to photons. *Rev. Mod. Phys.*, 84:1343, 2012.
- [106] A. D. Rakic, A. B. Djuricic, J. M. Elazar, and M. L. Majewski. Optical properties of metallic films for vertical-cavity optoelectronic devices. *Appl. Opt.*, 37:5271, 1998.
- [107] Y. C. Martin, H. F. Hamann, and H. L. Wickramasinghe. Strength of the electric field in apertureless near-field optical microscopy. *J. Appl. Phys.*, 89:5774, 2001.
- [108] A. Hartschuh, M. R. Beverluis, A. Bouhelier, and L. Novotny. Tip-enhanced optical spectroscopy. *Phil. Trans.R. Soc. Lond. A*, 362:807, 2004.
- [109] N. Behr and M. B. Raschke. Optical antenna properties of scanning probe tips: plasmonic light scattering, tip-sample coupling, and near-field enhancement. *J. Phys. Chem. C*, 112:3766, 2008.
- [110] A. Alu and N. Engheta. Input impedance, nanocircuit loading, and radiation tuning of optical nanoantennas. *Phys. Rev. Lett.*, 101:043901, 2008.
- [111] A. Alu and N. Engheta. Tuning the scattering response of optical nanoantennas with nanocircuit loads. *Nat. Photonics*, 2:307, 2008.
- [112] J. J. Bowman, T. B. A. Senior, and P. L. E. Uslenghi. *Electromagnetic and Acoustic Scattering by simple Shapes*. North-Holland, Amsterdam, 1969.
- [113] P. Anger, P. Bharadwaj, and L. Novotny. Enhancement and quenching of single-molecule fluorescence. *Phys. Rev. Lett.*, 96:113002(1), 2006.
- [114] R. B. G. de Hollander, N. F. van Hulst, and R. P. H. Kooyman. Near field plasmon and force microscopy. *Ultramicroscopy*, 57:263, 1995.

- [115] J. Chen, M. Badioli, P. Alonso-Gonzalez, S. Thongrattanasiri, F. Huth, J. Osmond, M. Spasenovic, A. Centeno, A. Pesquera, P. Godignon, A. Z. Elorza, N. Camara, F. Javier Garca de Abajo, R. Hillenbrand, and F. H. L. Koppens. Optical nano-imaging of gate-tunable graphene plasmons. *Nature*, 487:77, 2012.
- [116] R. H. Hadfield, P. A. Dalgarno, J. A. O'Connor, E. Ramsay, R. J. Warburton, E. J. Gansen, B. Baek, M. J. Stevens, R. P. Mirin, and S. W. Nam. Submicrometer photoresponse mapping of nanowire superconducting single-photon detectors. *Appl. Phys. Lett.*, 91:241108, 2007.
- [117] J. A. O'Connor, M. G. Tanner, C. M. Natarajan, G. S. Buller, R. J. Warburton, S. Miki, Z. Wang, S. W. Nam, and R. H. Hadfield. Spatial dependence of output pulse delay in a niobium nitride nanowire superconducting single-photon detector. *Appl. Phys. Lett.*, 98:201116, 2011.
- [118] D. Lim, K. Jeon, J. Hwang, H. Kim, Su. Kwon, Y. Suh, and J. Nam. Highly uniform and reproducible surface-enhanced raman scattering from DNA-tailorable nanoparticles with 1-nm interior gap. *Nat. Nano*, 6:452, 2011.
- [119] R. W. Taylor, T. Lee, O. A. Scherman, R. Esteban, J. Aizpurua, F. Huang, J. J. Baumberg, and S. Mahajan. Precise subnanometer plasmonic junctions for sers within gold nanoparticle assemblies using cucurbit[n]uril 'glue'. *ACS Nano*, 5:3878, 2011.
- [120] R. Esteban, A. G. Borisov, P. Nordlander, and J. Aizpurua. Bridging quantum and classical plasmonics with a quantum-corrected model. *Nat. Commun.*, 3:825, 2012.
- [121] A. V. Goncharenko, M. M. Dvoynenko, H. Chang, and J. Wang. Electric field enhancement by a nanometer-scaled conical metal tip in the context of scattering-type near-field optical microscopy. *Appl. Phys. Lett.*, 88:104101, 2006.
- [122] Z. Yang, J. Aizpurua, and H. Xu. Electromagnetic field enhancement in TERS configurations. *J. Raman Spectrosc.*, 40:1343, 2009.
- [123] Q. Wang and M. J. A. de Dood. Near-field single-photon detection in a scattering SNOM. In *SPIE Optics + Optoelectronics, Prague*, number 9504-2, Prague, Czech, 2015. SPIE.
- [124] R. Hillenbrand, B. Knoll, and F. Keilmann. Pure optical contrast in scattering-type scanning near-field microscopy. *J. Microsc.*, 202:77, 2001.

- [125] T. Taubner, R. Hillenbrand, and F. Keilmann. Performance of visible and mid-infrared scattering-type near-field optical microscopes. *J. Microsc.*, 210:311, 2003.