



Universiteit
Leiden
The Netherlands

The use of activity based protein profiling to study proteasome biology

Paniagua Soriano, Guillem

Citation

Paniagua Soriano, G. (2016, February 11). *The use of activity based protein profiling to study proteasome biology*. Retrieved from <https://hdl.handle.net/1887/37766>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/37766>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/37766> holds various files of this Leiden University dissertation.

Author: Paniagua Soriano, Guillem

Title: The use of activity based protein profiling to study proteasome biology

Issue Date: 2016-02-11

Curriculum Vitae

Guillem Paniagua Soriano was born on 14th September 1984 in Valencia, Spain. In 2003, he graduated from the Deutsche Schule Valencia. During this period he got interested in chemistry and other science related subjects. Thereafter he followed the Chemistry licentiate at the Faculty of Chemistry of the University of Valencia. In 2010 he moved to Leiden University to perform a 9 months research project supported by an Erasmus grant. During this period he worked on the quantification of Bortezomib effect on 26S proteasomes in the Bio-organic Synthesis group under supervision of Dr. B. Florea.

From October 2011 to December 2015, he worked as a PhD student in the group of Bio-organic Synthesis, Leiden Institute of Chemistry under supervision of Prof. Dr. Hermen Overkleeft and Dr. Bobby Florea. In 2012 he assisted the Proteomics Bioinformatics workshop in Cambridge, UK, organized by Wellcome Trust together with the EMBL-EBI. In 2012 and 2014 he presented posters at the 4th and 5th EMBO Chemical Biology meetings in Heidelberg, Germany.

List of Publications

Relative quantification of proteasome activity by activity-based protein profiling and LC-MS/MS

Li N, Kuo CI, **Paniagua G**, van den Elst H, Verdoes M, Willems LI, van der Linden WA, Ruben M, van Genderen E, Gubbens J, van Wezel GP, Overkleeft HS and Florea BI

Nat. Protoc., 2013 Jun; **8**(6): p. 1155-1166

Toward understanding induction of oxidative stress and apoptosis by proteasome inhibitors

Paniagua Soriano G, de Bruin G, Overkleeft HS and Florea BI

Antioxid. Redox Signal., 2014 Dec 10; **21**(17): p. 2419-2443

Systematic analyses of substrate preferences of 20S proteasomes using peptidic epoxyketone inhibitors

Huber EM, de Bruin G, Heinemeyer W, **Paniagua Soriano G**, Overkleeft HS and Groll M

JACS, 2015 Jun 24; **137**(24): p. 7835-7842

Proteasome inhibitor-adapted myeloma cells are largely independent from proteasome activity and show complex proteomic changes in particular in redox and energy metabolism

Paniagua Soriano G, Besse L, Li N, Kraus M, Besse A, Meeuwenoord N, Bader J, den Dulk H, Overkleeft HS, Florea BI and Driessen C

Submitted