

# Intervention in hepatic lipid metabolism: implications for atherosclerosis progression and regression

Li, Z.

### Citation

Li, Z. (2011, September 27). *Intervention in hepatic lipid metabolism : implications for atherosclerosis progression and regression*. Retrieved from https://hdl.handle.net/1887/17872

Version: Corrected Publisher's Version

Licence agreement concerning inclusion

License: of doctoral thesis in the Institutional

Repository of the University of Leiden

Downloaded from: <a href="https://hdl.handle.net/1887/17872">https://hdl.handle.net/1887/17872</a>

**Note:** To cite this publication please use the final published version (if applicable).

### Stellingen

#### behorende bij het proefschrift

## Intervention in Hepatic Lipid Metabolism: Implications for Atherosclerosis Progression and Regression

- Their specific cellular activity and localization suggest that the orphan nuclear receptors COUP-TF2, COUP-TF3, and TR4 may be of significant importance as novel targets for pharmaceutical interventions in liver. (this thesis)
- Niacin does not directly alter CETP expression in the macrophage, but attenuates liver inflammation and macrophage content in response to its primary lipid-lowering effect, leading to a decrease in hepatic CETP expression and plasma CETP mass. (this thesis)
- 3. Mouse models are not the most suitable platform to study the mechanism of the HDL-raising effect of niacin. (*this thesis*)
- ApoE-/- mice, reconstituted with bone marrow from C57BL/6 mice, represent a promising mouse model to study regression of atherosclerosis. (this thesis)
- Improvement in the plasma lipid profile, specifically large reductions in plasma concentrations of apoB-lipoproteins, is crucial to trigger atherosclerotic plaque regression. (Williams KJ et al., Nat Clin Pract Cardiovasc Med. 2008;5:91-102)
- 6. The relevance of the results from the AIM-HIGH trial for patients outside this study population is currently unknown, and it would be premature to extrapolate the results with Niaspan to a broader patient population at this time. (*Wise J. BMJ. 2011;342:d3400*)
- Characterizing the tissue expression pattern of nuclear receptors and their gene regulation pathways may identify novel drug targets. (Chawla A et al., Science. 2001;294:1866-1870)
- 8. Niacin can change the composition of human HDL in ways that could potentially improve their anti-inflammatory properties. (*Knopp RH et al., Metabolism. 1998;47:1097-1104*)
- 'Inburgeren' is important, because it feels good when you pass a Dutch billboard and you know what its meaning is.
- We can't run away from who we are. So, check Careertest.net, a website telling you who
  you are.
- 11. In the hope of reaching the moon, we may fail to see the flowers that blossom at our feet.
- More than often, we are more disappointed by the things that we didn't do than the ones we did do.

Zhaosha Li 27 September 2011