



Universiteit
Leiden
The Netherlands

Controlling growth and morphogenesis of the industrial enzyme producer *Streptomyces lividans*

Mangiameli, G.

Citation

Mangiameli, G. (2014, June 12). *Controlling growth and morphogenesis of the industrial enzyme producer Streptomyces lividans*. Retrieved from <https://hdl.handle.net/1887/25980>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/25980>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/25980> holds various files of this Leiden University dissertation.

Author: Mangiameli, Giulia

Title: Controlling growth and morphogenesis of the industrial enzyme producer *Streptomyces lividans*

Issue Date: 2014-06-12

References

REFERENCES

- Amore A, Pepe O, Ventrino V, Birolo L, Giangrande C, Faraco V (2012) Cloning and recombinant expression of a cellulase from the cellulolytic strain *Streptomyces* sp. G12 isolated from compost. *Microb Cell Fact* 11:164.
- Anné J, Maldonado B, Van Impe J, Van Mellaert L, Bernaerts K (2012) Recombinant protein production and streptomycetes. *J Biotechnol* 158:159–67.
- Arias E, Li H, Morosoli R (2007) Effect of protease mutations on the production of xylanases in *Streptomyces lividans*. *Can J Microbiol* 53:695–701.
- Beloin C, Roux A, Ghigo JM (2008) *Escherichia coli* biofilms. *Curr Top Microbiol Immunol* 322:249–89.
- Bentley SD, Chater KF, Cerdeño-Tárraga A-M, Challis GL, Thomson NR, James KD, Harris DE, Quail MA, Kieser H, Harper D, Bateman A, Brown S, Chandra G, Chen CW, Collins M, Cronin A, Fraser A, Goble A, Hidalgo J, Hornsby T, Howarth S, Huang C-H, Kieser T, Larke L, Murphy L, Oliver K, O’Neil S, Rabinowitz E, Rajandream M-A, Rutherford K, Rutter S, Seeger K, Saunders D, Sharp S, Squares R, Squares S, Taylor K, Warren T, Wietzorrek A, Woodward J, Barrell BG, Parkhill J, Hopwood DA (2002) Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3(2). *Nature* 417:141–7.
- Bibb MJ, Janssen GR, Ward JM (1985) Cloning and analysis of the promoter region of the erythromycin resistance gene (*ermE*) of *Streptomyces erythraeus*. *Gene* 38:215–26.
- Bibb MJ, Molle V, Buttner MJ (2000) sigma(BldN), an extracytoplasmic function RNA polymerase sigma factor required for aerial mycelium formation in *Streptomyces coelicolor* A3(2). *J Bacteriol* 182:4606–16.
- Bibb MJ, White J, Ward JM, Janssen GR (1994) The mRNA for the 23S rRNA methylase encoded by the *ermE* gene of *Saccharopolyspora erythraea* is translated in the absence of a conventional ribosome-binding site. *Mol Microbiol* 14:533–45.
- Bierman M, Logan R, O’Brien K, Seno ET, Rao RN, Schoner BE (1992) Plasmid cloning vectors for the conjugal transfer of DNA from *Escherichia coli* to *Streptomyces* spp. *Gene* 116:43–9.
- Binnie C, Butler MJ, Aphale JS, Bourgault R, DiZonno MA, Krygsman P, Liao L, Walczyk E, Malek LT (1995) Isolation and characterization of two genes encoding proteases associated with the mycelium of *Streptomyces lividans* 66. *J Bacteriol* 177:6033–40.
- Blundell KLIM, Wilson MT, Svistunenko DA, Vijgenboom E, Worrall JAR (2013) Morphological development and cytochrome c oxidase activity in *Streptomyces lividans* are dependent on the action of a copper bound Sco protein. *Open Biol* 3:120163.
- Bokhove M, Claessen D, Jong W de, Dijkhuizen L, Boekema EJ, Oostergetel GT (2013) Chaplins of *Streptomyces coelicolor* self-assemble into two distinct functional amyloids. *J Struct Biol* 184:301–309.
- Borodina I, Krabben P, Nielsen J (2005) Genome-scale analysis of *Streptomyces coelicolor* A3(2) metabolism. *Genome Res* 15:820–9.
- Bourn WR, Babb B (1995) Computer assisted identification and classification of streptomycete promoters. *Nucleic Acids Res* 23:696–703.
- Bowman SM, Free SJ (2006) The structure and synthesis of the fungal cell wall. *Bioessays* 28:799–808.
- Bringmann M, Landrein B, Schudoma C, Hamant O, Hauser M-T, Persson S (2012) Cracking the elusive alignment hypothesis: the microtubule-cellulose synthase nexus unraveled. *Trends Plant Sci* 17:666–74.
- Buist G, Steen A, Kok J, Kuipers OP (2008) LysM, a widely distributed protein motif for binding to (peptido) glycans. *Mol Microbiol* 68:838–47.
- Burns KE, Darwin KH (2010) Pupylation versus ubiquitylation: tagging for proteasome-dependent degradation. *Cell Microbiol* 12:424–31.
- Bursy J, Kuhlmann AU, Pittelkow M, Hartmann H, Jebbar M, Pierik AJ, Bremer E (2008) Synthesis and uptake of the compatible solutes ectoine and 5-hydroxyectoine by *Streptomyces coelicolor* A3(2) in response to salt and heat stresses. *Appl Environ Microbiol* 74:7286–96.
- Butler MJ, Aphale JS, DiZonno MA, Krygsman P, Walczyk E, Malek LT (1994) Intracellular aminopeptidases in *Streptomyces lividans* 66. *J Ind Microbiol* 13:24–9.
- Butler MJ, Binnie C, DiZonno MA, Krygsman P, Soltes GA, Soostmeyer G, Walczyk E, Malek LT (1995) Cloning and characterization of a gene encoding a secreted tripeptidyl aminopeptidase from *Streptomyces lividans* 66. *Appl Environ Microbiol* 61:3145–50.
- Celler K, Koning RI, Koster AJ, van Wezel GP (2013) A multi-dimensional view of the bacterial cytoskeleton. *J Bacteriol* 195:1627–36.

- Celler K, Picioareanu C, van Loosdrecht MCM, van Wezel GP (2012) Structured morphological modeling as a framework for rational strain design of *Streptomyces* species. *Antonie Van Leeuwenhoek* 409–423.
- Celler K, van Wezel GP, Willemsse J (2013) Single particle tracking of dynamically localizing TatA complexes in *Streptomyces coelicolor*. *Biochem Biophys Res Commun* 1:38–42.
- Chalfie M, Tu Y, Euskirchen G, Ward WW, Prasher DC (1994) Green fluorescent protein as a marker for gene expression. *Science* 263:802–5.
- Chater KF (1972) A Morphological and Genetic Mapping Study of White Colony Mutants of *Streptomyces coelicolor*. *J Gen Microbiol* 72:9–28.
- Chater KF (2001) Regulation of sporulation in *Streptomyces coelicolor* A3(2): a checkpoint multiplex? *Curr Opin Microbiol* 4:667–73.
- Chater KF, Biró S, Lee KJ, Palmer T, Schrempf H (2010) The complex extracellular biology of *Streptomyces*. *FEMS Microbiol Rev* 34:171–98.
- Chater KF, Bruton CJ, Plaskitt KA, Buttner MJ, Méndez C, Hermann JD (1989) The developmental fate of *S. coelicolor* hyphae depends upon a gene product homologous with the motility sigma factor of *B. subtilis*. *Cell* 59:133–43.
- Cheah IK, Halliwell B (2012) Ergothioneine; antioxidant potential, physiological function and role in disease. *Biochim Biophys Acta* 1822:784–93.
- Chen S-M, Tsai Y-S, Wu C-M, Liao S-K, Wu L-C, Chang C-S, Liu Y-H, Tsai P-J (2010) Streptococcal collagen-like surface protein 1 promotes adhesion to the respiratory epithelial cell. *BMC Microbiol* 10:320.
- Cho KH, Caparon MG (2005) Patterns of virulence gene expression differ between biofilm and tissue communities of *Streptococcus pyogenes*. *Mol Microbiol* 57:1545–56.
- Chong S, Mersha FB, Comb DG, Scott ME, Landry D, Vence LM, Perler FB, Benner J, Kucera RB, Hirvonen CA, Pelletier JJ, Paulus H, Xu M (1997) Single-column purification of free recombinant proteins using a self-cleavable affinity tag derived from a protein splicing element. *Gene* 192:271–281.
- Claessen D, de Jong W, Dijkhuizen L, Wösten HAB (2006) Regulation of *Streptomyces* development: reach for the sky! *Trends Microbiol* 14:313–9.
- Claessen D, Rink R, de Jong W, Siebring J, de Vreugd P, Boersma FGH, Dijkhuizen L, Wösten HAB (2003) A novel class of secreted hydrophobic proteins is involved in aerial hyphae formation in *Streptomyces coelicolor* by forming amyloid-like fibrils. *Genes Dev* 17:1714–26.
- Claessen D, Stokroos I, Deelstra HJ, Penninga NA, Bormann C, Salas JA, Dijkhuizen L, Wösten HAB (2004) The formation of the rodlet layer of streptomycetes is the result of the interplay between rodlines and chaplins. *Mol Microbiol* 53:433–43.
- Claessen D, Wösten HAB, Keulen G van, Faber OG, Alves AMCR, Meijer WG, Dijkhuizen L (2002) Two novel homologous proteins of *Streptomyces coelicolor* and *Streptomyces lividans* are involved in the formation of the rodlet layer and mediate attachment to a hydrophobic surface. *Mol Microbiol* 44:1483–1492.
- Colson S, Stephan J, Hertrich T, Saito A, van Wezel GP, Titgemeyer F, Rigali S (2007) Conserved cis-acting elements upstream of genes composing the chitinolytic system of streptomycetes are DasR-responsive elements. *J Mol Microbiol Biotechnol* 12:60–6.
- Colson S, van Wezel GP, Craig M, Noens EEE, Nothaft H, Mommaas AM, Titgemeyer F, Joris B, Rigali S (2008) The chitobiose-binding protein, DasA, acts as a link between chitin utilization and morphogenesis in *Streptomyces coelicolor*. *Microbiology* 154:373–82.
- Combes P, Till R, Bee S, Smith MCM (2002) The *Streptomyces* genome contains multiple pseudo-attB sites for the (phi)C31-encoded site-specific recombination system. *J Bacteriol* 184:5746–52.
- Craney A, Hohenauer T, Xu Y, Navani NK, Li Y, Nodwell J (2007) A synthetic *luxCDABE* gene cluster optimized for expression in high-GC bacteria. *Nucleic Acids Res* 35:e46.
- Cruz-Morales P, Vijgenboom E, Iruegas-Bocardo F, Girard G, Yañez-Guerra LA, Ramos-Aboites HE, Pernodet J-L, Anné J, van Wezel GP, Barona-Gómez F (2013) The genome sequence of *Streptomyces lividans* 66 reveals a novel tRNA-dependent peptide biosynthetic system within a metal-related genomic island. *Genome Biol Evol* 5:1165–75.
- D’Huys P-J, Lule I, Van Hove S, Vercammen D, Wouters C, Bernaerts K, Anné J, Van Impe JFM (2011) Amino acid uptake profiling of wild type and recombinant *Streptomyces lividans* TK24 batch fermentations. *J Biotechnol* 152:132–43.
- D’Huys P-J, Lule I, Vercammen D, Anné J, Van Impe JF, Bernaerts K (2012) Genome-scale metabolic flux analysis of *Streptomyces lividans* growing on a complex medium. *J Biotechnol* 161:1–13.
- Damveld RA, vanKuyk PA, Arentshorst M, Klis FM, van den Hondel CAMJJ, Ram AFJ (2005) Expression of *agsA*, one of five 1,3- α -D-glucan synthase-encoding genes in *Aspergillus niger*, is induced in response to cell wall stress. *Fungal Genet Biol* 42:165–77.

- Davis LL, Bartnicki-Garcia S (1984) The co-ordination of chitosan and chitin synthesis in *Mucor rouxii*. J Gen Microbiol 130:2095–102.
- De Jong W, Vijgenboom E, Dijkhuizen L, Wösten HAB, Claessen D (2012) SapB and the rodlinins are required for development of *Streptomyces coelicolor* in high osmolarity media. FEMS Microbiol Lett 329:154–9.
- De Jong W, Wösten HAB, Dijkhuizen L, Claessen D (2009) Attachment of *Streptomyces coelicolor* is mediated by amyloid fimbriae that are anchored to the cell surface via cellulose. Mol Microbiol 73:1128–40.
- De Keersmaecker S, Van Mellaert L, Schaerlaekens K, Van Dessel W, Vrancken K, Lammertyn E, Anné J, Geukens N (2005) Structural organization of the twin-arginine translocation system in *Streptomyces lividans*. FEBS Lett 579:797–802.
- De Keersmaecker S, Vrancken K, Van Mellaert L, Anné J, Geukens N (2007) The Tat pathway in *Streptomyces lividans*: interaction of Tat subunits and their role in translocation. Microbiology 153:1087–94.
- De Keersmaecker S, Vrancken K, Van Mellaert L, Lammertyn E, Anné J, Geukens N (2006) Evaluation of TatABC overproduction on Tat- and Sec-dependent protein secretion in *Streptomyces lividans*. Arch Microbiol 186:507–12.
- Demain AL, Vaishnav P (2009) Production of recombinant proteins by microbes and higher organisms. Biotechnol Adv 27:297–306.
- Den Blaauwen T, Aarsman MEG, Vischer NOE, Nanninga N (2003) Penicillin-binding protein PBP2 of *Escherichia coli* localizes preferentially in the lateral wall and at mid-cell in comparison with the old cell pole. Mol Microbiol 47:539–47.
- Dilks K, Rose RW, Hartmann E, Pohlschroder M (2003) Prokaryotic Utilization of the Twin-Arginine Translocation Pathway: a Genomic Survey. J Bacteriol 185:1478–1483.
- Ditkowski B, Holmes N, Rydzak J, Donczew M, Bezulska M, Ginda K, Kedzierski P, Zakrzewska-Czerwinska J, Kelemen GH, Jakimowicz D (2013) Dynamic interplay of ParA with the polarity protein, Scy, coordinates the growth with chromosome segregation in *Streptomyces coelicolor*. Open Biol 3:130006.
- Dobson LE, O'Cleirigh CC, O'Shea DG (2008) The influence of morphology on geldanamycin production in submerged fermentations of *Streptomyces hygroscopicus* var. *geldanus*. Appl Microbiol Biotechnol 79:859–66.
- Douville K, Price A, Eichler J, Economou A, Wickner W (1995) SecYEG and SecA are the stoichiometric components of preprotein translocase. J Biol Chem 270:20106–11.
- Du Plessis DJF, Berrelkamp G, Nouwen N, Driessen AJM (2009) The lateral gate of SecYEG opens during protein translocation. J Biol Chem 284:15805–14.
- Du Plessis DJF, Nouwen N, Driessen AJM (2011) The Sec translocase. Biochim Biophys Acta 1808:851–65.
- Driessen AJ (1992) Bacterial protein translocation: kinetic and thermodynamic role of ATP and the protonmotive force. Trends Biochem Sci 17:219–23.
- Du X, Wang F, Lu X, Rasco BA, Wang S (2012) Biochemical and genetic characteristics of *Cronobacter sakazakii* biofilm formation. Res Microbiol 163:448–56.
- Dwarakanath S, Chaplin AK, Hough MA, Rigali S, Vijgenboom E, Worrall JAR (2012) Response to Copper Stress in *Streptomyces lividans* Extends beyond Genes under Direct Control of a Copper-sensitive Operon Repressor Protein (CsoR). J Biol Chem 287:17833–47.
- Elliot MA, Karoonuthaisiri N, Huang J, Bibb MJ, Cohen SN, Kao CM, Buttner MJ (2003) The chaplins: a family of hydrophobic cell-surface proteins involved in aerial mycelium formation in *Streptomyces coelicolor*. Genes Dev 17:1727–40.
- Endo K, Hayashi Y, Hibi T, Hosono K, Beppu T, Ueda K (2003) Enzymological characterization of EpoA, a laccase-like phenol oxidase produced by *Streptomyces griseus*. J Biochem 133:671–7.
- Errington J, Daniel RA, Scheffers D-J (2003) Cytokinesis in bacteria. Microbiol Mol Biol Rev 67:52–65, table of contents.
- Fedoryshyn M, Welle E, Bechthold A, Luzhetskyy A (2008) Functional expression of the Cre recombinase in actinomycetes. Appl Microbiol Biotechnol 78:1065–70.
- Fernández Martínez L, Bishop A, Parkes L, Del Sol R, Salerno P, Sevcikova B, Mazurakova V, Kormanec J, Dyson P (2009) Osmoregulation in *Streptomyces coelicolor*: modulation of SigB activity by OsaC. Mol Microbiol 71:1250–62.
- Flärdh K, Findlay KC, Chater KF (1999) Association of early sporulation genes with suggested developmental decision points in *Streptomyces coelicolor* A3(2). Microbiology 145:2229–43.
- Flärdh K, Richards DM, Hempel AM, Howard M, Buttner MJ (2012) Regulation of apical growth and hyphal branching in *Streptomyces*. Curr Opin Microbiol 15:736–743.
- Flemming H-C, Wingender J (2010) The biofilm matrix. Nat Rev Microbiol 8:623–33.

- Fuchino K, Bagchi S, Cantlay S, Sandblad L, Wu D, Bergman J, Kamali-Moghaddam M, Flärdh K, Ausmees N (2013) Dynamic gradients of an intermediate filament-like cytoskeleton are recruited by a polarity landmark during apical growth. *Proc Natl Acad Sci U S A* 110:E1889–E1897.
- Fujimoto M, Yamada A, Kurosawa J, Kawata A, Beppu T, Takano H, Ueda K (2012) Pleiotropic role of the Sco1/SenC family copper chaperone in the physiology of *Streptomyces*. *Microb Biotechnol* 5:477–88.
- Gamboa-Suasnavart RA, Marin-Palacio LD, Martínez-Sotelo JA, Espitia C, Servín-González L, Valdez-Cruz NA, Trujillo-Roldán MA (2013) Scale-up from shake flasks to bioreactor, based on power input and *Streptomyces lividans* morphology, for the production of recombinant APA (45/47 kDa protein) from *Mycobacterium tuberculosis*. *World J Microbiol Biotechnol* 1421–1429.
- Gamboa-Suasnavart RA, Valdez-Cruz NA, Cordova-Dávalos LE, Martínez-Sotelo JA, Servín-González L, Espitia C, Trujillo-Roldán MA (2011) The O-mannosylation and production of recombinant APA (45/47 KDa) protein from *Mycobacterium tuberculosis* in *Streptomyces lividans* is affected by culture conditions in shake flasks. *Microb Cell Fact* 10:110.
- Gatesy J, Hayashi C, Motriuk D, Woods J, Lewis R (2001) Extreme diversity, conservation, and convergence of spider silk fibroin sequences. *Science* 291:2603–5.
- Gauthier C, Li H, Morosoli R (2005) Increase in xylanase production by *Streptomyces lividans* through simultaneous use of the Sec- and Tat-dependent protein export systems. *Appl Environ Microbiol* 71:3085–92.
- Gebbink MFBG, Claessen D, Bouma B, Dijkhuizen L, Wösten HAB (2005) Amyloids--a functional coat for microorganisms. *Nat Rev Microbiol* 3:333–41.
- Gerin PA, Dufrene Y, Bellon-Fontaine MN, Asther M, Rouxhet PG (1993) Surface properties of the conidiospores of *Phanerochaete chrysosporium* and their relevance to pellet formation. *J Bacteriol* 175:5135–5144.
- Ghosh N, McKillop TJ, Jowitt TA, Howard M, Davies H, Holmes DF, Roberts IS, Bella J (2012) Collagen-like proteins in pathogenic *E. coli* strains. *PLoS One* 7:e37872.
- Gill RT, Valdes JJ, Bentley WE (2000) A comparative study of global stress gene regulation in response to overexpression of recombinant proteins in *Escherichia coli*. *Metab Eng* 2:178–89.
- Girard G, Traag BA, Sangal V, Mascini N, Hoskisson PA, Goodfellow M, van Wezel GP (2013) A novel taxonomic marker that discriminates between morphologically complex actinomycetes. *Open Biol* 3:130073.
- Glazebrook MA, Doull JL, Stuttard C, Vining LC (1990) Sporulation of *Streptomyces venezuelae* in submerged cultures. *J Gen Microbiol* 136:581–8.
- Gomes RC, Soares RMA, Nakamura CV, Souto-Padrón T, de Souza RF, de Azevedo Soares Semêdo LT, Alviano CS, Rodrigues Coelho RR (2008) *Streptomyces lunalinharesii* spores contain chitin on the outer sheath. *FEMS Microbiol Lett* 286:118–23.
- Görgens JF, Passoth V, van Zyl WH, Knoetze JH, Hahn-Hägerdal B (2005) Amino acid supplementation, controlled oxygen limitation and sequential double induction improves heterologous xylanase production by *Pichia stipitis*. *FEMS Yeast Res* 5:677–83.
- Görgens JF, van Zyl WH, Knoetze JH, Hahn-Hägerdal B (2005) Amino acid supplementation improves heterologous protein production by *Saccharomyces cerevisiae* in defined medium. *Appl Microbiol Biotechnol* 67:684–91.
- Gruber TM, Gross C a (2003) Multiple sigma subunits and the partitioning of bacterial transcription space. *Annu Rev Microbiol* 57:441–66.
- Guimond J, Morosoli R (2008) Identification of *Streptomyces lividans* proteins secreted by the twin-arginine translocation pathway following growth with different carbon sources. *Can J Microbiol* 54:549–58.
- Gustafsson C, Govindarajan S, Minshall J (2004) Codon bias and heterologous protein expression. *Trends Biotechnol* 22:346–53.
- Hempel AM, Cantlay S, Molle V, Wang S-B, Naldrett MJ, Parker JL, Richards DM, Jung Y-G, Buttner MJ, Flärdh K (2012) The Ser/Thr protein kinase AfsK regulates polar growth and hyphal branching in the filamentous bacteria *Streptomyces*. *Proc Natl Acad Sci U S A* 109:E2371–E2379.
- Herth W, Schnepf E (1980) The fluorochrome, calcofluor white, binds oriented to structural polysaccharide fibrils. *Protoplasma* 133:129–133.
- Hicks MG, Guymer D, Buchanan G, Widdick DA, Caldelari I, Berks BC, Palmer T (2006) Formation of functional Tat translocases from heterologous components. *BMC Microbiol* 6:64.
- Holmes DJ, Caso JL, Thompson CJ (1993) Autogenous transcriptional activation of a thiostrepton-induced gene in *Streptomyces lividans*. *EMBO J* 12:3183–91.
- Holmes NA, Walshaw J, Leggett RM, Thibessard A, Dalton KA, Gillespie MD, Hemmings AM, Gust B, Kelemen GH (2013) Coiled-coil protein Scy is a key component of a multiprotein assembly controlling polarized growth in *Streptomyces*. *Proc Natl Acad Sci U S A* 110:E397–406.

- Hong B, Wang L, Lammertyn E, Geukens N, Van Mellaert L, Li Y, Anné J (2005) Inactivation of the 20S proteasome in *Streptomyces lividans* and its influence on the production of heterologous proteins. *Microbiology* 151:3137–45.
- Hook-Barnard IG, Hinton DM (2007) Transcription initiation by mix and match elements: flexibility for polymerase binding to bacterial promoters. *Gene Regul Syst Bio* 1:275–93.
- Hopwood DA (2007) *Streptomyces* in Nature and Medicine. Oxford University Press, New York
- Hopwood DA, Bibb MJ, Chater KF, Kieser T, Lydiate DJ, Smith CP, Ward JM, Schrempf H (1985) Genetic manipulation of *Streptomyces* — A laboratory manual. Cold Spring Harbor Laboratory Press, New York
- Ikeda H, Ishikawa J, Hanamoto A, Shinose M, Kikuchi H, Shiba T, Sakaki Y, Hattori M, Omura S (2003) Complete genome sequence and comparative analysis of the industrial microorganism *Streptomyces avermitilis*. *Nat Biotechnol* 21:526–31.
- Ingram C, Brawner ME, Youngman P, Westpheling J (1989) xylE functions as an efficient reporter gene in *Streptomyces* spp.: use for the study of *galP1*, a catabolite-controlled promoter. *J Bacteriol* 171:6617–24.
- Jakimowicz D, van Wezel GP (2012) Cell division and DNA segregation in *Streptomyces*: how to build a septum in the middle of nowhere? *Mol Microbiol* 85:393–404.
- Jiang X, Oohira K, Iwasaki Y, Nakano H, Ichihara S, Yamane T (2002) Reduction of protein degradation by use of protease-deficient mutants in cell-free protein synthesis system of *Escherichia coli*. *J Biosci Bioeng* 93:151–6.
- Jing D (2010) Improving the simultaneous production of laccase and lignin peroxidase from *Streptomyces lavendulae* by medium optimization. *Bioresour Technol* 101:7592–7.
- Joly N, Engl C, Jovanovic G, Huvet M, Toni T, Sheng X, Stumpf MPH, Buck M (2010) Managing membrane stress: the phage shock protein (Psp) response, from molecular mechanisms to physiology. *FEMS Microbiol Rev* 34:797–827.
- Joshi M V, Mann SG, Antelmann H, Widdick DA, Fyans JK, Chandra G, Hutchings MI, Toth I, Hecker M, Loria R, Palmer T (2010) The twin arginine protein transport pathway exports multiple virulence proteins in the plant pathogen *Streptomyces scabies*. *Mol Microbiol* 77:252–71.
- Kappes RM, Kempf B, Kneip S, Boch J, Gade J, Meier-Wagner J, Bremer E (1999) Two evolutionarily closely related ABC transporters mediate the uptake of choline for synthesis of the osmoprotectant glycine betaine in *Bacillus subtilis*. *Mol Microbiol* 32:203–16.
- Kassama Y, Xu Y, Dunn WB, Geukens N, Anné J, Goodacre R (2010) Assessment of adaptive focused acoustics versus manual vortex/freeze-thaw for intracellular metabolite extraction from *Streptomyces lividans* producing recombinant proteins using GC-MS and multi-block principal component analysis. *Analyst* 135:934–42.
- Katz E, Thompson CJ, Hopwood D a (1983) Cloning and expression of the tyrosinase gene from *Streptomyces antibioticus* in *Streptomyces lividans*. *J Gen Microbiol* 129:2703–14.
- Kawamoto S, Ensign JC (1995) Isolation of mutants of *Streptomyces griseus* that sporulate in nutrient rich media: cloning of DNA fragments that suppress the mutations. *Actinomycetologica* 9:124–135.
- Kawamoto S, Watanabe H, Hesketh A, Ensign JC, Ochi K (1997) Expression analysis of the *ssgA* gene product, associated with sporulation and cell division in *Streptomyces griseus*. *Microbiology* 143:1077–86.
- Keijser BJE, Noens EE., Kraal B, Koerten HK, van Wezel GP (2003) The *Streptomyces coelicolor ssgB* gene is required for early stages of sporulation. *FEMS Microbiol Lett* 225:59–67.
- Keijser BJE, van Wezel GP, Canters GW, Kieser T, Vijgenboom E (2000) The ram-dependence of *Streptomyces lividans* differentiation is bypassed by copper. *J Mol Microbiol Biotechnol* 2:565–74.
- Kelemen GH, Brown GL, Kormanec J, Potúcková L, Chater KF, Buttner MJ (1996) The positions of the sigma-factor genes, *whiG* and *sigF*, in the hierarchy controlling the development of spore chains in the aerial hyphae of *Streptomyces coelicolor* A3(2). *Mol Microbiol* 21:593–603.
- Kendrick KE, Ensign JC (1983) Sporulation of *Streptomyces griseus* in submerged culture. *J Bacteriol* 155:357–66.
- Kenney JM, Knight D, Wise MJ, Vollrath F (2002) Amyloidogenic nature of spider silk. *Eur J Biochem* 269:4159–4163.
- Kieser T, Bibb MJ, Buttner MJ, Chater KF, Hopwood DA (2000) *Practical Streptomyces Genetics*. John Innes Centre, Norwich, United Kingdom
- Kikuchi Y, Itaya H, Date M, Matsui K, Wu L-F (2009) TatABC overexpression improves *Corynebacterium glutamicum* Tat-dependent protein secretion. *Appl Environ Microbiol* 75:603–7.
- Kim D-W, Chater KF, Lee K-J, Hesketh A (2005) Effects of growth phase and the developmentally significant bldA-specified tRNA on the membrane-associated proteome of *Streptomyces coelicolor*. *Microbiology* 151:2707–20.

- Kim Y-M, Kim J (2004) Formation and dispersion of mycelial pellets of *Streptomyces coelicolor* A3(2). *J Microbiol* 42:64–7.
- Kimura Y, Kawasaki S, Yoshimoto H, Takegawa K (2010) Glycine betaine biosynthesized from glycine provides an osmolyte for cell growth and spore germination during osmotic stress in *Myxococcus xanthus*. *J Bacteriol* 192:1467–70.
- Knipfer N, Shrader TE (1997) Inactivation of the 20S proteasome in *Mycobacterium smegmatis*. *Mol Microbiol* 25:375–83.
- Kodani S, Hudson ME, Durrant MC, Buttner MJ, Nodwell JR, Willey JM (2004) The SapB morphogen is a lantibiotic-like peptide derived from the product of the developmental gene *ramS* in *Streptomyces coelicolor*. *Proc Natl Acad Sci U S A* 101:11448–53.
- Koebisch I, Overbeck J, Piepmeyer S, Meschke H, Schrempf H (2009) A molecular key for building hyphae aggregates: the role of the newly identified *Streptomyces* protein HyaS. *Microb Biotechnol* 2:343–60.
- Kuznetsov VD, Filippova SN, Kudryavtseva A V (1992) Intrapopulation variability of antibiotic biosynthesis in streptomycetes. *Folia Microbiol (Praha)* 37:283–5.
- Lamark T, Kaasen I, Eshoo MW, Falkenberg P, McDougall J, Strøm AR (1991) DNA sequence and analysis of the bet genes encoding the osmoregulatory choline-glycine betaine pathway of *Escherichia coli*. *Mol Microbiol* 5:1049–64.
- Lammertyn E, Van Mellaert L, Schacht S, Dillen C, Sablon E, Van Broekhoven A, Anné J (1997) Evaluation of a novel subtilisin inhibitor gene and mutant derivatives for the expression and secretion of mouse tumor necrosis factor alpha by *Streptomyces lividans*. *Appl Environ Microbiol* 63:1808–13.
- Landfald B, Strøm AR (1986) Choline-glycine betaine pathway confers a high level of osmotic tolerance in *Escherichia coli*. *J Bacteriol* 165:849–55.
- Larson JL, Hersherberger CL (1986) The minimal replicon of a streptomycete plasmid produces an ultrahigh level of plasmid DNA. *Plasmid* 15:199–209.
- Latgé J-P (2007) The cell wall: a carbohydrate armour for the fungal cell. *Mol Microbiol* 66:279–90.
- Lee JW, Deng F, Yeomans WG, Allen AL, Gross RA, Kaplan DL (2001) Direct incorporation of glucosamine and N-acetylglucosamine into exopolymers by *Gluconacetobacter xylinus* (= *Acetobacter xylinum*) ATCC 10245: production of chitosan-cellulose and chitin-cellulose exopolymers. *Appl Environ Microbiol* 67:3970–5.
- Leiman PG, Arisaka F, van Raaij MJ, Kostyuchenko VA, Aksyuk AA, Kanamaru S, Rossmann MG (2010) Morphogenesis of the T4 tail and tail fibers. *Virol J* 7:355.
- Lenarcic R, Halbedel S, Shaw M, Wu LJ, Errington J, Marenduzzo D, Hamoen LW (2009) Localisation of DivIVA by targeting to negatively curved membranes. *EMBO J* 28:2272–2282.
- Lenardon MD, Munro C A, Gow NAR (2010) Chitin synthesis and fungal pathogenesis. *Curr Opin Microbiol* 13:416–23.
- Levitz SM (2010) Innate recognition of fungal cell walls. *PLoS Pathog* 6:e1000758.
- Leyh-Bouille M, Dusart J, Nguyen-Distèche M, Ghuysen JM, Reynolds PE, Perkins HR (1977) The peptidoglycan crosslinking enzyme system in *Streptomyces* strains R61, K15 and rimosus. *Eur J Biochem* 81:19–28.
- Li H, Faury D, Morosoli R (2006) Impact of amino acid changes in the signal peptide on the secretion of the Tat-dependent xylanase C from *Streptomyces lividans*. *FEMS Microbiol Lett* 255:268–74.
- Li H, Jacques P-E, Ghinet MG, Brzezinski R, Morosoli R (2005) Determining the functionality of putative Tat-dependent signal peptides in *Streptomyces coelicolor* A3(2) by using two different reporter proteins. *Microbiology* 151:2189–98.
- Li J-X, Zhao L-M, Wu R-J, Zheng Z-J, Zhang R-J (2013) High-Level Overproduction of Thermobifida Enzyme in *Streptomyces lividans* Using a Novel Expression Vector. *Int J Mol Sci* 14:18629–39.
- Lichenstein HS, Busse LA, Smith GA, Narhi LO, McGinley MO, Rohde MF, Katzowitz JL, Zukowski MM (1992) Cloning and characterization of a gene encoding extracellular metalloprotease from *Streptomyces lividans*. *Gene* 111:125–30.
- Liman R, Facey PD, van Keulen G, Dyson PJ, Del Sol R (2013) A Laterally Acquired Galactose Oxidase-Like Gene Is Required for Aerial Development during Osmotic Stress in *Streptomyces coelicolor*. *PLoS One* 8:e54112.
- Lindahl L, Zengel JM (1982) Expression of ribosomal genes in bacteria. *Adv Genet* 21:53–121.
- Linder MB, Szilvay GR, Nakari-Setälä T, Penttilä ME (2005) Hydrophobins: the protein-amphiphiles of filamentous fungi. *FEMS Microbiol Rev* 29:877–96.
- Lussier F-X, Denis F, Sharek F (2010) Adaptation of the highly productive T7 expression system to *Streptomyces lividans*. *Appl Environ Microbiol* 76:967–70.
- Machczynski MC, Vijgenboom E, Samyn B, Canters GW (2004) Characterization of SLAC: a small laccase from *Streptomyces coelicolor* with unprecedented activity. *Protein Sci* 13:2388–97.

- Manteca A, Alvarez R, Salazar N, Yagüe P, Sanchez J (2008) Mycelium differentiation and antibiotic production in submerged cultures of *Streptomyces coelicolor*. *Appl Environ Microbiol* 74:3877–86.
- Martin SM, Bushell ME (1996) Effect of hyphal micromorphology on bioreactor performance of antibiotic-producing *Saccharopolyspora erythraea* cultures. *Microbiology* 142:1783–1788.
- Martinez JP, Pilar Falomir M, Gozalbo D (2009) Chitin: A Structural Biopolysaccharide. *eLS*
- Maupin-Furlow J (2012) Proteasomes and protein conjugation across domains of life. *Nat Rev Microbiol* 10:100–11.
- Mehner D, Osadnik H, Lünsdorf H, Brüser T (2012) The Tat System for Membrane Translocation of Folded Proteins Recruits the Membrane-stabilizing Psp Machinery in *Escherichia coli*. *J Biol Chem* 287:27834–42.
- Merzendorfer H (2011) The cellular basis of chitin synthesis in fungi and insects: common principles and differences. *Eur J Cell Biol* 90:759–69.
- Messing J, Crea R, Seeburg PH (1981) A system for shotgun DNA sequencing. *Nucleic Acids Res* 9:309–21.
- Metz B, Kossen NWF (1977) The growth of molds in the form of pellets—a literature review. *Biotechnol Bioeng* 19:781–799.
- Meyerhoff J, Tiller V, Bellgardt K-H (1995) Two mathematical models for the development of a single microbial pellet. *Bioprocess Eng* 12:305–313.
- Miyazaki T, Noda S, Tanaka T, Kondo A (2013) Hyper secretion of *Thermobifida fusca* beta-glucosidase via a Tat-dependent signal peptide using *Streptomyces lividans*. *Microb Cell Fact* 12:88.
- Morosoli R, Shareck F, Kluepfel D (2006) Protein secretion in streptomycetes. *FEMS Microbiol Lett* 146:167–174.
- Mortazavi A, Williams BA, McCue K, Schaeffer L, Wold B (2008) Mapping and quantifying mammalian transcriptomes by RNA-Seq. *Nat Methods* 5:621–8.
- De Mot R, Nagy I, Walz J, Baumeister W (1999) Proteasomes and other self-compartmentalizing proteases in prokaryotes. *Trends Microbiol* 7:88–92.
- Motamedi H, Shafiee A, Cai S (1995) Integrative vectors for heterologous gene expression in. *Gene* 160:25–31.
- Murakami T, Holt TG, Thompson CJ (1989) Thiostrepton-induced gene expression in *Streptomyces lividans*. *J Bacteriol* 171:1459–66.
- Nagy I, Banerjee T, Tamura T, Schoofs G, Gils A, Proost P, Tamura N, Baumeister W, De Mot R (2003) Characterization of a novel intracellular endopeptidase of the alpha/beta hydrolase family from *Streptomyces coelicolor* A3(2). *J Bacteriol* 185:496–503.
- Nakashima N, Mitani Y, Tamura T (2005) Actinomycetes as host cells for production of recombinant proteins. *Microb Cell Fact* 4:7.
- Noda S, Ito Y, Shimizu N, Tanaka T, Ogino C, Kondo A (2010) Over-production of various secretory-form proteins in *Streptomyces lividans*. *Protein Expr Purif* 73:198–202.
- Noda S, Kawai Y, Miyazaki T, Tanaka T, Kondo A (2013) Creation of endoglucanase-secreting *Streptomyces lividans* for enzyme production using cellulose as the carbon source. *Appl Microbiol Biotechnol* 97:5711–20.
- Noens EE, Mersinias V, Willemse J, Traag BA, Laing E, Chater KF, Smith CP, Koerten HK, van Wezel GP (2007) Loss of the controlled localization of growth stage-specific cell-wall synthesis pleiotropically affects developmental gene expression in an *ssgA* mutant of *Streptomyces coelicolor*. *Mol Microbiol* 64:1244–59.
- Noens EEE, Mersinias V, Traag BA, Smith CP, Koerten HK, van Wezel GP (2005) SsgA-like proteins determine the fate of peptidoglycan during sporulation of *Streptomyces coelicolor*. *Mol Microbiol* 58:929–44.
- Novozyme (2012) The Novozymes Report 2012. 8–12.
- Nowruzi K, Elkamel A, Scharer JM, Cossar D, Moo-Young M. (2008) Development of a minimal defined medium for recombinant human interleukin-3 production by *Streptomyces lividans* 66. *Biotechnol Bioeng* 99:214–22.
- Ohnishi Y, Ishikawa J, Hara H, Suzuki H, Ikenoya M, Ikeda H, Yamashita A, Hattori M, Horinouchi S (2008) Genome sequence of the streptomycin-producing microorganism *Streptomyces griseus* IFO 13350. *J Bacteriol* 190:4050–60.
- Olmos E, Mehmood N, Haj Husein L, Goergen J-L, Fick M, Delaunay S (2012) Effects of bioreactor hydrodynamics on the physiology of *Streptomyces*. *Bioprocess Biosyst Eng* 3:259–72.
- Pagé N, Kluepfel D, Shareck F, Morosoli R (1996) Increased xylanase yield in *Streptomyces lividans*: dependence on number of ribosome-binding sites. *Nat Biotechnol* 14:756–9.
- Paget M, Hintermann G, Smith C (1994) Construction and application of streptomycete promoter probe vectors which employ the *Streptomyces glaucescens* tyrosinase-encoding gene as reporter. *Gene* 146:105–110.
- Palacín A, de la Fuente R, Valle I, Rivas LA, Mellado RP (2003) *Streptomyces lividans* contains a minimal functional signal recognition particle that is involved in protein secretion. *Microbiology* 149:2435–42.
- Palmer T, Berks BC (2012) The twin-arginine translocation (Tat) protein export pathway. *Nat Rev Microbiol* 10:483–96.

- Pamboukian CRD, Guimarães LM, Facciotti MCR, Politécnica E, Paulo DS, Química DDE, Paulo S (2002) Application of image analysis in the characterization of *Streptomyces olidensis* in submerged culture. 17–21.
- Papagianni M (2004) Fungal morphology and metabolite production in submerged mycelial processes. *Biotechnol Adv* 22:189–259.
- Papagianni M, Moo-Young M. (2002) Protease secretion in glucoamylase producer *Aspergillus niger* cultures: fungal morphology and inoculum effects. *Process Biochem* 37:8.
- Payne GE, Delacruz N, Coppella SJ (1990) Improved production of heterologous protein from *Streptomyces lividans*. *Appl Microbiol Biotechnol* 33:395–400.
- Pérez-Rueda E, Collado-Vides J (2000) The repertoire of DNA-binding transcriptional regulators in *Escherichia coli* K-12. *Nucleic Acids Res* 28:1838–47.
- Pernodet JL, Simonet JM, Guérineau M (1984) Plasmids in different strains of *Streptomyces ambofaciens*: free and integrated form of plasmid pSAM2. *Mol Gen Genet* 198:35–41.
- Pimienta E, Ayala JC, Rodríguez C, Ramos A, Van Mellaert L, Vallín C, Anné J (2007) Recombinant production of *Streptococcus equisimilis* streptokinase by *Streptomyces lividans*. *Microb Cell Fact* 6:20.
- Pozidis C, Lammertyn E, Politou AS, Tsiftoglou AS, Sianidis G, Economou A (2001) Protein secretion biotechnology using *Streptomyces lividans*: large-scale production of functional trimeric tumor necrosis factor alpha. *Biotechnol Bioeng*. 72:611–9.
- Richards DM, Hempel AM, Flärdh K, Buttner MJ, Howard M (2012) Mechanistic Basis of Branch-Site Selection in Filamentous Bacteria. *PLoS Comput Biol* 8:e1002423.
- Rokem JS, Lantz AE, Nielsen J (2007) Systems biology of antibiotic production by microorganisms. *Nat Prod Rep* 24:1262–87.
- Römling U (2002) Molecular biology of cellulose production in bacteria. *Res Microbiol* 153:205–12.
- Ross P, Mayer R, Benziman M (1991) Cellulose biosynthesis and function in bacteria. *Microbiol Rev* 55:35–58.
- Roubos JA, Krabben P, Luiten RG, Verbruggen HB, Heijnen JJ (2001) A quantitative approach to characterizing cell lysis caused by mechanical agitation of *Streptomyces clavuligerus*. *Biotechnol Prog* 17:336–47.
- Rudolph MM, Vockenhuber M-P, Suess B (2013) Synthetic riboswitches for the conditional control of gene expression in *Streptomyces coelicolor*. *Microbiology* 7:1416–22.
- Ruiz-Arribas A, Sánchez P, Calvete JJ, Raida M, Fernández-Abalos JM, Santamaría RI (1997) Analysis of *xysA*, a gene from *Streptomyces halstedii* JM8 that encodes a 45-kilodalton modular xylanase, Xys1. *Appl Environ Microbiol* 63:2983–8.
- Ryding NJ, Bibb MJ, Molle V, Findlay KC, Chater KF, Buttner MJ (1999) New sporulation loci in *Streptomyces coelicolor* A3(2). *J Bacteriol* 181:5419–25.
- Saldaña Z, Xicohtencatl-Cortes J, Avelino F, Phillips AD, Kaper JB, Puente JL, Girón JA (2009) Synergistic role of curli and cellulose in cell adherence and biofilm formation of attaching and effacing *Escherichia coli* and identification of Fis as a negative regulator of curli. *Environ Microbiol* 11:992–1006.
- Santini CL, Bernadac A, Zhang M, Chanal A, Ize B, Blanco C, Wu LF (2001) Translocation of jellyfish green fluorescent protein via the Tat system of *Escherichia coli* and change of its periplasmic localization in response to osmotic up-shock. *J Biol Chem* 276:8159–64.
- Sarrà M, Casas C, Gòdia F (1997) Continuous production of a hybrid antibiotic by *Streptomyces lividans* TK21 pellets in a three-phase fluidized-bed bioreactor. *Biotechnol Bioeng* 53:601–10.
- Sawyer EB, Claessen D, Haas M, Hurgobin B, Gras SL (2011) The assembly of individual chaplin peptides from *Streptomyces coelicolor* into functional amyloid fibrils. *PLoS One* 6:e18839.
- Schaerlaekens K (2004) The importance of the Tat-dependent protein secretion pathway in *Streptomyces* as revealed by phenotypic changes in tat deletion mutants and genome analysis. *Microbiology* 150:21–31.
- Schaerlaekens K, Lammertyn E, Geukens N, De Keersmaecker S, Anné J, Van Mellaert L (2004) Comparison of the Sec and Tat secretion pathways for heterologous protein production by *Streptomyces lividans*. *J Biotechnol* 112:279–88.
- Schneider CA, Rasband WS, Eliceiri KW (2012) NIH Image to ImageJ: 25 years of image analysis. *Nat Methods* 9:671–675.
- Schrempf H (2001) Recognition and degradation of chitin by streptomycetes. *Antonie Van Leeuwenhoek* 79:285–9.
- Schügerl K, Wittler R, Lorenz T (1983) The use of molds in pellet form. *Trends Biotechnol* 1:120–123.
- Seebeck FP (2013) Thiohistidine biosynthesis. *Chimia (Aarau)* 67:333–6.
- Seghezzi N, Amar P, Koebmann B, Jensen PR, Virolle M-J (2011) The construction of a library of synthetic promoters revealed some specific features of strong *Streptomyces* promoters. *Appl Microbiol Biotechnol* 90:615–23.
- Serganov A, Nudler E (2013) A decade of riboswitches. *Cell* 152:17–24.

- Sevcikova B, Kormanec J (2003) The *ssgB* gene, encoding a member of the regulon of stress-response sigma factor sigmaH, is essential for aerial mycelium septation in *Streptomyces coelicolor* A3(2). *Arch Microbiol* 180:380–4.
- Sevillano L, Díaz M, Santamaría RI (2013) Stable expression plasmids for *Streptomyces* based on a toxin-antitoxin system. *Microb Cell Fact* 12:39.
- Sevillano L, Díaz M, Yamaguchi Y, Inouye M, Santamaría RI (2012) Identification of the First Functional Toxin-Antitoxin System in *Streptomyces*. *PLoS One* 7:e32977.
- Sianidis G, Pozidis C, Becker F, Vrancken K, Sjoeholm C, Karamanou S, Takamiya-Wik M, van Mellaert L, Schaefer T, Anné J, Economou A (2006) Functional large-scale production of a novel *Jonesia* sp. xyloglucanase by heterologous secretion from *Streptomyces lividans*. *J Biotechnol* 121:498–507.
- Siegl T, Luzhetskyy A (2012) Actinomycetes genome engineering approaches. *Antonie Van Leeuwenhoek* 102:503–16.
- Silakowski B, Pospiech A, Neumann B, Schairer HU (1996) *Stigmatella aurantiaca* fruiting body formation is dependent on the *fbfA* gene encoding a polypeptide homologous to chitin synthases. *J Bacteriol* 178:6706–13.
- Smit G, Swart S, Lugtenberg BJ, Kijne JW (1992) Molecular mechanisms of attachment of *Rhizobium* bacteria to plant roots. *Mol Microbiol* 6:2897–903.
- Smokvina T, Mazodier P, Boccard F, Thompson CJ, Guérineau M (1990) Construction of a series of pSAM2-based integrative vectors for use in actinomycetes. *Gene* 94:53–9.
- Smucker R, Pfister R (1978) Characteristics of *Streptomyces coelicolor* A3 (2) aerial spore rodlet mosaic. *Can J Microbiol* 24:397–408.
- Strohl WR (1992) Compilation and analysis of DNA sequences associated with apparent streptomycete promoters. *Nucleic Acids Res* 20:961–74.
- Sun J, Kelemen GH, Fernandez-Abalos JM, Bibb MJ (1999) Green fluorescent protein as a reporter for spatial and temporal gene expression in *Streptomyces coelicolor* A3(2). *Microbiology* 145:2221–2227.
- Sun N, Wang Z-B, Wu H-P, Mao X-M, Li Y-Q (2012) Construction of over-expression shuttle vectors in *Streptomyces*. *Ann Microbiol* 62:1541–1546.
- Świątek MA, Gubbens J, Bucca G, Song E, Yang Y-H, Laing E, Kim B-G, Smith CP, van Wezel GP (2013) The ROK family regulator Rok7B7 pleiotropically affects xylose utilization, carbon catabolite repression, and antibiotic production in *Streptomyces coelicolor*. *J Bacteriol* 195:1236–48.
- Takano E, Gramajo HC, Strauch E, Andres N, White J, Bibb MJ (1992) Transcriptional regulation of the *redD* transcriptional activator gene accounts for growth-phase-dependent production of the antibiotic undecylprodigiosin in *Streptomyces coelicolor* A3(2). *Mol Microbiol* 6:2797–804.
- Takano E, Tao M, Long F, Bibb MJ, Wang L, Li W, Buttner MJ, Bibb MJ, Deng ZX, Chater KF (2003) A rare leucine codon in *adpA* is implicated in the morphological defect of *bldA* mutants of *Streptomyces coelicolor*. *Mol Microbiol* 50:475–86.
- Tamura S, Park Y, Toriyama M, Okabe M (1997) Change of mycelial morphology in tylosin production by batch culture of *Streptomyces fradiae* under various shear conditions. *J Ferment Bioeng* 83:523–528.
- Thomas JD, Daniel RA, Errington J, Robinson C (2001) Export of active green fluorescent protein to the periplasm by the twin-arginine translocase (Tat) pathway in *Escherichia coli*. *Mol Microbiol* 39:47–53.
- Traag BA, Kelemen GH, Van Wezel GP (2004) Transcription of the sporulation gene *ssgA* is activated by the IclR-type regulator SsgR in a whi-independent manner in *Streptomyces coelicolor* A3(2). *Mol Microbiol* 53:985–1000.
- Traag BA, Seghezzi N, Vijgenboom E, van Wezel GP (2007) Characterization of the sporulation control protein SsgA by use of an efficient method to create and screen random mutant libraries in streptomycetes. *Appl Environ Microbiol* 73:2085–92.
- Traag BA, van Wezel GP (2008) The SsgA-like proteins in actinomycetes: small proteins up to a big task. *Antonie Van Leeuwenhoek* 94:85–97.
- Ueda K, Tomaru Y, Endoh K, Beppu T (1997) Stimulatory effect of copper on antibiotic production and morphological differentiation in *Streptomyces tanashiensis*. *J Antibiot (Tokyo)* 50:693–5.
- Van Wezel GP, van der Meulen J, Kawamoto S, Luiten RG, Koerten HK, Kraal B (2000a) *ssgA* is essential for sporulation of *Streptomyces coelicolor* A3(2) and affects hyphal development by stimulating septum formation. *J Bacteriol* 182:5653–62.
- Van Wezel GP, White J, Hoogvliet G, Bibb MJ (2000b) Application of *redD*, the transcriptional activator gene of the undecylprodigiosin biosynthetic pathway, as a reporter for transcriptional activity in *Streptomyces coelicolor* A3(2) and *Streptomyces lividans*. *J Mol Microbiol Biotechnol* 2:551–6.

- Van Wezel GP, Vijgenboom E (2003) Improved growth characteristics of filamentous microorganisms. Patent Application WO 2004/041858 A1.
- Van Wezel GP, Mahr K, König M, Traag BA, Pimentel-Schmitt EF, Willimek A, Titgemeyer F (2005) GlcP constitutes the major glucose uptake system of *Streptomyces coelicolor* A3(2). *Mol Microbiol* 55:624–36.
- Van Wezel GP, Krabben P, Traag BA, Keijser BJF, Kerste R, Vijgenboom E, Heijnen JJ, Kraal B (2006) Unlocking *Streptomyces* spp. for use as sustainable industrial production platforms by morphological engineering. *Appl Environ Microbiol* 72:5283–8.
- Van Wezel GP, McKenzie NL, Nodwell JR (2009) Chapter 5. Applying the genetics of secondary metabolism in model actinomycetes to the discovery of new antibiotics., 1st ed. *Methods Enzymol* 458:117–41.
- Van Veluw GJ, Petrus MLC, Gubbens J, de Graaf R, de Jong IP, van Wezel GP, Wösten HAB, Claessen D (2012) Analysis of two distinct mycelial populations in liquid-grown *Streptomyces* cultures using a flow cytometry-based proteomics approach. *Appl Microbiol Biotechnol* 96:1301–12.
- Van Wezel GP, McDowall KJ (2011) The regulation of the secondary metabolism of *Streptomyces*: new links and experimental advances. *Nat Prod Rep* 28:1311–33.
- Vara J, Lewandowska-Skarbek M, Wang YG, Donadio S, Hutchinson CR (1989) Cloning of genes governing the deoxysugar portion of the erythromycin biosynthesis pathway in *Saccharopolyspora erythraea* (*Streptomyces erythreus*). *J Bacteriol* 171:5872–81.
- Vecht-Lifshitz SE, Sasson Y, Braun S (1992) Nikkomycin production in pellets of *Streptomyces tendae*. *J Appl Bacteriol* 72:195–200.
- Vijgenboom E, Woudt LP, Heinstra PW, Rietveld K, van Haarlem J, van Wezel GP, Shochat S, Bosch L (1994) Three *tuf*-like genes in the kirromycin producer *Streptomyces ramocissimus*. *Microbiology* 140 (Pt 4):983–98.
- Vrancken K, Anné J (2009) Secretory production of recombinant proteins by *Streptomyces*. *Future Microbiol* 4:181–188.
- Vrancken K, De Keersmaecker S, Geukens N, Lammertyn E, Anné J, Van Mellaert L (2007) *pspA* overexpression in *Streptomyces lividans* improves both Sec- and Tat-dependent protein secretion. *Appl Microbiol Biotechnol* 73:1150–7.
- Vrancken K, Van Mellaert L, Anné J (2010) Cloning and expression vectors for a Gram-positive host, *Streptomyces lividans*. *Methods Mol Biol* 668:97–107.
- Walisko R, Krull R, Schrader J, Wittmann C (2012) Microparticle based morphology engineering of filamentous microorganisms for industrial bio-production. *Biotechnol Lett* 11:1975–82.
- Wall D (2014) Molecular recognition in myxobacterial outer membrane exchange: Functional, social and evolutionary implications. *Mol Microbiol* 91: 209–220.
- Wang W, Li X, Wang J, Xiang S, Feng X, Yang K (2013) An engineered strong promoter for streptomycetes. *Appl Environ Microbiol* 14:4484–92.
- Wang YY, Fu ZB, Ng KL, Lam CC, Chan AKN, Sze KF, Wong WKR (2011) Enhancement of excretory production of an exoglucanase from *Escherichia coli* with phage shock protein A (PspA) overexpression. *J Microbiol Biotechnol* 21:637–45.
- Ward JM, Janssen GR, Kieser T, Bibb MJ, Buttner MJ (1986) Construction and characterisation of a series of multi-copy promoter-probe plasmid vectors for *Streptomyces* using the aminoglycoside phosphotransferase gene from Tn5 as indicator. *Mol Gen Genet* 203:468–78.
- Wardell JN, Stocks SM, Thomas CR, Bushell ME (2002) Decreasing the hyphal branching rate of *Saccharopolyspora erythraea* NRRL 2338 leads to increased resistance to breakage and increased antibiotic production. *Biotechnol Bioeng* 78:141–6.
- Watanabe T, Ito Y, Yamada T, Hashimoto M, Sekine S, Tanaka H (1994) The roles of the C-terminal domain and type III domains of chitinase A1 from *Bacillus circulans* WL-12 in chitin degradation. *J Bacteriol* 176:4465–72.
- Wen Su W, Jun He B (1997) Secreted enzyme production by fungal pellets in a perfusion bioreactor. *J Biotechnol* 54:43–52.
- Whitaker A (1992) Actinomycetes in submerged culture. *Appl Biochem Biotechnol* 32:23–35.
- Whitchurch CB, Tolker-Nielsen T, Ragas PC, Mattick JS (2002) Extracellular DNA required for bacterial biofilm formation. *Science* 295:1487.
- White AP, Gibson DL, Collinson SK, Banser PA, Kay WW (2003) Extracellular polysaccharides associated with thin aggregative fimbriae of *Salmonella enterica* serovar enteritidis. *J Bacteriol* 185:5398–407.
- Whittaker MM, Whittaker JW (2006) *Streptomyces coelicolor* oxidase (SCO2837p): a new free radical metalloenzyme secreted by *Streptomyces coelicolor* A3(2). *Arch Biochem Biophys* 452:108–18.

- Widdick DA, Dilks K, Chandra G, Bottrill A, Naldrett M, Pohlschröder M, Palmer T (2006) The twin-arginine translocation pathway is a major route of protein export in *Streptomyces coelicolor*. *Proc Natl Acad Sci U S A* 103:17927–32.
- Willemse J, Borst JW, de Waal E, Bisseling T, van Wezel GP (2011) Positive control of cell division: FtsZ is recruited by SsgB during sporulation of *Streptomyces*. *Genes Dev* 25:89–99.
- Willemse J, Ruban-Osmialowska B, Widdick D, Celler K, Hutchings MI, van Wezel GP, Palmer T (2012) Dynamic localization of Tat protein transport machinery components in *Streptomyces coelicolor*. *J Bacteriol* 194:6272–81.
- Willemse J, van Wezel GP (2009) Imaging of *Streptomyces coelicolor* A3(2) with reduced autofluorescence reveals a novel stage of FtsZ localization. *PLoS One* 4:e4242.
- Willey J, Santamaria R, Guijarro J, Geistlich M, Losick R (1991) Extracellular complementation of a developmental mutation implicates a small sporulation protein in aerial mycelium formation by *S. coelicolor*. *Cell* 65:641–50.
- Willey J, Schwedock J, Losick R (1993) Multiple extracellular signals govern the production of a morphogenetic protein involved in aerial mycelium formation by *Streptomyces coelicolor*. *Genes Dev* 7:895–903.
- Williams KP (2002) Integration sites for genetic elements in prokaryotic tRNA and tmRNA genes: sublocation preference of integrase subfamilies. *Nucleic Acids Res* 30:866–875.
- Wolński M, Wali R, Tilley E, Jakimowicz D, Zakrzewska-Czerwinska J, Herron P (2011) Replisome trafficking in growing vegetative hyphae of *Streptomyces coelicolor* A3(2). *J Bacteriol* 193:1273–5.
- Wösten HA, Richter M, Willey JM (1999) Structural proteins involved in emergence of microbial aerial hyphae. *Fungal Genet Biol* 27:153–60.
- Wright HT, Sandrasegaram G, Wright CS (1991) Evolution of a family of N-acetylglucosamine binding proteins containing the disulfide-rich domain of wheat germ agglutinin. *J Mol Evol* 33:283–94.
- Xu H, Chater KF, Deng Z, Tao M (2008) A cellulose synthase-like protein involved in hyphal tip growth and morphological differentiation in *Streptomyces*. *J Bacteriol* 190:4971–8.
- Xu Q, Traag BA, Willemse J, McMullan D, Miller MD, Elsliger M-A, Abdubek P, Astakhova T, Axelrod HL, Bakolitsa C, Carlton D, Chen C, Chiu H-J, Chruszcz M, Clayton T, Das D, Deller MC, Duan L, Ellrott K, Ernst D, Farr CL, Feuerhelm J, Grant JC, Grzechnik A, Grzechnik SK, Han GW, Jaroszewski L, Jin KK, Klock HE, Knuth MW, Kozbial P, Krishna SS, Kumar A, Marciano D, Minor W, Mommaas a M, Morse AT, Nigoghossian E, Nopakun A, Okach L, Oommachen S, Paulsen J, Puckett C, Reyes R, Rife CL, Sefcovic N, Tien HJ, Trame CB, van den Bedem H, Wang S, Weekes D, Hodgson KO, Wooley J, Deacon AM, Godzik A, Lesley SA, Wilson IA, van Wezel GP (2009) Structural and functional characterizations of SsgB, a conserved activator of developmental cell division in morphologically complex actinomycetes. *J Biol Chem* 284:25268–79.
- Yamazaki H, Ohnishi Y, Horinouchi S (2003) Transcriptional switch on of *ssgA* by A-factor, which is essential for spore septum formation in *Streptomyces griseus*. *J Bacteriol* 185:1273–83.
- Yen H-W, Hsiao H-P (2013) Effects of dissolved oxygen level on rapamycin production by pellet-form of *Streptomyces hygroscopicus*. *J Biosci Bioeng* 116:366–70.
- Zhou X, Wu H, Li Z, Zhou X, Bai L, Deng Z (2011) Over-expression of UDP-glucose pyrophosphorylase increases validamycin A but decreases validoxylamine A production in *Streptomyces hygroscopicus* var. *jinggangensis* 5008. *Metab Eng* 13:768–76.
- Zhu Y, Wang L, Du Y, Wang S, Yu T, Hong B (2011) Heterologous expression of human interleukin-6 in *Streptomyces lividans* TK24 using novel secretory expression vectors. *Biotechnol Lett* 33:253–61.
- Zimmer J, Nam Y, Rapoport TA (2008) Structure of a complex of the ATPase SecA and the protein-translocation channel. *Nature* 455:936–43.
- Zimmermann B, Bilusic I, Lorenz C, Schroeder R (2010) Genomic SELEX: a discovery tool for genomic aptamers. *Methods* 52:125–32.
- Zogaj X, Bokranz W, Nimtz M, Römling U (2003) Production of cellulose and curli fimbriae by members of the family Enterobacteriaceae isolated from the human gastrointestinal tract. *Infect Immun* 71:4151–8.

APPENDIX

RNA-Seq DATA

Table S1-A. Genes expressed higher in both *csIA* and *glxA*

Gene # <i>S. coelicolor</i>	Gene # <i>S. lividans</i>	1326 (RPKM)	<i>csIA</i> (RPKM)	<i>glxA</i> (RPKM)	<i>csIA</i> /1326	<i>glxA</i> /1326	Annotation
SCO0187	SLI0127	6,4	15,5	13,2	2,4	2,1	Phytoene synthase
SCO0188	SLI0128	5,2	13,1	13,0	2,5	2,5	CrtV-methyltransferase-like protein
	SLI0138	9,9	26,5	20,6	2,7	2,1	hypothetical protein
SCO0231	SLI0175	41,8	99,3	97,1	2,4	2,3	small hydrophobic protein
SCO0426	SLI0384	4,9	16,6	10,3	3,4	2,1	hypothetical protein
SCO0508	SLI0468	6,5	14,1	13,3	2,2	2,0	Transcriptional regulator, TetR family
	SLI0944	5,3	11,3	12,4	2,1	2,3	Transcriptional regulator XRE family
	SLI0994	5,7	11,8	13,0	2,1	2,3	CopZ-like Copper chaperone
	SLI1041	3,8	10,0	8,3	2,7	2,2	putative lipoprotein
	SLI1076	4,7	11,5	9,6	2,4	2,0	hypothetical protein
SCO6808	SLI1107	11,9	32,5	29,7	2,7	2,5	ArsR regulator
	SLI1228	4,5	10,1	11,7	2,2	2,6	Non-heme chloroperoxidase
SCO1134	SLI1410	3,1	14,6	8,5	4,7	2,8	Aromatic aldehyde oxidoreductase, YagT
	SLI1425	9,2	27,6	24,6	3,0	2,7	hypothetical protein
SCO1250	SLI1531	4,8	12,8	13,5	2,7	2,8	putative acetyltransferase
	SLI1606	6,4	29,2	19,2	4,5	3,0	hypothetical protein
SCO1620	SLI1923	31,5	193,9	117,3	6,2	3,7	opuABC glycine betaine transport system permease
SCO1621	SLI1924	28,7	153,3	106,7	5,3	3,7	opuAA glycine betaine transport ATP-binding protein
SCO1866	SLI2177	67,7	666,0	139,3	9,8	2,1	L-ectoine synthase, ectC
SCO2631	SLI2974	6,1	14,2	17,4	2,3	2,9	putative amino acid permease
SCO2828	SLI3177	27,1	124,4	62,2	4,6	2,3	amino acid ABC transporter, amino acid-binding protein
SCO2829	SLI3178	17,6	99,8	46,0	5,7	2,6	amino acid ABC transporter, permease
SCO2830	SLI3179	19,6	106,2	52,2	5,4	2,7	amino acid ABC transporter, integral membrane protein
SCO2831	SLI3180	23,7	118,8	54,8	5,0	2,3	amino acid ABC transporter, ATP-binding protein
SCO3121	SLI3478	3,8	9,0	19,2	2,4	5,1	hypothetical protein
SCO3428	SLI3771	2,4	7,5	13,5	3,1	5,6	LSU ribosomal protein L33p, zinc-independent
	SLI3944	4,0	9,2	12,3	2,3	3,1	hypothetical protein
SCO4243	SLI4480	24,9	98,3	60,7	3,9	2,4	secreted protein
SCO4244	SLI4481	39,3	146,7	85,3	3,7	2,2	hypothetical protein
SCO4245	SLI4482	40,4	146,1	87,9	3,6	2,2	hypothetical protein
SCO4246	SLI4483	38,4	165,0	93,3	4,3	2,4	hypothetical protein
SCO4247	SLI4484	56,0	249,4	138,1	4,5	2,5	hypothetical protein
SCO4248	SLI4485	37,2	174,2	94,9	4,7	2,5	hypothetical protein
SCO4252	SLI4488	845,1	4425,2	2045,2	5,2	2,4	hypothetical protein

SCO4255	SLI4491	20,7	73,8	42,5	3,6	2,1	hypothetical protein
SCO4257	SLI4492	73,4	236,8	192,1	3,2	2,6	Hydrolytic protein
SCO4514	SLI4795	29,8	94,3	64,5	3,2	2,2	integral membrane protein
	SLI4831	3,6	10,2	12,0	2,8	3,3	type IV peptidase
SCO4663	SLI4937	1074,9	3617,6	2612,2	3,4	2,4	hypothetical protein
SCO4828	SLI5101	20,9	49,8	48,8	2,4	2,3	Betaine aldehyde dehydrogenase
SCO4829	SLI5102	17,8	62,4	48,6	3,5	2,7	Choline dehydrogenase
SCO4830	SLI5103	8,2	41,1	26,2	5,0	3,2	Glycine betaine ABC transporter, ATP-binding protein
SCO4831	SLI5104	8,1	33,2	22,0	4,1	2,7	Glycine betaine ABC transporter, permease
SCO4832	SLI5105	24,4	67,4	50,1	2,8	2,1	Glycine betaine ABC transporter, substrate binding protein
SCO4947	SLI5222	5,2	11,4	11,2	2,2	2,2	Respiratory nitrate reductase alpha chain
SCO4994	SLI5269	33,4	122,9	70,8	3,7	2,1	hypothetical protein
	SLI5784	83,6	320,1	198,4	3,8	2,4	hypothetical protein
SCO5522	SLI5797	116,8	482,6	242,5	4,1	2,1	3-isopropylmalate dehydrogenase
	SLI6177	26,4	57,4	62,6	2,2	2,4	hypothetical protein
	SLI6330	17,5	40,0	52,9	2,3	3,0	hypothetical protein
SCO6073	SLI6466	3,4	12,0	7,0	3,5	2,0	germacradienol/germacrene D synthase
SCO6509	SLI6857	6,6	22,9	18,9	3,5	2,9	hydrophobic protein
SCO6980	SLI7182	6,0	19,1	12,4	3,2	2,1	Inositol transport system permease
SCO7428	SLI7648	6,2	15,4	14,4	2,5	2,3	Flavohemoprotein, hmpA1
	SLI7822	3,0	36,0	12,0	12,1	4,0	hypothetical protein
	SLI8052	1,1	14,0	16,3	13,0	15,1	hypothetical protein

Table S1-B. Genes expressed higher in *glxA* only

Gene # <i>S. coelicolor</i>	Gene # <i>S. lividans</i>	1326 (RPKM)	csIA (RPKM)	glxA (RPKM)	csIA/1326	glxA/1326	Annotation
SCO0569	SLI0532	9,1	13,3	20,4	1,5	2,2	LSU ribosomal protein L36p
SCO0672	SLI0644	8,9	8,1	18,3	0,9	2,1	anti-sigma factor antagonist
	SLI1189	5,7	8,9	13,9	1,6	2,4	hypothetical protein
SCO1423	SLI1720	179,6	136,4	370,5	0,8	2,1	Dolichol-phosphate mannosyltransferase
SCO1700	SLI2004	47,0	33,7	106,1	0,7	2,3	putative membrane protein
SCO1702	SLI2006	5,0	7,4	10,2	1,5	2,0	Transcriptional regulator, TetR family
	SLI2561	14,1	19,6	35,2	1,4	2,5	hypothetical protein
SCO2336	SLI2667	6,7	5,2	14,4	0,8	2,2	L-Proline/Glycine betaine transporter ProP
	SLI2831	7,9	10,2	20,0	1,3	2,6	hypothetical protein
	SLI2934	225,1	284,1	477,1	1,3	2,1	hypothetical protein
SCO2827	SLI3176	7,2	14,1	15,5	2,0	2,2	hypothetical protein
SCO2976	SLI3320	6,1	10,6	12,9	1,8	2,1	hypothetical protein
SCO3167	SLI3521	54,3	63,9	116,0	1,2	2,1	Transcriptional regulator, TetR family
SCO3271	SLI3617	5,3	5,2	16,8	1,0	3,2	dehydrogenase
	SLI4035	17,9	20,4	43,8	1,1	2,4	hypothetical protein
	SLI4041	68,3	129,8	190,7	1,9	2,8	hypothetical protein

	SLI4370	204,9	281,1	424,9	1,4	2,1	hypothetical protein
	SLI4571	37,0	58,8	132,2	1,6	3,6	hypothetical protein
SCO4640	SLI4911	70,0	67,5	159,9	1,0	2,3	Transcriptional regulator, TetR family
SCO4816	SLI5087	5,9	7,7	11,9	1,3	2,0	hypothetical protein
SCO5225	SLI5514	478,0	533,1	967,9	1,1	2,0	Ribonucleotide reductase, beta subunit
SCO5467	SLI5736	4,9	9,5	11,7	1,9	2,4	Zinc D-Ala-D-Ala carboxypeptidase
	SLI5781	13,2	6,2	30,2	0,5	2,3	hypothetical protein
SCO5908	SLI6183	8,1	7,7	20,8	1,0	2,6	hypothetical protein
SCO3525	SLI6348	6,1	5,9	14,2	1,0	2,3	transmembrane protein
	SLI6555	6,3	8,4	14,7	1,3	2,3	hypothetical protein
SCO6259	SLI6648	14,5	16,5	29,1	1,1	2,0	Inositol transport system, ATP-binding protein
SCO6524	SLI6872	7,2	10,8	15,6	1,5	2,2	putative integral membrane protein
SCO6728	SLI7072	34,3	35,6	70,6	1,0	2,1	hypothetical protein
SCO7146	SLI7361	34,8	55,4	84,3	1,6	2,4	Transcriptional regulator, ArsR family
SCO7196	SLI7413	4,7	5,5	10,0	1,2	2,1	possible ion transport integral membrane protein
SCO7271	SLI7489	35,8	57,5	71,9	1,6	2,0	putative ion channel subunit
SCO7506	SLI7727	5,0	7,5	11,0	1,5	2,2	Beta-galactosidase
	SLI7900	4,7	5,5	10,5	1,2	2,2	hypothetical protein
	SLI7991	4,9	9,7	12,0	2,0	2,5	hypothetical protein
SCO7754	SLI7994	7,6	12,1	16,8	1,6	2,2	anti-sigma factor antagonist
SCO7826	SLI8076	4,6	7,5	10,2	1,6	2,2	hypothetical protein

Table S1-C. Genes expressed higher in *csIA* only

Gene # <i>S. coelicolor</i>	Gene # <i>S. lividans</i>	1326 (RPKM)	<i>csIA</i> (RPKM)	<i>glxA</i> (RPKM)	<i>csIA</i> /1326	<i>glxA</i> /1326	Annotation
SCO0148	SLI0077	12,6	25,6	23,1	2,0	1,8	Transcriptional regulator, Cro/C1 family
SCO0346	SLI0303	4,4	12,9	8,6	2,9	1,9	putative 2-hydroxyhepta-2,4-diene-1,7- dioate isomerase
SCO0379	SLI0337	50,0	122,1	49,8	2,4	1,0	Catalase
SCO0408	SLI0366	11,1	27,0	9,9	2,4	0,9	Methyltransferase
SCO0409	SLI0367	5,6	21,8	7,5	3,9	1,3	Spore-associated protein A precursor
SCO0427	SLI0385	11,4	25,2	15,4	2,2	1,4	Beta-ketoadipate enol-lactone hydrolase
SCO0442	SLI0400	11,0	27,7	14,9	2,5	1,3	Allophanate hydrolase 2 subunit 1
SCO0443	SLI0401	5,9	21,2	10,6	3,6	1,8	Allophanate hydrolase 2 subunit 2
SCO0461	SLI0419	6,8	14,9	8,3	2,2	1,2	putative hydrolase
SCO0484	SLI0443	6,9	19,4	11,4	2,8	1,6	putative monooxygenase
SCO0494	SLI0454	59,7	141,6	53,8	2,4	0,9	iron-siderophore binding lipoprotein
SCO0498	SLI0458	9,8	21,8	7,1	2,2	0,7	Siderophore biosynthesis, monooxygenase
	SLI0487	2624,6	5701,9	3530,0	2,2	1,3	hypothetical protein
SCO0543	SLI0504	6,9	26,7	12,8	3,9	1,9	hypothetical protein
	SLI0587	5,0	13,7	9,8	2,7	2,0	hypothetical protein
SCO0682	SLI0655	46,2	92,3	57,2	2,0	1,2	hypothetical protein

Appendix

SCO0701	SLI0677	5,2	10,8	6,7	2,1	1,3	hypothetical protein
SCO0760	SLI0741	38,7	98,2	30,6	2,5	0,8	putative methyltransferase
SCO0795	SLI0778	8,3	19,6	7,4	2,4	0,9	hypothetical protein
SCO0825	SLI0809	6,6	14,9	11,0	2,2	1,7	putative transmembrane transport protein
SCO0834	SLI0818	5,4	13,7	7,8	2,6	1,5	hypothetical protein
	SLI0916	8,8	22,5	13,0	2,6	1,5	hypothetical protein
SCO6914	SLI0941	5,4	11,1	8,9	2,1	1,7	hypothetical protein SC1B2.20
SCO3698	SLI1077	7,0	14,2	11,2	2,0	1,6	ArsB heavy metal resistance transport membrane protein
SCO6821	SLI1094	6,3	15,7	5,1	2,5	0,8	hypothetical protein
SCO6819	SLI1096	1,9	10,5	2,6	5,5	1,3	5-Enolpyruvylshikimate-3-phosphate synthase
SCO6818	SLI1097	2,9	11,5	4,0	3,9	1,4	putative phosphoglycerate mutase
SCO6814	SLI1101	3,8	11,2	6,5	2,9	1,7	ABC transporter ATP-binding protein
SCO0912	SLI1141	6,4	13,1	6,8	2,0	1,1	Glutamine amidotransferases class-II
SCO0913	SLI1142	6,4	18,0	9,8	2,8	1,5	ABC transporter ATP-binding protein
SCO0922	SLI1153	2,1	14,1	2,8	6,7	1,3	Succinate dehydrogenase iron-sulfur protein
SCO0923	SLI1154	4,0	23,8	4,0	6,0	1,0	Succinate dehydrogenase flavoprotein subunit
SCO0924	SLI1155	19,8	43,0	17,4	2,2	0,9	Succinate dehydrogenase cytochrome b subunit
SCO1131	SLI1407	6,9	15,9	9,1	2,3	1,3	Xanthine and CO dehydrogenases accessory protein
SCO1132	SLI1408	8,5	19,7	11,0	2,3	1,3	aromatic aldehyde oxidoreductase, YagR
SCO1133	SLI1409	3,2	10,7	4,7	3,3	1,4	aromatic aldehyde oxidoreductase, YagS
SCO1147	SLI1423	7,2	23,8	5,8	3,3	0,8	putative ABC transporter transmembrane subunit
SCO1148	SLI1424	3,2	26,0	6,0	8,1	1,9	putative ABC transporter ATP-binding protein
SCO1293	SLI1575	6,8	15,9	7,5	2,3	1,1	hypothetical protein
SCO1294	SLI1576	2,5	29,9	4,5	12,1	1,8	Methionine gamma-lyase
SCO1357	SLI1649	8,2	17,1	10,9	2,1	1,3	hypothetical protein
SCO1570	SLI1873	32,1	133,9	54,4	4,2	1,7	Argininosuccinate lyase
SCO1577	SLI1880	32,2	116,5	34,3	3,6	1,1	Acetylornithine aminotransferase
SCO1578	SLI1881	17,0	96,9	28,8	5,7	1,7	Acetylglutamate kinase
SCO1579	SLI1882	24,8	100,2	35,6	4,0	1,4	putative glutamate N-acetyltransferase, argJ
SCO1580	SLI1883	26,1	77,1	43,7	3,0	1,7	N-acetyl-gamma-glutamyl-phosphate reductase, argC
SCO1864	SLI2175	32,4	94,2	52,1	2,9	1,6	L-2,4-diaminobutyric acid acetyltransferase
SCO1865	SLI2176	31,3	167,0	61,8	5,3	2,0	Diaminobutyrate-pyruvate aminotransferase
SCO1867	SLI2178	72,5	614,8	125,1	8,5	1,7	Ectoine hydroxylase
SCO1898	SLI2209	14,8	32,7	11,1	2,2	0,8	possible sugar binding protein
SCO1899	SLI2210	8,7	26,5	8,7	3,0	1,0	possible integral membrane sugar transport protein
SCO1900	SLI2211	8,2	40,3	9,5	4,9	1,2	possible integral membrane sugar transport protein
SCO1901	SLI2212	18,2	69,3	18,0	3,8	1,0	Sorbitol dehydrogenase
	SLI2217	29,3	125,6	39,2	4,3	1,3	hypothetical protein
SCO1987	SLI2304	10,5	25,2	10,3	2,4	1,0	Translation initiation inhibitor
SCO1988	SLI2305	22,3	51,7	16,6	2,3	0,7	hypothetical protein
SCO2011	SLI2332	29,2	65,6	32,6	2,2	1,1	Branched-chain amino acid transport ATP-binding protein LivG
SCO2012	SLI2333	39,9	86,9	49,5	2,2	1,2	Branched-chain amino acid transport ATP-binding protein LivF

SCO2025	SLI2346	90,4	235,5	106,5	2,6	1,2	Glutamate synthase (NADPH) small chain
SCO2026	SLI2347	80,5	182,1	104,2	2,3	1,3	Glutamate synthase (NADPH) large chain
SCO2270	SLI2596	7,5	16,6	4,3	2,2	0,6	hypothetical protein
SCO2372	SLI2706	11,7	40,2	21,6	3,4	1,8	Antiholin-like protein LrgA
SCO2449	SLI2785	18,6	46,4	24,6	2,5	1,3	MoxR-like ATPases
SCO2464	SLI2800	19,3	43,3	25,4	2,2	1,3	Lipid A export ATP-binding/permease protein MsbA
SCO2492	SLI2826	57,7	144,7	35,4	2,5	0,6	hypothetical protein
SCO2493	SLI2827	7,8	17,6	10,8	2,3	1,4	hypothetical protein
SCO2591	SLI2930	663,2	1353,8	612,4	2,0	0,9	hypothetical protein
SCO2633	SLI2975	406,1	2553,7	609,1	6,3	1,5	superoxide dismutase, Fe-Zn
SCO2637	SLI2979	59,5	127,2	61,0	2,1	1,0	Serine protease
SCO2776	SLI3123	15,8	198,8	15,1	12,6	1,0	Methylcrotonyl-CoA carboxylase carboxyl transferase
SCO2777	SLI3124	11,6	172,3	9,6	14,8	0,8	Methylcrotonyl-CoA carboxylase biotin-containing
SCO2778	SLI3125	10,6	228,0	8,0	21,6	0,8	Hydroxymethylglutaryl-CoA lyase
SCO2779	SLI3126	16,5	344,2	15,7	20,9	1,0	Isovaleryl-CoA dehydrogenase
SCO2783	SLI3130	11,1	26,8	15,9	2,4	1,4	Desferrioxamine E biosynthesis, monooxygenase, DesB
SCO2785	SLI3132	13,6	28,8	15,1	2,1	1,1	Desferrioxamine E biosynthesis, ligase, DesD
SCO2837	SLI3188	188,4	3460,9	1,1	18,4	0,0	Radical Cu-oxidase, glxA
SCO2838	SLI3189	172,9	529,4	312,0	3,1	1,8	putative secreted endoglucanase
SCO2839	SLI3190	4,7	20,5	8,5	4,3	1,8	lipoprotein
	SLI3212	11,8	24,0	11,1	2,0	0,9	hypothetical protein
	SLI3213	17,2	37,7	25,7	2,2	1,5	hypothetical protein
	SLI3214	92,6	200,2	140,8	2,2	1,5	hypothetical protein
SCO2879	SLI3224	27,8	70,9	21,3	2,5	0,8	conserved hypothetical secreted protein
SCO2880	SLI3225	32,3	83,6	38,2	2,6	1,2	hypothetical protein
SCO2881	SLI3226	29,2	61,8	24,1	2,1	0,8	hypothetical protein
SCO2882	SLI3227	21,1	61,6	21,3	2,9	1,0	conserved ATP/GTP-binding protein
SCO2883	SLI3228	22,1	55,5	24,5	2,5	1,1	cytochrome P450 monooxygenase
SCO2884	SLI3229	41,3	136,1	42,5	3,3	1,0	putative cytochrome P450 hydroxylase
SCO2885	SLI3230	26,4	93,5	31,3	3,5	1,2	hypothetical protein
SCO2920	SLI3264	68,1	264,5	85,4	3,9	1,3	Serine protease 3 precursor
SCO3051	SLI3400	164,9	399,8	190,1	2,4	1,2	Butyryl-CoA dehydrogenase
SCO3160	SLI3514	36,6	75,3	71,6	2,1	2,0	possible integral membrane transport protein, Co transport
SCO3614	SLI3857	219,8	460,1	241,2	2,1	1,1	Aspartate-semialdehyde dehydrogenase
SCO3811	SLI4062	213,3	568,2	197,7	2,7	0,9	D-alanyl-D-alanine carboxypeptidase
SCO3831	SLI4083	5,6	13,8	10,0	2,4	1,8	Branched-chain alpha-keto acid dehydrogenase, E1 alpha subunit, bkdA2
SCO4020	SLI4254	20,3	81,4	20,3	4,0	1,0	putative two-component system response regulator
SCO4021	SLI4255	3,1	32,3	4,5	10,5	1,5	Osmosensitive K ⁺ channel histidine kinase KdpD
SCO4108	SLI4338	100,5	244,1	106,0	2,4	1,1	putative peptidase
SCO4157	SLI4395	6,8	14,7	6,9	2,2	1,0	putative protease
SCO4242	SLI4479	46,5	155,0	80,4	3,3	1,7	hypothetical protein
SCO4249	SLI4486	18,2	57,5	30,0	3,2	1,7	hypothetical protein

Appendix

SCO4251	SLI4487	575,8	2311,7	1137,6	4,0	2,0	secreted protein
SCO4253	SLI4489	550,1	2388,0	1065,2	4,3	1,9	Phage tail sheath protein FI
SCO4254	SLI4490	12,2	25,2	20,0	2,1	1,6	hypothetical protein
SCO4258	SLI4493	101,4	325,3	193,6	3,2	1,9	hydrolytic protein
SCO4259	SLI4494	29,0	94,4	54,5	3,3	1,9	ATPase, AAA family
SCO4336	SLI4574	236,9	477,1	394,9	2,0	1,7	Transcriptional regulator, MarR family
SCO4512	SLI4793	56,2	122,7	95,3	2,2	1,7	hypothetical protein
SCO4513	SLI4794	35,1	96,4	56,7	2,7	1,6	hypothetical protein
SCO4515	SLI4796	39,5	110,4	63,2	2,8	1,6	hypothetical protein
SCO4683	SLI4956	79,3	168,8	90,5	2,1	1,1	NADP-specific glutamate dehydrogenase
SCO4784	SLI5054	58,4	162,4	70,0	2,8	1,2	Chorismate mutase I
SCO4896	SLI5168	20,9	57,3	32,6	2,7	1,6	putative transport integral membrane protein
SCO4930	SLI5203	12,0	31,2	9,8	2,6	0,8	Methylglutaconyl-CoA hydratase
SCO4931	SLI5204	7,1	23,8	6,3	3,4	0,9	putative secreted protein
SCO4936	SLI5210	7,6	18,6	7,2	2,5	1,0	putative ABC transporter ATP-binding protein
SCO4937	SLI5211	3,8	13,4	3,3	3,5	0,9	hypothetical protein
SCO4951	SLI5223	8,8	18,2	10,3	2,1	1,2	putative oxidoreductase
SCO4995	SLI5270	12,9	35,5	19,9	2,8	1,5	hypothetical protein
SCO5012	SLI5288	9,2	19,9	12,0	2,2	1,3	hypothetical protein
SCO5013	SLI5289	4,6	11,9	7,8	2,6	1,7	secreted protein
SCO5014	SLI5290	4,7	12,6	8,6	2,7	1,8	hypothetical protein
SCO5240	SLI5531	600,9	1401,1	689,7	2,3	1,1	transcription regulator, WhiB-like
SCO5249	SLI5540	5,0	15,6	8,3	3,1	1,7	putative nucleotide-binding protein
SCO5389	SLI5658	185,0	583,3	161,6	3,2	0,9	hypothetical protein
SCO5390	SLI5659	20,3	48,0	16,5	2,4	0,8	putative alkanal monooxygenase (luciferase)
SCO5448	SLI5717	4,7	14,3	7,2	3,0	1,5	putative ABC transporter ATP-binding protein
SCO5449	SLI5718	7,1	18,2	11,1	2,6	1,6	putative ABC transporter transmembrane protein
SCO5450	SLI5719	6,5	22,6	12,0	3,5	1,8	putative ABC transporter ATP-binding protein
	SLI5785	189,0	584,0	315,4	3,1	1,7	hypothetical protein
SCO5512	SLI5786	111,5	311,5	173,7	2,8	1,6	Acetolactate synthase large subunit
SCO5513	SLI5787	51,7	233,3	72,4	4,5	1,4	Acetolactate synthase small subunit
SCO5514	SLI5788	472,1	1735,1	613,3	3,7	1,3	Ketol-acid reductoisomerase
SCO5530	SLI5806	6,4	12,9	9,3	2,0	1,5	putative membrane protein
SCO5553	SLI5830	51,4	141,1	70,9	2,7	1,4	3-isopropylmalate dehydratase large subunit
SCO5554	SLI5831	38,3	137,2	50,7	3,6	1,3	3-isopropylmalate dehydratase small subunit
	SLI6006	104,6	225,4	193,3	2,2	1,8	hypothetical protein
SCO5774	SLI6036	561,1	1300,9	779,6	2,3	1,4	glutamate permease
SCO5776	SLI6038	1414,2	2997,5	1975,9	2,1	1,4	glutamate-binding protein of ABC transporter system
	SLI6109	31,7	75,6	49,8	2,4	1,6	hypothetical protein
SCO5976	SLI6258	25,0	77,2	40,1	3,1	1,6	Ornithine carbamoyltransferase
	SLI6370	5,6	15,2	10,2	2,7	1,8	hypothetical protein
	SLI6371	38,5	82,8	55,1	2,1	1,4	hypothetical protein
	SLI6372	53,9	110,0	80,5	2,0	1,5	hypothetical protein.
	SLI6482	8,9	22,0	16,7	2,5	1,9	hypothetical protein

SCO6090	SLI6484	6,8	18,2	9,5	2,7	1,4	hypothetical protein
SCO6096	SLI6490	5,1	11,6	3,4	2,3	0,7	ABC-transporter, probable sulfate transport
SCO6097	SLI6492	9,8	22,0	7,0	2,3	0,7	Sulfate adenylyltransferase subunit 1
SCO6196	SLI6585	14,5	50,8	19,0	3,5	1,3	putative long-chain-fatty-acid-CoA ligase
SCO6197	SLI6586	272,7	632,1	209,3	2,3	0,8	secreted protein
SCO6198	SLI6587	10,6	51,5	11,8	4,8	1,1	hypothetical protein
SCO6199	SLI6588	14,2	54,1	15,5	3,8	1,1	hypothetical protein
SCO6200	SLI6589	6,4	13,2	3,8	2,1	0,6	hypothetical protein
SCO6243	SLI6631	7,7	15,9	12,3	2,1	1,6	Malate synthase
SCO6295	SLI6688	4,8	14,1	5,8	3,0	1,2	Transport ATP-binding protein CydCD
SCO6298	SLI6690	5,6	14,0	10,6	2,5	1,9	hypothetical protein
	SLI6712	4,5	11,0	5,0	2,4	1,1	hypothetical protein
SCO6344	SLI6741	14,7	29,8	20,3	2,0	1,4	amidotransferase-related protein
SCO6451	SLI6797	45,2	263,1	53,4	5,8	1,2	Nickel ABC transporter, nickel-binding protein, nikA
SCO6452	SLI6798	24,7	192,3	39,3	7,8	1,6	Nickel ABC transporter, permease, nikB
SCO6453	SLI6799	16,7	108,0	22,2	6,4	1,3	Nickel ABC transporter, permease, nikC
SCO6454	SLI6800	11,9	56,9	16,5	4,8	1,4	Nickel ABC transporter, ATP-binding protein, nikD
SCO6455	SLI6801	17,1	65,6	29,0	3,8	1,7	Nickel ABC transporter, ATP-binding protein, nikE
SCO6470	SLI6816	35,2	70,8	51,9	2,0	1,5	Mesaconyl-CoA hydratase
	SLI6822	10,6	27,7	16,8	2,6	1,6	hypothetical protein
SCO6550	SLI6900	6,9	15,6	12,4	2,3	1,8	Short-chain dehydrogenase/reductase SDR
SCO6590	SLI6947	190,0	387,6	107,6	2,0	0,6	hypothetical protein
SCO6644	SLI6989	60,6	141,5	109,2	2,3	1,8	Oligopeptide ABC transporter, solute binding protein
SCO6646	SLI6991	15,4	30,9	21,7	2,0	1,4	putative transport system permease
SCO6658	SLI7003	89,1	223,9	176,2	2,5	2,0	6-phosphogluconate dehydrogenase, decarboxylating
SCO6659	SLI7004	70,9	173,7	131,9	2,5	1,9	Glucose-6-phosphate isomerase
SCO6682	SLI7026	7,4	16,2	7,5	2,2	1,0	Lanthionine precursor peptide LanA
SCO6695	SLI7039	48,5	103,8	55,3	2,1	1,1	hypothetical protein
SCO6715	SLI7059	18,5	59,1	21,6	3,2	1,2	transcriptional regulator, WhiB-type
SCO6717	SLI7061	133,2	405,4	162,9	3,0	1,2	putative acyl-[acyl-carrier protein] desaturase
SCO6766	SLI7114	14,2	31,4	17,2	2,2	1,2	hopanoid biosynthesis associated radical SAM protein HpnH
SCO6767	SLI7115	8,7	23,9	15,7	2,8	1,8	GcpE protein homolog, lipid metabolism
SCO6778	SLI7126	8,8	17,8	15,7	2,0	1,8	hypothetical protein
SCO6981	SLI7183	6,1	14,0	9,7	2,3	1,6	Inositol transport system ATP-binding protein
SCO6982	SLI7184	7,3	16,1	12,6	2,2	1,7	Inosose dehydratase
SCO6989	SLI7191	7,1	18,5	8,0	2,6	1,1	hypothetical protein
SCO6990	SLI7192	12,0	34,5	17,2	2,9	1,4	Sodium-dependent transporter
SCO7002	SLI7204	5,1	12,3	6,5	2,4	1,3	amino acid permease (GABA permease)
SCO7036	SLI7241	36,5	232,4	67,7	6,4	1,9	Argininosuccinate synthase (EC 6.3.4.5)
SCO7040	SLI7245	21,5	50,3	26,9	2,3	1,3	NADPH-dependent glyceraldehyde-3-phosphate dehydrogenase
SCO7047	SLI7252	11,6	35,4	11,4	3,1	1,0	Undecaprenyl-diphosphatase
SCO7251	SLI7467	87,4	201,3	68,5	2,3	0,8	hypothetical protein
SCO7252	SLI7468	69,5	141,1	62,0	2,0	0,9	putative regulatory protein

SCO7253	SLI7469	17,4	40,1	19,4	2,3	1,1	hypothetical protein
	SLI7481	7,5	19,7	9,9	2,6	1,3	hypothetical protein
SCO7399	SLI7618	35,8	76,3	36,8	2,1	1,0	Ferric hydroxamate ABC transporter, substrate binding protein FhuD
SCO7420	SLI7640	27,7	57,2	34,0	2,1	1,2	hypothetical protein
SCO7421	SLI7641	35,7	74,2	47,3	2,1	1,3	hypothetical protein
SCO7467	SLI7684	39,7	122,0	51,0	3,1	1,3	hypothetical protein
SCO7659	SLI7886	58,7	129,5	112,0	2,2	1,9	hypothetical protein
	SLI7935	10,0	20,4	15,8	2,0	1,6	hypothetical protein
SCO7722	SLI7953	3,5	10,0	5,5	2,9	1,6	hypothetical protein
SCO7733	SLI7969	12,9	26,1	21,6	2,0	1,7	hypothetical protein
SCO7772	SLI8015	14,6	33,1	22,9	2,3	1,6	hypothetical protein
	SLI8060	8,7	24,2	15,6	2,8	1,8	hypothetical protein
SCO7814	SLI8061	15,4	35,5	22,0	2,3	1,4	putative oxidoreductase (pseudogene)

Table S2-A. Genes expressed lower in both *csIA* and *glxA*

Gene # <i>S. coelicolor</i>	Gene # <i>S. lividans</i>	1326 (RPKM)	<i>csIA</i> (RPKM)	<i>glxA</i> (RPKM)	<i>csIA</i> /1326	<i>glxA</i> /1326	Annotation
	SLI0003	23,0	11,1	11,1	0,5	0,5	hypothetical protein
	SLI0174	37,1	14,6	11,2	0,4	0,3	hypothetical protein
	SLI0229	35,0	15,2	15,1	0,4	0,4	hypothetical protein
SCO0558	SLI0520	40,1	9,5	19,3	0,2	0,5	hypothetical protein
SCO0793	SLI0776	12,4	5,3	5,7	0,4	0,5	hypothetical protein
	SLI1219	13,1	1,9	1,5	0,1	0,1	hypothetical protein
	SLI1372	15,9	4,4	6,9	0,3	0,4	hypothetical protein
SCO1602	SLI1891	21,9	8,6	10,5	0,4	0,5	Transcriptional regulator, GntR family
	SLI1906	144,5	51,5	39,2	0,4	0,3	hypothetical protein
	SLI1910	108,5	43,6	54,2	0,4	0,5	hypothetical protein
SCO1708	SLI1955	36,7	10,4	8,2	0,3	0,2	hypothetical protein
	SLI2012	15,0	6,4	6,4	0,4	0,4	hypothetical protein
	SLI2052	77,5	32,7	38,0	0,4	0,5	putative regulator, highly similar to metallo-thionein-like proteins
	SLI2174	94,6	28,3	30,8	0,3	0,3	hypothetical protein
	SLI2277	10,0	3,2	2,5	0,3	0,2	hypothetical protein
	SLI2499	28,1	10,2	12,2	0,4	0,4	hypothetical protein
SCO2185	SLI2512	264,0	76,0	92,6	0,3	0,4	hypothetical protein
SCO2224	SLI2550	168,1	65,7	64,4	0,4	0,4	hypothetical protein
	SLI2615	15,5	7,6	5,2	0,5	0,3	hypothetical protein
SCO2530	SLI2866	11,3	2,5	4,2	0,2	0,4	hypothetical protein
SCO2636	SLI2978	106,0	24,4	50,6	0,2	0,5	hypothetical protein
SCO2887	SLI3232	298,6	101,8	141,8	0,3	0,5	membrane protein
SCO3071	SLI3421	87,9	13,2	33,1	0,1	0,4	Formiminoglutamic iminohydrolase
SCO3072	SLI3422	65,1	6,5	12,2	0,1	0,2	putative amino acid hydrolase
SCO3073	SLI3423	74,5	12,8	10,6	0,2	0,1	Urocanate hydratase

SCO3075	SLI3425	52,3	6,8	8,9	0,1	0,2	Transcriptional regulator, ArsR family
SCO3081	SLI3431	202,7	61,7	101,7	0,3	0,5	hypothetical protein
SCO3088	SLI3440	133,6	19,5	63,5	0,1	0,5	hypothetical protein
SCO3196	SLI3550	45,0	23,4	20,9	0,5	0,5	PTS system, putative fructose-specific permease
SCO3285	SLI3630	30,5	14,0	12,6	0,5	0,4	hypothetical protein
SCO3386	SLI3729	30,8	13,2	7,9	0,4	0,3	hypothetical protein
SCO3431	SLI3775	98,9	26,5	37,2	0,3	0,4	membrane protein
SCO3620	SLI3864	13,8	5,0	6,1	0,4	0,4	putative membrane protein
	SLI3865	78,5	39,0	33,1	0,5	0,4	serine-threonine protein kinase
SCO3657	SLI3904	361,0	61,2	101,4	0,2	0,3	loricrin
SCO3750	SLI3994	28,0	8,0	13,8	0,3	0,5	two-component sensor histidine kinase
SCO3784	SLI4028	130,4	36,7	60,8	0,3	0,5	hypothetical protein
	SLI4074	204,7	81,0	80,2	0,4	0,4	hypothetical protein
SCO3942	SLI4190	23,1	6,2	8,6	0,3	0,4	hypothetical protein
	SLI4248	44,8	7,1	14,8	0,2	0,3	hypothetical protein
	SLI4284	12,9	5,5	5,9	0,4	0,5	penicillin amidase family protein
SCO4174	SLI4415	17,9	7,6	7,5	0,4	0,4	integral membrane protein
	SLI4557	25,5	13,1	12,6	0,5	0,5	probable DNA-binding protein
	SLI4681	33,9	10,0	9,6	0,3	0,3	hypothetical protein
SCO4802	SLI5073	49,8	7,3	21,2	0,1	0,4	hypothetical protein
SCO4803	SLI5075	81,8	13,7	35,4	0,2	0,4	hypothetical protein
SCO4867	SLI5140	20,6	6,3	8,7	0,3	0,4	hypothetical protein
	SLI5201	152,7	65,5	66,8	0,4	0,4	hypothetical protein
SCO4932	SLI5205	499,2	24,5	59,7	0,0	0,1	Histidine ammonia-lyase
	SLI5220	1099,7	498,8	385,4	0,5	0,4	hypothetical protein
	SLI5247	18,8	2,4	5,5	0,1	0,3	hypothetical protein
	SLI5409	287,2	132,4	144,2	0,5	0,5	hypothetical protein
	SLI5426	25,1	10,3	9,4	0,4	0,4	hypothetical protein
SCO5228	SLI5517	55,6	17,4	28,0	0,3	0,5	putative acetyltransferase
SCO5462	SLI5731	12,4	3,3	4,9	0,3	0,4	hypothetical protein
SCO5581	SLI5863	211,7	91,1	96,8	0,4	0,5	hypothetical protein
SCO5680	SLI5940	155,4	14,7	68,4	0,1	0,4	Cytidine deaminase
	SLI6080	459,5	163,8	137,0	0,4	0,3	hypothetical protein
	SLI6081	292,0	141,5	147,4	0,5	0,5	hypothetical protein
SCO5853	SLI6124	29,4	14,7	12,6	0,5	0,4	SgaA homolog
	SLI6195	10,6	2,7	4,8	0,3	0,5	hypothetical protein
SCO6421	SLI6765	13,3	4,7	6,2	0,4	0,5	putative two-component system sensor kinase
SCO6538	SLI6886	20,6	5,7	9,7	0,3	0,5	integral membrane protein
SCO7247	SLI7463	12,6	5,2	5,5	0,4	0,4	Usp-like, universal stress protein family
SCO7284	SLI7502	258,7	86,0	125,4	0,3	0,5	Ribonuclease HI

Table S2-B. Genes expressed lower in *glxA* only

Gene # <i>S. coelicolor</i>	Gene # <i>S. lividans</i>	1326 (RPKM)	<i>cslA</i> (RPKM)	<i>glxA</i> (RPKM)	<i>cslA</i> /1326	<i>glxA</i> /1326	Annotation
SCO0286	SLI0239	10,7	7,3	4,8	0,7	0,4	secreted peptidoglycan binding protein
SCO0761	SLI0742	281,0	356,8	104,5	1,3	0,4	hypothetical protein
	SLI1233	10,7	6,2	5,3	0,6	0,5	hypothetical protein
	SLI1346	87,5	52,4	43,6	0,6	0,5	hypothetical protein
SCO1682	SLI1987	14,9	9,6	7,5	0,6	0,5	L-idonate 5-dehydrogenase
	SLI2083	78,8	41,5	34,5	0,5	0,4	hypothetical protein
SCO1902	SLI2213	11,4	9,2	4,7	0,8	0,4	hypothetical hydrophilic protein
SCO2038	SLI2360	362,8	334,5	156,1	0,9	0,4	FIG01124547: hypothetical protein
SCO2159	SLI2485	24,7	13,9	11,5	0,6	0,5	SC6G10.32, unknown, len: 69aa
	SLI2771	28,3	24,8	14,1	0,9	0,5	FIG01121890: hypothetical protein
	SLI3141	49,1	34,5	22,8	0,7	0,5	hypothetical protein
SCO2837	SLI3188	188,4	3460,9	1,1	18,4	0,0	Radical Cu-oxidase, <i>glxA</i>
	SLI3223	35,8	57,4	17,8	1,6	0,5	hypothetical protein
SCO3074	SLI3424	149,3	238,5	66,6	1,6	0,4	putative integral membrane protein
SCO3362	SLI3704	19,5	31,1	8,6	1,6	0,4	putative membrane protein
SCO5100	SLI5378	73,7	63,8	35,2	0,9	0,5	Transcriptional regulator, GntR family
SCO6099	SLI6494	20,4	24,1	9,3	1,2	0,5	Adenylylsulfate kinase
SCO6100	SLI6495	36,9	20,1	16,9	0,5	0,5	phosphoadenosine phosphosulfate reductase, <i>cysH</i>
	SLI6946	18,8	13,1	3,9	0,7	0,2	hypothetical protein
	SLI6951	66,5	88,5	32,7	1,3	0,5	hypothetical protein
SCO6716	SLI7060	54,5	93,9	21,4	1,7	0,4	hypothetical protein
	SLI7157	11,8	7,4	5,3	0,6	0,4	hypothetical protein
SCO7257	SLI7473	25,0	14,0	12,1	0,6	0,5	ChpB
SCO7279	SLI7497	32,9	19,2	16,6	0,6	0,5	DNA-binding protein

Table S2-C. Genes expressed lower in *cslA* only. Only hints that are three-fold down or more are shown in the table.

Gene # <i>S. coelicolor</i>	Gene # <i>S. lividans</i>	1326 (RPKM)	<i>cslA</i> (RPKM)	<i>glxA</i> (RPKM)	<i>cslA</i> /1326	<i>glxA</i> /1326	Annotation
SCO0084	SLI0010	11,3	3,7	6,6	0,3	0,6	hypothetical protein
SCO0536	SLI0496	49,6	14,7	35,3	0,3	0,7	hypothetical protein
SCO0953	SLI1186	158,0	33,1	107,9	0,2	0,7	regulatory protein, LacI
SCO0954	SLI1187	62,8	19,2	44,4	0,3	0,7	putative acetyltransferase
SCO0977	SLI1212	111,1	29,8	94,3	0,3	0,8	hypothetical protein
SCO1000	SLI0872	27,4	1,8	36,3	0,1	1,3	Integrase
SCO1087	SLI1361	469,9	36,9	483,7	0,1	1,0	threonine aldolase
SCO1088	SLI1362	647,8	32,2	697,2	0,0	1,1	putative oxidoreductase
SCO1089	SLI1363	955,2	80,1	947,5	0,1	1,0	hypothetical protein
SCO1090	SLI1364	76,7	17,4	58,6	0,2	0,8	Glycerophosphoryl diester phosphodiesterase
SCO1109	SLI1382	104,9	26,8	91,2	0,3	0,9	2,4-dienoyl-CoA reductase (NADPH)

SCO1377	SLI1670	24,7	6,0	21,6	0,2	0,9	Molybdate-binding domain of ModE
SCO1378	SLI1671	235,7	31,1	229,2	0,1	1,0	putative glycine dehydrogenase
SCO1379	SLI1672	13,1	3,0	8,1	0,2	0,6	hypothetical protein
SCO1454	SLI1752	47,9	14,9	53,6	0,3	1,1	Lysine 2-monooxygenase
SCO1455	SLI1753	73,2	16,5	70,1	0,2	1,0	hydrolase
SCO1459	SLI1756	15,4	4,5	13,2	0,3	0,9	putative amino acid transporter
SCO1541	SLI1842	41,9	11,8	38,8	0,3	0,9	putative regulator
SCO1749	SLI2053	557,5	147,5	507,8	0,3	0,9	hypothetical protein
SCO1788	SLI2096	96,3	31,9	65,1	0,3	0,7	4-nitrophenylphosphatase
SCO1799	SLI2107	22,0	5,8	13,7	0,3	0,6	hypothetical protein
SCO1908	SLI2220	50,6	14,8	33,5	0,3	0,7	putative large secreted protein
SCO1982	SLI2298	83,0	26,1	66,1	0,3	0,8	hypothetical protein
SCO2099	SLI2423	52,8	12,7	27,1	0,2	0,5	hypothetical protein
SCO2107	SLI2431	171,7	53,1	101,2	0,3	0,6	glycine oxidase
SCO2255	SLI2582	107,3	36,7	79,5	0,3	0,7	putative membrane protein
SCO2256	SLI2583	113,1	29,1	109,9	0,3	1,0	3-methyl-2-oxobutanoate hydroxymethyltransferase
SCO2297	SLI2625	64,7	17,6	61,2	0,3	0,9	hypothetical protein
SCO2320	SLI2650	30,0	8,4	19,5	0,3	0,7	hypothetical protein
SCO2352	SLI2683	82,5	25,1	54,0	0,3	0,7	hypothetical protein
SCO2353	SLI2684	121,0	19,2	63,7	0,2	0,5	hypothetical protein
SCO2472	SLI2808	12,2	4,2	6,4	0,3	0,5	SanA protein
SCO2538	SLI2874	318,7	95,8	199,7	0,3	0,6	hypothetical protein
SCO2574	SLI2911	113,7	38,4	102,5	0,3	0,9	hypothetical protein
SCO2939	SLI3283	237,5	71,7	143,9	0,3	0,6	hypothetical protein
SCO2942	SLI3287	459,5	147,5	245,4	0,3	0,5	oxidoreductase
SCO2953	SLI3299	71,8	18,6	37,9	0,3	0,5	putative membrane protein
SCO2954	SLI3300	15,6	5,4	13,7	0,3	0,9	RNA polymerase sigma-70 factor, ECF subfamily
SCO3048	SLI3396	505,7	156,3	435,5	0,3	0,9	putative membrane protein
SCO3070	SLI3420	81,3	14,3	42,5	0,2	0,5	Imidazolonepropionase
SCO3084	SLI3434	13,8	4,0	8,4	0,3	0,6	P-hydroxybenzoate hydroxylase
SCO3086	SLI3437	1554,2	207,9	1456,8	0,1	0,9	putative lipoprotein
SCO3087	SLI3438	981,7	114,2	702,9	0,1	0,7	hypothetical protein
SCO3114	SLI3471	11,7	3,8	10,9	0,3	0,9	putative cellulose-binding protein
SCO3157	SLI3511	210,8	71,4	147,0	0,3	0,7	putative penicillin-binding protein
SCO3194	SLI3548	681,7	198,5	490,6	0,3	0,7	putative lipoprotein
SCO3197	SLI3551	59,1	16,6	44,3	0,3	0,7	Putative sugar kinase
SCO3293	SLI3638	10,1	2,8	7,0	0,3	0,7	hypothetical protein
SCO3330	SLI3673	40,0	10,3	36,9	0,3	0,9	NAD-independent protein deacetylase AcuC
SCO3341	SLI3684	440,5	114,7	258,4	0,3	0,6	hypothetical protein
SCO3342	SLI3685	894,5	129,6	539,8	0,1	0,6	glycine-rich secreted protein
SCO3343	SLI3686	121,6	29,7	71,8	0,2	0,6	hypothetical protein
SCO3356	SLI3698	2083,9	664,0	1835,7	0,3	0,9	ECF sigma factor
SCO3432	SLI3776	41,2	13,0	26,9	0,3	0,7	hypothetical protein
SCO3577	SLI3820	198,4	67,4	144,8	0,3	0,7	Arsenical pump-driving ATPase

Appendix

SCO3601	SLI3844	240,8	73,4	218,7	0,3	0,9	ligand-binding protein related to C-terminal domains of K ⁺ channels
SCO3621	SLI3866	156,8	28,1	86,5	0,2	0,6	serine-threonine protein kinase
SCO3626	SLI3871	75,5	25,7	53,2	0,3	0,7	putative RNA polymerase sigma factor
SCO3656	SLI3903	67,3	21,0	41,4	0,3	0,6	hypothetical protein
SCO3676	SLI3924	830,2	212,4	502,6	0,3	0,6	hypothetical protein
SCO3686	SLI3934	58,6	16,8	39,3	0,3	0,7	hypothetical protein
SCO3703	SLI3952	70,6	19,6	71,2	0,3	1,0	Molybdate-binding domain of ModE
SCO3710	SLI3959	240,8	67,2	242,8	0,3	1,0	hypothetical protein
SCO3712	SLI3961	719,2	135,4	469,0	0,2	0,7	hydrolase
SCO3772	SLI4016	32,8	8,1	22,3	0,2	0,7	hypothetical protein
SCO3783	SLI4027	46,7	14,9	28,4	0,3	0,6	putative lipoprotein
SCO3786	SLI4030	24,2	6,0	17,8	0,2	0,7	integral membrane protein
SCO3817	SLI4068	617,2	206,3	532,2	0,3	0,9	Branched-chain alpha-keto acid dehydrogenase, E1 alpha subunit
SCO3840	SLI4092	264,3	84,6	209,8	0,3	0,8	hypothetical protein
SCO3866	SLI4120	40,2	14,0	25,8	0,3	0,6	hypothetical protein
SCO3905	SLI4163	158,9	52,1	161,3	0,3	1,0	hypothetical protein
SCO3914	SLI4172	289,6	87,9	264,0	0,3	0,9	Transcriptional regulator, MarR family
SCO3915	SLI4173	261,2	21,9	189,6	0,1	0,7	putative transmembrane efflux protein
SCO3943	SLI4191	21,4	6,6	13,0	0,3	0,6	putative LacI-family transcriptional regulator
SCO3975	SLI4226	208,8	32,0	128,9	0,2	0,6	putative regulatory protein
SCO3976	SLI4227	91,9	26,2	75,1	0,3	0,8	Glycerophosphoryl diester phosphodiesterase
SCO4015	SLI4249	54,5	10,3	30,7	0,2	0,6	hypothetical protein
SCO4038	SLI4272	239,8	80,4	125,6	0,3	0,5	tRNA-specific adenosine-34 deaminase
SCO4039	SLI4273	430,3	121,6	245,9	0,3	0,6	hypothetical protein
SCO4040	SLI4274	31,4	5,5	21,6	0,2	0,7	hypothetical protein
SCO4053	SLI4288	10,7	3,3	8,1	0,3	0,8	Integral membrane protein, CopC & CopD domain
SCO4054	SLI4289	251,1	64,5	279,8	0,3	1,1	hypothetical protein
SCO4055	SLI4290	28,6	8,0	24,6	0,3	0,9	Threonine dehydrogenase and related Zn-dependent dehydrogenases
SCO4069	SLI4297	87,8	25,5	53,8	0,3	0,6	hypothetical protein
SCO4082	SLI4310	109,7	34,9	76,7	0,3	0,7	hypothetical protein
SCO4083	SLI4311	29,8	8,6	22,2	0,3	0,7	hypothetical protein
SCO4084	SLI4312	54,2	17,7	35,0	0,3	0,6	hypothetical protein
SCO4095	SLI4325	83,6	27,1	49,5	0,3	0,6	hypothetical protein
SCO4100	SLI4330	20,5	7,0	14,8	0,3	0,7	hypothetical protein
SCO4113	SLI4344	190,9	63,9	111,3	0,3	0,6	L-2-hydroxyglutarate oxidase
SCO4125	SLI4362	55,1	14,6	36,0	0,3	0,7	acetyltransferase
SCO4142	SLI4381	15,6	5,2	14,5	0,3	0,9	Phosphate ABC transporter, phosphate-binding protein PstS
SCO4167	SLI4408	65,1	21,4	58,6	0,3	0,9	Transcriptional regulator, TetR family
SCO4188	SLI4428	82,8	28,4	59,2	0,3	0,7	Transcriptional regulator, GntR family
SCO4190	SLI4430	298,3	80,4	172,7	0,3	0,6	Transcriptional regulator, GntR family, devA
SCO4234	SLI4472	86,4	29,8	67,4	0,3	0,8	2-C-methyl-D-erythritol 2,4-cyclodiphosphate synthase

SCO4262	SLI4497	36,1	12,6	37,2	0,3	1,0	hypothetical protein
SCO4268	SLI4503	83,6	24,3	64,7	0,3	0,8	hypothetical protein
SCO4287	SLI4524	138,9	46,9	95,6	0,3	0,7	hypothetical protein
SCO4289	SLI4526	477,5	58,8	299,0	0,1	0,6	secreted protein
SCO4290	SLI4527	190,0	31,6	99,6	0,2	0,5	Alpha,alpha-trehalose-phosphate synthase [UDP-forming] (EC 2.4.1.15)
SCO4291	SLI4528	26,5	8,7	18,6	0,3	0,7	hypothetical protein
SCO4292	SLI4529	69,9	24,2	51,8	0,3	0,7	putative glucosyl-3-phosphoglycerate synthase
SCO4302	SLI4539	15,7	3,2	10,7	0,2	0,7	secreted protein
SCO4322	SLI4559	86,3	28,7	55,6	0,3	0,6	hypothetical protein
SCO4343	SLI4582	30,4	10,4	21,0	0,3	0,7	Mobile element protein
SCO4386	SLI4620	91,0	30,5	66,7	0,3	0,7	hypothetical protein
SCO4409	SLI4645	101,2	32,4	64,0	0,3	0,6	hypothetical protein
SCO4410	SLI4646	45,3	11,2	44,9	0,2	1,0	putative anti anti sigma factor
SCO4412	SLI4650	31,3	10,2	20,5	0,3	0,7	putative regulatory protein
SCO4422	SLI4659	12,7	3,8	6,9	0,3	0,5	putative hydrolase
SCO4424	SLI4661	353,4	62,4	284,5	0,2	0,8	hypothetical protein
SCO4435	SLI4674	48,9	15,6	28,5	0,3	0,6	putative ADP-ribosylglycohydrolase
SCO4458	SLI4700	89,6	29,0	48,4	0,3	0,5	lipoprotein
SCO4467	SLI4746	283,0	83,6	163,1	0,3	0,6	hypothetical protein
SCO4477	SLI4756	16,4	5,1	14,0	0,3	0,9	Transcriptional regulator, MerR family
SCO4500	SLI4780	43,9	15,0	27,3	0,3	0,6	Acyl dehydratase
SCO4503	SLI4784	15,6	5,1	13,6	0,3	0,9	Long-chain-fatty-acid--CoA ligase
SCO4587	SLI4871	118,0	36,5	97,1	0,3	0,8	Multimeric flavodoxin WrbA
SCO4588	SLI4872	347,5	49,2	197,4	0,1	0,6	hypothetical protein
SCO4633	SLI4904	102,3	34,2	78,9	0,3	0,8	Cytosine deaminase
SCO4696	SLI4967	15,5	5,3	14,4	0,3	0,9	hypothetical protein
SCO4744	SLI5014	31,8	8,1	24,9	0,3	0,8	Holo-[acyl-carrier protein] synthase
SCO4779	SLI5050	158,2	44,9	92,6	0,3	0,6	putative serine/threonine protein kinase
SCO4804	SLI5076	15,4	4,8	8,0	0,3	0,5	hypothetical protein
SCO4818	SLI5089	12,5	3,9	6,5	0,3	0,5	hypothetical protein
SCO4895	SLI5167	192,8	50,5	118,1	0,3	0,6	RNA polymerase sigma-70 factor
SCO4908	SLI5180	2709,8	493,3	1387,1	0,2	0,5	putative RNA polymerase ECF-subfamily sigma factor
SCO4988	SLI5263	56,8	17,4	41,5	0,3	0,7	2-dehydro-3-deoxygluconate kinase
SCO5070	SLI5348	10,9	3,6	5,7	0,3	0,5	hypothetical protein
SCO5138	SLI5420	95,1	25,5	76,1	0,3	0,8	hypothetical protein
SCO5157	SLI5440	301,2	64,1	167,7	0,2	0,6	Magnesium and cobalt transport protein CorA
SCO5158	SLI5441	146,7	48,1	109,9	0,3	0,7	hypothetical protein
SCO5209	SLI5498	50,9	17,6	41,0	0,3	0,8	Transcriptional regulator, TetR family
SCO5254	SLI5545	4185,1	1183,8	3958,7	0,3	0,9	Nickel-dependent superoxide dismutase
SCO5401	SLI5672	83,9	20,3	59,8	0,2	0,7	probable integral membrane protein
SCO5403	SLI5674	116,5	35,7	134,9	0,3	1,2	Two-component response regulator
SCO5415	SLI5684	407,2	135,8	472,5	0,3	1,2	putative isobutyryl-CoA mutase, chain B
SCO5416	SLI5685	148,5	50,7	130,8	0,3	0,9	Transcriptional regulator, AraC family

Appendix

SCO5417	SLI5686	54,2	16,9	50,0	0,3	0,9	putative zinc-binding oxidoreductase
SCO5437	SLI5705	40,2	13,5	22,6	0,3	0,6	putative MerR-family transcriptional regulator
SCO5469	SLI5738	126,4	34,9	116,4	0,3	0,9	L-serine dehydratase
SCO5472	SLI5741	236,6	49,7	231,1	0,2	1,0	Aminomethyltransferase (glycine cleavage system T protein)
SCO5473	SLI5742	194,1	34,9	148,2	0,2	0,8	putative ATP/GTP binding protein
SCO5483	SLI5753	80,2	26,4	72,3	0,3	0,9	Transcriptional regulator, TetR family
SCO5528	SLI5803	90,1	30,7	74,1	0,3	0,8	Transcriptional regulator, TetR family
SCO5557	SLI5834	212,7	51,9	171,1	0,2	0,8	hypothetical protein
SCO5676	SLI5935	301,3	28,2	213,6	0,1	0,7	Gamma-aminobutyrate:alpha-ketoglutarate aminotransferase
SCO5679	SLI5939	192,8	20,7	132,7	0,1	0,7	aldehyde dehydrogenase family protein
SCO5681	SLI5941	26,7	1,6	16,4	0,1	0,6	Dolichol-phosphate mannosyltransferase
SCO5772	SLI6034	109,6	33,0	81,7	0,3	0,7	hypothetical protein
SCO5798	SLI6061	357,9	117,0	245,3	0,3	0,7	putative secreted protein
SCO5807	SLI6073	56,3	19,6	45,0	0,3	0,8	hypothetical protein
SCO5881	SLI6154	181,2	61,1	116,6	0,3	0,6	two-component system response regulator
SCO5915	SLI6190	12,3	3,5	8,3	0,3	0,7	hypothetical protein
SCO5919	SLI6197	27,1	5,8	22,9	0,2	0,8	hypothetical protein
SCO5920	SLI6198	52,6	7,6	63,1	0,1	1,2	ATP-dependent RNA helicase
SCO5985	SLI6267	13,5	2,6	9,7	0,2	0,7	Putative translation initiation inhibitor, yjgF family
SCO5986	SLI6268	116,8	22,5	78,5	0,2	0,7	putative oxidoreductase
SCO5987	SLI6269	144,2	27,5	118,4	0,2	0,8	hypothetical protein
SCO5991	SLI6274	122,1	29,8	71,6	0,2	0,6	secreted protein
SCO6045	SLI6439	198,7	53,9	144,9	0,3	0,7	hypothetical protein
SCO6084	SLI6477	127,2	43,2	87,9	0,3	0,7	putative DNA polymerase III epsilon subunit
SCO6526	SLI6874	13,7	4,0	13,7	0,3	1,0	hypothetical protein
SCO6540	SLI6888	83,3	27,8	43,4	0,3	0,5	Pterin-4-alpha-carbinolamine dehydratase
SCO6621	SLI6980	157,6	36,2	108,6	0,2	0,7	hypothetical protein
SCO6799	SLI7149	127,4	3,5	121,8	0,0	1,0	L-threonine 3-dehydrogenase
SCO6800	SLI7150	138,7	3,7	187,9	0,0	1,4	2-amino-3-ketobutyrate coenzyme A ligase
SCO6801	SLI7151	65,4	19,9	73,3	0,3	1,1	Transcriptional regulator, LysR-family
SCO7248	SLI7464	10,1	3,5	7,1	0,3	0,7	hypothetical protein
SCO7533	SLI7755	11,2	2,7	10,7	0,2	1,0	two-component system response regulator
SCO7597	SLI7819	26,4	9,0	19,2	0,3	0,7	putative N-acetylglucosamine kinase
	SLI5074	20,6	2,7	21,8	0,1	1,1	hypothetical protein
	SLI3439	526,9	107,8	356,3	0,2	0,7	hypothetical protein
	SLI7216	16,5	3,9	14,6	0,2	0,9	Transcriptional regulator, LacI-family
	SLI1383	17,0	4,0	17,4	0,2	1,0	hypothetical protein
	SLI3901	11,5	2,8	7,7	0,2	0,7	hypothetical protein
	SLI4663	69,4	17,7	60,9	0,3	0,9	hypothetical protein
	SLI3397	405,7	112,1	264,6	0,3	0,7	putative membrane protein
	SLI3436	14,1	4,0	11,4	0,3	0,8	hypothetical protein
	SLI0018	88,1	25,5	59,4	0,3	0,7	putative two-component system response regulator

SLI8089	12,1	3,6	8,6	0,3	0,7	hypothetical protein
SLI4844	15,6	4,7	9,7	0,3	0,6	hypothetical protein
SLI4699	25,8	8,0	14,5	0,3	0,6	hypothetical protein
SLI6125	35,3	10,9	27,3	0,3	0,8	hypothetical protein
SLI3499	18,4	5,7	11,7	0,3	0,6	two-component system response regulator
SLI3881	76,2	24,0	42,3	0,3	0,6	hypothetical protein
SLI3774	23,1	7,4	27,0	0,3	1,2	hypothetical protein
SLI7074	9,7	3,1	10,7	0,3	1,1	hypothetical protein
SLI5049	69,6	22,5	78,3	0,3	1,1	hypothetical protein
SLI1401	18,4	6,1	10,2	0,3	0,6	hypothetical protein
SLI5843	53,1	17,9	47,7	0,3	0,9	hypothetical protein
SLI1210	69,1	23,5	39,2	0,3	0,6	hypothetical protein
SLI5857	53,3	18,3	27,0	0,3	0,5	hypothetical protein
SLI2084	19,5	6,7	14,3	0,3	0,7	putative regulatory protein

CURRICULUM VITAE

Giulia Mangiameli was born on the 2nd of May 1984 in Torino, Italy. In 2003, she graduated from Liceo Classico Vincenzo Gioberti, Torino. Between 2003 and 2006, she studied Biotechnology at the University of Torino, obtaining her Bachelor of Science. In 2006, she started her Master's in Industrial Biotechnology at the same university. Between 2007 and 2008, she spent a year abroad at the University of Salamanca, Spain, following an Erasmus project and working on her Master's thesis. She graduated in 2009 with a MSc project on the degradation of textile dyes by the catalytic action of a peroxidase extracted from lentil plants. In the fall of 2009, she joined the group of Molecular Biotechnology at the University of Leiden under the supervision of Dr Erik Vijgenboom and Prof Gilles van Wezel. Her work was funded by the European Research Area for the Industrial Biotechnology (ERA-IB). In early 2014, she moved to London to work as an Executive Editor for the BMC-series at BioMed Central, Springer.

The work done during her PhD is presented in this thesis.

