



Universiteit  
Leiden  
The Netherlands

## The lead zeppelin : a force sensor without a handle

Waarde, B. van

### Citation

Waarde, B. van. (2016, November 2). *The lead zeppelin : a force sensor without a handle.* Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/43816>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/43816>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/43816> holds various files of this Leiden University dissertation

**Author:** Waarde, Bob van

**Title:** The lead zeppelin : a force sensor without a handle

**Issue Date:** 2016-11-02

## References

- [1] C. L. Degen, M. Poggio, H. J. Mamin, C. T. Rettner, and D. Rugar, “Nanoscale Magnetic Resonance Imaging,” *PNAS*, vol. 106, no. 5, p. 1313, 2009.
- [2] J. M. Nichol, E. R. Hemesath, L. J. Lauhon, and R. Budakian, “Nanomechanical Detection of Nuclear Magnetic Resonance Using a Silicon Nanowire Oscillator,” *Physical Review B*, vol. 85, no. 5, p. 054414, 2012.
- [3] H. B. Callen and T. A. Welton, “Irreversibility and Generalized Noise,” *Physical Review*, vol. 83, no. 1, p. 34, 1951.
- [4] A. Vinante, A. Kirste, A. den Haan, O. Usenko, G. Wijts, E. Jeffrey, P. Sonin, D. Bouwmeester, and T. H. Oosterkamp, “High Sensitivity SQUID-Detection and Feedback-Cooling of an Ultrasoft Microcantilever,” *Applied Physics Letters*, vol. 101, p. 123101, 2012.
- [5] J. Gieseler, L. Novotny, and R. Quidant, “Thermal Nonlinearities in a Nanomechanical Oscillator,” *Nature Physics*, vol. 9, p. 806, 2013.
- [6] E. Schrödinger, “Die Gegenwärtige Situation in der Quantenmechanik,” *Naturwissenschaften*, vol. 23, no. 48–50, pp. 807–812, 823–828, 844–849, 1935.
- [7] A. O. Caldeira and A. J. Leggett, “Influence of Dissipation on Quantum Tunneling in Macroscopic Systems,” *Physical Review Letters*, vol. 46, no. 4, p. 211, 1981.
- [8] L. Diósi, “Models for Universal Reduction of Macroscopic Quantum Fluctuations,” *Physical Review A*, vol. 40, no. 3, p. 1165, 1989.
- [9] P. C. E. Stamp, “Environmental Decoherence versus Intrinsic Decoherence,” *Philosophical Transactions of the Royal Society A*, vol. 370, p. 4429, 2012.
- [10] A. Einstein. (a) *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften*, “Zur Allgemeinen Relativitätstheorie,” vol. XLIV, p. 778 and vol. XLVI, p. 799, 1915, “Erklärung der Perihelbewegung des Merkur aus der Allgemeinen Relativitätstheorie,” vol. XLVII, p. 831, 1915, “Die

- Feldgleichungen der Gravitation,” vol. XLVIII, p. 844, 1915. (b) *Annalen der Physik*, “Die Grundlage der Allgemeinen Relativitätstheorie,” vol. 49, p. 769, 1916.
- [11] T. H. Oosterkamp and J. Zaanen, “A Clock Containing a Massive Object in a Superposition of States; What Makes Penrosian Wavefunction Collapse Tick?,” *arXiv:1401.0176*, 2014.
  - [12] L. Rademaker, T. van der Reep, N. Van den Broeck, B. van Waarde, M. de Voogd, and T. Oosterkamp, “The Instability of a Quantum Superposition of Time Dilations,” *arXiv:1410.2303*, 2014.
  - [13] J. van Wezel and T. H. Oosterkamp, “A Nanoscale Experiment Measuring Gravity’s Role in Breaking the Unitarity of Quantum Dynamics,” *Proceedings of the Royal Society A*, vol. 468, no. 2137, p. 35, 2012.
  - [14] R. Penrose, “On Gravity’s Role in Quantum State Reduction,” *General Relativity and Gravitation*, vol. 28, no. 5, p. 581, 1995.
  - [15] W. Marshall, C. Simon, R. Penrose, and D. Bouwmeester, “Towards Quantum Superpositions of a Mirror,” *Physical Review Letters*, vol. 91, no. 13, p. 130401, 2003.
  - [16] D. E. Chang, C. A. Regal, S. B. Papp, D. J. Wilson, J. Ye, O. Painter, H. J. Kimble, and P. Zoller, “Cavity Opto-Mechanics Using an Optically Levitated Nanosphere,” *PNAS*, vol. 107, no. 3, p. 1005, 2010.
  - [17] O. Romero-Isart, A. C. Pflanzer, F. Blaser, R. Kaltenbaek, N. Kiesel, M. Aspelmeyer, and J. I. Cirac, “Large Quantum Superpositions and Interference of Massive Nanometer-Sized Objects,” *Physical Review Letters*, vol. 107, p. 020405, 2011.
  - [18] J. D. Teufel, T. Donner, D. Li, J. W. Harlow, M. S. Allman, K. Cicak, A. J. Sirois, J. D. Whittaker, K. W. Lehnert, and R. W. Simmonds, “Sideband Cooling of Micromechanical Motion to the Quantum Ground State,” *Nature*, vol. 475, p. 359, 2011.
  - [19] T. S. Monteiro, J. Millen, G. A. T. Pender, F. Marquardt, D. Chang, and P. F. Barker, “Dynamics of Levitated Nanospheres: Towards the Strong Coupling Regime,” *arXiv:1207.1567*, 2012.
  - [20] O. Romero-Isart, L. Clemente, C. Navau, A. Sanchez, and J. I. Cirac, “Quantum Magnetomechanics with Levitating Superconducting Microspheres,” *Physical Review Letters*, vol. 109, p. 147205, 2012.
  - [21] M. Aspelmeyer, T. J. Kippenberg, and F. Marquardt, “Cavity Optomechanics,” *Reviews of Modern Physics*, vol. 86, p. 1391, 2014.

- [22] R. Ghobadi, S. Kumar, B. Pepper, D. Bouwmeester, A. I. Lvovsky, and C. Simon, “Optomechanical Micro-Macro Entanglement,” *Physical Review Letters*, vol. 112, no. 8, p. 080503, 2014.
- [23] V. Singh, S. J. Bosman, B. H. Schneider, Y. M. B. A. Castellanos-Gomez, and G. A. Steele, “Optomechanical Coupling Between a Multilayer Graphene Mechanical Resonator and a Superconducting Microwave Cavity,” *Nature Nanotechnology*, vol. 9, p. 820, 2014.
- [24] W. Meissner and R. Ochsenfeld, “Ein neuer Effekt bei Eintritt der Supraleitfähigkeit,” *Naturwissenschaften*, vol. 21, no. 44, p. 787, 1933.
- [25] J. Clarke and A. I. Braginsky, *The SQUID Handbook*, vol. 1. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, 2004.
- [26] Quantum Design, Inc., USA, *Model 50 DC SQUID Sensor*. [www.qdusa.com](http://www.qdusa.com).
- [27] E. Diez-Jimenez, J.-L. Perez-Diaz, and J. C. Garcia-Prada, “Local Model for Magnet–Superconductor Mechanical Interaction: Experimental Verification,” *Journal of Applied Physics*, vol. 109, no. 6, p. 063901, 2011.
- [28] Q.-G. Lin, “Theoretical Development of the Image Method for a General Magnetic Source in the Presence of a Superconducting Sphere or a Long Superconducting Cylinder,” *Physical Review B*, vol. 74, p. 024510, 2006.
- [29] J. Eisenstein, “Superconducting Elements,” *Review of Modern Physics*, vol. 26, no. 3, p. 277, 1954.
- [30] T. Kalmár-Nagy and B. Balachandran, “Forced Harmonic Vibration of a Duffing Oscillator with Linear Viscous Damping,” in *The Duffing Equation: Nonlinear Oscillators and Their Behaviour*, ch. 5, p. 165, John Wiley & Sons, Ltd., 1st ed., 2011. Reproduced with permission under license number 3705961494022.
- [31] O. Romero-Isart, M. L. Juan, R. Quidant, and J. I. Cirac, “Toward Quantum Superposition of Living Organisms,” *New Journal of Physics*, vol. 12, p. 033015, 2010.
- [32] R. A. Matula, “Electrical Resistivity of Copper, Gold, Palladium and Silver,” *Journal of Physical and Chemical Reference Data*, vol. 8, no. 4, p. 1147, 1979.
- [33] R. C. Ritter, C. E. Goldblum, W.-T. Ni, G. T. Gillies, and C. C. Speake, “Experimental Test of Equivalence Principle with Polarized Masses,” *Physical Review D*, vol. 42, no. 4, p. 977, 1990.
- [34] J. Schmöle, M. Dragosits, H. Hepach, and M. Aspelmeyer, “A Micromechanical Proof-of-Principle Experiment for Measuring the Gravitational Force of milligram Masses,” *arXiv:1602.07539*, 2016.

- [35] E. Tingwall, “Everything You Ever Wanted to Know About Modern Pistons (and Probably Some Things You Didn’t).” <http://www.caranddriver.com/features/everything-you-ever-wanted-to-know-about-pistons-feature>. Consulted 24<sup>th</sup> May, 2016.
- [36] M. B. S. Hesselberth (Leiden University). Private communication.
- [37] F. Matichard, B. Lantz, K. Mason, R. Mittleman, B. Abbott, S. Abbott, E. Allwine, S. Barnum, J. Birch, S. Biscans, D. Clark, D. Coyne, D. DeBra, R. DeRosa, S. Foley, P. Fritschel, J. A. Giaime, C. Gray, G. Grabeel, J. Hanson, M. Hillard, J. Kissel, C. Kucharczyk, A. L. Roux, V. Lhuillier, M. Macinnis, B. O'Reilly, D. Ottaway, H. Paris, M. Puma, H. Radkins, C. Ramet, M. Robinson, L. Ruet, P. Sareen, D. Shoemaker, A. Stein, J. Thomas, M. Vargas, and J. Warner, “Advanced LIGO Two-Stage Twelve-Axis Vibration Isolation and Positioning Platform. Part 2: Experimental Investigation and Tests Results,” *Precision Engineering*, vol. 40, p. 287, 2015.
- [38] O. V. Pakhamov and I. A. Khrebtov, “Acoustic Noise Spectrum of the Liquid Helium Boiling Process on Superconducting Bolometer Surface,” *AIP Conference Proceedings*, vol. 780, p. 147, 2005.
- [39] Agilent 6626A, *DC Power Supply Multiple Output Linear System*.
- [40] B. van Waarde, O. Benningshof, and T. Oosterkamp, “A Magnetic Persistent Current Switch at milliKelvin Temperatures,” *Cryogenics*, vol. 78, p. 74, 2016.
- [41] D. Ameen and P. Wiederhold, “Fast-Acting Superconducting Power Switches,” *The Review of Scientific Instruments*, vol. 35, no. 6, p. 733, 1964.
- [42] D. Hagedorn and P. Dullenkopf, “A Fast-Acting Superconducting Switch for Protection of Superconducting Coils in the Persistent Current Mode,” *Cryogenics*, vol. 14, no. 8, p. 429, 1974.
- [43] K. Noto, Y. Kono, M. Matsukawa, M. Itagaki, T. Ishida, and K. Chiba, “Development of a 50 A-Fast Response, Magnetically Controlled Persistent Current Switch,” *IEEE Transactions on Applied Superconductivity*, vol. 5, no. 2, p. 258, 1995.
- [44] K. Noto, H. Kimura, M. Matsukawa, S. Fujinuma, T. Segawa, T. Takahashi, N. Sadakata, T. Saito, K. Goto, O. Kohno, H. Honma, and C. Takahashi, “Development and Test Results of Magnetically Controlled Persistent Current Switches,” *Materials Transactions, JIM*, vol. 37, no. 4, p. 907, 1996.
- [45] K. Goto, N. Sadakata, T. Saitoh, and O. Kohno, “Development of a 1-kA, 25-ohm Magnetically Controlled Persistent Current Switch for SMES,” *IEEE Transactions on Applied Superconductivity*, vol. 9, no. 2, p. 173, 1999.

- [46] Y. Tsuda, A. Ohara, S. Nakamura, S. Washida, N. Oomyou, O. Tsukamoto, T. Numata, and M. Yamamoto, “Development of Superconducting Mechanical Persistent Current Switch,” *IEEE Transactions on Applied Superconductivity*, vol. 10, no. 1, p. 804, 2000.
- [47] M. Tomita, M. Murakami, S. Nariki, and K. Sawa, “Mechanical Persistent Current Switch Made of RE-Ba-Cu-O Bulk with Resin Impregnation,” *Physica C*, vol. 378-381, p. 864, 2002.
- [48] S. Phillip, J. V. Porto, and J. M. Parpia, “Two Methods of Fabricating Reliable Superconducting Joints with Multifilamentary Nb-Ti Superconducting Wire,” *Journal of Low Temperature Physics*, vol. 101, no. 3-4, p. 581, 1995.
- [49] D. Finnemore, T. Stromberg, and C. Swenson, “Superconducting Properties of High-Purity Niobium,” *Physical Review*, vol. 149, no. 1, p. 231, 1966.
- [50] F. Pobell, *Matter and Methods at Low Temperatures*. Springer, 3rd ed., 2007.

