Universiteit
Leiden
The Netherlands

Red Galaxies at High Redshift

Wuyts, S.E.R.

Citation
Wuyts, S. E. R. (2007, September 27). *Red Galaxies at High Redshift*. Retrieved from https://hdl.handle.net/1887/12355

Version:	Corrected Publisher's Version
License:	Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden
Downloaded from:	https://hdl.handle.net/1887/12355

Note: To cite this publication please use the final published version (if applicable).

Red Galaxies at High Redshift

Red Galaxies at High Redshift

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus prof. mr. P.F. van der Heijden,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 27 september 2007
klokke 16.15 uur

door

Stijn Elisabeth Raphaël Wuyts

geboren te Mortsel
in 1980

Promotiecommissie

Promotores:	Prof. dr. M. Franx Prof. dr. P. G. van Dokkum (Yale University)
Referent:	Dr. S. C. Trager (Rijksuniversiteit Groningen)
Overige leden:	Prof. dr. P. T. de Zeeuw Prof. dr. K. H. Kuijken Dr. P. van der Werf Dr. J. Schaye

Aan mijn ouders

Cover: Acryl on canvas by Imelda Wuyts

Table of contents

Page

Chapter 1. Introduction **1**
1.1 Large-scale structure formation 1
1.2 Galaxy formation 1
1.3 This thesis 3

Chapter 2. The detailed fundamental plane of two high-redshift clusters: MS 2053–04 at z = 0.58 and MS 1054–03 at z = 0.83 **7**
2.1 Introduction 8
2.2 Spectroscopy 9
2.2.1 Sample selection and observations 9
2.2.2 Basic reduction 9
2.2.3 Velocity dispersions 10
2.3 Imaging 11
2.3.1 Structural parameters 11
2.3.2 Error in the structural parameters 12
2.3.3 Visual and quantitative classifications 14
2.3.4 Transformation to rest-frame magnitude 14
2.4 The fundamental plane 16
2.4.1 Zero point and scatter 16
2.5 Correlations with other parameters 18
2.5.1 The color-magnitude relation 18
2.5.2 $H\beta$ linestrength 18
2.5.3 Location in the cluster 20
2.5.4 Galaxy mass and selection effects 20
2.5.5 Summary of correlations 21
2.6 Evolution of M/L ratio 21
2.7 Summary 23

Chapter 3. B-to-24 μm photometry of the GOODS-CDFS: multi-wavelength catalog and total IR properties of distant K_s-selected galaxies **27**
3.1 Introduction 28
3.2 Observations 29
3.2.1 The GOODS Chandra Deep Field South 29
3.2.2 The ACS $BViz$ data 29
3.2.3 The ISAAC JHK_s data 29
3.2.4 The IRAC 3.6-8.0 μm data 29
3.2.5 The MIPS 24 μm data 30
3.3 Final images 30

3.3.1 Pixel scales and large scale backgrounds . . . 30
3.3.2 Image quality and PSF matching . . . 31
3.3.3 Zero points . . . 33
3.3.4 Mosaicing and astrometry . . . 34
3.3.5 Signal to noise and limiting depths . . . 35
3.4 Source detection and photometry . . . 36
3.4.1 K_s-band detection . . . 36
3.4.2 Photometry . . . 37
3.5 Redshifts . . . 40
3.5.1 Spectroscopic redshifts . . . 40
3.5.2 Photometric redshifts . . . 41
3.6 Catalog parameters . . . 42
3.7 Comparison to the GOODS-MUSIC catalog . . . 43
3.7.1 Differences in data and strategy . . . 43
3.7.2 Comparing photometry . . . 45
3.7.3 Comparing photometric redshifts . . . 45
3.8 Total IR properties of distant K_s-selected galaxies . . . 46
3.8.1 Observed 24 μm flux as function of observed colors . . . 46
3.8.2 Total IR luminosity as function of rest-frame colors . . . 48
3.9 Summary . . . 52

Chapter 4. Optical spectroscopy of Distant Red Galaxies 55
4.1 Introduction . . . 56
4.2 Sample selection . . . 57
4.2.1 Pure $J-K$ selected sample . . . 57
4.2.2 DRGs from other surveys . . . 57
4.3 Observations . . . 58
4.4 Data reduction . . . 59
4.5 Results from optical spectroscopy of DRGs . . . 60
4.5.1 Redshift determination, success rate, and bias . . . 60
4.5.2 Optical spectra . . . 60
4.5.3 Redshift distribution . . . 63
4.6 Photometric redshifts . . . 64
4.6.1 Method and template sets . . . 64
4.6.2 Quality of photometric redshifts . . . 65
4.7 The nature of low-redshift DRGs . . . 66
4.8 Summary . . . 69

Chapter 5. What do we learn from IRAC observations of galaxies at $2 < z < 3.5$? 77
5.1 Introduction . . . 78
5.2 Data, photometry and sample selection . . . 79
5.2.1 Data . . . 79
5.2.2 Photometry . . . 80
5.2.3 Sample selection . . . 81

5.3 SED modeling . . . 81
5.4 Rest-frame optical to near-infrared color distribution . . . 84
5.5 Constraints on stellar population properties at $2 < z < 3.5$: age, dust and mass . . . 89
5.5.1 Predictions from stellar population synthesis models . . . 89
5.5.2 Constraints on mass, dust and age from modeling our observed galaxies . . . 93
5.6 Stellar mass - optical color relation . . . 98
5.7 Summary . . . 101

Chapter 6. Recovering stellar population properties and redshifts from broad-band photometry of simulated galaxies: lessons for SED modeling 105
6.1 Introduction . . . 106
6.2 The simulations . . . 107
6.2.1 Main characteristics . . . 107
6.2.2 Extracting photometry from the simulation output . . . 110
6.2.3 The colors and SEDs of simulated and observed galaxies . . . 111
6.3 SED modeling: methodology . . . 113
6.4 Results from SED modeling at fixed redshift . . . 114
6.4.1 Impact of mismatch between true and template SFH . . . 114
6.4.2 Impact of attenuation . . . 116
6.4.3 Impact of stellar metallicity . . . 121
6.4.4 Impact of AGN contribution . . . 122
6.4.5 Overall performance . . . 123
6.4.6 Lessons for SED modeling . . . 126
6.5 Results from SED modeling with free redshift . . . 127
6.5.1 The photometric redshift code EAZY . . . 128
6.5.2 Recovering redshifts and stellar population properties from broad-band photometry . . . 128
6.6 Summary . . . 130

Chapter 7. Color distributions, number and mass densities of massive galaxies at $1.5 < z < 3$: comparing observations with merger simulations 135
7.1 Introduction . . . 136
7.2 Overview of the observations . . . 137
7.2.1 Fields, coverage, and depth . . . 137
7.2.2 Redshifts and rest-frame photometry . . . 138
7.2.3 Stellar masses . . . 138
7.2.4 Star formation rates . . . 139
7.3 Overview of the simulations . . . 139
7.4 Sample selection . . . 140
7.5 Methodology for cosmological context . . . 141
7.6 The number density, mass density and mass function of galaxies with $\log M > 10.6$ at $1.5 < z < 3$ . . . 144
7.7 The color distribution of galaxies with $\log M > 10.6$ at $1.5 < z < 3$ . . . 146

7.7.1 The $U-V$ color distribution . . . 146
7.7.2 The $V-J$ color distribution . . . 148
7.7.3 $U-V$ versus $V-J$ color-color distribution . . . 149
7.8 Specific star formation rate as a function of stellar mass . . . 151
7.9 The abundance of massive galaxies at $1.5 < z < 3$: analysis by type . . . 154
7.9.1 The number and mass density of massive ($\log M > 10.6$) quiescent red galaxies . . . 154
7.9.2 The number and mass density of massive ($\log M > 10.6$) star-forming galaxies . . . 157
7.9.3 The number and mass density of massive ($\log M > 10.6$) galaxies with $SFR/M > 1\,\mathrm{Gyr}^{-1}$ . . . 158
7.9.4 The number and mass density of galaxies with $M > 10^{11}\ M_{\odot}$ and $U-V > 1.3$ . . . 158
7.10 Comments and caveats . . . 159
7.10.1 Pair statistics . . . 159
7.10.2 Dependence on stellar population synthesis code . . . 161
7.10.3 Reproducing dusty red starbursts . . . 161
7.10.4 Cosmic variance . . . 163
7.11 Summary . . . 163

Nederlandse samenvatting **167**

Curriculum vitae **175**

Nawoord **177**