



Universiteit  
Leiden  
The Netherlands

## **A flavour of family symmetries in a family of flavour models**

Adelhart Toorop, R. de

### **Citation**

Adelhart Toorop, R. de. (2012, February 21). *A flavour of family symmetries in a family of flavour models*. Retrieved from <https://hdl.handle.net/1887/18506>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/18506>

**Note:** To cite this publication please use the final published version (if applicable).

---

# Curriculum Vitæ

Le mot impossible n'est pas français.

The word impossible is not in my dictionary.

*(attributed to) Napoleon Bonaparte*

Reinier de Adelhart Toorop was born in Amsterdam on the 10th of August 1984. The first written evidence of his fascination for science – astronomy in particular – stems from when he was six years old. During his education at the Dr. E. Boekmanschool (elementary school) and the Barlaeus Gymnasium (grammar school) physics and biology could be added to this list. In 2002, just after graduating from high school, he participated in the International Biology Olympiad in Latvia, winning a silver medal.

Later that year Reinier started studying Physics and Astronomy at the University of Amsterdam. In 2003, he was awarded the Physica prize of the 'Koninklijke Nederlandse Academie van Wetenschappen' (Royal Dutch Academy of Sciences) for the grades he received during his propedeuse (first year). After obtaining a kandidaatsdiploma (degree comparable to Bachelor) cum laude in 2005, Reinier continued his studies at the University of Amsterdam with a Master's study in Theoretical Physics. For his research project, he moved to the theory group of Nikhef, the Dutch national institute for subatomic physics. His Master's thesis 'Leptogenesis and the sigmamodel on  $SU(8)/(SU(5) \times SU(3) \times U(1))$ ', written under supervision of Prof. dr. Jan-Willem van Holten, was awarded the biennial Pieter Zeemanprijs for best physics thesis at the University of Amsterdam.

During his university studies, Reinier became interested in competitive debate. In 2008 he won the World Universities Debating Championships in Thailand in the category English as a second language.

After his graduation (M.Sc., cum laude, 2007), Reinier continued his research at the Nikhef theory group as a PhD student under supervision of Prof. dr. Jan-Willem van Holten and, later, Dr. Federica Bazzocchi. Part of the research was conducted at the university of Padova. On the 21st of Februari 2012 he will defend his PhD thesis entitled 'A flavour of family symmetries in a family of flavour models' at Leiden University.



---

# Acknowledgements

It's nice to be important,  
but it's more important to be nice.

*H. P. Baxxter [167], Scooter*

This thesis has only one name on its cover. That does not mean that I did everything all by myself. My thesis is the result of the input of many people that I am very grateful to and that I would like to say 'thank you' to in these acknowledgements.

First and foremost I would like to thank my promotor Jan-Willem van Holten. We worked together on my master's thesis and I think the fact that I continued as your PhD student signals the fact that we were both happy with the result. Due to nature not providing the vacuum we hoped for, we did not write an article together during my PhD research, but you were still a constant source of advice for which I am very thankful.

Next, I'd like to thank Federica Bazzocchi. I am happy to have you as my copromotor and collaborator in many of my projects. I thoroughly enjoyed working together, both at the Free University and in Italy when the little Massimiliano called you home. Federica, you also introduced me to the Italian world that flavour symmetries seems to be. *Grazie* Luca Merlo, Alessio Paris and Stefano Morisi for being great people to work with! Ferruccio Feruglio, you were a great source of guidance in my research during my various stays in Padua, first as the supervisor of Luca and Alessio and later during our project on the modular subgroups. Thanks also, Claudia Hagendorn for preventing that my complete list of co-authors is Italian, and for your very critical eye that certainly improved our papers a lot.

Another person that contributed much to this thesis is Rozan Vroman. Thanks for helping me with the many illustrations in this thesis and for designing a beautiful cover. I am looking forward to see the artwork of your own thesis in neuroscience soon. *Gambatte Kudasai* with your experiments.

At Nikhef, I enjoyed the warmth of the theory group, where everyone, from bachelor student to staff member, is treated as equal. Thanks Rob, Sander, Lisa, Kristof, Giuseppe, Domenico, Michele, Gideon, Gerben, Patrick, Mert, Damien, Jan, Pierre, Thomas, Jens, Nikolas, Michel, Florian, Chris, Shannon, Robbert, Jory, Phillipp, Ioannis, Hans, Meike, Ori, Maciej, Daan, Robin, Catalin, Bart, Rik, Dana, Marieke, Robert, Eric, Jos, Justus and Bert for creating this atmosphere! I also enjoyed the regular meetings with the other Dutch phenomenologists. This community suffered a great loss in the summer of 2011, when Sjoerd Hardeman passed away. I remember Sjoerd as a great physicist and a great friend.

When not among physicists, I spend much of my spare time surrounded by debaters. I think Bonaparte is a wonderful society and I made many, many friends there as well as elsewhere in the debating world. Particular thanks go to my various debate partners and my co-organizers of the European Universities Debating Championships 2011.

Lastly, of course, I thank my family. Thanks opa, Freek, Els, Roos and Laura for being the best family one can wish.

---

# Bibliography

- [1] P. Ovidius Naso, *Metamorphoses*. 8 A.D. Translation F.H.A. Jonkers.
- [2] M. Shaposhnikov, *Is there a new physics between electroweak and Planck scales?*, arXiv:0708.3550.
- [3] G. Altarelli and M. W. Grunewald, *Precision electroweak tests of the standard model*, *Phys.Rept.* **403-404** (2004) 189–201, [hep-ph/0404165]. To appear in a special issue of Physics Reports dedicated to CERN on the occasion of the laboratory's 50th anniversary.
- [4] **Atlas Collaboration**, "Public results of supersymmetry searches.." <https://twiki.cern.ch/twiki/bin/view/AtlasPublic/SupersymmetryPublicResults>.
- [5] **CMS Collaboration**, "Public results of supersymmetry searches.." <https://twiki.cern.ch/twiki/bin/view/CMSPublic/PhysicsResultsSUS>.
- [6] **Particle Data Group Collaboration**, K. Nakamura *et. al.*, *Review of particle physics*, *J.Phys.G* **G37** (2010) 075021.
- [7] M. Gonzalez-Garcia, *Neutrino Physics*, *Nucl.Phys.* **A827** (2009) 5C–14C, [arXiv:0901.2505].
- [8] P. F. Harrison, D. H. Perkins, and W. G. Scott, *Tri-bimaximal mixing and the neutrino oscillation data*, *Phys. Lett.* **B530** (2002) 167, [hep-ph/0202074].
- [9] C. D. Froggatt and H. B. Nielsen, *Hierarchy of Quark Masses, Cabibbo Angles and CP Violation*, *Nucl. Phys.* **B147** (1979) 277.
- [10] G. Altarelli and F. Feruglio, *Tri-bimaximal neutrino mixing from discrete symmetry in extra dimensions*, *Nucl. Phys.* **B720** (2005) 64–88, [hep-ph/0504165].
- [11] G. Altarelli and F. Feruglio, *Tri-Bimaximal Neutrino Mixing, A4 and the Modular Symmetry*, *Nucl. Phys.* **B741** (2006) 215–235, [hep-ph/0512103].
- [12] C. Darwin, *The descent of man, and selection in relation to sex*. John Murray, London, 1870.
- [13] S. Mooij, *Supersymmetric Grand Unification*, M.Sc. Thesis - University of Amsterdam (2008). Available on <http://www.science.uva.nl/onderwijs/thesis/centraal/files/f733143855.pdf>.
- [14] M. Drees, R. Godbole, and P. Roy, *Theory and phenomenology of sparticles: An account of four-dimensional N=1 supersymmetry in high energy physics*. World Scientific publishing, Singapore, 2004.
- [15] G. 't Hooft, *Symmetry Breaking Through Bell-Jackiw Anomalies*, *Phys.Rev.Lett.* **37** (1976) 8–11.
- [16] F. R. Klinkhamer and N. Manton, *A Saddle Point Solution in the Weinberg-Salam Theory*, *Phys.Rev.* **D30** (1984) 2212.
- [17] R. Mohapatra, S. Antusch, K. Babu, G. Barenboim, M.-C. Chen, *et. al.*, *Theory of neutrinos: A White paper*, *Rept.Prog.Phys.* **70** (2007) 1757–1867, [hep-ph/0510213].

- [18] M. Kobayashi and T. Maskawa, *CP Violation in the Renormalizable Theory of Weak Interaction*, *Prog.Theor.Phys.* **49** (1973) 652–657.
- [19] L.-L. Chau and W.-Y. Keung, *Comments on the Parametrization of the Kobayashi-Maskawa Matrix*, *Phys.Rev.Lett.* **53** (1984) 1802.
- [20] C. Jarlskog, *Commutator of the Quark Mass Matrices in the Standard Electroweak Model and a Measure of Maximal CP Violation*, *Phys.Rev.Lett.* **55** (1985) 1039.
- [21] L. Wolfenstein, *Parametrization of the Kobayashi-Maskawa Matrix*, *Phys.Rev.Lett.* **51** (1983) 1945.
- [22] G. L. Fogli, E. Lisi, A. Marrone, A. Palazzo, and A. M. Rotunno, *What we (would like to) know about the neutrino mass*, [arXiv:0809.2936](https://arxiv.org/abs/0809.2936).
- [23] G. L. Fogli, E. Lisi, A. Marrone, A. Palazzo, and A. M. Rotunno, *Hints of  $\theta_{13} > 0$  from global neutrino data analysis*, *Phys. Rev. Lett.* **101** (2008) 141801, [[arXiv:0806.2649](https://arxiv.org/abs/0806.2649)].
- [24] G. L. Fogli, E. Lisi, A. Marrone, A. Palazzo, and A. M. Rotunno, *Evidence of  $\theta_{13} > 0$  from global neutrino data analysis*, [arXiv:1106.6028](https://arxiv.org/abs/1106.6028).
- [25] T. Schwetz, M. A. Tortola, and J. W. F. Valle, *Three-flavour neutrino oscillation update*, *New J. Phys.* **10** (2008) 113011, [[arXiv:0808.2016](https://arxiv.org/abs/0808.2016)].
- [26] M. Maltoni and T. Schwetz, *Three-flavour neutrino oscillation update and comments on possible hints for a non-zero  $\theta_{13}$* , *PoS IDM2008* (2008) 072, [[arXiv:0812.3161](https://arxiv.org/abs/0812.3161)].
- [27] T. Schwetz, M. Tortola, and J. Valle, *Global neutrino data and recent reactor fluxes: status of three-flavour oscillation parameters*, *New J.Phys.* **13** (2011) 063004, [[arXiv:1103.0734](https://arxiv.org/abs/1103.0734)].
- [28] T. Schwetz, M. Tortola, and J. Valle, *Where we are on  $\theta_{13}$ : addendum to 'Global neutrino data and recent reactor fluxes: status of three-flavour oscillation parameters'*, [arXiv:1108.1376](https://arxiv.org/abs/1108.1376).
- [29] **KATRIN** Collaboration, A. Osipowicz *et. al.*, *KATRIN: A Next generation tritium beta decay experiment with sub-eV sensitivity for the electron neutrino mass. Letter of intent*, [hep-ex/0109033](https://arxiv.org/abs/hep-ex/0109033).
- [30] **GERDA** Collaboration, A. A. Smolnikov, *Status of the GERDA experiment aimed to search for neutrinoless double beta decay of  $^{76}\text{Ge}$* , [arXiv:0812.4194](https://arxiv.org/abs/0812.4194).
- [31] **Majorana** Collaboration, V. E. Guiseppe *et. al.*, *The Majorana Neutrinoless Double-Beta Decay Experiment*, *IEEE Nucl. Sci. Symp. Conf. Rec.* **2008** (2008) 1793–1798, [[arXiv:0811.2446](https://arxiv.org/abs/0811.2446)].
- [32] **NEMO and SuperNEMO** Collaboration, H. Ohsumi, *SuperNEMO project*, *J.Phys.Conf.Ser.* **120** (2008) 052054.
- [33] **CUORE** Collaboration, A. Giuliani, *From Cuoricino to CUORE: Investigating the inverted hierarchy region of neutrino mass*, *J.Phys.Conf.Ser.* **120** (2008) 052051.
- [34] M. Danilov *et. al.*, *Detection of very small neutrino masses in double-beta decay using laser tagging*, *Phys. Lett.* **B480** (2000) 12–18, [[hep-ex/0002003](https://arxiv.org/abs/hep-ex/0002003)].
- [35] P. F. Harrison and W. G. Scott, *Symmetries and generalisations of tri-bimaximal neutrino mixing*, *Phys. Lett.* **B535** (2002) 163–169, [[hep-ph/0203209](https://arxiv.org/abs/hep-ph/0203209)].
- [36] Z.-z. Xing, *Nearly tri-bimaximal neutrino mixing and CP violation*, *Phys. Lett.* **B533** (2002) 85–93, [[hep-ph/0204049](https://arxiv.org/abs/hep-ph/0204049)].
- [37] P. F. Harrison and W. G. Scott,  *$\mu$  -  $\tau$  reflection symmetry in lepton mixing and neutrino oscillations*, *Phys. Lett.* **B547** (2002) 219–228, [[hep-ph/0210197](https://arxiv.org/abs/hep-ph/0210197)].
- [38] P. F. Harrison and W. G. Scott, *Permutation symmetry, tri-bimaximal neutrino mixing and the  $S_3$  group characters*, *Phys. Lett.* **B557** (2003) 76, [[hep-ph/0302025](https://arxiv.org/abs/hep-ph/0302025)]. [[Phys.Lett.B557:76-86,2003](https://arxiv.org/abs/hep-ph/0302025)].
- [39] P. F. Harrison and W. G. Scott, *Status of tri- / bi-maximal neutrino mixing*, [hep-ph/0402006](https://arxiv.org/abs/hep-ph/0402006).

- 
- [40] P. F. Harrison and W. G. Scott, *The simplest neutrino mass matrix*, *Phys. Lett.* **B594** (2004) 324–332, [hep-ph/0403278].
- [41] **T2K** Collaboration, K. Abe *et. al.*, *Indication of Electron Neutrino Appearance from an Accelerator-produced Off-axis Muon Neutrino Beam*, *Phys.Rev.Lett.* **107** (2011) 041801, [arXiv:1106.2822].
- [42] F. Ardellier *et. al.*, *Letter of intent for double-CHOOZ: A search for the mixing angle  $\theta(13)$* , hep-ex/0405032.
- [43] **Double Chooz** Collaboration, F. Ardellier *et. al.*, *Double Chooz: A search for the neutrino mixing angle  $\theta(13)$* , hep-ex/0606025.
- [44] Y.-f. Wang, *Measuring  $\sin^2(2\theta(13))$  with the Daya Bay nuclear reactors*, hep-ex/0610024.
- [45] **Daya-Bay** Collaboration, X. Guo *et. al.*, *A precision measurement of the neutrino mixing angle  $\theta(13)$  using reactor antineutrinos at Daya Bay*, hep-ex/0701029.
- [46] I. de Medeiros Varzielas, *Family symmetries and the origin of fermion masses and mixings*, arXiv:0801.2775.
- [47] G. Altarelli and F. Feruglio, *Discrete Flavor Symmetries and Models of Neutrino Mixing*, *Rev. Mod. Phys.* **82** (2010) 2701–2729, [arXiv:1002.0211].
- [48] C. I. Low and R. R. Volkas, *Tri-bimaximal mixing, discrete family symmetries, and a conjecture connecting the quark and lepton mixing matrices*, *Phys. Rev.* **D68** (2003) 033007, [hep-ph/0305243].
- [49] F. Feruglio, *Models of neutrino masses and mixings*, *Nucl. Phys. Proc. Suppl.* **143** (2005) 184–193, [hep-ph/0410131]. [Nucl.Phys.Proc.Suppl.145:225-230,2005].
- [50] G. G. Ross and O. Vives, *Yukawa structure, flavour and CP violation in supergravity*, *Phys. Rev.* **D67** (2003) 095013, [hep-ph/0211279].
- [51] G. G. Ross, L. Velasco-Sevilla, and O. Vives, *Spontaneous CP violation and non-Abelian family symmetry in SUSY*, *Nucl. Phys.* **B692** (2004) 50–82, [hep-ph/0401064].
- [52] F. Feruglio, C. Hagedorn, and L. Merlo, *Vacuum Alignment in SUSY A4 Models*, *JHEP* **03** (2010) 084, [arXiv:0910.4058].
- [53] F. Feruglio, C. Hagedorn, Y. Lin, and L. Merlo, *Lepton Flavour Violation in Models with A4 Flavour Symmetry*, *Nucl. Phys.* **B809** (2009) 218–243, [arXiv:0807.3160].
- [54] H. Ishimori, T. Kobayashi, Y. Omura, and M. Tanimoto, *Soft supersymmetry breaking terms from A4 lepton flavor symmetry*, *JHEP* **12** (2008) 082, [arXiv:0807.4625].
- [55] A. Hayakawa, H. Ishimori, Y. Shimizu, and M. Tanimoto, *Deviation from tri-bimaximal mixing and flavor symmetry breaking in a seesaw type A4 model*, *Phys. Lett.* **B680** (2009) 334–342, [arXiv:0904.3820].
- [56] C. Hagedorn, E. Molinaro, and S. T. Petcov, *Charged Lepton Flavour Violating Radiative Decays  $\ell_i \rightarrow \ell_j + \gamma$  in See-Saw Models with A4 Symmetry*, *JHEP* **02** (2010) 047, [arXiv:0911.3605].
- [57] F. Feruglio, C. Hagedorn, Y. Lin, and L. Merlo, *Lepton Flavour Violation in a Supersymmetric Model with A4 Flavour Symmetry*, *Nucl. Phys.* **B832** (2010) 251–288, [arXiv:0911.3874].
- [58] F. Feruglio and A. Paris, *The Golden Ratio Prediction for the Solar Angle from a Natural Model with A5 Flavour Symmetry*, *JHEP* **1103** (2011) 101, [arXiv:1101.0393].
- [59] V. D. Barger, S. Pakvasa, T. J. Weiler, and K. Whisnant, *Bi-maximal mixing of three neutrinos*, *Phys. Lett.* **B437** (1998) 107–116, [hep-ph/9806387].
- [60] Y. Nomura and T. Yanagida, *Bi-maximal neutrino mixing in SO(10)(GUT)*, *Phys. Rev.* **D59** (1999) 017303, [hep-ph/9807325].

- [61] G. Altarelli and F. Feruglio, *Neutrino mass textures from oscillations with maximal mixing*, *Phys. Lett.* **B439** (1998) 112–118, [hep-ph/9807353].
- [62] H. Ishimori, T. Kobayashi, H. Ohki, Y. Shimizu, H. Okada, *et. al.*, *Non-Abelian Discrete Symmetries in Particle Physics*, *Prog.Theor.Phys.Suppl.* **183** (2010) 1–163, [arXiv:1003.3552].
- [63] **Double Chooz** Collaboration, H. de Kerret, “First results from the double chooz experiment.” Talk at LowNu11 Conference, available on [http://www.dchooz.org/DocDB/0033/003393/003/DCAAtLowNu11\\_Kerret111109\\_Official.pdf](http://www.dchooz.org/DocDB/0033/003393/003/DCAAtLowNu11_Kerret111109_Official.pdf).
- [64] G. Altarelli, F. Feruglio, and L. Merlo, *Revisiting Bimaximal Neutrino Mixing in a Model with  $S_4$  Discrete Symmetry*, *JHEP* **05** (2009) 020, [arXiv:0903.1940].
- [65] P. O. Ludl, *On the finite subgroups of  $U(3)$  of order smaller than 512*, *J.Phys.A* **A43** (2010) 395204, [arXiv:1006.1479].
- [66] W. Grimus and P. O. Ludl, *Finite flavour groups of fermions*, arXiv:1110.6376.
- [67] C. Luhn, *Spontaneous breaking of  $SU(3)$  to finite family symmetries: a pedestrian’s approach*, *JHEP* **1103** (2011) 108, [arXiv:1101.2417].
- [68] H. Coxeter and W. Moser, *Generators and Relations for Discrete Groups*. Springer-Verlag, Ergebnisse der Mathematik und ihrer Grenzgebiete: Band 14 3rd edition, 1972.
- [69] W. Eholzer, *Fusion algebras and characters of rational conformal field theories*, hep-th/9502160.
- [70] R. Gunning, *Lectures on Modular Forms*. Princeton University Press, 1962.
- [71] B. Shoeneberg, *Elliptic Modular Functions - An Introduction*. Springer-Verlag, 1974.
- [72] A. Nobs, *Die irreduziblen Darstellungen der Gruppen  $SL_2(\mathbb{Z}_p)$ , insbesondere  $SL_2(\mathbb{Z}_2)$  I*, *Comm. Math. Helv.* **51** (1976) 456–489.
- [73] A. Nobs and J. Wolfart, *Die irreduziblen Darstellungen der Gruppen  $SL_2(\mathbb{Z}_p)$ , insbesondere  $SL_2(\mathbb{Z}_2)$  II*, *Comm. Math. Helv.* **51** (1976) 491–526.
- [74] W. Eholzer, *On The Classification Of Modular Fusion Algebras*, *Commun. Math. Phys.* **172** (1995) 623, [hep-th/9408160].
- [75] W. Fairbairn, T. Fulton, and J. Klink, *Finite and Disconnected Subgroups of  $SU_3$  and their Application to the Elementary-Particle Spectrum*, *J.Math.Phys.* **5** (1964) 1038.
- [76] J. Escobar and C. Luhn, *The Flavor Group  $\Delta(6n^{**2})$* , *J.Math.Phys.* **50** (2009) 013524, [arXiv:0809.0639].
- [77] A. Bovier, M. Luling, and D. Wyler, *FINITE SUBGROUPS OF  $SU(3)$* , *J.Math.Phys.* **22** (1981) 1543.
- [78] C. Lam, *Symmetry of Lepton Mixing*, *Phys.Lett.* **B656** (2007) 193–198, [arXiv:0708.3665].
- [79] A. Blum, C. Hagedorn, and M. Lindner, *Fermion Masses and Mixings from Dihedral Flavor Symmetries with Preserved Subgroups*, *Phys.Rev.* **D77** (2008) 076004, [arXiv:0709.3450].
- [80] C. Lam, *Group Theory and Dynamics of Neutrino Mixing*, *Phys.Rev.* **D83** (2011) 113002, [arXiv:1104.0055].
- [81] N. Cabibbo, *Time Reversal Violation in Neutrino Oscillation*, *Phys.Lett.* **B72** (1978) 333–335.
- [82] L. Wolfenstein, *Oscillations Among Three Neutrino Types and CP Violation*, *Phys.Rev.* **D18** (1978) 958–960.
- [83] H. Minakata and A. Y. Smirnov, *Neutrino Mixing and Quark-Lepton Complementarity*, *Phys. Rev.* **D70** (2004) 073009, [hep-ph/0405088].

- 
- [84] M. Raidal, *Relation between the neutrino and quark mixing angles and grand unification*, *Phys. Rev. Lett.* **93** (2004) 161801, [hep-ph/0404046].
- [85] A. Datta, L. Everett, and P. Ramond, *Cabibbo haze in lepton mixing*, *Phys. Lett.* **B620** (2005) 42–51, [hep-ph/0503222].
- [86] H. Minakata, *Quark-lepton complementarity: A review*, hep-ph/0505262.
- [87] F. Plentinger, G. Seidl, and W. Winter, *Systematic parameter space search of extended quark-lepton complementarity*, *Nucl. Phys.* **B791** (2008) 60–92, [hep-ph/0612169].
- [88] Y. Kajiyama, M. Raidal, and A. Strumia, *The Golden ratio prediction for the solar neutrino mixing*, *Phys.Rev.* **D76** (2007) 117301, [arXiv:0705.4559].
- [89] S. F. King and C. Luhn, *A New family symmetry for SO(10) GUTs*, *Nucl.Phys.* **B820** (2009) 269–289, [arXiv:0905.1686].
- [90] S. F. King and C. Luhn, *A Supersymmetric Grand Unified Theory of Flavour with PSL(2)(7) x SO(10)*, *Nucl.Phys.* **B832** (2010) 414–439, [arXiv:0912.1344].
- [91] X.-G. He and A. Zee, *Minimal modification to the tri-bimaximal neutrino mixing*, *Phys.Lett.* **B645** (2007) 427–431, [hep-ph/0607163].
- [92] W. Grimus and L. Lavoura, *A Model for trimaximal lepton mixing*, *JHEP* **0809** (2008) 106, [arXiv:0809.0226].
- [93] W. Grimus, L. Lavoura, and A. Singraber, *Trimaximal lepton mixing with a trivial Dirac phase*, *Phys.Lett.* **B686** (2010) 141–145, [arXiv:0911.5120].
- [94] C. H. Albright and W. Rodejohann, *Comparing Trimaximal Mixing and Its Variants with Deviations from Tri-bimaximal Mixing*, *Eur.Phys.J.* **C62** (2009) 599–608, [arXiv:0812.0436].
- [95] X.-G. He and A. Zee, *Minimal Modification to Tri-bimaximal Mixing*, *Phys.Rev.* **D84** (2011) 053004, [arXiv:1106.4359].
- [96] Y. Lin, *Tri-bimaximal Neutrino Mixing from A(4) and  $\theta_{13} \sim \theta_C$* , *Nucl. Phys.* **B824** (2010) 95–110, [arXiv:0905.3534].
- [97] E. Ma and G. Rajasekaran, *Softly broken A(4) symmetry for nearly degenerate neutrino masses*, *Phys. Rev.* **D64** (2001) 113012, [hep-ph/0106291].
- [98] A. M. J.-B. R. de Saint-Exupéry, *Terre des Hommes*. Gallimard, Paris, 1939.
- [99] H. Georgi and C. Jarlskog, *A New Lepton - Quark Mass Relation in a Unified Theory*, *Phys. Lett.* **B86** (1979) 297–300.
- [100] Z.-z. Xing, H. Zhang, and S. Zhou, *Updated Values of Running Quark and Lepton Masses*, *Phys. Rev.* **D77** (2008) 113016, [arXiv:0712.1419].
- [101] J. C. Pati and A. Salam, *Lepton Number as the Fourth Color*, *Phys. Rev.* **D10** (1974) 275–289. [Erratum-ibid.D11:703-703,1975].
- [102] H. Georgi and S. L. Glashow, *Unity of All Elementary Particle Forces*, *Phys. Rev. Lett.* **32** (1974) 438–441.
- [103] A. S. Joshipura, B. P. Kodrani, and K. M. Patel, *Fermion Masses and Mixings in a  $\mu$ - $\tau$  symmetric SO(10)*, *Phys. Rev.* **D79** (2009) 115017, [arXiv:0903.2161].
- [104] B. Dutta, Y. Mimura, and R. N. Mohapatra, *Origin of Quark-Lepton Flavor in SO(10) with Type II Seesaw*, *Phys. Rev.* **D80** (2009) 095021, [arXiv:0910.1043].
- [105] B. Dutta, Y. Mimura, and R. N. Mohapatra, *An SO(10) Grand Unified Theory of Flavor*, *JHEP* **05** (2010) 034, [arXiv:0911.2242].

- [106] S. Bertolini, T. Schwetz, and M. Malinsky, *Fermion masses and mixings in SO(10) models and the neutrino challenge to SUSY GUTs*, *Phys. Rev.* **D73** (2006) 115012, [hep-ph/0605006].
- [107] A. Melfo and G. Senjanovic, *Minimal supersymmetric Pati-Salam theory: Determination of physical scales*, *Phys. Rev.* **D68** (2003) 035013, [hep-ph/0302216].
- [108] Z. Chacko and R. N. Mohapatra, *Supersymmetric left-right models and light doubly charged Higgs bosons and Higgsinos*, *Phys. Rev.* **D58** (1998) 015003, [hep-ph/9712359].
- [109] M. Frank, K. Huitu, and S. K. Rai, *Single Production of Doubly Charged Higgsinos at linear e-e colliders*, *Phys. Rev.* **D77** (2008) 015006, [arXiv:0710.2415].
- [110] D. A. Demir, M. Frank, K. Huitu, S. K. Rai, and I. Turan, *Signals of Doubly-Charged Higgsinos at the CERN Large Hadron Collider*, *Phys. Rev.* **D78** (2008) 035013, [arXiv:0805.4202].
- [111] D. A. Demir *et al.*, *Doubly Charged Higgsinos at Tevatron*, *Phys. Rev.* **D79** (2009) 095006, [arXiv:0903.3955].
- [112] S. Antusch, J. Kersten, M. Lindner, and M. Ratz, *The LMA solution from bimaximal lepton mixing at the GUT scale by renormalization group running*, *Phys. Lett.* **B544** (2002) 1–10, [hep-ph/0206078].
- [113] S. Antusch, J. Kersten, M. Lindner, and M. Ratz, *Running neutrino masses, mixings and CP phases: Analytical results and phenomenological consequences*, *Nucl. Phys.* **B674** (2003) 401–433, [hep-ph/0305273].
- [114] S. Antusch, J. Kersten, M. Lindner, M. Ratz, and M. A. Schmidt, *Running neutrino mass parameters in see-saw scenarios*, *JHEP* **03** (2005) 024, [hep-ph/0501272].
- [115] J.-w. Mei, *Running neutrino masses, leptonic mixing angles and CP-violating phases: From M(Z) to Lambda(GUT)*, *Phys. Rev.* **D71** (2005) 073012, [hep-ph/0502015].
- [116] J. R. Ellis, A. Hektor, M. Kadastik, K. Kannike, and M. Raidal, *Running of low-energy neutrino masses, mixing angles and CP violation*, *Phys. Lett.* **B631** (2005) 32–41, [hep-ph/0506122].
- [117] A. Dighe, S. Goswami, and W. Rodejohann, *Corrections to Tri-bimaximal Neutrino Mixing: Renormalization and Planck Scale Effects*, *Phys. Rev.* **D75** (2007) 073023, [hep-ph/0612328].
- [118] S. Boudjemaa and S. F. King, *Deviations from Tri-bimaximal Mixing: Charged Lepton Corrections and Renormalization Group Running*, *Phys. Rev.* **D79** (2009) 033001, [arXiv:0808.2782].
- [119] Y. Lin, L. Merlo, and A. Paris, *Running Effects on Lepton Mixing Angles in Flavour Models with Type I Seesaw*, *Nucl. Phys.* **B835** (2010) 238–261, [arXiv:0911.3037].
- [120] **MINOS Collaboration** Collaboration, P. Adamson *et al.*, *Improved search for muon-neutrino to electron-neutrino oscillations in MINOS*, *Phys.Rev.Lett.* **107** (2011) 181802, [arXiv:1108.0015].
- [121] **RENO Collaboration**, S.-B. Kim, *RENO: Reactor experiment for neutrino oscillation at Yonggwang*, *AIP Conf. Proc.* **981** (2008) 205–207. [J.Phys.Conf.Ser.120:052025,2008].
- [122] **T2K Collaboration**, Y. Itow *et al.*, *The JHF-Kamioka neutrino project*, hep-ex/0106019.
- [123] **NOvA Collaboration**, D. S. Ayres *et al.*, *NOvA proposal to build a 30-kiloton off-axis detector to study neutrino oscillations in the Fermilab NuMI beamline*, hep-ex/0503053.
- [124] M. Malinsky, *Higgs sector of the next-to-minimal renormalizable SUSY SO(10)*, arXiv:0807.0591.
- [125] J. F. Gunion and H. E. Haber, *Conditions for CP-violation in the general two-Higgs-doublet model*, *Phys. Rev.* **D72** (2005) 095002, [hep-ph/0506227].
- [126] G. Branco, P. Ferreira, L. Lavoura, M. Rebelo, M. Sher, *et al.*, *Theory and phenomenology of two-Higgs-doublet models*, arXiv:1106.0034.

- 
- [127] L. Lavoura and H. Kuhbock, *A4 model for the quark mass matrices*, *Eur. Phys. J.* **C55** (2008) 303–308, [arXiv:0711.0670].
- [128] S. Morisi and E. Peinado, *An A4 model for lepton masses and mixings*, *Phys. Rev.* **D80** (2009) 113011, [arXiv:0910.4389].
- [129] W. Dekens, *A<sub>4</sub> Family Symmetry*, M.Sc. Thesis - University of Groningen (2011). Available on <http://scripties.fwn.eldoc.ub.rug.nl/scripties/Natuurkunde/Master/2011/Dekens.W.G./>.
- [130] G. C. Branco, M. Rebelo, and J. Silva-Marcos, *CP-odd invariants in models with several Higgs doublets*, *Phys.Lett.* **B614** (2005) 187–194, [hep-ph/0502118].
- [131] L. Lavoura and J. P. Silva, *Fundamental CP violating quantities in a SU(2) x U(1) model with many Higgs doublets*, *Phys.Rev.* **D50** (1994) 4619–4624, [hep-ph/9404276].
- [132] **Atlas Collaboration**, “Higgs public results.” <https://twiki.cern.ch/twiki/bin/view/AtlasPublic/HiggsPublicResults>.
- [133] **CMS Collaboration**, “Higgs physics results.” <https://twiki.cern.ch/twiki/bin/view/CMSPublic/PhysicsResultsHIG>.
- [134] M. J. G. Veltman, *Second Threshold in Weak Interactions*, *Acta Phys. Polon.* **B8** (1977) 475.
- [135] B. W. Lee, C. Quigg, and H. B. Thacker, *Weak Interactions at Very High-Energies: The Role of the Higgs Boson Mass*, *Phys. Rev.* **D16** (1977) 1519.
- [136] B. W. Lee, C. Quigg, and H. B. Thacker, *The Strength of Weak Interactions at Very High-Energies and the Higgs Boson Mass*, *Phys. Rev. Lett.* **38** (1977) 883–885.
- [137] R. Casalbuoni, D. Dominici, F. Feruglio, and R. Gatto, *Tree level unitarity violation for large scalar mass in multi - higgs extensions of the Standard Model*, *Nucl. Phys.* **B299** (1988) 117.
- [138] **LEP Working Group for Higgs boson searches** Collaboration, R. Barate *et. al.*, *Search for the standard model Higgs boson at LEP*, *Phys. Lett.* **B565** (2003) 61–75, [hep-ex/0306033].
- [139] CDF and D. collaborations, *Combined CDF and DZero Upper Limits on Standard Model Higgs-Boson Production with up to 4.2 fb<sup>-1</sup> of Data*, arXiv:0903.4001.
- [140] B. Holdom and J. Terning, *Large corrections to electroweak parameters in technicolor theories*, *Phys. Lett.* **B247** (1990) 88–92.
- [141] M. E. Peskin and T. Takeuchi, *A New constraint on a strongly interacting Higgs sector*, *Phys. Rev. Lett.* **65** (1990) 964–967.
- [142] M. Golden and L. Randall, *Radiative corrections to electroweak parameters in technicolor theories*, *Nucl. Phys.* **B361** (1991) 3–23.
- [143] A. Dobado, D. Espriu, and M. J. Herrero, *Chiral Lagrangians as a tool to probe the symmetry breaking sector of the SM at LEP*, *Phys. Lett.* **B255** (1991) 405–414.
- [144] M. E. Peskin and T. Takeuchi, *Estimation of oblique electroweak corrections*, *Phys. Rev.* **D46** (1992) 381–409.
- [145] I. Maksymyk, C. P. Burgess, and D. London, *Beyond S, T and U*, *Phys. Rev.* **D50** (1994) 529–535, [hep-ph/9306267].
- [146] W. Grimus, L. Lavoura, O. M. Ogreid, and P. Osland, *The oblique parameters in multi-Higgs-doublet models*, *Nucl. Phys.* **B801** (2008) 81–96, [arXiv:0802.4353].
- [147] W. Grimus, L. Lavoura, O. M. Ogreid, and P. Osland, *A precision constraint on multi-Higgs-doublet models*, *J. Phys.* **G35** (2008) 075001, [arXiv:0711.4022].
- [148] L. Lavoura and H. Kuhbock, *Predictions of an A<sub>4</sub> model with a five-parameter neutrino mass matrix*, *Mod. Phys. Lett.* **A22** (2007) 181–189, [hep-ph/0610050].

- [149] E. Ma, *Naturally small seesaw neutrino mass with no new physics beyond the TeV scale*, *Phys.Rev.Lett.* **86** (2001) 2502–2504, [hep-ph/0011121].
- [150] M. Hirsch, S. Morisi, E. Peinado, and J. W. F. Valle, *Discrete dark matter*, *Phys. Rev.* **D82** (2010) 116003, [arXiv:1007.0871].
- [151] D. Meloni, S. Morisi, and E. Peinado, *Neutrino phenomenology and stable dark matter with  $A_4$* , *Phys. Lett.* **B697** (2011) 339–342, [arXiv:1011.1371].
- [152] M. S. Boucenna, M. Hirsch, S. Morisi, E. Peinado, M. Taoso, and J. Valle, *Phenomenology of Dark Matter from  $A_4$  Flavor Symmetry*, *JHEP* **05** (2011) 037, [arXiv:1101.2874].
- [153] L. Lavoura, *General formulae for  $f_1 \rightarrow f_2$  gamma*, *Eur. Phys. J.* **C29** (2003) 191–195, [hep-ph/0302221].
- [154] **MEGA** Collaboration, M. L. Brooks *et. al.*, *New Limit for the Family-Number Non-conserving Decay  $\mu^+ \rightarrow e^+ \gamma$* , *Phys. Rev. Lett.* **83** (1999) 1521–1524, [hep-ex/9905013].
- [155] A. Maki, *Status of the MEG experiment*, *AIP Conf.Proc.* **981** (2008) 363–365.
- [156] D. Atwood, L. Reina, and A. Soni, *Phenomenology of two Higgs doublet models with flavor changing neutral currents*, *Phys. Rev.* **D55** (1997) 3156–3176, [hep-ph/9609279].
- [157] J. D. Wells, *Lectures on Higgs Boson Physics in the Standard Model and Beyond*, arXiv:0909.4541.
- [158] A. J. Buras, M. V. Carlucci, S. Gori, and G. Isidori, *Higgs-mediated FCNCs: Natural Flavour Conservation vs. Minimal Flavour Violation*, *JHEP* **10** (2010) 009, [arXiv:1005.5310].
- [159] E. Ma, *Quark and Lepton Flavor Triality*, *Phys. Rev.* **D82** (2010) 037301, [arXiv:1006.3524].
- [160] F. Feruglio and A. Paris, *Rare muon and tau decays in  $A_4$  Models*, *Nucl.Phys.* **B840** (2010) 405–423, [arXiv:1005.5526].
- [161] E. Ma, *Dark Scalar Doublets and Neutrino Tribimaximal Mixing from  $A_4$  Symmetry*, *Phys. Lett.* **B671** (2009) 366–368, [arXiv:0808.1729].
- [162] M. Dubinin and A. Sukachev,  *$K^0 \rightarrow \bar{K}^0$ ,  $B^0 \rightarrow \bar{B}^0$  mixings in the MSSM with explicit CP violation in the Higgs sector*, *Phys. Atom. Nucl.* **71** (2008) 374–387, [arXiv:0711.5023].
- [163] F. J. Botella, G. C. Branco, and M. Nebot, *CP violation and limits on New Physics including recent  $B_s$  measurements*, *Nucl.Phys.* **B768** (2007) 1–20, [hep-ph/0608100].
- [164] Y. Grossman, Z. Ligeti, and Y. Nir, *Future prospects of B physics*, *Prog.Theor.Phys.* **122** (2009) 125–143, [arXiv:0904.4262].
- [165] J. Verne, *Voyage au centre de la Terre*. Hetzel, Paris, 1864.
- [166] S. Hardeman, *Non-decoupling of heavy scalars in cosmology*. PhD thesis, Leiden University, 2011.
- [167] H. P. Baxxter *et. al.*, *Scooter*. Club Tools, Scorpio Music, 1995.