



Universiteit
Leiden
The Netherlands

Study and retina allotransplantation of porcine ciliary epithelium (CE)- derived cells

Cogliati, T.P.

Citation

Cogliati, T. P. (2012, September 27). *Study and retina allotransplantation of porcine ciliary epithelium (CE)-derived cells*. Retrieved from <https://hdl.handle.net/1887/19856>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/19856>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/19856> holds various files of this Leiden University dissertation.

Author: Cogliati, Tiziana Paola

Title: Study and retina allotransplantation of porcine ciliary epithelium (CE)-derived cells

Date: 2012-09-27

REFERENCES

References

- Abdoun M, Bernier G (2006) In vivo reactivation of a quiescent cell population located in the ocular ciliary body of adult mammals. *Experimental eye research* **83**: 153-164
- Ahmad I, Das AV, James J, Bhattacharya S, Zhao X (2004) Neural stem cells in the mammalian eye: types and regulation. *Seminars in cell & developmental biology* **15**: 53-62
- Ahmad I, Dooley CM, Afiat S (1998) Involvement of Mash1 in EGF-mediated regulation of differentiation in the vertebrate retina. *Developmental biology* **194**: 86-98
- Ahmad I, Tang L, Pham H (2000) Identification of neural progenitors in the adult mammalian eye. *Biochemical and biophysical research communications* **270**: 517-521
- Antonetti DA, Barber AJ, Bronson SK, Freeman WM, Gardner TW, Jefferson LS, Kester M, Kimball SR, Krady JK, LaNoue KF, Norbury CC, Quinn PG, Sandirasegarane L, Simpson IA (2006) Diabetic retinopathy: seeing beyond glucose-induced microvascular disease. *Diabetes* **55**: 2401-2411
- Aruta C, Giordano F, De Marzo A, Comitato A, Raposo G, Nandrot EF, Marigo V (2011) In vitro differentiation of retinal pigment epithelium from adult retinal stem cells. *Pigment cell & melanoma research* **24**: 233-240
- Bainbridge JW, Smith AJ, Barker SS, Robbie S, Henderson R, Balaggan K, Viswanathan A, Holder GE, Stockman A, Tyler N, Petersen-Jones S, Bhattacharya SS, Thrasher AJ, Fitzke FW, Carter BJ, Rubin GS, Moore AT, Ali RR (2008) Effect of gene therapy on visual function in Leber's congenital amaurosis. *N Engl J Med* **358**: 2231-2239
- Ballios BG, Cooke MJ, van der Kooy D, Shoichet MS (2010) A hydrogel-based stem cell delivery system to treat retinal degenerative diseases. *Biomaterials* **31**: 2555-2564
- Barber AJ, Lieth E, Khin SA, Antonetti DA, Buchanan AG, Gardner TW (1998) Neural apoptosis in the retina during experimental and human diabetes. Early onset and effect of insulin. *The Journal of clinical investigation* **102**: 783-791
- Belliveau MJ, Cepko CL (1999) Extrinsic and intrinsic factors control the genesis of amacrine and cone cells in the rat retina. *Development* **126**: 555-566
- Bernardos RL, Barthel LK, Meyers JR, Raymond PA (2007) Late-stage neuronal progenitors in the retina are radial Muller glia that function as retinal stem cells. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **27**: 7028-7040

References

- Bhatia B, Singhal S, Lawrence JM, Khaw PT, Limb GA (2009) Distribution of Muller stem cells within the neural retina: evidence for the existence of a ciliary margin-like zone in the adult human eye. *Experimental eye research* **89**: 373-382
- Blackshaw S, Harpavat S, Trimarchi J, Cai L, Huang H, Kuo WP, Weber G, Lee K, Fraioli RE, Cho SH, Yung R, Asch E, Ohno-Machado L, Wong WH, Cepko CL (2004) Genomic analysis of mouse retinal development. *PLoS biology* **2**: E247
- Boucher SE, Hitchcock PF (1998) Insulin-related growth factors stimulate proliferation of retinal progenitors in the goldfish. *The Journal of comparative neurology* **394**: 386-394
- Bradford RL, Wang C, Zack DJ, Adler R (2005) Roles of cell-intrinsic and microenvironmental factors in photoreceptor cell differentiation. *Developmental biology* **286**: 31-45
- Braisted JE, Essman TF, Raymond PA (1994) Selective regeneration of photoreceptors in goldfish retina. *Development* **120**: 2409-2419
- Brown DM, Campochiaro PA, Bhisitkul RB, Ho AC, Gray S, Saroj N, Adamis AP, Rubio RG, Murahashi WY (2011) Sustained benefits from ranibizumab for macular edema following branch retinal vein occlusion: 12-month outcomes of a phase III study. *Ophthalmology* **118**: 1594-1602
- Bugra K, Jacquemin E, Ortiz JR, Jeanny JC, Hicks D (1992) Analysis of opsin mRNA and protein expression in adult and regenerating newt retina by immunology and hybridization. *Journal of neurocytology* **21**: 171-183
- Bugra K, Olivier L, Jacquemin E, Laurent M, Courtois Y, Hicks D (1994) Acidic fibroblast growth factor is expressed abundantly by photoreceptors within the developing and mature rat retina. *The European journal of neuroscience* **6**: 1062
- Campochiaro PA, Brown DM, Awh CC, Lee SY, Gray S, Saroj N, Murahashi WY, Rubio RG (2011a) Sustained benefits from ranibizumab for macular edema following central retinal vein occlusion: twelve-month outcomes of a phase III study. *Ophthalmology* **118**: 2041-2049
- Campochiaro PA, Brown DM, Pearson A, Ciulla T, Boyer D, Holz FG, Tolentino M, Gupta A, Duarte L, Madreperla S, Gonder J, Kapik B, Billman K, Kane FE (2011b) Long-term benefit of sustained-delivery fluocinolone acetonide vitreous inserts for diabetic macular edema. *Ophthalmology* **118**: 626-635 e622
- Carr AJ, Vugler A, Lawrence J, Chen LL, Ahmado A, Chen FK, Semo M, Gias C, da Cruz L, Moore HD, Walsh J, Coffey PJ (2009a) Molecular characterization and functional analysis

References

of phagocytosis by human embryonic stem cell-derived RPE cells using a novel human retinal assay. *Molecular vision* **15**: 283-295

Carr AJ, Vugler AA, Hikita ST, Lawrence JM, Gias C, Chen LL, Buchholz DE, Ahmado A, Semo M, Smart MJ, Hasan S, da Cruz L, Johnson LV, Clegg DO, Coffey PJ (2009b) Protective effects of human iPS-derived retinal pigment epithelium cell transplantation in the retinal dystrophic rat. *PLoS one* **4**: e8152

Cepko CL, Austin CP, Yang X, Alexiades M, Ezzeddine D (1996) Cell fate determination in the vertebrate retina. *Proceedings of the National Academy of Sciences of the United States of America* **93**: 589-595

Chacko DM, Das AV, Zhao X, James J, Bhattacharya S, Ahmad I (2003) Transplantation of ocular stem cells: the role of injury in incorporation and differentiation of grafted cells in the retina. *Vision research* **43**: 937-946

Chandler MJ, Smith PJ, Samuelson DA, MacKay EO (1999) Photoreceptor density of the domestic pig retina. *Veterinary ophthalmology* **2**: 179-184

Cheng H, Aleman TS, Cideciyan AV, Khanna R, Jacobson SG, Swaroop A (2006) In vivo function of the orphan nuclear receptor NR2E3 in establishing photoreceptor identity during mammalian retinal development. *Human molecular genetics* **15**: 2588-2602

Cheng H, Khanna H, Oh EC, Hicks D, Mitton KP, Swaroop A (2004) Photoreceptor-specific nuclear receptor NR2E3 functions as a transcriptional activator in rod photoreceptors. *Human molecular genetics* **13**: 1563-1575

Cheon EW, Kaneko Y, Saito T (1998) Regeneration of the newt retina: order of appearance of photoreceptors and ganglion cells. *The Journal of comparative neurology* **396**: 267-274

Cheon EW, Kuwata O, Saito T (2001) Muscarinic acetylcholine receptors in the normal, developing and regenerating newt retinas. *Brain research Developmental brain research* **127**: 9-21

Cheon EW, Saito T (1999) Choline acetyltransferase and acetylcholinesterase in the normal, developing and regenerating newt retinas. *Brain research Developmental brain research* **116**: 97-109

Cicero SA, Johnson D, Reyntjens S, Frase S, Connell S, Chow LM, Baker SJ, Sorrentino BP, Dyer MA (2009) Cells previously identified as retinal stem cells are pigmented ciliary epithelial cells. *Proceedings of the National Academy of Sciences of the United States of America* **106**: 6685-6690

References

- Close JL, Gumuscu B, Reh TA (2005) Retinal neurons regulate proliferation of postnatal progenitors and Muller glia in the rat retina via TGF beta signaling. *Development* **132**: 3015-3026
- Close JL, Liu J, Gumuscu B, Reh TA (2006) Epidermal growth factor receptor expression regulates proliferation in the postnatal rat retina. *Glia* **54**: 94-104
- Coles BL, Angenieux B, Inoue T, Del Rio-Tsonis K, Spence JR, McInnes RR, Arsenijevic Y, van der Kooy D (2004) Facile isolation and the characterization of human retinal stem cells. *Proceedings of the National Academy of Sciences of the United States of America* **101**: 15772-15777
- Comer GM, Ciulla TA (2005) Current and future pharmacological intervention for diabetic retinopathy. *Expert opinion on emerging drugs* **10**: 441-455
- Comer GM, Ciulla TA, Heier JS, Criswell MH (2005) Future pharmacological treatment options for nonexudative and exudative age-related macular degeneration. *Expert opinion on emerging drugs* **10**: 119-135
- Curcio CA, Sloan KR, Kalina RE, Hendrickson AE (1990) Human photoreceptor topography. *The Journal of comparative neurology* **292**: 497-523
- Dakubo GD, Mazerolle C, Furimsky M, Yu C, St-Jacques B, McMahon AP, Wallace VA (2008) Indian hedgehog signaling from endothelial cells is required for sclera and retinal pigment epithelium development in the mouse eye. *Developmental biology* **320**: 242-255
- Das AV, James J, Rahnenfuhrer J, Thoreson WB, Bhattacharya S, Zhao X, Ahmad I (2005) Retinal properties and potential of the adult mammalian ciliary epithelium stem cells. *Vision research* **45**: 1653-1666
- Das AV, Mallya KB, Zhao X, Ahmad F, Bhattacharya S, Thoreson WB, Hegde GV, Ahmad I (2006a) Neural stem cell properties of Muller glia in the mammalian retina: regulation by Notch and Wnt signaling. *Developmental biology* **299**: 283-302
- Das AV, Zhao X, James J, Kim M, Cowan KH, Ahmad I (2006b) Neural stem cells in the adult ciliary epithelium express GFAP and are regulated by Wnt signaling. *Biochemical and biophysical research communications* **339**: 708-716
- De Marzo A, Aruta C, Marigo V (2010) PEDF promotes retinal neurosphere formation and expansion in vitro. *Advances in experimental medicine and biology* **664**: 621-630

References

- De Schaepdrijver L, Lauwers H, Simoens P, de Geest JP (1990) Development of the retina in the porcine fetus. A light microscopic study. *Anatomia, histologia, embryologia* **19**: 222-235
- Decembrini S, Cananzi M, Gualdoni S, Battersby A, Allen N, Pearson RA, Ali RR, De Coppi P, Sowden JC (2011) Comparative analysis of the retinal potential of embryonic stem cells and amniotic fluid-derived stem cells. *Stem cells and development* **20**: 851-863
- Del Debbio CB, Balasubramanian S, Parameswaran S, Chaudhuri A, Qiu F, Ahmad I (2010) Notch and Wnt signaling mediated rod photoreceptor regeneration by Muller cells in adult mammalian retina. *PLoS one* **5**: e12425
- Del Priore LV, Kaplan HJ, Hornbeck R, Jones Z, Swinn M (1996) Retinal pigment epithelial debridement as a model for the pathogenesis and treatment of macular degeneration. *American journal of ophthalmology* **122**: 629-643
- Del Rio-Tsonis K, Tsonis PA (2003) Eye regeneration at the molecular age. *Developmental dynamics : an official publication of the American Association of Anatomists* **226**: 211-224
- Djojosebroto M, Bollotte F, Wirapati P, Radtke F, Stamenkovic I, Arsenijevic Y (2009) Chromosomal number aberrations and transformation in adult mouse retinal stem cells in vitro. *Investigative ophthalmology & visual science* **50**: 5975-5987
- Dyer MA, Cepko CL (2001) Regulating proliferation during retinal development. *Nature reviews Neuroscience* **2**: 333-342
- Engelhardt M, Wachs FP, Couillard-Despres S, Aigner L (2004) The neurogenic competence of progenitors from the postnatal rat retina in vitro. *Experimental eye research* **78**: 1025-1036
- Ezzeddine ZD, Yang X, DeChiara T, Yancopoulos G, Cepko CL (1997) Postmitotic cells fated to become rod photoreceptors can be respecified by CNTF treatment of the retina. *Development* **124**: 1055-1067
- Fausett BV, Goldman D (2006) A role for alpha1 tubulin-expressing Muller glia in regeneration of the injured zebrafish retina. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **26**: 6303-6313
- Fischer AJ, Reh TA (2000) Identification of a proliferating marginal zone of retinal progenitors in postnatal chickens. *Developmental biology* **220**: 197-210
- Fischer AJ, Reh TA (2001) Muller glia are a potential source of neural regeneration in the postnatal chicken retina. *Nature neuroscience* **4**: 247-252

References

- Fischer AJ, Reh TA (2002) Exogenous growth factors stimulate the regeneration of ganglion cells in the chicken retina. *Developmental biology* **251**: 367-379
- Fleisch VC, Fraser B, Allison WT (2011) Investigating regeneration and functional integration of CNS neurons: lessons from zebrafish genetics and other fish species. *Biochimica et biophysica acta* **1812**: 364-380
- Ghosh F, Wong F, Johansson K, Bruun A, Petters RM (2004) Transplantation of full-thickness retina in the rhodopsin transgenic pig. *Retina* **24**: 98-109
- Giordano F, De Marzo A, Vetrini F, Marigo V (2007) Fibroblast growth factor and epidermal growth factor differently affect differentiation of murine retinal stem cells in vitro. *Molecular vision* **13**: 1842-1850
- Graham DR, Overbeek PA, Ash JD (2005) Leukemia inhibitory factor blocks expression of Crx and Nrl transcription factors to inhibit photoreceptor differentiation. *Investigative ophthalmology & visual science* **46**: 2601-2610
- Grosche J, Hartig W, Reichenbach A (1995) Expression of glial fibrillary acidic protein (GFAP), glutamine synthetase (GS), and Bcl-2 protooncogene protein by Muller (glial) cells in retinal light damage of rats. *Neuroscience letters* **185**: 119-122
- Gualdoni S, Baron M, Lakowski J, Decembrini S, Smith AJ, Pearson RA, Ali RR, Sowden JC (2010) Adult ciliary epithelial cells, previously identified as retinal stem cells with potential for retinal repair, fail to differentiate into new rod photoreceptors. *Stem cells* **28**: 1048-1059
- Hambright D, Park KY, Brooks M, McKay R, Swaroop A, Nasonkin IO (2012) Long-term survival and differentiation of retinal neurons derived from human embryonic stem cell lines in un-immunosuppressed mouse retina. *Molecular vision* **18**: 920-936
- Hatakeyama J, Bessho Y, Katoh K, Ookawara S, Fujioka M, Guillemot F, Kageyama R (2004) Hes genes regulate size, shape and histogenesis of the nervous system by control of the timing of neural stem cell differentiation. *Development* **131**: 5539-5550
- Hendrickson A, Bumsted-O'Brien K, Natoli R, Ramamurthy V, Possin D, Provis J (2008) Rod photoreceptor differentiation in fetal and infant human retina. *Experimental eye research* **87**: 415-426
- Hendrickson A, Hicks D (2002) Distribution and density of medium- and short-wavelength selective cones in the domestic pig retina. *Experimental eye research* **74**: 435-444

References

- Henrique D, Hirsinger E, Adam J, Le Roux I, Pourquie O, Ish-Horowicz D, Lewis J (1997) Maintenance of neuroepithelial progenitor cells by Delta-Notch signalling in the embryonic chick retina. *Current biology* : **CB 7**: 661-670
- Hirami Y, Osakada F, Takahashi K, Okita K, Yamanaka S, Ikeda H, Yoshimura N, Takahashi M (2009) Generation of retinal cells from mouse and human induced pluripotent stem cells. *Neurosci Lett* **458**: 126-131
- Hirano M, Yamamoto A, Yoshimura N, Tokunaga T, Motohashi T, Ishizaki K, Yoshida H, Okazaki K, Yamazaki H, Hayashi S, Kunisada T (2003) Generation of structures formed by lens and retinal cells differentiating from embryonic stem cells. *Developmental dynamics* : an official publication of the American Association of Anatomists **228**: 664-671
- Hogg RE, Stevenson MR, Chakravarthy U, Beirne RO, Anderson RS (2007) Early features of AMD. *Ophthalmology* **114**: 1028
- Iandiev I, Uckermann O, Pannicke T, Wurm A, Tenckhoff S, Pietsch UC, Reichenbach A, Wiedemann P, Bringmann A, Uhlmann S (2006) Glial cell reactivity in a porcine model of retinal detachment. *Investigative ophthalmology & visual science* **47**: 2161-2171
- Idelson M, Alper R, Obolensky A, Ben-Shushan E, Hemo I, Yachimovich-Cohen N, Khaner H, Smith Y, Wisner O, Gropp M, Cohen MA, Even-Ram S, Berman-Zaken Y, Matzrafi L, Rechavi G, Banin E, Reubinoff B (2009) Directed differentiation of human embryonic stem cells into functional retinal pigment epithelium cells. *Cell stem cell* **5**: 396-408
- Ikeda H, Osakada F, Watanabe K, Mizuseki K, Haraguchi T, Miyoshi H, Kamiya D, Honda Y, Sasai N, Yoshimura N, Takahashi M, Sasai Y (2005) Generation of Rx+/Pax6+ neural retinal precursors from embryonic stem cells. *Proceedings of the National Academy of Sciences of the United States of America* **102**: 11331-11336
- Inoue T, Coles BL, Dorval K, Bremner R, Bessho Y, Kageyama R, Hino S, Matsuoka M, Craft CM, McInnes RR, Tremblay F, Prusky GT, van der Kooy D (2010) Maximizing functional photoreceptor differentiation from adult human retinal stem cells. *Stem cells* **28**: 489-500
- Inoue T, Kagawa T, Fukushima M, Shimizu T, Yoshinaga Y, Takada S, Tanihara H, Taga T (2006) Activation of canonical Wnt pathway promotes proliferation of retinal stem cells derived from adult mouse ciliary margin. *Stem cells* **24**: 95-104
- Inoue Y, Yanagi Y, Tamaki Y, Uchida S, Kawase Y, Araie M, Okochi H (2005) Clonogenic analysis of ciliary epithelial derived retinal progenitor cells in rabbits. *Experimental eye research* **81**: 437-445

References

Insua MF, Simon MV, Garelli A, de Los Santos B, Rotstein NP, Politi LE (2008) Trophic factors and neuronal interactions regulate the cell cycle and Pax6 expression in Muller stem cells. *Journal of neuroscience research* **86**: 1459-1471

Jacobson SG, Cideciyan AV, Ratnakaram R, Heon E, Schwartz SB, Roman AJ, Peden MC, Aleman TS, Boye SL, Sumaroka A, Conlon TJ, Calcedo R, Pang JJ, Erger KE, Olivares MB, Mullins CL, Swider M, Kaushal S, Feuer WJ, Iannaccone A, Fishman GA, Stone EM, Byrne BJ, Hauswirth WW (2011) Gene Therapy for Leber Congenital Amaurosis Caused by RPE65 Mutations: Safety and Efficacy in 15 Children and Adults Followed Up to 3 Years. *Archives of ophthalmology*

Jadhav AP, Cho SH, Cepko CL (2006) Notch activity permits retinal cells to progress through multiple progenitor states and acquire a stem cell property. *Proceedings of the National Academy of Sciences of the United States of America* **103**: 18998-19003

James J, Das AV, Rahnenfuhrer J, Ahmad I (2004) Cellular and molecular characterization of early and late retinal stem cells/progenitors: differential regulation of proliferation and context dependent role of Notch signaling. *Journal of neurobiology* **61**: 359-376

Jensen AM, Wallace VA (1997) Expression of Sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina. *Development* **124**: 363-371

Jia L, Oh EC, Ng L, Srinivas M, Brooks M, Swaroop A, Forrest D (2009) Retinoid-related orphan nuclear receptor RORbeta is an early-acting factor in rod photoreceptor development. *Proceedings of the National Academy of Sciences of the United States of America* **106**: 17534-17539

Jian Q, Xu H, Xie H, Tian C, Zhao T, Yin Z (2009) Activation of retinal stem cells in the proliferating marginal region of RCS rats during development of retinitis pigmentosa. *Neuroscience letters* **465**: 41-44

Johansson UE, Eftekhari S, Warfvinge K (2010) A battery of cell- and structure-specific markers for the adult porcine retina. *The journal of histochemistry and cytochemistry : official journal of the Histochemistry Society* **58**: 377-389

Johns PR (1977) Growth of the adult goldfish eye. III. Source of the new retinal cells. *The Journal of comparative neurology* **176**: 343-357

Johns PR (1982) Formation of photoreceptors in larval and adult goldfish. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **2**: 178-198

Jomary C, Jones SE (2008) Induction of functional photoreceptor phenotype by exogenous Crx expression in mouse retinal stem cells. *Investigative ophthalmology & visual science* **49**: 429-437

References

- Jomary C, Jones SE, Lotery AJ (2010) Generation of light-sensitive photoreceptor phenotypes by genetic modification of human adult ocular stem cells with Crx. *Investigative ophthalmology & visual science* **51**: 1181-1189
- Julian D, Ennis K, Korenbrot JI (1998) Birth and fate of proliferative cells in the inner nuclear layer of the mature fish retina. *The Journal of comparative neurology* **394**: 271-282
- Karl MO, Hayes S, Nelson BR, Tan K, Buckingham B, Reh TA (2008) Stimulation of neural regeneration in the mouse retina. *Proceedings of the National Academy of Sciences of the United States of America* **105**: 19508-19513
- Keefe JR (1973) An analysis of urodelian retinal regeneration. I. Studies of the cellular source of retinal regeneration in *Notophthalmus viridescens* utilizing 3 H-thymidine and colchicine. *The Journal of experimental zoology* **184**: 185-206
- Khanna H, Akimoto M, Siffron-Fernandez S, Friedman JS, Hicks D, Swaroop A (2006) Retinoic acid regulates the expression of photoreceptor transcription factor NRL. *The Journal of biological chemistry* **281**: 27327-27334
- Kinouchi R, Takeda M, Yang L, Wilhelmsson U, Lundkvist A, Pekny M, Chen DF (2003) Robust neural integration from retinal transplants in mice deficient in GFAP and vimentin. *Nature neuroscience* **6**: 863-868
- Klassen H, Kiilgaard JF, Zahir T, Ziaeiian B, Kirov I, Scherfig E, Warfvinge K, Young MJ (2007) Progenitor cells from the porcine neural retina express photoreceptor markers after transplantation to the subretinal space of allorecipients. *Stem cells* **25**: 1222-1230
- Klassen H, Warfvinge K, Schwartz PH, Kiilgaard JF, Shamie N, Jiang C, Samuel M, Scherfig E, Prather RS, Young MJ (2008) Isolation of progenitor cells from GFP-transgenic pigs and transplantation to the retina of allorecipients. *Cloning and stem cells* **10**: 391-402
- Klein LR, MacLeish PR, Wiesel TN (1990) Immunolabelling by a newt retinal pigment epithelium antibody during retinal development and regeneration. *The Journal of comparative neurology* **293**: 331-339
- Kohno R, Ikeda Y, Yonemitsu Y, Hisatomi T, Yamaguchi M, Miyazaki M, Takeshita H, Ishibashi T, Sueishi K (2006) Sphere formation of ocular epithelial cells in the ciliary body is a reprogramming system for neural differentiation. *Brain research* **1093**: 54-70
- Koike C, Nishida A, Ueno S, Saito H, Sanuki R, Sato S, Furukawa A, Aizawa S, Matsuo I, Suzuki N, Kondo M, Furukawa T (2007) Functional roles of Otx2 transcription factor in postnatal mouse retinal development. *Molecular and cellular biology* **27**: 8318-8329

References

- Kubota R, Hokoc JN, Moshiri A, McGuire C, Reh TA (2002) A comparative study of neurogenesis in the retinal ciliary marginal zone of homeothermic vertebrates. *Brain research Developmental brain research* **134**: 31-41
- Lamba DA, Gust J, Reh TA (2009) Transplantation of human embryonic stem cell-derived photoreceptors restores some visual function in Crx-deficient mice. *Cell stem cell* **4**: 73-79
- Lamba DA, Karl MO, Ware CB, Reh TA (2006) Efficient generation of retinal progenitor cells from human embryonic stem cells. *Proc Natl Acad Sci U S A* **103**: 12769-12774
- Lamba DA, McUsic A, Hirata RK, Wang PR, Russell D, Reh TA (2010) Generation, purification and transplantation of photoreceptors derived from human induced pluripotent stem cells. *PLoS one* **5**: e8763
- Lawrence JM, Singhal S, Bhatia B, Keegan DJ, Reh TA, Luthert PJ, Khaw PT, Limb GA (2007) MIO-M1 cells and similar muller glial cell lines derived from adult human retina exhibit neural stem cell characteristics. *Stem cells* **25**: 2033-2043
- Levine EM, Roelink H, Turner J, Reh TA (1997) Sonic hedgehog promotes rod photoreceptor differentiation in mammalian retinal cells in vitro. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **17**: 6277-6288
- Lewis GP, Erickson PA, Guerin CJ, Anderson DH, Fisher SK (1992) Basic fibroblast growth factor: a potential regulator of proliferation and intermediate filament expression in the retina. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **12**: 3968-3978
- Lewis GP, Fisher SK (2003) Up-regulation of glial fibrillary acidic protein in response to retinal injury: its potential role in glial remodeling and a comparison to vimentin expression. *International review of cytology* **230**: 263-290
- Limb GA, Salt TE, Munro PM, Moss SE, Khaw PT (2002) In vitro characterization of a spontaneously immortalized human Muller cell line (MIO-M1). *Investigative ophthalmology & visual science* **43**: 864-869
- Lin N, Fan W, Sheedlo HJ, Aschenbrenner JE, Turner JE (1996) Photoreceptor repair in response to RPE transplants in RCS rats: outer segment regeneration. *Current eye research* **15**: 1069-1077
- Livesey FJ, Cepko CL (2001) Vertebrate neural cell-fate determination: lessons from the retina. *Nature reviews Neuroscience* **2**: 109-118

References

- Lord-Grignon J, Abdouh M, Bernier G (2006) Identification of genes expressed in retinal progenitor/stem cell colonies isolated from the ocular ciliary body of adult mice. *Gene expression patterns : GEP* **6**: 992-999
- Mabry R, Gilbertson DG, Frank A, Vu T, Ardourel D, Ostrander C, Stevens B, Julien S, Franke S, Meengs B, Brody J, Presnell S, Hamacher NB, Lantry M, Wolf A, Bukowski T, Rosler R, Yen C, Anderson-Haley M, Brasel K, Pan Q, Franklin H, Thompson P, Dodds M, Underwood S, Peterson S, Sivakumar PV, Snavely M (2010) A dual-targeting PDGFRbeta/VEGF-A molecule assembled from stable antibody fragments demonstrates anti-angiogenic activity in vitro and in vivo. *mAbs* **2**: 20-34
- Mack AF, Fernald RD (1997) Cell movement and cell cycle dynamics in the retina of the adult teleost *Haplochromis burtoni*. *The Journal of comparative neurology* **388**: 435-443
- MacLaren RE, Pearson RA, MacNeil A, Douglas RH, Salt TE, Akimoto M, Swaroop A, Sowden JC, Ali RR (2006) Retinal repair by transplantation of photoreceptor precursors. *Nature* **444**: 203-207
- MacNeil A, Pearson RA, MacLaren RE, Smith AJ, Sowden JC, Ali RR (2007) Comparative analysis of progenitor cells isolated from the iris, pars plana, and ciliary body of the adult porcine eye. *Stem cells* **25**: 2430-2438
- Maguire AM, Simonelli F, Pierce EA, Pugh EN, Jr., Mingozzi F, Bennicelli J, Banfi S, Marshall KA, Testa F, Surace EM, Rossi S, Lyubarsky A, Arruda VR, Konkle B, Stone E, Sun J, Jacobs J, Dell'Osso L, Hertle R, Ma JX, Redmond TM, Zhu X, Hauck B, Zeleniaia O, Shindler KS, Maguire MG, Wright JF, Volpe NJ, McDonnell JW, Auricchio A, High KA, Bennett J (2008) Safety and efficacy of gene transfer for Leber's congenital amaurosis. *N Engl J Med* **358**: 2240-2248
- Marquardt T (2003) Transcriptional control of neuronal diversification in the retina. *Progress in retinal and eye research* **22**: 567-577
- Martin DF, Maguire MG, Ying GS, Grunwald JE, Fine SL, Jaffe GJ (2011) Ranibizumab and bevacizumab for neovascular age-related macular degeneration. *The New England journal of medicine* **364**: 1897-1908
- Matsunari H, Onodera M, Tada N, Mochizuki H, Karasawa S, Haruyama E, Nakayama N, Saito H, Ueno S, Kurome M, Miyawaki A, Nagashima H (2008) Transgenic-cloned pigs systemically expressing red fluorescent protein, Kusabira-Orange. *Cloning and stem cells* **10**: 313-323
- Mayer EJ, Carter DA, Ren Y, Hughes EH, Rice CM, Halfpenny CA, Scolding NJ, Dick AD (2005) Neural progenitor cells from postmortem adult human retina. *The British journal of ophthalmology* **89**: 102-106

References

- McUsic AC, Lamba DA, Reh TA (2012) Guiding the morphogenesis of dissociated newborn mouse retinal cells and hES cell-derived retinal cells by soft lithography-patterned microchannel PLGA scaffolds. *Biomaterials* **33**: 1396-1405
- Mears AJ, Kondo M, Swain PK, Takada Y, Bush RA, Saunders TL, Sieving PA, Swaroop A (2001) Nr1 is required for rod photoreceptor development. *Nature genetics* **29**: 447-452
- Middleton S (2010) Porcine ophthalmology. *The Veterinary clinics of North America Food animal practice* **26**: 557-572
- Ming GL, Song H (2011) Adult neurogenesis in the mammalian brain: significant answers and significant questions. *Neuron* **70**: 687-702
- Mitashov VI (1996) Mechanisms of retina regeneration in urodeles. *The International journal of developmental biology* **40**: 833-844
- Mitashov VI (1997) Retinal regeneration in amphibians. *The International journal of developmental biology* **41**: 893-905
- Mitashov VI, Arsanto JP, Markitantova YV, Thouveny Y (1995) Remodeling processes during neural retinal regeneration in adult urodeles: an immunohistochemical survey. *The International journal of developmental biology* **39**: 993-1003
- Moe MC, Kolberg RS, Sandberg C, Vik-Mo E, Olstorn H, Varghese M, Langmoen IA, Nicolaissen B (2009) A comparison of epithelial and neural properties in progenitor cells derived from the adult human ciliary body and brain. *Experimental eye research* **88**: 30-38
- Montgomery JE, Parsons MJ, Hyde DR (2010) A novel model of retinal ablation demonstrates that the extent of rod cell death regulates the origin of the regenerated zebrafish rod photoreceptors. *The Journal of comparative neurology* **518**: 800-814
- Moshiri A, Close J, Reh TA (2004) Retinal stem cells and regeneration. *The International journal of developmental biology* **48**: 1003-1014
- Moshiri A, Reh TA (2004) Persistent progenitors at the retinal margin of ptc^{+/-} mice. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **24**: 229-237
- Negishi K, Shinagawa S, Ushijima M, Kaneko Y, Saito T (1992) An immunohistochemical study of regenerating newt retinas. *Brain research Developmental brain research* **68**: 255-264

References

- Neill JM, Barnstable CJ (1990) Expression of the cell surface antigens RET-PE2 and N-CAM by rat retinal pigment epithelial cells during development and in tissue culture. *Experimental eye research* **51**: 573-583
- Ng L, Lu A, Swaroop A, Sharlin DS, Forrest D (2011) Two transcription factors can direct three photoreceptor outcomes from rod precursor cells in mouse retinal development. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **31**: 11118-11125
- Nickerson PE, Emsley JG, Myers T, Clarke DB (2007) Proliferation and expression of progenitor and mature retinal phenotypes in the adult mammalian ciliary body after retinal ganglion cell injury. *Investigative ophthalmology & visual science* **48**: 5266-5275
- Nishida A, Furukawa A, Koike C, Tano Y, Aizawa S, Matsuo I, Furukawa T (2003) Otx2 homeobox gene controls retinal photoreceptor cell fate and pineal gland development. *Nature neuroscience* **6**: 1255-1263
- Nishiguchi KM, Kaneko H, Nakamura M, Kachi S, Terasaki H (2008) Identification of photoreceptor precursors in the pars plana during ocular development and after retinal injury. *Investigative ophthalmology & visual science* **49**: 422-428
- Nishiguchi KM, Kaneko H, Nakamura M, Kachi S, Terasaki H (2009) Generation of immature retinal neurons from proliferating cells in the pars plana after retinal histogenesis in mice with retinal degeneration. *Molecular vision* **15**: 187-199
- Nishiguchi KM, Nakamura M, Kaneko H, Kachi S, Terasaki H (2007) The role of VEGF and VEGFR2/Flk1 in proliferation of retinal progenitor cells in murine retinal degeneration. *Investigative ophthalmology & visual science* **48**: 4315-4320
- Oh EC, Cheng H, Hao H, Jia L, Khan NW, Swaroop A (2008) Rod differentiation factor NRL activates the expression of nuclear receptor NR2E3 to suppress the development of cone photoreceptors. *Brain research* **1236**: 16-29
- Okamoto S, Takahashi M (2011) Induction of retinal pigment epithelial cells from monkey iPS cells. *Investigative ophthalmology & visual science* **52**: 8785-8790
- Oliver TG, Grasdeder LL, Carroll AL, Kaiser C, Gillingham CL, Lin SM, Wickramasinghe R, Scott MP, Wechsler-Reya RJ (2003) Transcriptional profiling of the Sonic hedgehog response: a critical role for N-myc in proliferation of neuronal precursors. *Proceedings of the National Academy of Sciences of the United States of America* **100**: 7331-7336
- Omori Y, Katoh K, Sato S, Muranishi Y, Chaya T, Onishi A, Minami T, Fujikado T, Furukawa T (2011) Analysis of transcriptional regulatory pathways of photoreceptor genes by expression profiling of the Otx2-deficient retina. *PLoS one* **6**: e19685

References

- Ooto S, Akagi T, Kageyama R, Akita J, Mandai M, Honda Y, Takahashi M (2004) Potential for neural regeneration after neurotoxic injury in the adult mammalian retina. *Proceedings of the National Academy of Sciences of the United States of America* **101**: 13654-13659
- Osakada F, Ikeda H, Mandai M, Wataya T, Watanabe K, Yoshimura N, Akaike A, Sasai Y, Takahashi M (2008) Toward the generation of rod and cone photoreceptors from mouse, monkey and human embryonic stem cells. *Nature biotechnology* **26**: 215-224
- Osakada F, Ikeda H, Sasai Y, Takahashi M (2009a) Stepwise differentiation of pluripotent stem cells into retinal cells. *Nat Protoc* **4**: 811-824
- Osakada F, Jin ZB, Hiram Y, Ikeda H, Danjyo T, Watanabe K, Sasai Y, Takahashi M (2009b) In vitro differentiation of retinal cells from human pluripotent stem cells by small-molecule induction. *Journal of cell science* **122**: 3169-3179
- Osakada F, Ooto S, Akagi T, Mandai M, Akaike A, Takahashi M (2007) Wnt signaling promotes regeneration in the retina of adult mammals. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **27**: 4210-4219
- Otterson DC, Cirenza PF, Hitchcock PF (2002) Persistent neurogenesis in the teleost retina: evidence for regulation by the growth-hormone/insulin-like growth factor-I axis. *Mechanisms of development* **117**: 137-149
- Otterson DC, D'Costa AR, Hitchcock PF (2001) Putative stem cells and the lineage of rod photoreceptors in the mature retina of the goldfish. *Developmental biology* **232**: 62-76
- Park CM, Hollenberg MJ (1989) Basic fibroblast growth factor induces retinal regeneration in vivo. *Developmental biology* **134**: 201-205
- Park CM, Hollenberg MJ (1991) Induction of retinal regeneration in vivo by growth factors. *Developmental biology* **148**: 322-333
- Park KW, Kuhholzer B, Lai L, Machaty Z, Sun QY, Day BN, Prather RS (2001) Development and expression of the green fluorescent protein in porcine embryos derived from nuclear transfer of transgenic granulosa-derived cells. *Animal reproduction science* **68**: 111-120
- Pearson PA, Comstock TL, Ip M, Callanan D, Morse LS, Ashton P, Levy B, Mann ES, Elliott D (2011) Fluocinolone acetonide intravitreal implant for diabetic macular edema: a 3-year multicenter, randomized, controlled clinical trial. *Ophthalmology* **118**: 1580-1587

References

Petters RM, Alexander CA, Wells KD, Collins EB, Sommer JR, Blanton MR, Rojas G, Hao Y, Flowers WL, Banin E, Cideciyan AV, Jacobson SG, Wong F (1997) Genetically engineered large animal model for studying cone photoreceptor survival and degeneration in retinitis pigmentosa. *Nature biotechnology* **15**: 965-970

Pittack C, Grunwald GB, Reh TA (1997) Fibroblast growth factors are necessary for neural retina but not pigmented epithelium differentiation in chick embryos. *Development* **124**: 805-816

Rattner A, Nathans J (2006) Macular degeneration: recent advances and therapeutic opportunities. *Nature reviews Neuroscience* **7**: 860-872

Raymond PA, Barthel LK, Bernardos RL, Perkowski JJ (2006) Molecular characterization of retinal stem cells and their niches in adult zebrafish. *BMC developmental biology* **6**: 36

Redmond TM, Yu S, Lee E, Bok D, Hamasaki D, Chen N, Goletz P, Ma JX, Crouch RK, Pfeifer K (1998) Rpe65 is necessary for production of 11-cis-vitamin A in the retinal visual cycle. *Nature genetics* **20**: 344-351

Reh TA (1987) Cell-specific regulation of neuronal production in the larval frog retina. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **7**: 3317-3324

Reh TA, Lamba D, Gust J (2010) Directing human embryonic stem cells to a retinal fate. *Methods in molecular biology* **636**: 139-153

Resnikoff S, Pascolini D, Mariotti SP, Pokharel GP (2008) Global magnitude of visual impairment caused by uncorrected refractive errors in 2004. *Bull World Health Organ* **86**: 63-70

Rodieck RW (1998) *The first steps in seeing*, Sunderland, MA: Sinauer Associates.

Sahel J, Bonnel S, Mrejen S, Paques M (2010) Retinitis pigmentosa and other dystrophies. *Developments in ophthalmology* **47**: 160-167

Sahni JN, Angi M, Irigoyen C, Semeraro F, Romano MR, Parmeggiani F (2011) Therapeutic challenges to retinitis pigmentosa: from neuroprotection to gene therapy. *Current genomics* **12**: 276-284

Sakaguchi DS, Janick LM, Reh TA (1997) Basic fibroblast growth factor (FGF-2) induced transdifferentiation of retinal pigment epithelium: generation of retinal neurons and glia. *Developmental dynamics : an official publication of the American Association of Anatomists* **209**: 387-398

References

- Sakakibara S, Hiramatsu H, Takahashi Y, Hisatomi O, Kobayashi Y, Sakami S, Saito T, Tokunaga F (2002) Opsin expression in adult, developing, and regenerating newt retinas. *Brain research Molecular brain research* **103**: 28-35
- Sanchez I, Martin R, Ussa F, Fernandez-Bueno I (2011) The parameters of the porcine eyeball. *Graefe's archive for clinical and experimental ophthalmology = Albrecht von Graefes Archiv fur klinische und experimentelle Ophthalmologie* **249**: 475-482
- Sanchez-Sanchez AV, Camp E, Leal-Tassias A, Mullor JL (2010) Wnt signaling has different temporal roles during retinal development. *Developmental dynamics : an official publication of the American Association of Anatomists* **239**: 297-310
- Sarthy V, Egal H (1995) Transient induction of the glial intermediate filament protein gene in Muller cells in the mouse retina. *DNA and cell biology* **14**: 313-320
- Schwartz SD, Hubschman JP, Heilwell G, Franco-Cardenas V, Pan CK, Ostrick RM, Mickunas E, Gay R, Klimanskaya I, Lanza R (2012) Embryonic stem cell trials for macular degeneration: a preliminary report. *Lancet* **379**: 713-720
- Simonelli F, Maguire AM, Testa F, Pierce EA, Mingozzi F, Bennicelli JL, Rossi S, Marshall K, Banfi S, Surace EM, Sun J, Redmond TM, Zhu X, Shindler KS, Ying GS, Ziviello C, Acerra C, Wright JF, McDonnell JW, High KA, Bennett J, Auricchio A (2010) Gene therapy for Leber's congenital amaurosis is safe and effective through 1.5 years after vector administration. *Molecular therapy : the journal of the American Society of Gene Therapy* **18**: 643-650
- Stenkamp DL (2007) Neurogenesis in the fish retina. *International review of cytology* **259**: 173-224
- Stone LS (1949) Regeneration of the neural portion of the retina from pigment cells in adult urodele eyes. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine* **72**: 382-384
- Stone LS (1950) Neural retina degeneration followed by regeneration from surviving retinal pigment cells in grafted adult salamander eyes. *The Anatomical record* **106**: 89-109
- Stone LS, Steinitz H (1957) Regeneration of neural retina and lens from retina pigment cell grafts in adult newts. *The Journal of experimental zoology* **135**: 301-317
- Stroeva OG, Mitashov VI (1983) Retinal pigment epithelium: proliferation and differentiation during development and regeneration. *International review of cytology* **83**: 221-293

References

- Swaroop A, Chew EY, Rickman CB, Abecasis GR (2009) Unraveling a multifactorial late-onset disease: from genetic susceptibility to disease mechanisms for age-related macular degeneration. *Annu Rev Genomics Hum Genet* **10**: 19-43
- Swaroop A, Kim D, Forrest D (2010) Transcriptional regulation of photoreceptor development and homeostasis in the mammalian retina. *Nature reviews Neuroscience* **11**: 563-576
- Tackenberg MA, Tucker BA, Swift JS, Jiang C, Redenti S, Greenberg KP, Flannery JG, Reichenbach A, Young MJ (2009) Muller cell activation, proliferation and migration following laser injury. *Molecular vision* **15**: 1886-1896
- Takeda M, Takamiya A, Jiao JW, Cho KS, Trevino SG, Matsuda T, Chen DF (2008) alpha-Amino adipate induces progenitor cell properties of Muller glia in adult mice. *Investigative ophthalmology & visual science* **49**: 1142-1150
- Thummel R, Kassen SC, Enright JM, Nelson CM, Montgomery JE, Hyde DR (2008a) Characterization of Muller glia and neuronal progenitors during adult zebrafish retinal regeneration. *Experimental eye research* **87**: 433-444
- Thummel R, Kassen SC, Montgomery JE, Enright JM, Hyde DR (2008b) Inhibition of Muller glial cell division blocks regeneration of the light-damaged zebrafish retina. *Developmental neurobiology* **68**: 392-408
- Tropepe V, Coles BL, Chiasson BJ, Horsford DJ, Elia AJ, McInnes RR, van der Kooy D (2000) Retinal stem cells in the adult mammalian eye. *Science* **287**: 2032-2036
- Turner DL, Cepko CL (1987) A common progenitor for neurons and glia persists in rat retina late in development. *Nature* **328**: 131-136
- Wahlin KJ, Campochiaro PA, Zack DJ, Adler R (2000) Neurotrophic factors cause activation of intracellular signaling pathways in Muller cells and other cells of the inner retina, but not photoreceptors. *Investigative ophthalmology & visual science* **41**: 927-936
- Wan J, Zheng H, Chen ZL, Xiao HL, Shen ZJ, Zhou GM (2008) Preferential regeneration of photoreceptor from Muller glia after retinal degeneration in adult rat. *Vision research* **48**: 223-234
- Wan J, Zheng H, Xiao HL, She ZJ, Zhou GM (2007) Sonic hedgehog promotes stem-cell potential of Muller glia in the mammalian retina. *Biochemical and biophysical research communications* **363**: 347-354

References

- Wang NK, Tosi J, Kasanuki JM, Chou CL, Kong J, Parmalee N, Wert KJ, Allikmets R, Lai CC, Chien CL, Nagasaki T, Lin CS, Tsang SH (2010) Transplantation of reprogrammed embryonic stem cells improves visual function in a mouse model for retinitis pigmentosa. *Transplantation* **89**: 911-919
- Warfvinge K, Kiilgaard JF, Lavik EB, Scherfig E, Langer R, Klassen HJ, Young MJ (2005) Retinal progenitor cell xenografts to the pig retina: morphologic integration and cytochemical differentiation. *Archives of ophthalmology* **123**: 1385-1393
- Wehman AM, Staub W, Meyers JR, Raymond PA, Baier H (2005) Genetic dissection of the zebrafish retinal stem-cell compartment. *Developmental biology* **281**: 53-65
- Wetts R, Serbedzija GN, Fraser SE (1989) Cell lineage analysis reveals multipotent precursors in the ciliary margin of the frog retina. *Developmental biology* **136**: 254-263
- Witkin AJ, Brown GC (2011) Update on nonsurgical therapy for diabetic macular edema. *Current opinion in ophthalmology* **22**: 185-189
- Wright AF, Chakarova CF, Abd El-Aziz MM, Bhattacharya SS (2010) Photoreceptor degeneration: genetic and mechanistic dissection of a complex trait. *Nature reviews Genetics* **11**: 273-284
- Xu H, Sta Iglesia DD, Kielczewski JL, Valenta DF, Pease ME, Zack DJ, Quigley HA (2007a) Characteristics of progenitor cells derived from adult ciliary body in mouse, rat, and human eyes. *Investigative ophthalmology & visual science* **48**: 1674-1682
- Xu S, Sunderland ME, Coles BL, Kam A, Holowacz T, Ashery-Padan R, Marquardt T, McInnes RR, van der Kooy D (2007b) The proliferation and expansion of retinal stem cells require functional Pax6. *Developmental biology* **304**: 713-721
- Xue W, Cojocarui RI, Dudley VJ, Brooks M, Swaroop A, Sarthy VP (2011) Ciliary neurotrophic factor induces genes associated with inflammation and gliosis in the retina: a gene profiling study of flow-sorted, Muller cells. *PLoS one* **6**: e20326
- Yanagi Y, Inoue Y, Kawase Y, Uchida S, Tamaki Y, Araie M, Okochi H (2006) Properties of growth and molecular profiles of rat progenitor cells from ciliary epithelium. *Experimental eye research* **82**: 471-478
- Yaron O, Farhy C, Marquardt T, Applebury M, Ashery-Padan R (2006) Notch1 functions to suppress cone-photoreceptor fate specification in the developing mouse retina. *Development* **133**: 1367-1378
- Young TL, Cepko CL (2004) A role for ligand-gated ion channels in rod photoreceptor development. *Neuron* **41**: 867-879

References

- Zhao S, Thornquist SC, Barnstable CJ (1995) In vitro transdifferentiation of embryonic rat retinal pigment epithelium to neural retina. *Brain research* **677**: 300-310
- Zhao X, Das AV, Soto-Leon F, Ahmad I (2005) Growth factor-responsive progenitors in the postnatal mammalian retina. *Developmental dynamics : an official publication of the American Association of Anatomists* **232**: 349-358
- Zhao X, Liu J, Ahmad I (2002) Differentiation of embryonic stem cells into retinal neurons. *Biochemical and biophysical research communications* **297**: 177-184
- Zhou L, Wang W, Liu Y, de Castro JF, Ezashi T, Telugu BP, Roberts RM, Kaplan HJ, Dean DC (2011) Differentiation of induced pluripotent stem cells of swine into rod photoreceptors and their integration into the retina. *Stem cells* **29**: 972-980
- Zygar CA, Colbert S, Yang D, Fernald RD (2005) IGF-1 produced by cone photoreceptors regulates rod progenitor proliferation in the teleost retina. *Brain research Developmental brain research* **154**: 91-100

