



**Universiteit
Leiden**
The Netherlands

Genetic studies in rheumatoid arthritis

Kurreeman, F.

Citation

Kurreeman, F. (2009, November 4). *Genetic studies in rheumatoid arthritis*.
Retrieved from <https://hdl.handle.net/1887/14323>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/14323>

Note: To cite this publication please use the final published version (if applicable).

Genetic Studies in Rheumatoid Arthritis

Fina Kurreeman



Genetic Studies in Rheumatoid Arthritis

PROEFSCHRIFT

ter verkrijging van

de graad Doctor aan de Universiteit Leiden,

op gezag van de Rector Magnificus Prof.mr.P.F.van der Heijden,

volgens besluit van het College voor Promoties

te verdedigen op woensdag 4 November 2009

klokke 13.45 uur

door

Fina Kurreeman

Geboren te Plaines Wilhems, Mauritius

in 1979

PROMOTIECOMMISSIE

Promotor: Prof. Dr. T.W.J.Huizinga

Co-promotor: Dr. R.E.M. Toes

Overige leden: Dr. Robert Plenge (Harvard Medical School, Boston, USA)

Dr. B.P.C.Koeleman (University Medical Center Utrecht)

Prof.Dr. W. Jukema

Prof.Dr. M.R.Daha

Prof.Dr. F.Koning

ISBN: 978-90-9024653-6

Printed by Propress

The printing of this book was financially supported by:



Contents

Chapter 1 General Introduction

Part I Association of the TRAF1-C5 region on chromosome 9q33 with RA and autoimmunity

Chapter 2 A candidate gene approach identifies the TRAF1/C5 region as a risk for rheumatoid arthritis
PLoS Med. 4, e278 (2007)

Chapter 3 Replication of the tumor necrosis factor receptor-associated factor 1/complement component 5 region as a susceptibility locus for rheumatoid arthritis in a European family-based study.
Arthritis Rheum. 58, 2670-2674 (2008)

Chapter 4 The TRAF1/C5 region is a risk factor for polyarthritis in juvenile idiopathic arthritis.
Ann Rheum Dis. 67, 1578-1580 (2008)

Chapter 5 The TRAF1/C5 region is associated with multiple autoimmune diseases.
Ann Rheum Dis. (2009)

Part II The role of interleukin 10 (IL10) genetic variants in regulating expression levels and disease pathogenesis.

Chapter 6 The role of interleukin 10 promoter polymorphisms in the susceptibility of distalinterphalangeal osteoarthritis.
J Rheumatol. 32, 1571-1575 (2005)

Chapter 7 Transcription of the IL10 gene reveals allele-specific regulation at the mRNA level.
Hum Mol Genet. 13, 1755-1762 (2004)

Chapter 8 Interleukin 10: a new risk marker for the development of restenosis after percutaneous coronary intervention.
Genes Immun. 8, 44-50 (2007)

Chapter 9 Genetic Variants at the Interleukin 10 locus do not associate with Rheumatoid Arthritis Disease Outcomes.
Manuscript in preparation

Part III Other candidate genes in Rheumatoid and Juvenile Arthritis.

- Chapter 10* Association of tumor necrosis factor alpha polymorphism and radiographic progression in rheumatoid arthritis: comment on the article by Khanna et al.
Arthritis Rheum. 56, 1032-1033 (2007)
- Chapter 11* Association of the 6q23 region with the rate of joint destruction in rheumatoid arthritis.
Ann Rheum Dis. (2009)
- Chapter 12* Replication and confirmation of STAT4, IL2/IL21 and CTLA4 polymorphisms in rheumatoid arthritis.
Arthritis Rheum. 60, 1255-60 (2009)
- Chapter 13* The autoimmune 4q27 locus is associated with Juvenile Idiopathic Arthritis.
Arthritis Rheum. 60, 901-4 (2009)
- Chapter 14* Association of a haplotype in the promoter region of the interferon regulatory factor 5 gene with rheumatoid arthritis.
Arthritis Rheum. 56, 2202-2210 (2007)
- Chapter 15* Common variants at CD40 and other loci confer risk of rheumatoid arthritis.
Nat Genet. 40, 1216-1223 (2008)
- Chapter 16* Association of IL2RA and IL2RB with rheumatoid arthritis- a replication study in a Dutch population.
Manuscript in press at Ann. Rheum Dis.
- Chapter 17* Summary & Discussion

Nederlandse Samenvatting

Acknowledgments

Curriculum Vitae

Publications