



Universiteit  
Leiden  
The Netherlands

## **The Affective Amygdala : towards a better understanding of adolescent depressive and anxiety disorders**

Bulk, B.G. van den

### **Citation**

Bulk, B. G. van den. (2015, June 2). *The Affective Amygdala : towards a better understanding of adolescent depressive and anxiety disorders*. Retrieved from <https://hdl.handle.net/1887/33130>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/33130>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/33130> holds various files of this Leiden University dissertation.

**Author:** Bulk, Bianca Gabriella van den

**Title:** The affective amygdala : towards a better understanding of adolescent depressive and anxiety disorders

**Issue Date:** 2015-06-02

## References

- Adolphs, R. (2002). Recognizing emotion from facial expressions: Psychological and neurological mechanisms. *Behav.Cogn Neurosci.Rev.*, 1, 21-62
- Adolphs, R., Tranel, D., & Damasio, A. R. (2003). Dissociable neural systems for recognizing emotions. *Brain Cogn*, 52, 61-69
- Aghajani, M., Veer, I. M., Van Lang, N. D., Meens, P. H., Van Den Bulk, B. G., Rombouts, S. A., Vermeiren, R. R., & Van Der Wee, N. J. (2013). Altered white-matter architecture in treatment-naïve adolescents with clinical depression. *Psychol Med*, 1-12
- Anand, A., Li, Y., Wang, Y., Wu, J., Gao, S., Bukhari, L., Mathews, V. P., Kalnin, A., & Lowe, M. J. (2005). Activity and connectivity of brain mood regulating circuit in depression: A functional magnetic resonance study. *Biol Psychiatry*, 57, 1079-1088
- Aron, A. R., Gluck, M. A., & Poldrack, R. A. (2006). Long-term test-retest reliability of functional mri in a classification learning task. *Neuroimage*, 29, 1000-1006
- Baird, A. A., Gruber, S. A., Fein, D. A., Maas, L. C., Steingard, R. J., Renshaw, P. F., Cohen, B. M., & Yurgelun-Todd, D. A. (1999). Functional magnetic resonance imaging of facial affect recognition in children and adolescents. *J Am Acad Child Adolesc Psychiatry*, 38, 195-199
- Ball, T. M., Sullivan, S., Flagan, T., Hitchcock, C. A., Simmons, A., Paulus, M. P., & Stein, M.B. (2012). Selective effects of social anxiety, anxiety sensitivity, and negative affectivity on the neural bases of emotional face processing. *Neuroimage*, 59, 1879-1887
- Bar-Haim, Y., Lamy, D., Pergamin, L., Bakermans-Kranenburg, M. J., & Van Ijzendoorn, M. H. (2007). Threat-related attentional bias in anxious and nonanxious individuals: A meta-analytic study. *Psychol Bull*, 133, 1-24
- Beesdo, K., Knappe, S., & Pine, D. S. (2009a). Anxiety and anxiety disorders in children and adolescents: Developmental issues and implications for dsm-v. *Psychiatr Clin North Am*, 32, 483-524
- Beesdo, K., Lau, J. Y. F., Guyer, A. E., McClure-Tone, E. B., Monk, C. S., Nelson, E. E., Fromm, S. J., Goldwin, M. A., Wittchen, H.-U., Leibenluft, E., Ernst, M., & Pine, D. S. (2009b). Common and distinct amygdala-function perturbations in depressed vs anxious adolescents. *Arch. Gen. Psychiatry*, 66, 275-285
- Bennett, C. M., & Miller, M. B. (2010). How reliable are the results from functional magnetic resonance imaging? *Ann N Y Acad Sci*, 1191, 133-155
- Biswal, B., Yetkin, F. Z., Haughton, V. M., & Hyde, J. S. (1995). Functional connectivity in the motor cortex of resting human brain using echo-planar mri. *Magn Reson.Med.*, 34, 537-541
- Blair, K. S., Geraci, M., Smith, B. W., Hollon, N., Devido, J., Otero, M., Blair, J. R., & Pine, D. S. (2012). Reduced dorsal anterior cingulate cortical activity during emotional regulation and top-down attentional control in generalized social phobia, generalized anxiety disorder, and comorbid generalized social phobia/generalized anxiety disorder. *Biol Psychiatry*, 72, 476-482
- Blakemore, S. J., Burnett, S., & Dahl, R. E. (2010). The role of puberty in the developing adolescent brain. *Hum. Brain Mapp*, 31, 926-933
- Blakemore, S. J. (2012). Imaging brain development: The adolescent brain. *Neuroimage*, 61, 397-406
- Breiter, H. C., Etcoff, N. L., Whalen, P. J., Kennedy, W. A., Rauch, S. L., Buckner, R. L., Strauss, M. M., Hyman, S. E., & Rosen, B. R. (1996). Response and habituation of the human amygdala during visual processing of facial expression. *Neuron*, 17, 875-887

- Brett, M., Johnsrude, I. S., & Owen, A. M. (2002). The problem of functional localization in the human brain. *Nat.Rev.Neurosci.*, 3, 243-249
- Brotman, M. A., Rich, B. A., Schmajuk, M., Reising, M., Monk, C. S., Dickstein, D. P., Mogg, K., Bradley, B. P., Pine, D. S., & Leibenluft, E. (2007). Attention bias to threat faces in children with bipolar disorder and comorbid lifetime anxiety disorders. *Biol Psychiatry*, 61, 819-821
- Caceres, A., Hall, D. L., Zelaya, F. O., Williams, S. C., & Mehta, M. A. (2009). Measuring fmri reliability with the intra-class correlation coefficient. *Neuroimage*, 45, 758-768
- Canli, T., Cooney, R. E., Goldin, P., Shah, M., Sivers, H., Thomason, M. E., Whitfield Gabrieli, S., Gabrieli, J. D., & Gotlib, I. H. (2005). Amygdala reactivity to emotional faces predicts improvement in major depression. *Neuroreport*, 16, 1267-1270
- Casey, B., Jones, R. M., & Somerville, L. H. (2011). Braking and accelerating of the adolescent brain. *J Res Adolesc*, 21, 21-33
- Casey, B. J., Jones, R. M., & Hare, T. A. (2008). The adolescent brain. *Ann N Y Acad Sci*, 1124, 111-126
- Chorpita, B. F., Yim, L., Moffitt, C., Umemoto, L. A., & Francis, S. E. (2000). Assessment of symptoms of dsm-iv anxiety and depression in children: A revised child anxiety and depression scale. *Behav.Res.Ther.*, 38, 835-855
- Cicchetti, D. V., & Sparrow, S. A. (1981). Developing criteria for establishing interrater reliability of specific items: Applications to assessment of adaptive behavior. *Am J Ment Defic*, 86, 127-137
- Cicchetti, D. V. (2001). The precision of reliability and validity estimates re-visited: Distinguishing between clinical and statistical significance of sample size requirements. *J Clin Exp Neuropsychol*, 23, 695-700
- Clark, D. A., & Beck, A. T. (2010). Cognitive theory and therapy of anxiety and depression: Convergence with neurobiological findings. *Trends Cogn Sci*, 14, 418-424
- Clark, L. A., & Watson, D. (1991). Tripartite model of anxiety and depression: Psychometric evidence and taxonomic implication. *Journal of abnormal psychology*, 100, 316-336
- Cocosco, C. A., Kollokian, V., Kwan, R. K. S., & Evans, A. C. (1997). Brainweb: Online interface to a 3d mri simulated brain database. *Neuroimage*, 5, s425
- Compton, S. N., Burns, B. J., Helen, L. E., & Robertson, E. (2002). Review of the evidence base for treatment of childhood psychopathology: Internalizing disorders. *J.Consult Clin.Psychol.*, 70, 1240-1266
- Compton, S. N., March, J. S., Brent, D., Albano, A. M., Weersing, V. R., & Curry, J. (2004). Cognitive-behavioral psychotherapy for anxiety and depressive disorders in children and adolescents: An evidence-based medicine review. *Journal of the American Academy of Child & Adolescent Psychiatry*, 43, 930-959
- Costafreda, S. G., Brammer, M. J., David, A. S., & Fu, C. H. (2008). Predictors of amygdala activation during the processing of emotional stimuli: A meta-analysis of 385 pet and fmri studies. *Brain Res Rev*, 58, 57-70
- Costafreda, S. G., Khanna, A., Mourao-Miranda, J., & Fu, C. H. Y. (2009). Neural correlates of sad faces predict clinical remission to cognitive behavioural therapy in depression. *Neuroreport*, 20, 637-641
- Costello, E. J., Copeland, W., & Angold, A. (2011). Trends in psychopathology across the adolescent years: What changes when children become adolescents, and when adolescents become adults? *J Child Psychol Psychiatry*, 52, 1015-1025
- Crone, E. A., & Dahl, R. E. (2012). Understanding adolescence as a period of social affective engagement and goal flexibility. *Nat.Rev.Neurosci.*, 13, 636-650

- Crone, E. A., & Elzinga, B. M. (2014). Changing brains: How longitudinal fmri studies can inform us about cognitive and social-affective growth trajectories. *Wire Cognitive Science*,
- Cullen, K. R., Gee, D. G., Klimes-Dougan, B., Gabbay, V., Hulvershorn, L., Mueller, B. A., Camchong, J., Bell, C. J., Hourii, A., Kumra, S., Lim, K. O., Castellanos, F. X., & Milham, M. P. (2009). A preliminary study of functional connectivity in comorbid adolescent depression. *Neurosci Lett*, 460, 227-231
- Cunningham, W. A., Van Bavel, J. J., & Johnsen, I. R. (2008). Affective flexibility: Evaluative processing goals shape amygdala activity. *Psychol.Sci.*, 19, 152-160
- Dahl, R. E. (2004). Adolescent development and the regulation of behavior and emotion: Introduction to part viii. *Ann N Y Acad Sci*, 1021, 294-295
- Davis, M., & Whalen, P. J. (2001). The amygdala: Vigilance and emotion. *Mol. Psychiatry*, 6, 13-34
- Del Barrio, V., Moreno-Rosset, C., Lopez-Martinez, R., & Olmedo, M. (1997). Anxiety, depression and personality structures. *Personality and individual differences*, 23, 327-335
- Derntl, B., Windischberger, C., Robinson, S., Lamplmayr, E., Kryspin-Exner, I., Gur, R. C., Moser, E., & Habel, U. (2008). Facial emotion recognition and amygdala activation are associated with menstrual cycle phase. *Psychoneuroendocrinology*, 33, 1031-1040
- Drysdale, A. T., Hartley, C. A., Pattwell, S. S., Ruberry, E. J., Somerville, L. H., Compton, S. N., Lee, F. S., Casey, B. J., & Walkup, J. T. (2013). Fear and anxiety from principle to practice: Implications for when to treat youth with anxiety disorders. *Biol Psychiatry*,
- Eaton, K. P., Szaflarski, J. P., Altabe, M., Ball, A. L., Kissela, B. M., Banks, C., & Holland, S. K. (2008). Reliability of fmri for studies of language in post-stroke aphasia subjects. *Neuroimage*, 41, 311-322
- Essau, C. A. (2003). Comorbidity of anxiety disorders in adolescents. *Depress Anxiety*, 18, 1-6
- Essau, C. A. (2008). Comorbidity of depressive disorders among adolescents in community and clinical settings. *Psychiatry Res*, 158, 35-42
- Fischer, H., Wright, C. I., Whalen, P. J., Mcinerney, S. C., Shin, L. M., & Rauch, S. L. (2003). Brain habituation during repeated exposure to fearful and neutral faces: A functional mri study. *Brain Research Bulletin*, 59, 387-392
- Fox, M. D., & Raichle, M. E. (2007). Spontaneous fluctuations in brain activity observed with functional magnetic resonance imaging. *Nat Rev Neurosci*, 8, 700-711
- Fransson, P. (2006). How default is the default mode of brain function? Further evidence from intrinsic bold signal fluctuations. *Neuropsychologia*, 44, 2836-2845
- Friston, K. J., Harrison, L., & Penny, W. (2003). Dynamic causal modelling. *Neuroimage*, 19, 1273-1302
- Fu, C. H., Williams, S. C., Cleare, A. J., Scott, J., Mitterschiffthaler, M. T., Walsh, N. D., Donaldson, C., Suckling, J., Andrew, C., Steiner, H., & Murray, R. M. (2008). Neural responses to sad facial expressions in major depression following cognitive behavioral therapy. *Biol Psychiatry*,
- Fusar-Poli, P., Placentino, A., Carletti, F., Landi, P., Allen, P., Surguladze, S., Benedetti, F., Abbamonte, M., Gasparotti, R., Barale, F., Perez, J., Mcguire, P., & Politi, P. (2009). Functional atlas of emotional faces processing: A voxel-based meta-analysis of 105 functional magnetic resonance imaging studies. *J Psychiatry Neurosci*, 34, 418-432

- Gaffrey, M. S., Luby, J. L., Botteron, K., Repovs, G., & Barch, D. M. (2012). Default mode network connectivity in children with a history of preschool onset depression. *J Child Psychol Psychiatry*,
- Garrett, A. S., Carrion, V., Kletter, H., Karchemskiy, A., Weems, C. F., & Reiss, A. (2012). Brain activation to facial expressions in youth with ptsd symptoms. *Depress Anxiety*, 29, 449-459
- Gee, D. G., Gabard-Durnam, L. J., Flannery, J., Goff, B., Humphreys, K. L., Telzer, E. H., Hare, T. A., Bookheimer, S. Y., & Tottenham, N. (2013a). Early developmental emergence of human amygdala-prefrontal connectivity after maternal deprivation. *Proc. Natl. Acad. Sci. U.S.A.*, 110, 15638-15643
- Gee, D. G., Humphreys, K. L., Flannery, J., Goff, B., Telzer, E. H., Shapiro, M., Hare, T. A., Bookheimer, S. Y., & Tottenham, N. (2013b). A developmental shift from positive to negative connectivity in human amygdala-prefrontal circuitry. *J. Neurosci.*, 33, 4584-4593
- Giedd, J. N., Blumenthal, J., Jeffries, N. O., Castellanos, F. X., Liu, H., Zijdenbos, A., Paus, T., Evans, A. C., & Rapoport, J. L. (1999). Brain development during childhood and adolescence: A longitudinal mri study. *Nat. Neurosci.*, 2, 861-863
- Gogtay, N., Giedd, J. N., Lusk, L., Hayashi, K. M., Greenstein, D., Vaituzis, A. C., Nugent, T. F. R., Herman, D. H., Clasen, L. S., Toga, A. W., Rapoport, J. L., & Thompson, P. M. (2004). Dynamic mapping of human cortical development during childhood through early adulthood. *Proc. Natl. Acad. Sci. U.S.A.*, 101, 8174-8179
- Grecucci, A., Giorgetta, C., Bonini, N., & Sanfey, A. G. (2013). Reappraising social emotions: The role of inferior frontal gyrus, temporo-parietal junction and insula in interpersonal emotion regulation. *Front Hum Neurosci*, 7, 523
- Grossmann, T., & Johnson, M. H. (2007). The development of the social brain in human infancy. *Eur J Neurosci*, 25, 909-919
- Guyer, A. E., Monk, C. S., Clure-Tone, E. B., Nelson, E. E., Roberson-Nay, R., Adler, A. D., Fromm, S., Leibenluft, E., Pine, D. S., & Ernst, M. (2008). A developmental examination of amygdala response to facial expressions. *Journal of Cognitive Neuroscience*,
- Hare, T. A., Tottenham, N., Galvan, A., Voss, H. U., Glover, G. H., & Casey, B. J. (2008). Biological substrates of emotional reactivity and regulation in adolescence during an emotional go-nogo task. *Biol Psychiatry*, 63, 927-934
- Hart, H., & Rubia, K. (2012). Neuroimaging of child abuse: A critical review. *Front Hum Neurosci*, 6, 52
- Hulvershorn, L. A., Cullen, K., & Anand, A. (2011). Toward dysfunctional connectivity: A review of neuroimaging findings in pediatric major depressive disorder. *Brain Imaging and Behavior*, 5, 307-328
- In-Albon, T., & Schneider, S. (2007). Psychotherapy of childhood anxiety disorders: A meta analysis. *Psychother Psychosom*, 76, 15-24
- Insel, T., Cuthbert, B., Garvey, M., Heinssen, R., Pine, D. S., Quinn, K., Sanislow, C., & Wang, P. (2010). Research domain criteria (rdoc): Toward a new classification framework for research on mental disorders. *Am J Psychiatry*, 167, 748-751
- Jenkinson, M., Bannister, P., Brady, M., & Smith, S. (2002). Improved optimization for the robust and accurate linear registration and motion correction of brain images. *Neuroimage*, 17, 825-841
- Jiao, Q., Ding, J., Lu, G., Su, L., Zhang, Z., Wang, Z., Zhong, Y., Li, K., Ding, M., & Liu, Y. (2011). Increased activity imbalance in fronto-subcortical circuits in adolescents with major depression. *Plos One*, 6, e25159

- Jin, C., Gao, C., Chen, C., Ma, S., Netra, R., Wang, Y., Zhang, M., & Li, D. (2011). A preliminary study of the dysregulation of the resting networks in first-episode medication-naïve adolescent depression. *Neurosci Lett*, 503, 105-109
- Johnstone, T., Somerville, L. H., Alexander, A. L., Oakes, T. R., Davidson, R. J., Kalin, N. H., & Whalen, P. J. (2005). Stability of amygdala bold response to fearful faces over multiple scan sessions. *Neuroimage*, 25, 1112-1123
- Johnstone, T., Van Reekum, C. M., Urry, H. L., Kalin, N. H., & Davidson, R. J. (2007). Failure to regulate: Counterproductive recruitment of top-down prefrontal-subcortical circuitry in major depression. *J Neurosci*, 27, 8877-8884
- Kessler, R. C., Avenevoli, S., Costello, E. J., Georgiades, K., Green, J. G., Gruber, M. J., He, J.-P., Koretz, D., McLaughlin, K. A., Petukhova, M., Sampson, N. A., Zaslavsky, A. M., & Merikangas, K. R. (2012a). Prevalence, persistence, and sociodemographic correlates of dsm-iv disorders in the national comorbidity survey replication adolescent supplement. *Arch. Gen. Psychiatry*, 69, 372-380
- Kessler, R. C., Avenevoli, S., Costello, J., Green, J. G., Gruber, M. J., McLaughlin, K. A., Petukhova, M., Sampson, N. A., Zaslavsky, A. M., & Merikangas, K. R. (2012b). Severity of 12-month dsm-iv disorders in the national comorbidity survey replication adolescent supplement. *Arch Gen Psychiatry*, 69, 381-389
- Kotov, R., Gamez, W., Schmidt, F., & Watson, D. (2010). Linking “big” personality traits to anxiety, depressive, and substance use disorders: A meta-analysis. *Psychol Bull*, 136, 768-821
- Lewinsohn, P. M., Gotlib, I. H., & Seeley, J. R. (1995). Adolescent psychopathology: Iv. Specificity of psychosocial risk factors for depression and substance abuse in older adolescents. *J Am Acad Child Adolesc Psychiatry*, 34, 1221-1229
- Lindert, J., Von Ehrenstein, O. S., Grashow, R., Gal, G., Braehler, E., & Weiskopf, M. G. (2014). Sexual and physical abuse in childhood is associated with depression and anxiety over the life course: Systematic review and meta-analysis. *International Journal of Public Health*, 59, 359-372
- Månsson, K. N. T., Carlbring, P., Frick, A., Engman, J., Olsson, C.-J., Bodlund, O., Furmark, T., & Andersson, G. (2013). Altered neural correlates of affective processing after internet-delivered cognitive behavior therapy for social anxiety disorder. *Psychiatry Research: Neuroimaging*, 214, 229-237
- Maslowsky, J., Mogg, K., Bradley, B. P., McClure-Tone, E., Ernst, M., Pine, D. S., & Monk, C. S. (2010). A preliminary investigation of neural correlates of treatment in adolescents with generalized anxiety disorder. *J Child Adolesc Psychopharmacol*, 20, 105-111
- Mayberg, H. S. (1997). Limbic-cortical dysregulation: A proposed model of depression. *Journal of Neuropsychiatry and Clinical Neurosciences*, 9, 471-481
- McClure, E. B., Adler, A., Monk, C. S., Cameron, J., Smith, S., Nelson, E. E., Leibenluft, E., Ernst, M., & Pine, D. S. (2007a). Fmri predictors of treatment outcome in pediatric anxiety disorders. *Psychopharmacology (Berl)*, 191, 97-105
- McClure, E. B., Monk, C. S., Nelson, E. E., Parrish, J. M., Adler, A., Blair, R. J. R., Fromm, S., Charney, D. S., Leibenluft, E., Ernst, M., & Pine, D. S. (2007b). Abnormal attention modulation of fear circuit function in pediatric generalized anxiety disorder. *Arch. Gen. Psychiatry*, 64, 97-106

- Merikangas, K. R., He, J. P., Burstein, M., Swanson, S. A., Avenevoli, S., Cui, L., Benjet, C., Georgiades, K., & Swendsen, J. (2010). Lifetime prevalence of mental disorders in u.S. Adolescents: Results from the national comorbidity survey replication--adolescent supplement (ncs-a). *J Am Acad Child Adolesc Psychiatry*, 49, 980-989
- Mingtian, Z., Shuqiao, Y., Xiongzhao, Z., Jinyao, Y., Xueling, Z., Xiang, W., Yingzi, L., Jian, L., & Wei, W. (2012). Elevated amygdala activity to negative faces in young adults with early onset major depressive disorder. *Psychiatry Res*, 201, 107-112
- Monk, C. S., Grillon, C., Baas, J. M., McClure, E. B., Nelson, E. E., Zarah, E., Charney, D. S., Ernst, M., & Pine, D. S. (2003a). A neuroimaging method for the study of threat in adolescents. *Dev.Psychobiol.*, 43, 359-366
- Monk, C. S., McClure, E. B., Nelson, E. E., Zarah, E., Bilder, R. M., Leibenluft, E., Charney, D. S., Ernst, M., & Pine, D. S. (2003b). Adolescent immaturity in attention-related brain engagement to emotional facial expressions. *Neuroimage*, 20, 420-428
- Monk, C. S. (2008). The development of emotion-related neural circuitry in health and psychopathology. *Dev Psychopathol*, 20, 1231-1250
- Monk, C. S., Klein, R. G., Telzer, E. H., Schroth, E. A., Mannuzza, S., Moulton, J. L., Guardino, M., Masten, C. L., McClure-Tone, E. B., Fromm, S., Blair, R. J., Pine, D. S., & Ernst, M. (2008a). Amygdala and nucleus accumbens activation to emotional facial expressions in children and adolescents at risk for major depression. *Am J Psychiatry*, 165, 90-98
- Monk, C. S., Telzer, E. H., Mogg, K., Bradley, B. P., Mai, X., Louro, H. M., Chen, G., Clure Tone, E. B., Ernst, M., & Pine, D. S. (2008b). Amygdala and ventrolateral prefrontal cortex activation to masked angry faces in children and adolescents with generalized anxiety disorder. *Arch. Gen. Psychiatry*, 65, 568-576
- Moore, W. E., 3rd, Pfeifer, J. H., Masten, C. L., Mazziotta, J. C., Iacoboni, M., & Dapretto, M. (2012). Facing puberty: Associations between pubertal development and neural responses to affective facial displays. *Soc Cogn Affect Neurosci*, 7, 35-43
- Pannekoek, J. N., Van Der Werff, S. J., Meens, P. H., Van Den Bulk, B. G., Jolles, D. D., Veer, I. M., Van Lang, N. D., Rombouts, S. A., Van Der Wee, N. J., & Vermeiren, R. R. (2014a). Aberrant resting-state functional connectivity in limbic and salience networks in treatment-naïve clinically depressed adolescents. *J Child Psychol Psychiatry*,
- Pannekoek, J. N., Van Der Werff, S. J., Van Den Bulk, B. G., Van Lang, N. D., Rombouts, S. A., Van Buchem, M. A., Vermeiren, R. R., & Van Der Wee, N. J. (2014b). Reduced anterior cingulate gray matter volume in treatment-naïve clinically depressed adolescents. *Neuroimage Clin*, 4, 336-342
- Pattwell, S. S., Duhoux, S., Hartley, C. A., Johnson, D. C., Jing, D., Elliott, M. D., Ruberry, E. J., Powers, A., Mehta, N., Yang, R. R., Soliman, F., Glatt, C. E., Casey, B. J., Ninan, I., & Lee, F. S. (2012). Altered fear learning across development in both mouse and human. *Proc Natl Acad Sci U S A*, 109, 16318-16323
- Paus, T. (2005). Mapping brain maturation and cognitive development during adolescence. *Trends Cogn Sci*, 9, 60-68
- Perlman, G., Simmons, A. N., Wu, J., Hahn, K. S., Tapert, S. F., Max, J. E., Paulus, M. P., Brown, G. G., Frank, G. K., Campbell-Sills, L., & Yang, T. T. (2012). Amygdala response and functional connectivity during emotion regulation: A study of 14 depressed adolescents. *J Affect Disord*, 139, 75-84
- Pfeifer, J. H., Masten, C. L., Moore, W. E. R., Oswald, T. M., Mazziotta, J. C., Iacoboni, M., & Dapretto, M. (2011). Entering adolescence: Resistance to peer influence, risky behavior, and neural changes in emotion reactivity. *Neuron*, 69, 1029-1036

- Phelps, E. A., & Ledoux, J. E. (2005). Contributions of the amygdala to emotion processing: From animal models to human behavior. *Neuron*, 48, 175-187
- Pine, D. S., Cohen, P., Gurley, D., Brook, J., & Ma, Y. (1998). The risk for early-adulthood anxiety and depressive disorders in adolescents with anxiety and depressive disorders. *Arch. Gen. Psychiatry*, 55, 56-64
- Pine, D. S. (2007). Research review: A neuroscience framework for pediatric anxiety disorders. *J Child Psychol Psychiatry*, 48, 631-648
- Pine, D. S., Guyer, A. E., & Leibenluft, E. (2008). Functional magnetic resonance imaging and pediatric anxiety. *J Am Acad Child Adolesc Psychiatry*, 47, 1217-1221
- Plichta, M. M., Schwarz, A. J., Grimm, O., Morgen, K., Mier, D., Sauer, C., Gerdes, A. B., Haddad, L., Tost, H., Esslinger, C., Colman, P., Wilson, F., Kirsch, P., & Meyer-Lindenberg, A. (2012). Test-retest reliability of evoked bold signals from a cognitive-emotive fmri test battery. *Neuroimage*,
- Power, J. D., Barnes, K. A., Snyder, A. Z., Schlaggar, B. L., & Petersen, S. E. (2012). Spurious but systematic correlations in functional connectivity mri networks arise from subject motion. *Neuroimage*, 59, 2142-2154
- Quide, Y., Witteveen, A. B., El-Hage, W., Veltman, D. J., & Olf, M. (2012). Differences between effects of psychological versus pharmacological treatments on functional and morphological brain alterations in anxiety disorders and major depressive disorder: A systematic review. *Neurosci Biobehav Rev*, 36, 626-644
- Roberson-Nay, R., McClure, E. B., Monk, C. S., Nelson, E. E., Guyer, A. E., Fromm, S. J., Charney, D. S., Leibenluft, E., Blair, J., Ernst, M., & Pine, D. S. (2006). Increased amygdala activity during successful memory encoding in adolescent major depressive disorder: An fmri study. *Biol Psychiatry*, 60, 966-973
- Roy, A. K., Shehzad, Z., Margulies, D. S., Kelly, A. M., Uddin, L. Q., Gotimer, K., Biswal, B. B., Castellanos, F. X., & Milham, M. P. (2009). Functional connectivity of the human amygdala using resting state fmri. *Neuroimage*, 45, 614-626
- Roy, A. K., Fudge, J. L., Kelly, C., Perry, J. S., Daniele, T., Carlisi, C., Benson, B., Castellanos, F. X., Milham, M. P., Pine, D. S., & Ernst, M. (2013). Intrinsic functional connectivity of amygdala-based networks in adolescent generalized anxiety disorder. *J Am Acad Child Adolesc Psychiatry*, 52, 290-299.e292
- Saad, Z. S., Gotts, S. J., Murphy, K., Chen, G., Jo, H. J., Martin, A., & Cox, R. W. (2012). Trouble at rest: How correlation patterns and group differences become distorted after global signal regression. *Brain connectivity*, 2, 25-32
- Satterthwaite, T. D., Elliott, M. A., Gerraty, R. T., Ruparel, K., Loughhead, J., Calkins, M. E., Eickhoff, S. B., Hakonarson, H., Gur, R. C., Gur, R. E., & Wolf, D. H. (2013). An improved framework for confound regression and filtering for control of motion artifact in the preprocessing of resting-state functional connectivity data. *Neuroimage*, 64, 240-256
- Sauer, A., Mothes-Lasch, M., Miltner, W. H., & Straube, T. (2013). Effects of gaze direction, head orientation and valence of facial expression on amygdala activity. *Soc Cogn Affect Neurosci*,
- Scherf, K. S., Luna, B., Avidan, G., & Behrmann, M. (2011). "what" precedes "which": Developmental neural tuning in face- and place-related cortex. *Cerebral Cortex*,
- Scherf, K. S., Behrmann, M., & Dahl, R. E. (2012). Facing changes and changing faces in adolescence: A new model for investigating adolescent-specific interactions between pubertal, brain and behavioral development. *Dev Cogn Neurosci*, 2, 199-219
- Scherf, K. S., Smyth, J. M., & Delgado, M. R. (2013). The amygdala: An agent of change in adolescent neural networks. *Horm Behav*, 64, 298-313

- Schwartz, C. E., Wright, C. I., Shin, L. M., Kagan, J., Whalen, P. J., McMullin, K. G., & Rauch, S. L. (2003). Differential amygdalar response to novel versus newly familiar neutral faces: A functional mri probe developed for studying inhibited temperament. *Biol Psychiatry*, 53, 854-862
- Shaw, D. J., Grosbras, M. H., Leonard, G., Pike, G. B., & Paus, T. (2011). Development of functional connectivity during adolescence: A longitudinal study using an action-observation paradigm. *Journal of Cognitive Neuroscience*, 23, 3713-3724
- Shaw, D. J., Grosbras, M. H., Leonard, G., Pike, G. B., & Paus, T. (2012). Development of the action observation network during early adolescence: A longitudinal study. *Soc Cogn Affect Neurosci*, 7, 64-80
- Shechner, T., Britton, J. C., Perez-Edgar, K., Bar-Haim, Y., Ernst, M., Fox, N. A., Leibenluft, E., & Pine, D. S. (2012). Attention biases, anxiety, and development: Toward or away from threats or rewards? *Depress Anxiety*,
- Siegle, G. J., Carter, C. S., & Thase, M. E. (2006). Use of fmri to predict recovery from unipolar depression with cognitive behavior therapy. *Am J Psychiatry*, 163, 735-738
- Simms, L. J., Prisciandaro, J. J., Krueger, R. F., & Goldberg, D. P. (2012). The structure of depression, anxiety and somatic symptoms in primary care. *Psychol Med*, 42, 15-28
- Sladky, R., Hoefflich, A., Atanelov, J., Kraus, C., Baldinger, P., Moser, E., Lanzenberger, R., & Windischberger, C. (2012). Increased neural habituation in the amygdala and orbitofrontal cortex in social anxiety disorder revealed by fmri. *Plos One*, 7,
- Smith, S. M., Jenkinson, M., Woolrich, M. W., Beckmann, C. F., Behrens, T. E., Johansen Berg, H., Bannister, P. R., De Luca, M., Drobnjak, I., Flitney, D. E., Niazy, R. K., Saunders, J., Vickers, J., Zhang, Y., De Stefano, N., Brady, J. M., & Matthews, P. M. (2004). Advances in functional and structural mr image analysis and implementation as fsl. *Neuroimage*, 23 Suppl 1, S208-219
- Somerville, L. H., Kim, H., Johnstone, T., Alexander, A. L., & Whalen, P. J. (2004). Human amygdala responses during presentation of happy and neutral faces: Correlations with state anxiety. *Biol Psychiatry*, 55, 897-903
- Somerville, L. H., & Casey, B. J. (2010). Developmental neurobiology of cognitive control and motivational systems. *Curr Opin Neurobiol*, 20, 236-241
- Somerville, L. H., Fani, N., & Clure-Tone, E. B. (2011). Behavioral and neural representation of emotional facial expressions across the lifespan. *Dev. Neuropsychol.*, 36, 408-428
- Stein, M. B., Simmons, A. N., Feinstein, J. S., & Paulus, M. P. (2007). Increased amygdala and insula activation during emotion processing in anxiety-prone subjects. *Am J Psychiatry*, 164, 318-327
- Steinberg, L. (2005). Cognitive and affective development in adolescence. *Trends Cogn. Sci.*, 9, 69-74
- Strawn, J. R., Bitter, S. M., Weber, W. A., Chu, W.-J., Whitsel, R. M., Adler, C., Cerullo, M. A., Eliassen, J., Strakowski, S. M., & Delbello, M. P. (2012a). Neurocircuitry of generalized anxiety disorder in adolescents: A pilot functional neuroimaging and functional connectivity study. *Depress Anxiety*, 29, 939-947
- Strawn, J. R., Wehry, A. M., Delbello, M. P., Rynn, M. A., & Strakowski, S. (2012b). Establishing the neurobiologic basis of treatment in children and adolescents with generalized anxiety disorder. *Depress Anxiety*, 29, 328-339

- Tahmasebi, A. M., Artiges, E., Banaschewski, T., Barker, G. J., Bruehl, R., Buchel, C., Conrod, P. J., Flor, H., Garavan, H., Gallinat, J., Heinz, A., Ittermann, B., Loth, E., Mareckova, K., Martinot, J. L., Poline, J. B., Rietschel, M., Smolka, M. N., Strohle, A., Schumann, G., & Paus, T. (2012). Creating probabilistic maps of the face network in the adolescent brain: A multicentre functional mri study. *Hum. Brain Mapp*, 33, 938-957
- Thapar, A., Collishaw, S., Pine, D. S., & Thapar, A. K. (2012). Depression in adolescence. *Lancet*,
- Thomas, K. M., Drevets, W. C., Dahl, R. E., Ryan, N. D., Birmaher, B., Eccard, C. H., Axelson, D., Whalen, P. J., & Casey, B. J. (2001a). Amygdala response to fearful faces in anxious and depressed children. *Arch. Gen. Psychiatry*, 58, 1057-1063
- Thomas, K. M., Drevets, W. C., Whalen, P. J., Eccard, C. H., Dahl, R. E., Ryan, N. D., Casey, B. J. (2001b). Amygdala response to facial expressions in children and adults. *Biol Psychiatry*, 49, 309-316
- Toro, R., Fox, P. T., & Paus, T. (2008). Functional coactivation map of the human brain. *Cereb Cortex*, 18, 2553-2559
- Tottenham, N., Hare, T., & Casey, B. (2009a). A developmental perspective on human amygdala function in *The human amygdala*. Guilford Press: New York, NY
- Tottenham, N., Tanaka, J. W., Leon, A. C., Mccarry, T., Nurse, M., Hare, T. A., Marcus, D. J., Westerlund, A., Casey, B. J., & Nelson, C. (2009b). The nimstim set of facial expressions: Judgments from untrained research participants. *Psychiatry Res*, 168, 242-249
- Van Den Bulk, B. G., Koolschijn, P. C., Meens, P. H., Van Lang, N. D., Van Der Wee, N. J., Rombouts, S. A., Vermeiren, R. R., & Crone, E. A. (2013). How stable is activation in the amygdala and prefrontal cortex in adolescence? A study of emotional face processing across three measurements. *Dev Cogn Neurosci*, 4, 65-76
- Van Den Bulk, B. G., Meens, P. H., Van Lang, N. D., De Voogd, E. L., Van Der Wee, N. J., Rombouts, S. A., Crone, E. A., & Vermeiren, R. R. (2014). Amygdala activation during emotional face processing in adolescents with affective disorders: The role of underlying depression and anxiety symptoms. *Front Hum Neurosci*, 8, 393
- Van Harmelen, A. L., Van Tol, M. J., Demenescu, L. R., Van Der Wee, N. J., Veltman, D. J., Aleman, A., Van Buchem, M. A., Spinhoven, P., Penninx, B. W., & Elzinga, B. M. (2013). Enhanced amygdala reactivity to emotional faces in adults reporting childhood emotional maltreatment. *Soc Cogn Affect Neurosci*, 8, 362-369
- Veer, I. M., Oei, N. Y., Spinhoven, P., Van Buchem, M. A., Elzinga, B. M., & Rombouts, S. A. (2011). Beyond acute social stress: Increased functional connectivity between amygdala and cortical midline structures. *Neuroimage*, 57, 1534-1541
- Walkup, J. T., Albano, A. M., Piacentini, J., Birmaher, B., Compton, S. N., Sherrill, J. T., Ginsburg, G. S., Rynn, M. A., Mccracken, J., Waslick, B., Iyengar, S., March, J. S., & Kendall, P. C. (2008). Cognitive behavioral therapy, sertraline, or a combination in childhood anxiety. *N Engl J Med*, 359, 2753-2766
- Weissenbacher, A., Kasess, C., Gerstl, F., Lanzenberger, R., Moser, E., & Windischberger, C. (2009). Correlations and anticorrelations in resting-state functional connectivity mri: A quantitative comparison of preprocessing strategies. *Neuroimage*, 47, 1408-1416
- Wendt, J., Schmidt, L. E., Lotze, M., & Hamm, A. O. (2012). Mechanisms of change: Effects of repetitive exposure to feared stimuli on the brain's fear network. *Psychophysiology*, 49, 1319-1329

- Whalen, P. J. (1998). Fear, vigilance, and ambiguity: Initial neuroimaging studies of the human amygdala. *Current Directions in Psychological Science*, 7, 177-188
- Whalen, P. J., Davis, F. C., Oler, J. A., Kim, H., Kim, M., & Neta, M. (2009). Human amygdala response to facial expressions of emotion in The human amygdala. The Guilford Press: New York, NY
- Williams, L. M., Brown, K. J., Palmer, D., Liddell, B. J., Kemp, A. H., Olivieri, G., Peduto, A., & Gordon, E. (2006). The mellow years?: Neural basis of improving emotional stability over age. *J. Neurosci.*, 26, 6422-6430
- Yang, T. T., Simmons, A. N., Matthews, S. C., Tapert, S. F., Frank, G. K., Max, J. E., Bischoff-Grethe, A., Lansing, A. E., Brown, G., Strigo, I. A., Wu, J., & Paulus, M. P. (2010). Adolescents with major depression demonstrate increased amygdala activation. *Journal of the American Academy of Child & Adolescent Psychiatry*, 49, 42-51
- Zisook, S., Lesser, I., Stewart, J. W., Wisniewski, S. R., Balasubramani, G. K., Fava, M., & Gilmer, W. S. (2007). Effect of age at onset on the course of major depressive disorder. *American Journal of Psychiatry*, 164, 1539-1546

## Dankwoord

Als iemand mij in 2009 verteld had dat ik in 2015 zou gaan promoveren, dan had ik diegene waarschijnlijk vol verbazing aangekeken. Toch is het moment nu aangebroken waarop ik mijn proefschrift mag verdedigen. Natuurlijk zou mij dit niet gelukt zijn zonder de hulp, aanmoediging en steun van heel veel mensen om mij heen.

Allereerst wil ik graag mijn promotoren bedanken. Robert, bedankt dat je mij ruim 6 jaar geleden de kans hebt gegeven om als onderzoeksassistent bij het EPISCA project betrokken te raken en dat je mij in 2011 de mogelijkheid hebt geboden om een promotietraject te starten. Ik heb enorm veel geleerd van het project en over het doen van wetenschappelijk onderzoek in een grote, complexe, praktisch georiënteerde organisatie. Door mijn rol in het EPISCA project ben ik er achter gekomen dat ik heel graag in de wetenschap wil blijven werken en dat heb ik mede aan jou te danken!

Eveline, bedankt voor het vertrouwen dat je al die jaren in me hebt gehad en de vele kansen die je me hebt gegeven. In 2007 kwam ik als bachelor-studente in het B&D-lab en ben ik er eigenlijk niet meer weggegaan, zo erg naar mijn zin had ik het. Mede door jou ben ik ooit begonnen aan de research master en ik had geen betere keuze kunnen maken. Ik heb heel veel van je mogen leren en vond het heel prettig om met je samen te werken.

Natuurlijk heb ik deze studie niet alleen gedaan. Paul, Mirjam, Marie-José, Carien, Steven en Nienke, heel erg bedankt voor de fijne samenwerking. Zeker de vele uren die we bij de scanner hebben doorgebracht, staan voor altijd in mijn geheugen gegrift. Steven, ook heel erg bedankt voor al je hulp bij het resting state paper, zonder jou was ik niet door die complexe analyses heen gekomen. Natasja, Nic en Serge, heel erg bedankt voor de prettige samenwerking, leerzame overleggen en nuttige feedback op alle papers. Ook alle studenten, inclusief Leone en Mandy, wil ik heel erg bedanken voor hun inzet.

Zeker de laatste twee jaar heb ik met veel plezier heel veel tijd doorgebracht in het Brain and Development Lab. Ik wil graag alle AIO's, postdocs en UD's/UHD's (zowel oud als nieuw) heel erg bedanken voor de gezelligheid en leuke samenwerkingen. In het bijzonder wil ik Jorien en Sandy bedanken: jullie waren de perfecte roomies! Ook Cedric en Janna wil ik extra in het zonnetje zetten: het was heel fijn om jullie als tweede auteur op twee van mijn papers te hebben en om zo nauw met jullie samen te werken.

I also want to thank Dr. Leah Somerville for giving me the opportunity to spend some time in the Affective Neuroscience and Development Lab at Harvard University. It was a great experience that resulted in two interesting papers. I am looking forward to the public defense and it is an honor to have you in the defense committee!

Ook mijn paranimfen wil ik bedanken: Sandy en Arriane heel erg bedankt voor jullie hulp bij de allerlaatste loodjes. We gaan er een mooie dag van maken op 2 juni.

Naast collega's speelt familie ook een grote rol in mijn leven. Lieve papa, mama en Anouschka, bedankt voor jullie onvoorwaardelijke liefde voor en vertrouwen in mij. Jullie hebben altijd interesse getoond in wat ik doe, ook al zal het soms als abracadabra voor jullie geklonken hebben.

Tenslotte, lieve Roel, jij bent het beste dat mij ooit is overkomen! Zonder jou was het waarschijnlijk nooit gelukt om mijn proefschrift tot een goed einde te brengen. Bedankt dat je altijd in mij bent blijven geloven en dat je altijd achter mij bent blijven staan, ook op de momenten dat je me misschien even niet zo leuk vond. Dankjewel dat je van elke dag in mijn leven zo iets moois maakt!





## **Curriculum Vitae**

Bianca Gabriëlla van den Bulk was born in Leidschendam, the Netherlands, on October 16, 1985. She obtained her Gymnasium degree from Melanchthon College Schiebroek in 2004. In the same year she started to study psychology at Leiden University. She obtained her research master degree in developmental psychology in the summer of 2009. As part of her research master internship and thesis Bianca was involved in a neuroimaging study on developmental changes in feedback learning under supervision of Dr. Wouter van den Bos and Prof. Dr. Eveline Crone. After graduating, Bianca worked as a research assistant at the department of child and adolescents psychiatry of the Leiden University Medical Center, Curium-LUMC. Meanwhile, she also did an internship within the clinical practice and she completed several clinically oriented courses within the master of developmental psychology at Leiden University. In February 2011, Bianca started as a PhD-student within the larger EPISCA project at Curium-LUMC under supervision of Prof. Dr. Robert Vermeiren (Curium-LUMC) and Prof. Dr. Eveline Crone (Brain and Development Lab, Leiden University). Her research focussed on the neurobiological mechanisms underlying adolescent onset depression and anxiety disorders. During her Ph.D. trajectory she visited Dr. Leah Somerville of the Affective Neuroscience and Development Lab at Harvard University, MA USA. In August 2014, Bianca started as a postdoctoral researcher within the Leiden Consortium on Individual Development at the department of Child and Family Studies at Leiden University under supervision of Prof. Dr. Rien van Ijzendoorn and Prof. Dr. Marian Bakermans-Kranenburg.



## List of publications

### *International (refereed) journal*

- van den Bulk, B.G.**, Meens, P.H.F., van Lang, N.D.J., de Voogd, E.L., van der Wee, N.J.A., Rombouts, S.A.R.B., Crone, E.A., Vermeiren, R.R.J.M. (2014). Amygdala activation during emotional faces processing in adolescents with affective disorders: the role of underlying depression and anxiety symptoms. *Frontiers in Human Neuroscience*, 8, #393.
- Pannekoek, J.N., van der Werff, S.J.A., Meens, P.H.F., **van den Bulk, B.G.**, Jolles, D.D., Veerm I.M., van Lang, N.D.J., Rombouts, S.A.R.B., van der Wee, N.J.A. & Vermeiren, R.R.J.M. (2014). Aberrant resting-state functional connectivity in limbic and salience networks in treatment-naïve clinically depressed adolescents. *Journal of Child Psychology & Psychiatry*, doi: 10.1111/jcpp.12266.
- Aghajani, M., Veer, I.M., van Lang, N.D.J., Meens, P.H.F., **van den Bulk, B.G.**, Rombouts, S.A.R.B., Vermeiren, R.R.J.M. & van der Wee (2014). Altered white-matter architecture in treatment-naïve adolescents with clinical depression. *Psychological Medicine*, doi:10.1017/S0033291713003000
- Pannekoek, J.N., van der Werff, S.J.A., **van den Bulk, B.G.**, van Lang, N.D.J., Rombouts, S.A.R.B., van Buchem, M.A., Vermeiren, R.R.J.M. & van der Wee, N.J.A. (2014). Reduced anterior cingulate gray matter volume in treatment-naïve clinically depressed adolescents. *NeuroImage: Clinical*, 4, 336-342.

Somerville, L.H., **van den Bulk, B.G.** & Skwara, A.C. (2014). Response to: The triadic model perspective for the study of adolescent motivated behavior. *Brain and Cognition*, <http://dx.doi.org/10.1016/j.bandc.2014.01.003>

**van den Bulk, B.G.**, Koolschijn, P.C.M.P, Meens, P.H.F., Lang, N.D.J., van der Wee, N.J.A., Rombouts, S.A.R.B., Vermeiren, R.R.J.M. & Crone, E.A. (2013). How stable is activation in the amygdala and prefrontal cortex in adolescence? A study of emotional face processing across three measurements. *Developmental Cognitive Neuroscience*, 4, 65-74.

van den Bos, W., Güroğlu, B., **van den Bulk, B.G.**, Rombouts, S.A.R.B. & Crone, E.A.M. (2009). Better than expected or as bad as you thought? The neurocognitive development of probabilistic feedback processing. *Frontiers in Human Neuroscience*, 3 (52), 1-11.

### *Submitted*

**van den Bulk, B.G.**, Cousijn, J., van Lang, N.D.J., van der Wee, N.J.A., Rombouts, S.A.R.B., Crone, E.A., Vermeiren, R.R.J.M. Amygdala reactivity to emotional faces in depressed and anxious adolescents: a longitudinal fMRI study across treatment.

**van den Bulk, B.G.**, Somerville, L.H., van Hoof, M.J., van Lang, N.D.J., van der Wee, N.J.A., Crone, E.A., Vermeiren, R.R.J.M. Habituation effects during emotional face processing in adolescents with internalizing disorders, sexually abused adolescents and healthy controls.

**van den Bulk, B.G.**, van der Werff, S.J.A., Aghajani, M., Granettia, M., van Lang, N.D.J., van der Wee, N.J.A., Rombouts, S.A.R.B., Crone, E.A., Vermeiren, R.R.J.M. Longitudinal changes in resting-state functional connectivity in depressed and anxious adolescents in relation to treatment.

*Dutch publications*

**van den Bulk., B.G.** Hoe stabiel en betrouwbaar is hersenactiviteit in de amygdala en prefrontale cortex? Een longitudinale studie bij gezonde adolescenten. *Neuropraxis*, 2, 56-62.