

Peeking into the future : fungi in the greening Arctic

Neves Morgado, Luis Miguel das

Citation

Neves Morgado, L. M. das. (2016, March 24). *Peeking into the future : fungi in the greening Arctic*. Retrieved from https://hdl.handle.net/1887/38595

Version:	Corrected Publisher's Version
License:	<u>Licence agreement concerning inclusion of doctoral thesis in the</u> <u>Institutional Repository of the University of Leiden</u>
Downloaded from:	https://hdl.handle.net/1887/38595

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <u>http://hdl.handle.net/1887/38595</u> holds various files of this Leiden University dissertation

Author: Morgado, Luis N. Title: Peeking into the future : fungi in the greening Arctic Issue Date: 2016-03-24

References

References

Aanderud ZT, Jones SE, Schoolmaster DR, Fierer N, Lennon JT (2013) Sensitivity of soil respiration and microbial communities to altered snowfall. *Soil Biology and Biochemistry*, **57**, 217–227.

Abarenkov K, Nilsson RH, Larsson K-H *et al.* (2010) The UNITE database for molecular identification of fungi – recent updates and future perspectives. *New Phytologist*, **186**, 281–285.

Aerts R (2006) The freezer defrosting: global warming and litter decomposition rates in cold biomes. *J Ecol*, **94**, 712–724.

Agerer R (1987-2002) Colour Atlas of Ectomycorrhizae. Einhorn-Verlag, Schwäbish Gmünd, d-72525, Germany

Agerer R (2001) Exploration types of ectomycorrhizae. A proposal to classify ectomycorrhizal mycelial systems according to their patterns of differentiation and putative ecological importance. *Mycological Progress*, **11**, 107–114.

Agerer R (2006) Fungal relationships and structural identity of their ectomycorrhizae. *Mycological Progress*, **5**, 67–107.

Amend AS, Seifert KA, Bruns TD (2010) Quantifying microbial communities with 454 pyrosequencing: does read abundance count? *Molecular Ecology*, **19**, 5555–5565.

Anderson IC, Cairney JWG (2007) Ectomycorrhizal fungi: exploring the mycelial frontier. *FEMS microbiology reviews*, **31**, 388–406.

Anderson MJ (2001) A new method for non-parametric multivariate analysis of variance. *Austral Ecol*, **26**, 32–46.

Anderson-Smith A (2014) Remotely-sensed spectral data linked to increasing shrub abundance and greater growing season carbon uptake in Alaska Arctic Tundra. MSc. Thesis, University of Alaska Anchorage, USA.

Anisimov OA, Vaughan DG, Callaghan TV, Furgal C, Marchant H, Prowse TD, Vilhjálmsson H, Walsh JE (2007) Polar regions (Arctic and Antarctic). In: *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* (eds Parry ML, Canziani OF, Palutikof JP, van der Linden PJ & Hanson CE), pp. 653–685. Cambridge University Press, Cambridge, UK.

Arft AM, Walker MD, Gurevitch J *et al.* (1999) Responses of tundra plants to experimental warming: meta-analysis of the international tundra experiment. *Ecological Monographs*, **69**, 491-511.

Arnold AE, Maynard Z, Gilbert GS, Coley PD, Kursar TA (2000) Are tropical fungal endophytes hyperdiverse? *Ecology Letters*, **3**,267–274.

Arrigo KR, van Dijken GL (2011) Secular trends in Arctic Ocean net primary production. *Journal of Geophysical Research: Oceans*, **116**, C09011.

Averill C, Turner BL, Finzi AC (2014) Mycorrhiza-mediated competition between plants and decomposers drives soil carbon storage. *Nature*, **505**, 543–5.

Avis PG (2012) Ectomycorrhizal iconoclasts: the ITS rDNA diversity and nitrophilic tendencies of fetid *Russula*. *Mycologia*, **104**, 998–1007.

Baldrian P, Větrovský T, Cajthaml T, Dobiášová P, Petránková M, Šnajdr J, Eichlerová I (2013) Estimation of fungal biomass in forest litter and soil. *Fungal Ecol*, **6**, 1–11

Bintanja R, Selten FM (2014) Future increases in Arctic precipitation linked to local evaporation and sea-ice retreat. *Nature*, **509**, 479–82.

Bjorbækmo MFM, Carlsen T, Brysting A, Vrålstad T, Høiland K, Ugland KI *et al.* (2010) High diversity of root associated fungi in both alpine and arctic *Dryas octopetala*. *BMC Plant Biology*, **10**, 244.

Blaalid R, Kumar S, Nilsson RH, Abarenkov K, Kirk PM, Kauserud H (2013) ITS1 versus ITS2 as DNA metabarcodes for fungi. *Molecular Ecology Resources*, **13**, 218–24.

Blaalid R, Carlsen T, Kumar S, Halvorsen R, Ugland KI, Fontana G, Kauserud H (2012) Changes in the root-associated fungal communities along a primary succession gradient analysed by 454 pyrosequencing. *Mol Ecol*, **21**, 1897–1908.

Blackwell M (2011) The Fungi: 1, 2, 3 ... 5.1 million species? American Journal of Botany, 98, 426–438.

Bliss LC, Courtin GM, Pattie DL, Riewe RR, Whitfield DWA, Widden P (1973) Arctic tundra ecosystems. *Annual Review of Ecology and Systematics*, **4**, 359-399

Blok D, Weijers S, Welker JM, Cooper E, Michelsen A, Löffler J, Elberling B (2015) Deepened winter snow increases stem growth and alters stem? ¹³C and ¹⁵N in evergreen dwarf shrub *Cassiope tetragona* in high-arctic Svalbard tundra. *Ecological Research Letters*, **10**, 044008.

Bödeker ITM, Clemmensen KE, de Boer W, Martin F, Olson A, Lindahl BD (2014) Ectomycorrhizal *Cortinarius* species participate in enzymatic oxidation of humus in northern forest ecosystems. *New phytologist*, **203**, 245–56.

Bokhorst S, Huiskes A, Aerts R *et al.* (2013) Variable temperature effects of Open Top Chambers at polar and alpine sites explained by irradiance and snow depth. *Global change biology*, **19**, 64–74.

Borner AP, Kielland K, Walker MD (2008) Effects of Simulated Climate Change on Plant Phenology and Nitrogen Mineralization in Alaskan Arctic Tundra. *Arctic, Antarctic, and Alpine Research*, **40**, 27–38.

Boyle H, Zimdars B, Renker C, Buscot F (2006) A molecular phylogeny of *Hebeloma* species from Europe. *Mycological research*, **110**, 369–80.

Bret-Harte MS, Shaver GR, Chapin FS (2002) Primary and secondary stem growth in arctic shrubs: Implications for community response to environmental change. *J Ecol*, **90**: 251–267.

Brown SP, Callaham MA, Oliver AK, Jumpponen A (2013) Deep Ion Torrent sequencing identifies soil fungal community shifts after frequent prescribed fires in a southeastern US forest ecosystem. *FEMS Microbiol Ecology*, **86**, 557-66.

Buckeridge KM, Grogan P (2008) Deepened snow alters soil microbial nutrient limitations in arctic birch hummock tundra. *Applied Soil Ecology*, **39**, 210–222.

Butler MJ, Day AW (1998) Fungal melanins: a review. *Canadian Journal of Microbiology*, **44**, 1115–1136.

Butler MJ, Gardiner RB, Day AW (2005) Degradation of melanin or inhibition of its synthesis: Are these a significant approach as a biological control of phytopathogenic fungi? *Biological Control*, **32**, 326–336.

Cahoon SMP, Sullivan PF, Shaver GR, Welker JM, Post E, Holyoak M (2012) Interactions among shrub cover and the soil microclimate may determine future Arctic carbon budgets. *Ecology letters*, **15**, 1415–22.

Cairney JWG (2012) Extramatrical mycelia of ectomycorrhizal fungi as moderators of carbon dynamics in forest soil. *Soil Biology and Biochemistry*, **47**, 198–208.

Cairney JWG, Burke RM (1996) Physiological heterogeneity within fungal mycelia: an important concept for a functional understanding of the ectomycorrhizal symbiosis. New Phytologist, 134, 685-695

Callaghan TV, Björn LO, Chernov Y *et al.* (2005) Tundra and polar desert ecosystems. In: *ACIA. Arctic Climate Impacts Assessment.* Symon C, Arris L, Heal B (eds). Cambridge, UK, Cambridge University Press, pp. 243-345.

Callaghan TV, Björn LO, Chernov Y, Chapin T, Christensen TR, Huntley B *et al.* (2004) Biodiversity, distributions and adaptations of arctic species in the context of environmental change. *Ambio*, **33**, 404–417.

Campbell BJ, Polson SW, Hanson TE, Mack MC, Schuur EAG (2010) The effect of nutrient deposition on bacterial communities in Arctic tundra soil. *Environmental microbiology*, **12**, 1842–54.

Chang PL, Trevithick JR (1974) How important is secretion of exoenzymes through apical cell walls of fungi? *Archives of microbiology*, **101**, 281–93.

Chapin FS III (1983) Direct and indirect effects of temperature on Arctic plants. *Polar Biol*, **2**, 47–52.

Chapin III FS, Shaver GR (1985) Individualistic growth response of tundra plant species to environmental manipulations in the field. *Ecology*, **66**, 564–576.

Chapin III FS, Sturm M, Serreze MC *et al.* (2005) Role of land-surface changes in Arctic summer warming. *Science*, **310**, 657–60.

Christensen JH, Kumar KK, Aldrian E, An S-I, Cavalcanti IFAC, Castro M *et al* (2013) Climate Phenomena and their Relevance for Future Regional Climate Change. In *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.* Stocker TF, Qin D. Plattner, G.-K. Tignor, M. Allen, S.K. Boschung, J. *et al.* (eds). Cambridge, UK, Cambridge University Press, pp. 1217-1311.

Clemmensen KE, Bahr A, Ovaskainen O *et al.* (2013) Roots and associated fungi drive long-term carbon sequestration in boreal forest. *Science*, **339**, 1615–1618

Clemmensen KE, Finlay RD, Dahlberg A, Stenlid J, Wardle DA., Lindahl BD (2015) Carbon sequestration is related to mycorrhizal fungal community shifts during long-term succession in boreal forests. *New Phytologist*, **205**, 1525–1536.

Clemmensen KE, Michelsen A, Jonasson S, Shaver GR (2006) Increased ectomycorrhizal fungal abundance after long-term fertilization and warming of two arctic tundra ecosystems. *New phytologist*, **171**, 391–404.

Coelho RRR, Sacramento DR, Linhares LF (1997) Amino sugars in fungal melanins and soil humic acids. *European Journal of Soil Science*, **48**, 425-429.

Collins M, Knutti R, Arblaster J *et al.* (2013) Long-term climate change: Projections, commitments and irreversibility. In *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.* Stocker TF, Qin D, Plattner G-K, Tignor M, Allen SK, Doschung J *et al.* (Eds.). Cambridge, UK, Cambridge University Press, pp. 1029-1136.

Colpaert JV, van Assche JA, Luijtens K (1992) The growth of the extramatrical mycelium of ectomycorrhizal fungi and the growth response of *Pinus sylvestris* L. *New Phytologist*, **120**, 127–135.

Comiso JC, Hall DK (2014) Climate trends in the Arctic as observed from space. *Wiley Interdisciplinary Reviews Climate Change*, **5**, 389-409.

Cornelissen JHC, Callaghan TV, Alatalo JM *et al.* (2001) Global change and arctic ecosystems: is lichen decline a function of increases in vascular plant biomass? *Journal of Ecology*, **89**, 984-994.

Coughlan AP, Dalpé Y, Lapoint L, Piché Y (2000) Soil pH-induced changes in root colonization, diversity, and reproduction of symbiotic arbuscular mycorrhizal fungi from healthy and declining maple forests. *Can J Forest Res*, **30**, 1543–1554.

Courty P-E, Franc A, Pierrat J-C, Garbaye J (2008) Temporal changes in the ectomycorrhizal community in two soil horizons of a temperate oak forest. *Applied and environmental microbiology*, **74**, 5792-801.

Dahlberg A, Bültmann H, Cripps CL, Eyjólfsdóttir G, Gulden G, Kristinsson H, Zhurbenko M (2013) Fungi. In: *Arctic Biodiversity Assessment. Status and Trends in Arctic Biodiversity*. Meltofte H (ed.). Conservation of Arctic Flora and Fauna (CAFF), Akureyri, pp. 354–371.

DeMarco J, Mack MC, Bret-Harte MS (2011) The Effects of Snow, Soil Microenvironment, and Soil Organic Matter Quality on N Availability in Three Alaskan Arctic Plant Communities. *Ecosystems*, **14**, 804–817.

Deslippe JR, Hartmann M, Mohn WW, Simard SW (2011) Long-term experimental manipulation of climate alters the ectomycorrhizal community of *Betula nana* in Arctic tundra. *Global Change Biology*, **17**, 1625-1636.

Deslippe JR, Hartmann M, Simard SW, Mohn WW (2012) Long-term warming alters the composition of Arctic soil microbial communities. *FEMS microbiology ecology*, **82**, 303-315.

Díaz S, Cabido M (2001) Vive la différence: plant functional diversity matters to ecosystem processes. *Trends in Ecology & Evolution*, **16**, 646–655.

Dickie IA, Moyersoen B (2008) Towards a global view of ectomycorrhizal ecology. *New Phytologist*, **180**, 263-265.

Dickie IA, Reich PB (2005) Ectomycorrhizal fungal communities at forest edges. *Journal of Ecology*, **93** 244-255.

Dickie IA, Schnitzer SA, Reich PB, Hobbie SE (2005) Spatially disjunct effects of cooccurring competition and facilitation. *Ecology letters*, **8**, 1191-200.

Downing AS, van Nes EH, Mooij WM, Scheffer M (2012) The resilience and resistance of an ecosystem to a collapse of diversity. *PloS one*, **7**, e46135.

Dufrêne M, Legendre P (1997) Species assemblages and indicator species: the need for a flexible assymetrical approach. *Ecological Monographs*, **67**, 345-366.

Eaton GK, Ayres MP (2002) Plasticity and constraint in growth and protein mineralization of ectomycorrhizal fungi under simulated nitrogen deposition. *Mycologia*, **94**, 921-32.

Edgar RC (2010) Search and clustering orders of magnitude faster than BLAST. *Bioinformatics*, **26**, 2460-2461.

Ekblad A, Wallander H, Godbold DL, *et al.* (2013) The production and turnover of extramatrical mycelium of ectomycorrhizal fungi in forest soils: role in carbon cycling. *Plant Soil*, **366**, 1–27.

Elmendorf S, Henry GHR, Hollister RD, *et al.* (2012). Plot-scale evidence of tundra vegetation change to recent summer climate warming. *Nature Climate Change*, **2**, 453-457.

Elmendorf SC, Gregory HR, Henry RD *et al.* (2012). Global assessment of experimental climate warming on tundra vegetation: heterogeneity over space and time. *Ecology Letters*, **15**, 164-175.

Faraway JJ (2002) *Practical Regression and Anova using R.* R-Project, www.stat.lsa.umich.edu/~faraway/book

Fernandez CW, Koide RT (2013) The function of melanin in the ectomycorrhizal fungus *Cenococcum geophilum* under water stress. *Fungal Ecology*, **6**, 479–486.

Fernandez CW, Koide RT (2014) Initial melanin and nitrogen concentrations control the decomposition of ectomycorrhizal fungal litter. *Soil Biology and Biochemistry*, **77**, 150–157.

Finlay RD (2008) Ecological aspects of mycorrhizal symbiosis: with special emphasis on the functional diversity of interactions involving the extraradical mycelium. *Journal of experimental botany*, **59**, 1115-26.

Fransson PMA, Toljander YK, Baum C, Weih M (2013) Host plant — ectomycorrhizal fungus combination drives resource allocation in willow: evidence for complex species interaction from a simple experiment. *Ecoscience*, **20**, 112–121.

Gardes M, Dahlberg A (1996) Mycorrhizal diversity in arctic and alpine tundra: An open question. *New Phytologist*, **133**, 147-157.

Geml J, Gravendeel B, Neilen M, Lammers Y, Raes N, Semenova TA, Noordeloos ME (2014a) DNA metabarcoding reveals high fungal diversity and pH-correlated habitat partitioning in protected coastal *Salix repens* communities in the Netherlands. *PLOS ONE* **9**, e99852.

Geml J, Laursen GA, Herriott I *et al.* (2010) Phylogenetic and ecological analyses of soil and sporocarp DNA sequences reveal high diversity and strong habitat partitioning in the boreal ectomycorrhizal genus *Russula* Pers. (Russulales; Basidiomycota). *New Phytol* **187**: 494–507.

Geml J, Laursen GA, Taylor DL (2008) Molecular diversity assessment of arctic and boreal *Agaricus* taxa. *Mycologia*, **100**, 577-589.

Geml J, Laursen GA, Timling I, McFarland JM, Booth MG, Lennon N, Nusbaum HC, Taylor DL (2009) Molecular phylogenetic biodiversity assessment of arctic and boreal *Lactarius* Pers. (Russulales; Basidiomycota) in Alaska, based on soil and sporocarp DNA. *Molecular Ecology*, **18**, 2213-2227.

Geml J, Morgado LN, Semenova TA, Welker JM, Walker MD, Smets E (2015) Longterm warming alters richness and composition of taxonomic and functional groups of arctic fungi. *FEMS Microbiology Ecology*, **91**, fiv095

Geml J, Pastor N, Fernandez L *et al.* (2014b) Large-scale fungal diversity assessment in the Andean Yungas forests reveals strong community turnover among forest types along an altitudinal gradient. *Molecular Ecology* **23**, 2452-2472

Geml J, Timling I, Robinson CH *et al.* (2012) An arctic community of symbiotic fungi assembled by long-distance dispersers: phylogenetic diversity of ectomycorrhizal basidiomycetes in Svalbard based on soil and sporocarp DNA. *Journal of Biogeography*, **39**, 74-88.

Gihring TM, Green SJ, Schadt CW (2012) Massively parallel rRNA gene sequencing exacerbates the potential for biased community diversity comparisons due to variable library sizes. *Environmental Microbiology*, **14**, 285-290.

Glen M, Tommerup IC, Bougher NL, O'Brien PA (2002) Are Sebacinaceae common and widespread ectomycorrhizal associates of *Eucalyptus* species in Australian forests? *Mycorrhiza*, **12**, 243–7.

Gough L, Ramsey EA, Johnson DR (2007) Plant-herbivore interactions in Alaskan arctic tundra change with soil nutrient availability. *Oikos*, **116**, 407–418.

Grünig CR, Queloz V, Sieber TN (2011). Structure of diversity in dark septate endophytes: from species to genes. In: *Endophytes of forest trees: biology and applications*. Pirttilä AM, Frank C (eds.). Springer Forestry Series, Berlin, pp. 3–30.

Hansen J, Ruedy R, Sato M, Lo K (2010) Global surface temperature change. *Reviews of Geophysics*, **48**, RG4004

Harley JL (1971) Fungi in ecosystems. Journal of Applied Ecology, 8, 627-642

Hartley IP, Garnett MH, Sommerkorn M *et al.* (2012) A potential loss of carbon associated with greater plant growth in the European Arctic. *Nature Climate Change*, **2**, 875–879

Hartmann M, Niklaus PA, Zimmermann S *et al.* (2014) Resistance and resilience of the forest soil microbiome to logging-associated compaction. *The ISME Journal*, **8**, 226–44.

Hasle TE (2013) *The effect of experimental warming on insect herbivory in an alpine plant community*. M.Sc. Thesis. Norwegian University of Life Sciences.

Henry GHR, Molau U (1997) Tundra plants and climate change: the International Tundra Experiment (ITEX). *Global Change Biology*, **3**, 1–9.

Higgins KL, Arnold AE, Miadlikowska J, Sarvate SD, Lutzoni F (2007) Phylogenetic relationships, host affinity, and geographic structure of boreal and arctic endophytes from three major plant lineages. *Molecular Phylogenetics and Evolution*, **42**, 543–555.

Hobbie EA (2006) Carbon allocation to ectomycorrhizal fungi correlates with belowground allocation in culture studies. *Ecology*, **87**, 563–569.

Hobbie EA, Agerer R (2010) Nitrogen isotopes in ectomycorrhizal sporocarps correspond to belowground exploration types. *Plant and Soil*, **327**, 71–83.

Hobbie EA, van Diepen LTA, Lilleskov EA, Ouimette AP, Finzi AC, Hofmockel KS (2013) Fungal functioning in a pine forest: evidence from a ¹⁵N-labeled global change experiment. *New phytologist*, **201**, 1431–1439.

Hobbie JE, Hobbie EA (2006) ¹⁵N in symbiotic fungi and plants estimates nitrogen and carbon flux rates in Arctic tundra. *Ecology*, **87**, 816–822.

Hobbie JE, Hobbie EA, Drossman H, Conte M, Weber JC, Shamhart J, Weinrobe M (2009) Mycorrhizal fungi supply nitrogen to host plants in Arctic tundra and boreal forests: ¹⁵N is the key signal. *Canadian journal of microbiology*, **55**, 84–94.

Hobbie JE, Kling GW (2014) *Alaska's changing Arctic*. Oxford University Press. New York, pp. 331

Hobbie SE, Chapin FS III (1998) The response of tundra plant biomass, above- ground production, nitrogen, and CO_2 flux to experimental warming. *Ecology*, **79**, 1526–1544.

Ihrmark K, Bödeker ITM, Cruz-Martinez K *et al.* (2012) New primers to amplify the fungal ITS2 region--evaluation by 454-sequencing of artificial and natural communities. *FEMS microbiology ecology*, **82**, 666–677.

Jägerbrand AK, Alatalo JM, Chrimes D, Molau U (2009) Plant community responses to 5 years of simulated climate change in meadow and heath ecosystems at a subarctic-alpine site. *Oecologia*, **161**, 601–610.

Johnson D, Martin F, Cairney JWG, Anderson IC (2012) The importance of individuals: intraspecific diversity of mycorrhizal plants and fungi in ecosystems. *New phytologist*, **194**, 614–628.

Joly K, Jandt RR, Klein DR (2009) Decrease of lichens in Arctic ecosystems: the role of wildfire, caribou, reindeer, competition and climate in north-western Alaska. *Polar Res*, **113**: 433–442

Jones DL, Kielland K (2012) Amino acid, peptide and protein mineralization dynamics in a taiga forest soil. *Soil Biology and Biochemestry*, **55**, 60–69.

Jones MH, Fahnestock JT, Walker DA, Walker MD, Welker JM (1998) Carbon dioxide fluxes in moist and dry arctic tundra during the snow-free season: responses to increases in summer temperature and winter snow accumulation. *Arctic and Alpine Research*, **30**, 373-380.

Kade A, Walker DA, Raynolds MK (2005) Plant communities and soils in cryoturbated tundra along a bioclimate gradient in the Low Arctic, Alaska. *Phytocoenologia*, **35**, 761–820.

Kattsov VM, Walsh JE (2000) Twentieth-century trends of Arctic precipitation from observational data and a climate model simulation. *Journal of Climate* **13**: 1362–1370.

Kauserud H, Kumar S, Brysting AK, Nordén J, Carlsen T (2012) High consistency between replicate 454 pyrosequencing analyses of ectomycorrhizal plant root samples. *Mycorrhiza*, **22**, 309-315.

Kennedy PG, Hortal S, Bergemann SE, Bruns TD (2007) Competitive interactions among three ectomycorrhizal fungi and their relation to host plant performance. *Journal of Ecology*, **95**, 1338–1345.

Kharuk VI, Ranson KJ, Sergey IT, Oskorbin PA, Dvinskaya ML, Ovchinnikov DV (2013) Tree-line structure and dynamics at the northern limit of the Larch forest: Anabar Plateau, Siberia, Russia. *Arctic, Antarctic, and Alpine Research*, **45**, 526-537.

Kirk PM, Cannon PF, Minter DW, Stalpers JA (2008) *Dictionary of the Fungi*. CABI, Wallingford, UK.

Kohn LM, Stasovski E (1990) The mycorrhizal status of plants at Alexandra Fjord, Ellesmere Island, Canada, a high arctic site. *Mycologia*, **82**, 23–35.

Koide RT, Fernandez C, Malcolm G (2014) Determining place and process: functional traits of ectomycorrhizal fungi that affect both community structure and ecosystem function. *New Phytologist*, **201**, 433–439.

Kõljalg U, Dahlberg A, Taylor AF *et al.* (2000) Diversity and abundance of resupinate thelephoroid fungi as ectomycorrhizal symbionts in Swedish boreal forests. *Molecular ecology*, **9**, 1985–96.

Kõljalg U, Nilsson RH, Abarenkov K *et al.* (2013) Towards a unified paradigm for sequence-based identification of Fungi. *Molecular Ecology*, **22**, 5271-5277.

Köppen W (1931) *Grundriss der Klimakunde* (2nd ed). Walter de Gruyter Co., Berlin. 388 pp.

Kug J-S, Jeong J-H, Jang Y-S, Kim B-M, Folland CK, Min S-K, Son S-W (2015) Two distinct influences of Arctic warming on cold winters over North America and East Asia. *Nature Geoscience*, **8**, 759-762

Kunin V, Engelbrektson A, Ochman H, Hugenholtz P (2010) Wrinkles in the rare biosphere, pyrosequencing errors can lead to artificial inflation of diversity estimates. *Environ Microbiol*, **12**, 118–123.

Lal R (2008) Sequestration of atmospheric CO2 in global carbon pools. *Energy and Environmental Science*, **1**, 86–100.

Lavorel S, Garnier E (2002) Predicting changes in community composition and ecosystem functioning from plant traits. *Functional Ecology*, **16**, 545–556.

Leffler J, Welker JM (2013). Long-term increases in snow elevate leaf N and photosynthesis in Salix arctica, response to a snow fence experiment in NW Greenland. *Environmental Research Letters*, **8**, 025023.

Lilleskov EA, Fahey TJ, Horton TR, Lovett GM (2002) Belowground ectomycorrhizal community change over a nitrogen deposition gradient in Alaska. *Ecology*, **83**, 104–115.

Lilleskov EA, Hobbie EA, Horton TR (2011) Conservation of ectomycorrhizal fungi: exploring the linkages between functional and taxonomic responses to anthropogenic N deposition. *Fungal Ecology*, **4**, 174–183.

Lindahl BD, Finlay RD, Cairney JWG (2005) Enzymatic activities of mycelia in mycorrhizal fungal communities, In: *The fungal community, its organization and role in the ecosystem* (eds Dighton J, Oudemans P, White J), pp 331-348. Marcel Dekker, New York.

Lindahl BD, Nilsson RH, Tedersoo L *et al.* (2013) Fungal community analysis by high-throughput sequencing of amplified markers--a user's guide. *New Phytologist*, **199**, 288–99.

Liston GE, Mcfadden JP, Sturm M, Pielke RA (2002) Modelled changes in arctic tundra snow, energy and moisture fluxes due to increased shrubs. Global Change Biology 8, 17–32.

Loranty MM, Goetz SJ (2012) Shrub expansion and climate feedbacks in Arctic tundra. *Environmental Research Letters*, **7**, 011005.

Lupascu M, Welker JM, Seibt U, Maseyk K, Xu X, Czimczik CI (2013) High Arctic wetting reduces permafrost carbon feedbacks to climate warming. *Nature Climate Change*, **4**, 51–55.

Lupascu M, Welker JM, Xu X, Czimczik CI (2014) Rates and radiocarbon content of summer ecosystem respiration in response to long-term deeper snow in the High Arctic of NW Greenland. *J Geophys Res-Biogeo*, **119**, 1180–1194.

Lupascu M, Welker JM, Xu X, Czimczik CI (2014) Rates and radiocarbon content of summer ecosystem respiration in response to long-term deeper snow in the High Arctic of NW Greenland. *JGR Biogeoscience*, **119**, 1180-1194.

Lüthi D, Floch M, Bereiter B *et al.* (2008) High-resolution carbon dioxide concentration record 650,000–800,000 years before present. *Nature*, 453, 379-382.

Ma D, Yang G, Mu L, Li C (2011) Tolerance of ectomycorrhizal fungus mycelium to low temperature and freezing-thawing. *Canadian journal of microbiology*, **57**, 328–332.

Malik KA, Haider K (1982) Decomposition of 14C-labelled melanoid fungal residues in a marginally sodic soil. *Soil Biology and Biochemistry*, **14**, 457–460.

Mann ME, Bradley RS, Hughes MK (1999) Northern Hemisphere Temperatures During the Past Millennium: Inferences, Uncertainties, and Limitations. *Geophysical Research Letters*, **26**, 759–762

Mann ME, Jones PD (2003) Global surface temperatures over the past two millennia. *Geophysical Research Letters*, **30**, 15–18.

Marion GM, Henry GHR, Freckman DW *et al.* (1997) Open-top designs for manipulating field temperature in high-lattitude ecosystems. *Global Change biology*, **3**, 20-32.

Martin F, Duplessis S, Ditengou F, Lagrange H, Voiblet C, Lapeyrie F (2001) Developmental cross talking in the ectomycorrhizal symbiosis: signals and communication genes. *New Phytologist*, **151**, 145–154.

McCune B, Grace JB (2002) *Analysis of Ecological Communities*. MjM Software, Gleneden Beach, OR, USA.

Mcguire AD, Clein JC, Melillo JM *et al.* (2000) Modelling carbon responses of tundra ecosystems to historical and projected climate: sensitivity of pan-Arctic carbon storage to temporal and spatial variation in climate. *Global Change Biology*, **6**, 141-159.

Mercado-Díaz J (2011) *Plant community responses of the Alaskan Arctic tundra to environmental and experimental changes in climate*. MSc. Thesis. University of Puerto Rico, Rio Piedras Campus, PR.

Michaelson GJ, Ping CL, Epstein H, Kimble JM, Walker DA (2008) Soils and frost boil ecosystems across the North American Arctic Transect. *J Geophys Res-Biogeo*, **113**, G3.

Miller Jr OK, Laursen GA (1978) Ecto- and endomycorrhizae on arctic plants at Barrow, Alaska. In: *Vegetation and production ecology of an Alaskan arctic tundra*. Tieszen LL (ed.). Springer-Verlag, New York, pp. 229-237.

Miller SL, Buyck B (2002) Molecular phylogeny of the genus *Russula* in Europe with a comparison of modern infrageneric classifications. *Mycological Research*, **106**, 259–276.

Montoya JM, Raffaelli D (2010) Climate change, biotic interactions and ecosystem services. *Philosophical transactions of the Royal Society B*, **365**, 2013–2018.

Morgado LN, Semenova TA, Welker JM, Walker MD, Smets E, Geml J (2015) Summer temperature increase has distinct effects on the ectomycorrhizal fungal communities of moist tussock and dry tundra in Arctic Alaska. *Global Change Biology*, **21**, 959-972.

Nadelhoffer KJ, Giblin AE, Shaver GR, Linkins AE (1992) Microbial processes and plant nutrient availability in Arctic soils. In: *Arctic ecosystems in a changing climate: an ecophysiological perspective*. Chapin FS III, Jefferies RL, Reynolds JF, Shaver GR, Svoboda J (eds.). Academic Press, San Diego, pp. 281–300.

Natali SM, Schuur EAG, Rubin RL (2012) Increased plant productivity in Alaskan tundra as a result of experimental warming of soil and permafrost. *Journal of Ecology*, **100**, 488–498.

Natali SM, Schuur EAG, Webb EE, Pries CEH, Crummer KG (2014) Permafrost degradation stimulates carbon loss from experimentally warmed tundra. *Ecology*, **95**, 602–608.

Newsham KK, Upson R, Read DJ (2009) Mycorrhizas and dark septate root endophytes in polar regions. *Fungal Ecol*, **2**, 10–20.

Nilsson RH, Abarenkov K, Larsson K-H, Köljalg U (2011) Molecular identification of fungi: rationale, philosophical concerns, and the UNITE database. *The Open Applied Informatics Journal*, **5**, 81–86.

Nygren CMR, Eberhardt U, Karlsson M, Parrent JL, Lindahl BD, Taylor AFS (2008) Growth on nitrate and occurrence of nitrate reductase-encoding genes in a phylogenetically diverse range of ectomycorrhizal fungi. *New Phytologist*, **180**, 875–889.

Nygren CMR, Edqvist J, Elfstrand M, Heller G, Taylor AFS (2007) Detection of extracellular protease activity in different species and genera of ectomycorrhizal fungi. *Mycorrhiza*, **17**, 241–8.

O'Brien H, Parrent JL, Jackson JA, Moncalvo JM, Vilgalys R (2005) Fungal community analysis by large-scale sequencing of environmental samples. *Applied and Environmental Microbiology*, **71**, 5544–5550.

Oechel WC, Laskowski CA, Burba G, Gioli B, Kalhori AA (2014) Annual patterns and budget of CO2 flux in an Arctic tussock tundra ecosystem. *J Geophys Res-Biogeo*, **119**, 323–339.

Oksanen J, Blanchet FG, Kindt R, Legendre P, Minchin PR, O'Hara RB *et al.* (2012) Vegan: community ecology package. R package version 2.0-3. URL http://CRAN.R-project.org/package=vegan.

Oliveros JC (2007) VENNY. An interactive tool for comparing lists with venn diagrams. URL http://bioinfogp.cnb.csic.es/tools/venny/index.html.

Olsson PA, Erikssen B, Dahlberg A (2004) Colonization by arbuscular mycorrhizal and fine endophytic fungi in herbaceous vegetation in the Canadian High Arctic. *Can J Botany*, **82**, 1547–1556.

Onofri S, Selbmann L, de Hoog GS, Grube M, Barreca D, Ruisi S, Zucconi L (2007) Evolution and adaptation of fungi at boundaries of life. *Advances in Space Research*, **40**, 1657–1664.

Parmesan C, Ryrholm N, Stefanescu C et al. (1999) Poleward shifts in geographical ranges of butterfly species associated with regional warming. *Nature*, **399**, 579–583

Pattison RR, Welker JM (2014) Differential ecophysiological response of deciduous shrubs and a graminoid to long-term experimental snow reduction and addition in moist tundra, Nothern Alaska. *Oecologia*, **174**, 339-350.

Peay KG, Kennedy PG, Bruns TD (2011) Rethinking ectomycorrhizal succession: are root density and hyphal exploration types drivers of spatial and temporal zonation? *Fungal Ecology*, **4**, 233–240.

Pimm SL (2009) Climate disruption and biodiversity. Curr Biol, 19, R595–R601.

Porter WM, Robson AD, Abbott LK (1987) Field survey of the distribution of vesiculararbuscular mycorrhizal fungi in relation to soil pH. *J Appl Ecol*, **24**, 659–662.

Post E (2013) Ecology of Climate Change: The Importance of Biotic Interactions. Monographs in Population Biology. Princeton University Press, Princeton, New Jersey.

Post E, Bhatt US, Bitz CM et al. (2013) Ecological consequences of sea-ice decline. Science, **341**, 519–524.

Post E, Forchhammer MC, Bret-Harte MS *et al.* (2009) Ecological dynamics across the Arctic associated with recent climate change. *Science*, **325**, 1355-1358.

Querejeta JI, Egerton-Warburton LM, Allen MF (2009) Topographic position modulates the mycorrhizal response of oak trees to interannual rainfall variability. *Ecology*, **90**, 649–662.

Rast DM, Hollenstein GO (1977) Architecture of the Agaricus bisporus spore wall. *Canadian Journal of Botany*, **55**, 2251–2262

Read DJ, Leake JR, Perez-Moreno J (2004) Mycorrhizal fungi as drivers of ecosystem processes in heathland and boreal forest biomes. *Canadian Journal of Boatny*, **82**, 1243–1263.

Read DJ, Perez-Moreno J (2003) Mycorrhizas and nutrient cycling in ecosystems - a journey towards relevance? *New Phytologist*, **157**, 475–492.

Rice AV, Currah RS (2006) Two new species of *Pseudogymnoascus* with *Geomyces* anamorphs and their phylogenetic relationship with *Gymnostellatospora*. *Mycologia*, **98**, 307–318.

Robinson CH (2001) Cold adaptation in Arctic and Antarctic fungi. *New Phytologist*, **151**, 341–353.

Rockström J, Steffen W, Noone K et al. (2009) A safe operating space for humanity. *Nature*, **14**, 472–475.

Rogers MC, Sullivan PF, Welker JM (2011) Evidence of nonlinearity in the response of net ecosystem CO2 exchange to increasing levels of winter snow depth in the High Arctic of Northwest Greenland. *Arctic, Antarctic and Alpine Research*, **43**, 95-106.

Rogers PC, Moore KD, Ryel RJ (2009) Aspen succession and nitrogen loading, a case for epiphytic lichens as bioindicators in the Rocky Mountains, USA. *J Veg Sci*, **20**, 498–510.

Ryberg M, Larsson E, Molau U (2009) Ectomycorrhizal Diversity on *Dryas octopetala* and *Salix reticulata* in an Alpine Cliff Ecosystem. *Arctic, Antarctic, and Alpine Research*, **41**, 506–514.

Salzer MW, Bunn AG, Graham NE, Hughes MK (2014) Five millennia of paleotemperature from tree-rings in the Great Basin, USA. *Climate Dynamics*, **42**, 1517–1526.

Schaeffer SM, Sharp E, Schimel JP, Welker JM (2013) Soil-plant processes in a High Arctic ecosystem, NW Greenland are altered by long-term warming and higher rainfall. *Global Change Biology*, **19**, 3529-3539.

Schimel JP, Bennet J (2004) Nitrogen mineralization, challenges of a changing paradigm. *Journal of Ecology*, **85**, 591–602.

Schimel JP, Bilbrough C, Welker JM (2004) Increased snow depth affects microbial activity and nitrogen mineralization in two Arctic tundra communities. *Soil Biology and Biochemestry*, **36**, 217–227.

Schloss PD, Gevers D, Westcott SL (2011) Reducing the effects of PCR amplification and sequencing artifacts on 16S rRNA-based studies. *PloS one*, **6**, e27310.

Schloss PD, Westcott SL, Ryabin T *et al.* (2009) Introducing mothur: open-source, platform-independent, community-supported software for describing and comparing microbial communities. *Applied Environmental Microbiology*, **75**, 7537-7541.

Schoch CL, Seifert KA, Huhndorf S, Robert V, Spouge JL, Levesque CA, Chen W (2012) Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. *Proceedings of the National Academy of Sciences USA*, **109**, 6241–6.

Schöroter D, Cramer W, Leemans R *et al.* (2005) Ecosystem Service Supply and Vulnerability to Global Change in Europe. *Science*, **310**, 1333–1337.

Schuur EA, Bockheim J, Canadell JG, Euskirchen E, Field CB, Goryachkin SV et al. (2008) Vulnerability of permafrost carbon to climate change, implications for the global carbon cycle. *BioScience*, **58**, 701–714.

Screen JA, Simmonds I (2012) Declining summer snowfall in the Arctic: causes, impacts and feedbacks. *Climate Dynamics*, **38**, 2243-2256.

Selosse M-A, Richard F, He X, Simard SW (2006) Mycorrhizal networks: des liaisons dangereuses? *Trends in ecology & evolution*, **21**, 621–628.

Semenova TA, Morgado LN, Welker JM, Walker MD, Smets E, Geml J (2015) Longterm experimental warming alters community composition of ascomycetes in Alaskan moist and dry arctic tundra. *Molecular Ecology*, **24**, 424-437.

Sharkhuu A, Plante AF, Enkhmandal O, Casper BB, Helliker BR, Boldgiv B, Petraitis PS (2013) Effects of open-top passive warming chambers on soil respiration in the semi-arid steppe to taiga forest transition zone in Northern Mongolia. *Biogeochemistry*, **115**, 333–348.

Sharp E, Sullivan P, Steltzer H, Csank A, Welker JM (2013) Complex carbon cycling responses to multi-level warming and supplemental summer rain in a High Arctic ecosystem. *Global Change Biology*, **19**, 1780-1792.

Shaver GR, Giblin AE, Nadelhoffer KJ, Thieler KK, Downs MR, Laundre JA, Rastetter EB (2006) Carbon turnover in Alaskan tundra soils: effects of organic matter quality, temperature, moisture and fertilizer. *J Ecol*, **94**, 740–753.

Simard SW, Beiler KJ, Bingham MA, Deslippe JR, Philip LJ, Teste FP (2012) Mycorrhizal networks: Mechanisms, ecology and modelling. *Fungal Biology Reviews*, **26**, 39–60.

Singaravelan N, Grishkan I, Beharav A, Wakamatsu K, Ito S, Nevo E (2008) Adaptive melanin response of the soil fungus Aspergillus niger to UV radiation stress at "Evolution Canyon", Mount Carmel, Israel. *PLoS ONE*, **3**, e2993.

Sistla SA, Moore JC, Simpson RT, Gough L, Shaver GR, Schimel JP (2013) Long-term warming restructures Arctic tundra without changing net soil carbon storage. *Nature*, **497**, 615–618.

Smets W, Leff JW, Bradford MA, McCulley RL, Lebeer S, Fierer N (2015) A method for simultaneous measurement of soil bacterial abundances and community composition via 16S rRNA gene sequencing. *PeerJ PrePrints*, **3**, e1622

Sterflinger K, Tesei D, Zakharova K (2012) Fungi in hot and cold deserts with particular reference to microcolonial fungi. *Fungal Ecology*, **5**, 453–462.

Stockinger H, Krüger M, Schüßler A (2010) DNA barcoding of arbuscular mycorrhizal fungi. *New Phytol*, **187**, 461–474.

Stow DA, Hope A, McGuire D, Verbyla D, Gamon J, Huemmrich F et al. 2004. Remote sensing of vegetation and land-cover change in arctic tundra ecosystems. *Remote Sens Environ*, **89**, 281–308.

Strand AE, Pritchard SG, McCormack ML, Davis MA, Oren R (2008) Irreconcilable differences: fine-root life spans and soil carbon persistence. *Science*, **319**, 456–8.

Strelkova MS (1956) Mycorrhizae of plants of tundra and taiga in Taimyr. *Botanicheskii. Zhurnal Leningrad*, **41**, 1161-1168.

Stroeve JC (2014) Changes in Arctic melt season and implications for sea ice loss. *Geophysical Research Letters*, **41**, 1216–1225.

Sturm M, McFadden JP, Liston GE, Chapin III FS, Racine CH, Holmgren J (2001) Snow – Shrub Interactions in Arctic Tundra, A Hypothesis with Climatic Implications. *J Climate*, **14**, 336–345.

Sturm M, Douglas T, Racine C, Liston G (2005) Changing snow and shrub conditions affect albedo with global implications. *Journal of Geophysical Research*, **110**, G01004.

Sturm M, McFadden JP, Liston GE, Chapin III FS, Racine CH, Holmgren J (2001) Snow – Shrub Interactions in Arctic Tundra : A Hypothesis with Climatic Implications. *Journal of Climate*, **14**, 336–345.

Sturm M, Schimel J, Michaelson G, Welker JM, Oberbauer SF, Liston GE *et al.* (2005) Winter Biological Processes Could Help Convert Arctic Tundra to Shrubland. *Bioscience*, **55**, 17-26.

Sullivan PF, Arens SJT, Chimner RA, Welker JM (2008) Temperature and microtopography interact to control carbon cycling in a high arctic fen. *Ecosystems*, **11**, 61-76.

Sullivan PF, Sommerkorn M, Rueth H, Nadelhoffer K, Shaver G, Welker JM (2007) Climate and species affect fine root production with long-term fertilization in acidic tussock tundra near Toolik Lake, Alaska. *Oecologia*, **153**, 643-652.

Sullivan PF, Welker JM, Steltzer H, Sletten R, Hagedorn B, Arens SJT, Horwath JL (2008) Energy and water additions give rise to simple responses in plant canopy and soil microclimates of a high arctic ecosystem. *Journal of Geophysical Research*, G03S08.

Sullivan PF, Welker JM (2005) Warming chambers stimulate early season growth of an Arctic sedge: Results of a minirhizotron field study. *Oecologia*, **142**, 616-626.

Talbot JM, Bruns TD, Smith DP *et al.* (2013) Independent roles of ectomycorrhizal and saprotrophic communities in soil organic matter decomposition. *Soil Biology and Biochemistry*, **57**, 282-291.

Talbot JM, Treseder KK (2010) Controls over mycorrhizal uptake of organic nitrogen. *Pedobiologia*, **53**, 169–179.

Tape K, Sturm M, Racine C (2006) The evidence for shrub expansion in Northern Alaska and the Pan-Arctic. *Global Change Biology*, **12**, 686-702.

Tape KD, Hallinger M, Welker JM, Ruess RW (2012) Landscape Heterogeneity of Shrub Expansion in Arctic Alaska. *Ecosystems*, **15**, 711-724.

Tarnocai C, Canadell JG, Schuur E a. G, Kuhry P, Mazhitova G, Zimov S (2009) Soil organic carbon pools in the northern circumpolar permafrost region. *Global Biogeochemical Cycles*, **23**, GB2023

Taylor DL, Hollingsworth TN, McFarland JW, Lennon NJ, Nausbaum C, Rues RW (2014) A first comprehensive census of fungi in soil reveals both hyperdiversity and fine-scale niche partitioning. *Ecological Monographs*, **84**, 3–20.

Tedersoo L, May TW, Smith ME (2010a) Ectomycorrhizal lifestyle in fungi: global diversity, distribution, and evolution of phylogenetic lineages. *Mycorrhiza*, **20**, 217–263.

Tedersoo L, Naadel T, Bahram M *et al.* (2012) Enzymatic activities and stable isotope patterns of ectomycorrhizal fungi in relation to phylogeny and exploration types in an afrotropical rain forest. *New Phytologist*, **195**, 832-43.

Tedersoo L, Nilsson RH, Abarenkov K *et al.* (2010b) 454 pyrosequencing and Sanger sequencing of tropical mycorrhizal fungi provide similar results but reveal substantial methodological biases. *New Phytologist*, **188**, 291–301.

Tedersoo L, Smith ME (2013) Lineages of ectomycorrhizal fungi revisited: Foraging strategies and novel lineages revealed by sequences from belowground. *Fungal Biology Reviews*, **27**, 83-99.

Thomas CD, Bodsworth EJ, Wilson RJ et al. (2001) Ecological and evolutionary processes at expanding range margins. *Nature*, **411**, 577–581.

Timling I, Dahlberg A, Walker DA, Gardes M, Charcosset JY, Welker JM, Taylor DL (2012) Distribution and drivers of ectomycorrhizal fungal communities across the North American Arctic. *Ecosphere*, **3**, 1-25.

Timling I, Taylor DL (2012) Peeking through a frosty window: molecular insights into the ecology of Arctic soil fungi. *Fungal Ecology*, **5**, 419-429.

Timling I, Walker DA, Nusbaum C, Lennon NJ, Taylor DL (2014) Rich and cold: diversity, distribution and drivers of fungal communities in patterned-ground ecosystems of the North American Arctic. *Mol Ecol*, **23**, 3258–3272.

Toljander JF, Eberhardt U, Toljander YK, Paul LR, Taylor AFS (2006) Species composition of an ectomycorrhizal fungal community along a local nutrient gradient in a boreal forest. *New phytologist*, **170**, 873-83.

Treseder KK, Lennon JT (2015) Fungal Traits That Drive Ecosystem Dynamics on Land. *Microbiology and Molecular Biology Reviews*, **79**, 1–15.

Twieg BD, Durall DM, Simard SW, Jones MD (2009) Influence of soil nutrients on ectomycorrhizal communities in a chronosequence of mixed temperate forests. *Mycorrhiza*, **19**, 305-16.

Unestam T, Sun Y (1995) Extramatrical structures of hydrophobic and hydrophilic ectomycorrhizal fungi. *Mycorrhiza*, **5**, 301-311.

Urban A, Weib M, Bauer R (2003) Ectomycorrhizas involving sebacinoid mycobionts. *Mycological Research*, **107**, 3-14.

Väre H, Vestberg M, Eurola S (1992) Mycorrhiza and root-associated fungi in Spitsbergen. *Mycorrhiza*, **1**, 93–104.

Wahren CHA, Walker MD, Bret-Harte MS (2005) Vegetation responses in Alaskan arctic tundra after 8 years of a summer warming and winter snow manipulation experiment. *Global Change Biology*, **11**, 537-552.

Walker DA, Epstein HE, Welker JM (2008) Introduction to the special section: Biocomplexity in Arctic terrestrial environments. *Journal of Geophysical Research*, G03S14.

Walker DA, Raynolds MK, Daniëls FJA, Einarsson E, Elvebakk A, Gould WA *et al.* (2005) The Circumpolar Arctic vegetation map. *Journal of Vegetation Science*, **16**, 267-282.

Walker JKM, Egger KN, Henry GHR (2008) Long-term experimental warming alters nitrogen-cycling communities but site factors remain the primary drivers of community structure in high arctic tundra soils. *The ISME Journal*, **2**, 982–995.

Walker MD, Wahren CH, Hollister RD, *et al.* (2006) Plant community responses to experimental warming across the tundra biome. *P Natl Acad Sci USA*, **103**, 1342–1346.

Walker MD, Walker DA, Welker JM *et al.* (1999) Long-term experimental manipulation of winter snow regime and summer temperature in arctic and alpine tundra. *Hydrological Processes*, **13**, 2315-2330.

Wallander H, Nilsson LO, Hagerberg D, Bååth E (2001) Estimation of the biomass and seasonal growth of external mycelium of ectomycorrhizal fungi in the field. *New Phytologist*, **151**,753–760.

Walther G-R (2010) Community and ecosystem responses to recent climate change. *Phil. Trans. R. Soc. B*, **365**, 2019–2024.

Walther G-R, Post E, Convey P *et al.* (2002) Ecological responses to recent climate climate change. *Nature*, **416**, 389–395.

Weigt RB, Raidl S, Verma R, Agerer R (2011) Exploration type-specific standard values of extramatrical mycelium – a step towards quantifying ectomycorrhizal space occupation and biomass in natural soil. *Mycological Progress*, **11**, 287-297.

Weintraub MN, Schimel JP (2005) The seasonal dynamics of amino acids and other nutrients in Alaskan Arctic tundra soils. *Biogeochemistry*, **73**, 359-380.

Welker JM, Fahnestock JT, Henry GHR, O'Dea KW, Chimner RA (2004) CO2 exchange in three Canadian High Arctic ecosystems: response to long-term experimental warming. *Global Change Biology*, **10**, 1981-1995.

Welker JM, Fahnestock JT, Jones MH (2000) Annual CO2 flux from dry and moist acidic tundra: field responses to increases in summer temperature and winter snow depth. *Climatic Change*, **44**, 139-150.

Welker JM, Fahnestock JT, Sullivan PF, Chimner RA (2005) Leaf mineral nutrition of arctic plants in response to long-term warming and deeper snow in N. Alaska. *Oikos*, **109**, 167-177.

Welker JM, Molau U, Parsons AN, Robinson CH, Wookey PA (1997) Response of *Dryas* octopetala to ITEX manipulations: a synthesis with circumpolar comparisons. *Global Change Biology*, **3**, 61-73.

Welker JM, Rayback S, Henry GH (2005) Arctic and North Atlantic Oscillation phase changes are recorded in the isotopes (δ^{18} O and δ^{13} C) of *Cassiope tetragona* plants. *Global Change Biol*, **11**, 997–1002.

Welker JM, Wookey P, Parson AP, Press MC, Callaghan TV, Lee JA (1993) Leaf carbon isotope discrimination and demographic responses of *Dryas octopetala* to water and temperature manipulations in a high arctic polar semi-desert, Svalbard. *Oecologia*, **95**, 463-470

Welker JM, Molau U, Parsons AN, Robinson CH, Wookey PA (1997) Response of Dryas *octopetala* to ITEX manipulations: a synthesis with circumpolar comparisons. *Global Change Biology*, **3**, 61–73.

Whitaker RH (1972) Evolution and measurement of species diversity. *Taxon*, **21**, 213–251.

White TM, Bruns T, Lee S, Taylor J (1990) Amplification and direct sequencing of fungal ribosomal RNA for phylogenetics. In *PCR Protocols: A Guide to Methods and Applications*. Innis MA, Gelfand DH, Sninsky JJ, White TJ (Eds). San Diego, USA, Academic Press, pp. 315–321.

Wild B, Schnecker J, Bárta J, Čapek P, Guggenberger G, Hofhansel F (2013) Nitrogen dynamics in turbic cryosols from Siberia and Greenland. *Soil Biology and Biochemestry*, **67**, 85-93.

Wipf S, Rixen C (2010) A review of snow manipulation experiments in Arctic and alpine tundra ecosystems. *Polar Research*, **29**, 95–109.

Wright DP, Johansson T, Le Quéré A, Söderström B, Tunlid A (2005) Spatial patterns of gene expression in the extramatrical mycelium and mycorrhizal root tips formed by the ectomycorrhizal fungus *Paxillus involutus* in association with birch (*Betula pendula*) seedlings in soil microcosms. *New Phytologist*, **167**, 579-596.

Zhang W, Miller PA, Smith B, Wania R, Koenigk T, Döscher R (2013) Tundra shrubification and tree-line advance amplify arctic climate warming: results from an individual-based dynamic vegetation model. *Environmental Research Letters*, **8**, 034023.