



Universiteit
Leiden
The Netherlands

The archaeology of the first farmer-herders in Egypt : new insights into the Fayum Epipalaeolithic and Neolithic

Shirai, N.

Citation

Shirai, N. (2010, April 29). *The archaeology of the first farmer-herders in Egypt : new insights into the Fayum Epipalaeolithic and Neolithic*. *Archaeological Studies Leiden University*. Retrieved from <https://hdl.handle.net/1887/15339>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/15339>

Note: To cite this publication please use the final published version (if applicable).

List of figures

All photographs were taken and improved by the author.

All illustrations were made by the author, and several of them were made on the basis of those in other publications. They are;

Fig.2.3 (on the basis of Said 1993: Fig.1.37)

Fig.2.4 (on the basis of McCorriston 2006: Fig.10.1)

Fig.3.1 (on the basis of Ball 1939: folding map)

Fig.3.2 (on the basis of Bussemer *et al.* 2006: Fig.2 and Wanas 2008: Fig.1)

Fig.3.6 (on the basis of Caton-Thompson and Gardner 1934: pls.III and V)

Fig.3.7 (on the basis of Caton-Thompson and Gardner 1934: pl.XXI)

Fig.3.9 (on the basis of Kuper and Kröpelin 2006: Fig.3)

Fig.4.4 (on the basis of Binford 1982: Fig.2)

Fig.2.1. Geographical map of Egypt.....	7
Fig.2.2. Map of the sites mentioned in this chapter	9
Fig.2.3. Atmospheric circulation in Africa in winter and summer	17
Fig.2.4. Shifting position of the Intertropical Convergence Zone on East Africa and the Near East	19
Fig.2.5. The earliest dates of domesticated sheep/goats in Egypt, the Negev and southern Levant .	25
Fig.3.1. Geographical map of the Fayum	34
Fig.3.2. Geological map of the Fayum	35
Fig.3.3. Map of Caton-Thompson's sites on the northern shore of Lake Qarun	38
Fig.3.4. The maximum extent of Neolithic Moeris Lake in the Middle Holocene	40
Fig.3.5. Map of Wenke's and Brewer's sites on the northern and southern shores of Lake Qarun...	42
Fig.3.6. Kom W (Black dots indicate fireholes. The vertical interval is 1.8 m)	47
Fig.3.7. Kom K (Black dots indicate fireholes. The vertical interval is 0.6 m)	47
Fig.3.8. Radiocarbon chronology of the Fayum	52
Fig.3.9. Changing rainfall zones in Egypt in the Early-Middle Holocene	53
Fig.3.10. Ground and polished axe (JE49735 from Site L).....	56
Fig.3.11. Polished and flaked axe (JE52299 from Lower K Pit 87).....	56
Fig.3.12. Flaked axe (JE49745 from Camp II)	56
Fig.3.13. Plane (JE49747 from the Camp II Basin)	56
Fig.3.14. Knife blade (JE49120 from Kom W)	56
Fig.3.15. Triangular or slightly hollow-based arrowhead (JE52320 from Site ZI)	56
Fig.3.16. Concave-based arrowhead (JE49703 from Camp II)	57
Fig.3.17. Concave-based arrowhead (JE49719 from Site N)	57
Fig.3.18. Sickle blade (JE49733 from Camp II).....	57
Fig.3.19. Leaf-shaped point (JE49764 from Camp II)	57
Fig.3.20. Pebble-butted point (JE49133 from Site V)	57
Fig.3.21. Pebble-butted knife (JE49759 from Camp II)	57
Fig.3.22. Pebble-backed scraper (JE49760 from the Z Basin).....	58
Fig.3.23. Side-blow flake (JE49771 from Camp II)	58
Fig.3.24. Celtiform (JE49761 from Camp II)	58
Fig.3.25. Backed blade (JE49714 from Camp II).....	58
Fig.3.26. Tanged arrowhead (JE49707 from Site V)	58
Fig.3.27. Leaf-shaped arrowhead (JE49705 from Site V)	58

Fig.4.1. A model of foraging decision-making about diet breadth	83
Fig.4.2. Manifestation of mobility in the form of different types of site	88
Fig.4.3. Economic zonation	88
Fig.4.4. Different patterns of residential move	89
Fig.4.5. Technological organisation and various constraints	93
Fig.4.6. The possible rank or position of wheat/barley and sheep/goat in the Fayum Neolithic diet in the light of the diet breadth model	100
Fig.4.7. The possible mobility patterns of the Fayum inhabitants	103
Fig.5.1. Location of the 2003-2006 season's survey area	120
Fig.5.2. Contour map of the survey area on satellite photo	121
Fig.5.3. Geological map of the survey area	122
Fig.5.4. Calcium carbonate pellets on the northern shore of the Z Basin (looking southwest)	123
Fig.5.5. Calcrete duricrusts on the eastern shore of the Z Basin (looking south)	123
Fig.5.6. Diatomaceous sediments in the L Basin (looking southwest)	123
Fig.5.7. Sand ripples in the Z Basin area (looking northwest)	123
Fig.5.8. Yardangs in the Z Basin area (looking west)	124
Fig.5.9. Qarit el-Gindi (looking west)	124
Fig.5.10. A very shallow part of Wadi B (looking northeast)	124
Fig.5.11. The K Basin - L Basin area (triangle: hearth, circle: grinding stone, square: animal bone, star: Neolithic projectile point, diamond: Neolithic sickle blade)	134
Fig.5.12. Present state of Kom K in the middle of farmland (looking southwest)	135
Fig.5.13. Kom K from a distance (looking northeast)	135
Fig.5.14. Present state of the Upper K Pits (looking west)	135
Fig.5.15. Supposed location of the Lower K Pits (looking south)	135
Fig.5.16. Present state of Gebel L (looking south from Roman Gebel)	137
Fig.5.17. Roman Gebel (looking northeast)	137
Fig.5.18. Slope of the western half of Site L (looking west)	138
Fig.5.19. Hearths in Site L (looking south)	138
Fig.5.20. Site L (triangle: hearth, circle: grinding stone) and four hearths (sandstone in grey and pottery sherds in black)	139
Fig.5.21. Diatomite quarry at the northern fringe of the L Basin (looking northwest)	140
Fig.5.22. The L Basin - X Basin area (triangle: hearth, circle: grinding stone, square: animal bone, star: Neolithic projectile point, diamond: Neolithic sickle blade)	141
Fig.5.23. Section of a ditch dug in Site LX (looking north)	142
Fig.5.24. A concentration of burnt clay nodules in Site LX (looking east)	142
Fig.5.25. A hearth in Site LX (looking north)	142
Fig.5.26. Two grinding stones in Site LX (looking north)	142
Fig.5.27. Site LX (triangle: hearth, circle: grinding stone) and two hearths (sandstone in grey and pottery sherds in black)	143
Fig.5.28. Hearths in Site E29H1 (looking south)	144
Fig.5.29. Site XA (looking southeast)	146
Fig.5.30. A tethering stone found in Site XA	146
Fig.5.31. Site XA (looking northwest)	146
Fig.5.32. The X Basin - Z Basin area (triangle: hearth, circle: grinding stone, square: animal bone, star: Neolithic projectile point, diamond: Neolithic sickle blade)	148
Fig.5.33. Site X (looking northwest)	150
Fig.5.34. Kom W from a distance (looking southwest)	150
Fig.5.35. Traces of Caton-Thompson's excavation trenches on Kom W (looking north)	150

Fig.5.36. Scatter of lithic artefacts and pottery sherds on Kom W	150
Fig.5.37. A sickle blade found to the northeast of Kom W (looking southwest)	150
Fig.5.38. A flaked axe found to the northeast of Kom W (looking southwest)	150
Fig.5.39. A concentration of calcified plant roots (looking west)	153
Fig.5.40. Calcified plant field (looking southwest)	153
Fig.5.41. A concentration of animal bones (looking west)	153
Fig.5.42. The Site V Depression (looking west)	155
Fig.5.43. A bivalve embedded in silty sediments of the Site V Depression (looking north)	155
Fig.5.44. Surface of the Site V Ridge (looking east)	155
Fig.5.45. A concentration of pottery sherds on the Site V Ridge (looking west)	155
Fig.5.46. The Camp II Ridge (looking northwest)	157
Fig.5.47. Silty sediments in the Camp II Depression (looking north)	157
Fig.5.48. A concentration of hippopotamus bones (looking northwest)	157
Fig.5.49. A concentration of soft-shelled turtle bones (looking northeast)	157
Fig.5.50. A concentration of crocodile bones (looking west)	157
Fig.5.51. The Camp II Ridge and Camp II Basin (looking south)	157
Fig.5.52. A concentration of apple snails on the Camp II Ridge (looking west)	158
Fig.5.53. Site Z on the northern shore of the Z Basin (looking west)	160
Fig.5.54. Mushroom-like rocks near the present lakeshore (looking southeast)	162
Fig.5.55. Wadi A and El-Qarah el-Kharshah (looking east)	164
Fig.5.56. Wadi B (looking north)	164
Fig.5.57. Wadi B running beside the plateau of Umm es-Sawan (looking north)	164
Fig.5.58. Plateau of Umm es-Sawan (looking east)	164
Fig.5.59. A concentration of petrified wood on the plateau of Umm es-Sawan (looking south)	164
Fig.5.60. Gypsum outcrop at Umm es-Sawan (looking northwest)	164
Fig.5.61. Three pointed sickle blades collected at different localities	173
Fig.5.62. Palaeoenvironment of the L Basin - X Basin area	177
Fig.5.63. Palaeoenvironment of the X Basin - Z Basin area	179
Fig.6.1. Map of Epipalaeolithic sites	184
Fig.6.2. Map of Epipalaeolithic sites studied in this chapter	186
Fig.6.3. Map of Site Z and Camp II	189
Fig.6.4. A concentration of turtle bones in Site Z (looking south)	190
Fig.6.5. A core and tools collected at the Site Z slope	193
Fig.6.6. Small bifacially-retouched projectile points collected at the Site Z slope	194
Fig.6.7. An Ounan-Harif point (1) and Ounan points (2 and 3) collected at the Site Z slope	195
Fig.6.8. A lithic debitage concentration in Site Z (looking south)	196
Fig.6.9. Scatter of flint pebbles on escarpments to the north of Site Z (looking east)	197
Fig.6.10. Single platform cores made on pebbles of various shapes at Site Z lithic debitage concentration	198
Fig.6.11. Refitted single platform cores made on elongated pebbles at Site Z lithic debitage concentration	199
Fig.6.12. Site Z hearth field (looking southwest)	199
Fig.6.13. Ounan points collected at Site Z hearth field	199
Fig.6.14. Scatter of lithic artefacts at the Camp II Ridge (looking west)	200
Fig.6.15. Cores collected at Camp II surface collection squares A and B	203
Fig.6.16. Tools collected at Camp II surface collection squares A	204
Fig.6.17. Map of Site E29H1 and Area D hearth field	207
Fig.6.18. Hearth 1 in Site E29H1 Area D	208

Fig.6.19. Hearth 2 in Site E29H1 Area D (sandstone in grey)	209
Fig.6.20. Hearth 3 in Site E29H1 Area D	209
Fig.6.21. Hearth 4 in Site E29H1 Area D (sandstone in grey)	210
Fig.6.22. Hearth 5 in Site E29H1 Area D (sandstone in grey)	210
Fig.6.23. Hearth 6 in Site E29H1 Area D	211
Fig.6.24. Hearth 7 in Site E29H1 Area D (sandstone in grey)	211
Fig.6.25. Hearth 8 in Site E29H1 Area D (sandstone in grey)	212
Fig.6.26. Hearth 9 in Site E29H1 Area D (sandstone in grey)	213
Fig.6.27. Hearth 10 in Site E29H1 Area D (sandstone in grey)	214
Fig.6.28. Hearth 11 in Site E29H1 Area D (sandstone in grey)	215
Fig.6.29. Hearth 12 in Site E29H1 Area D (sandstone in grey)	215
Fig.6.30. Hearth 13 in Site E29H1 Area D	216
Fig.6.31. Hearth 14 in Site E29H1 Area D (sandstone in grey)	216
Fig.6.32. Hearth 15 in Site E29H1 Area D (sandstone in grey)	216
Fig.6.33. Hearth 16 in Site E29H1 Area D (sandstone in grey)	217
Fig.6.34. Hearth 17 in Site E29H1 Area D (sandstone in grey)	217
Fig.6.35. Hearth 18 in Site E29H1 Area D (sandstone in grey)	218
Fig.6.36. Single platform cores collected at Site E29H1 Area D surface collection square	221
Fig.6.37. Opposed platform cores collected at Site E29H1 Area D surface collection square	222
Fig.6.38. Backed bladelets collected at Site E29H1 Area D surface collection square	223
Fig.6.39. Lithic debitage concentration B at Site E29H1 Area D (looking north)	224
Fig.6.40. Cores collected at Site E29H1 Area D lithic debitage concentration A	226
Fig.6.41. A refitted single platform core collected at Site E29H1 Area D lithic debitage concentration A	227
Fig.6.42. Refitted single platform cores collected at Site E29H1 Area D lithic debitage concentration B	229
Fig.6.43. An Epipalaeolithic watching station in Wadi B (looking north)	232
Fig.6.44. Scatter of lithic artefacts on the gravelly surface of a watching station in Wadi B	232
Fig.6.45. Single platform cores collected at Wadi B watching station	233
Fig.6.46. A single platform core collected at Wadi B watching station	234
Fig.6.47. Opposed platform cores collected at Wadi B watching station	235
Fig.7.1. Map of the sites studied in this chapter	242
Fig.7.2. Plough tracks on Kom K (looking west)	243
Fig.7.3. A core collected at Kom K	243
Fig.7.4. Cores or choppers collected at Kom K	245
Fig.7.5. Scatter of cores at Site L (looking west)	246
Fig.7.6. Cores collected at Site L	247
Fig.7.7. A core collected at Site E29H1	248
Fig.7.8. Scatter of cores at Site XA (looking south)	249
Fig.7.9. Scatter of cores at Site X (looking south)	252
Fig.7.10. Items collected at Site X	253
Fig.7.11. Scatter of unworked and worked cobbles at Locality Calcified Shrubs (looking southwest)	252
Fig.7.12. Caton-Thompson's excavation strips on Kom W (looking east)	254
Fig.7.13. A core collected in Strip J of Kom W	255
Fig.7.14. Small cores on pebbles and cobble fragments collected in Strip J of Kom W	258
Fig.7.15. Scatter of worked cobbles at the Site V Depression (looking northwest)	258
Fig.7.16. Items collected at the Site V Depression	259

Fig.7.17. Scatter of cobbles around the gypsum quarrying workshop A in Umm es-Sawan (looking north)	261
Fig.7.18. Scatter of cobbles on the flint chipping floor in Umm es-Sawan (looking southeast)	261
Fig.7.19. An Old Kingdom single platform core collected on the flint chipping floor in Umm es-Sawan	262
Fig.7.20. An Old Kingdom chopper collected on the flint chipping floor in Umm es-Sawan	263
Fig.7.21. Core reduction techniques employed in the Fayum Neolithic	268
Fig.7.22. An unused discoid collected at Site L (half-split along the long axis of a cobble)	269
Fig.7.23. An unused discoid collected at Site L (half-split along the short axis of a cobble)	270
Fig.7.24. A half-split discoidal core collected at the Site V Depression	270
Fig.7.25. A quartz hammer collected at Kom K	271
Fig.7.26. A flint hammer collected at Kom K	271
Fig.7.27. A flint hammer collected at Kom K	272
Fig.7.28. A flint hammer collected at Kom K	272
Fig.7.29. Petrified wood hammers collected at Site XA (above) and Site X (below)	273
Fig.7.30. Enigmatic stone balls collected at Kom K	274
Fig.7.31. Escarpments above Qasr el-Sagha (looking southeast)	276
Fig.7.32. Gebel Qatrani (looking northwest)	276
Fig.7.33. Locations of possible sources of lithic raw materials in the Fayum	277
Fig.7.34. Limestone outcrop near the present lakeshore (looking south)	278
Fig.7.35. Kom el-Kharaba (looking southeast)	280
Fig.7.36. A high plateau near Kom el-Kharaba (looking southwest)	280
Fig.7.37. Gebel er-Rus (looking north)	280
Fig.7.38. Scatter of cobbles at lower elevations of Gebel er-Rus (looking east)	280
Fig.7.39. Scatter of cobbles at higher elevations of Gebel er-Rus (looking west)	282
Fig.7.40. Scatter of cobbles on Gebel Lahun (looking southeast)	282
Fig.7.41. Ilwet Hialla (looking northeast)	282
Fig.7.42. Scatter of cobbles on Ilwet Hialla Northeast (looking northeast)	284
Fig.7.43. Scatter of cobbles in the south of Ilwet Hialla (looking north)	284
Fig.7.44. Scatter of sandstone slabs and cobbles on top of Umm es-Sawan (looking east)	284
Fig.7.45. Endscraper made on a half-split discoid collected at the Site V Depression	294
Fig.7.46. Sidescraper made on a half-split unifacial discoidal core collected at the Site V Depression	294
Fig.7.47. A half-split unifacial discoidal core collected 500 m to the northeast of Kom W	295
Fig.7.48. A half-split unifacial discoidal core collected 500 m to the northeast of Kom W	295
Fig.7.49. Tools collected at the Site V Depression	296
Fig.7.50. Tools collected at the Site V Depression	298
Fig.7.51. Tools collected at the Site V Depression	299
Fig.7.52. Tools collected at the Site V Depression	301
Fig.7.53. A refitted single platform core collected at Site L	303
Fig.7.54. Concave-based arrowhead and hollow-based arrowhead collected at Camp II	305
Fig.7.55. Knife blades collected at Site LX	305
Fig.7.56. Gauge, axe and plane collected 500 m to the north of Kom W	307
Fig.7.57. Sickle blades collected at the Upper K Pits (left) and in Wadi A (right)	307
Fig.8.1. Development of sickle blades in the southern Levant (from Gopher et al. 2001: figs.4, 6, 7 and 8; Rosen 1997: figs.6.5 and 6.6; Shirai in press)	316
Fig.8.2. Map of the sites mentioned in this chapter	319
Fig.8.3. Side-notched projectile points from Helwan (from Schmidt 1996: fig.2)	322

Fig.8.4. A side-notched and tanged projectile point from Merimde Beni Salama (from Eiwanger 1984: pl.57)	323
Fig.8.5. Side-notched and tanged projectile points from the Fayum	323
Fig.8.6. Small projectile points of the Pottery Neolithic collected at Nahal Issaron in the Negev. 1-3: Haparsa points, 4-6: Nizzanim points (from Gopher et al. 1994: fig.6)	327
Fig.8.7. Small projectile points from the Fayum (1 from Site V, 2-5 from Camp II, 6 from the Camp II Basin).....	329
Fig.8.8. Small projectile points from Site V	329
Fig.8.9. Small projectile points from the Z Basin slopes	329
Fig.8.10. The situation of Egypt, Sinai, the Negev and southern Levant in the late 7th - early 6th millennia cal.BC	333

List of tables

Table 2.1. Chronology of Egypt and the Near East in the Early-Middle Holocene	8
Table 3.1. Radiocarbon dates of the Qarunian	46
Table 3.2. Radiocarbon dates of the Fayumian	49
Table 3.3. Radiocarbon dates of the Moerian	50
Table 3.4. Radiocarbon dates of the Fayum Predynastic	51
Table 3.5. Chronological reconsideration of Caton-Thompson's Fayum tool classes	61
Table 3.6. Biology of major Fayum animals	68
Table 3.7. Resource scheduling in the Fayum Epipalaeolithic	74
Table 3.8. Resource scheduling in the Fayum Neolithic	74
Table 5.1. Recent radiocarbon dates	167
Table 5.2. The list of hearths found during the survey	168
Table 5.2. The list of hearths found during the survey (continued)	169
Table 5.2. The list of hearths found during the survey (continued)	170
Table 5.3. The list of grinding stones found during the survey	174
Table.6.1. Inventory of finds at Site Z turtle bone concentration	190
Table.6.2. Cores at Site Z turtle bone concentration	191
Table.6.3. Metrical data of measured cores on pebbles at Site Z turtle bone concentration	191
Table.6.4. Debitage products at Site Z turtle bone concentration	191
Table.6.5. Metrical data of measureddebitage products at Site Z turtle bone concentration	191
Table.6.6. Inventory of finds at the Site Z slope	192
Table.6.7. Cores at the Site Z slope	192
Table.6.8. Metrical data of measured cores on pebbles at the Site Z slope	192
Table.6.9. Metrical data of measured cores on conical or hemispherical chunks of pebbles at the Site Z slope	192
Table.6.10. Metrical data of measured cores on fragments of cobbles at the Site Z slope	192
Table.6.11. Debitage products at the Site Z slope	193
Table.6.12. Metrical data of measureddebitage products at the Site Z slope	193
Table.6.13. Inventory of finds at Site Z lithicdebitage concentration	196
Table.6.14. Cores at Site Z lithicdebitage concentration	197
Table.6.15. Metrical data of measured cores on pebbles at Site Z lithicdebitage concentration	197
Table.6.16. Metrical data of measured cores on conical or hemispherical chunks of pebbles at Site Z lithicdebitage concentration	197
Table.6.17. Metrical data of measured cores on fragments of pebbles at Site Z lithicdebitage concentration	197
Table.6.18. Metrical data of measured cores on fragments of cobbles at Site Z lithicdebitage concentration	198
Table.6.19. Debitage products at Site Z lithicdebitage concentration	198
Table.6.20. Metrical data of measureddebitage products at Site Z lithicdebitage concentration ..	198
Table.6.21. Inventory of finds at Camp II surface collection square A	201
Table.6.22. Cores at Camp II surface collection square A	201
Table.6.23. Metrical data of measured cores on pebbles at Camp II surface collection square A ..	201
Table.6.24. Metrical data of measured cores on fragments of cobbles at Camp II surface collection square A	202
Table.6.25. Debitage products at Camp II surface collection square A	202
Table.6.26. Metrical data of measureddebitage products at Camp II surface collection square A.	202

Table.6.27. Inventory of finds at Camp II surface collection square B	204
Table.6.28. Cores at Camp II surface collection square B	204
Table.6.29. Metrical data of measured cores on pebbles at Camp II surface collection square B ..	204
Table.6.30. Metrical data of measured cores on conical or hemispherical chunks of pebbles at Camp II surface collection square B	204
Table.6.31. Metrical data of measured cores on fragments of cobbles at Camp II surface collection square B	205
Table.6.32. Debitage products at Camp II surface collection square B	205
Table.6.33. Metrical data of measureddebitage products at Camp II surface collection square B.	205
Table.6.34. Inventory of finds at Site E29H1 Area D surface collection square	219
Table.6.35. Cores at Site E29H1 Area D surface collection square	220
Table.6.36. Metrical data of measured cores on pebbles at Site E29H1 Area D surface collection square	220
Table.6.37. Metrical data of measured cores on conical or hemispherical chunks of pebbles at Site E29H1 Area D surface collection square	220
Table.6.38. Metrical data of measured cores on fragments of pebbles at Site E29H1 Area D surface collection square	220
Table.6.39. Metrical data of measured cores on fragments of cobbles at Site E29H1 Area D surface collection square	220
Table.6.40. Debitage products at Site E29H1 Area D surface collection square	222
Table.6.41. Metrical data of measureddebitage products at Site E29H1 Area D surface collection square	222
Table.6.42. Inventory of finds at Site E29H1 Area D lithicdebitage concentration A	224
Table.6.43. Cores at Site E29H1 Area D lithicdebitage concentration A	225
Table.6.44. Metrical data of measured cores on pebbles at Site E29H1 Area D lithicdebitage concentration A	225
Table.6.45. Metrical data of measured cores on conical or hemispherical chunks of pebbles at Site E29H1 Area D lithicdebitage concentration A	225
Table.6.46. Debitage products at Site E29H1 Area D lithicdebitage concentration A	225
Table.6.47. Metrical data of measureddebitage products at Site E29H1 Area D lithicdebitage concentration A	225
Table.6.48. Inventory of finds at Site E29H1 Area D lithicdebitage concentration B	228
Table.6.49. Cores at Site E29H1 Area D lithicdebitage concentration B	228
Table.6.50. Metrical data of measured cores on pebbles at Site E29H1 Area D lithicdebitage concentration B	228
Table.6.51. Metrical data of measured cores on conical or hemispherical chunks of pebbles at Site E29H1 Area D lithicdebitage concentration B	228
Table.6.52. Debitage products at Site E29H1 Area D lithicdebitage concentration B	229
Table.6.53. Metrical data of measureddebitage products at Site E29H1 Area D lithicdebitage concentration B	229
Table.6.54. Inventory of finds at Wadi B watching station	232
Table.6.55. Cores at Wadi B watching station	232
Table.6.56. Metrical data of measured cores on pebbles at Wadi B watching station	233
Table.6.57. Metrical data of measured cores on fragments of pebbles at Wadi B watching station	233
Table.6.58. Metrical data of measured cores on conical or hemispherical chunks of pebbles at Wadi B watching station	233
Table.6.59. Metrical data of measured cores on fragments of cobbles at Wadi B watching station	233
Table.6.60. Debitage products at Wadi B watching station	235

Table.6.61. Metrical data of measured debitage products at Wadi B watching station	235
Table 7.1. Items collected at Kom K	244
Table 7.2. Items collected at Site L	246
Table 7.3. Items collected at Site E29H1	248
Table 7.4. Items collected at Site XA	250
Table 7.5. Items collected at Site X	251
Table 7.6. Items collected at Locality Calcified Shrubs	254
Table 7.7. Items collected at Kom W	256
Table 7.7. Items collected at Kom W (continued)	257
Table 7.8. Items collected at the Site V Depression	260
Table 7.9. Items collected on the flint chipping floor in Umm es-Sawan	261
Table 7.10. Items collected at lower elevations of Gebel er-Rus	281
Table 7.11. Items collected at higher elevations of Gebel er-Rus	281
Table 7.12. Items collected at Gebel Lahun	283
Table 7.13. Items collected at Ilwet Hialla Northeast	285
Table 7.14. Debitage products collected in a collection square at Site XA	302
Table 7.15. Metrical data of measured primary flakes collected in a collection square at Site XA	302
Table 7.16. Metrical data of measured debitage products other than primary flakes collected in a collection square at Site XA	302
Table 8.1. Chronology of the regions mentioned in this chapter	313
Table.8.2. Number of small projectile points found in three Fayum sites	328
Table.8.3. Number of small projectile points found in Caton-Thompson's collection in several museums	328

Acknowledgements

This dissertation was completed thanks to many people.

First of all, I would like to thank Willeke Wendrich and René Cappers for allowing me to join the UCLA-RUG Fayum Project. Without their understanding and tolerance, my work would not have been completed. I would also like to thank all people in the Fayum Project for their help on different occasions.

Secondly, I would like to thank Mahmoud El-Halwagy, Stephen Quirke, Willem Van Haarlem and Helen Whitehouse for giving me permission to study and publish Fayum lithic artefacts in their museums. Research on the museum collections greatly enriched my ideas.

Thirdly, in the process of writing up the dissertation chapters, parts of which have been presented at international meetings or published in books and journals in the past years, I have greatly benefited from many people's encouragement, suggestions and criticism. I am particularly indebted to Ofer Bar-Yosef, Bleda Düring, Hans Georg Gebel, Avi Gopher, Nigel Goring-Morris, Fekri Hassan, Robert Kelly, Mary McDonald, Heiko Riemer, Avraham Ronen, Steven Rosen, Romuald Schild, Klaus Schmidt, and Wim Van Neer. I truly appreciate their taking the time to read my manuscript and/or to answer my inquiries. My ideas would not have taken the present shape without their valuable input. But I stress that I am solely responsible for any errors and misunderstandings found in this dissertation.

Lastly, I would like to express my sincere gratitude to my promoters, referent and the other members of the promotion committee. Over the years, they have taken care of a stranger from the Far East. As well as reading my dissertation thoroughly and critically, they have taught me how to behave and study in the European academic community. Under their comprehensive guidance and careful supervision, I have spent the most stimulating time in my life.

Curriculum Vitae

Noriyuki Shirai was born in Kyoto, and grew up in Kobe, Hiroshima, and Saitama. He studied archaeology at Waseda University in Tokyo and gained experience of archaeological fieldwork and artifact study at several sites in Egypt. After finishing his BA and MA studies on the prehistory of Egypt, he worked at the Waseda University Museum as a research associate. Then he came to Leiden University in order to do PhD research, for which he obtained a four-year research grant of the Netherlands Organisation of Scientific Research. He is currently teaching prehistoric archaeology of Egypt at Leiden University.