



Universiteit
Leiden
The Netherlands

The zoonotic potential of *Oesophagostomum bifurcum* in Ghana. Epidemiological, morphological and genetic studies

Gruijter, J.M. de

Citation

Gruijter, J. M. de. (2005, June 1). *The zoonotic potential of Oesophagostomum bifurcum in Ghana. Epidemiological, morphological and genetic studies*. Retrieved from <https://hdl.handle.net/1887/13898>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/13898>

Note: To cite this publication please use the final published version (if applicable).

REFERENCES

References

1. Hotez P.J., de Silva N.R., Brooker S. & Bethony J. Soil Transmitted Helminth Infections: The Nature, Causes and Burden of the Condition. Disease Control Priorities Project working paper no. 3 (2003).
2. Chan M.S., Medley G.F., Jamison D. & Bundy D.A. The evaluation of potential global morbidity attributable to intestinal nematode infections. *Parasitology* **109** (Pt 3), 373-387 (1994).
3. de Silva N.R. *et al.* Soil-transmitted helminth infections: updating the global picture. *Trends Parasitol* **19**, 547-551 (2003).
4. Hotez P.J. *et al.* Combating tropical infectious diseases: report of the Disease Control Priorities in Developing Countries Project. *Clin Infect Dis* **38**, 871-878 (2004).
5. Savioli, L. *et al.* Schistosomiasis and soil-transmitted helminth infections: forging control efforts. *Trans R Soc Trop Med Hyg* **96**, 577-579 (2002).
6. Stephenson L.S., Latham M.C. & Ottesen E.A. Malnutrition and parasitic helminth infections. *Parasitology* **121 Suppl**, S23-S38 (2000).
7. Stephenson L.S., Holland C.V. & Cooper E.S. The public health significance of *Trichuris trichiura*. *Parasitology* **121 Suppl**, S73-S95 (2000).
8. Crompton D.W. The public health importance of hookworm disease. *Parasitology* **121 Suppl**, S39-S50 (2000).
9. Atukorala T.M. & Lanerolle P. Soil-transmitted helminthic infection and its effect on nutritional status of adolescent schoolgirls of low socioeconomic status in Sri Lanka. *J Trop Pediatr* **45**, 18-22 (1999).
10. Durette-Desset M.C., Beveridge, I. & Spratt D.M. The origins and evolutionary expansion of the Strongylida (Nematoda). *Int J Parasitol* **24**, 1139-1165 (1994).
11. Orihel T.C. The helminth parasites of non-human primates and man. *Lab Anim Care* **20**(2), 395-401 (1970).
12. Chabaud A.G. & Larivière M. Sur les oesophagostomes parasites de l'homme. *Bull Soc Pathol Exot* **51**, 384-393 (1958).
13. Elmes B.G.T. & McAdam J.W.J. Helminthic abscess, a surgical complication of oesophagostomes and hookworm. *Ann Trop Med Parasitol* **48**, 1-7 (1954).
14. Railliet A. & Henry A. Encore un nouveau sclerostomien (*Oesophagostomum brumpti* nov. sp.) parasite de l'homme. *C R Seances Soc Biol* **58**, 643-645 (1905).
15. Leiper R.T. The occurrence of *Oesophagostomum apiostomum* as an intestinal parasite of man in Nigeria. *J Trop Med Hyg* **14**, 116-118 (1911).
16. Thomas H.W. The pathological report of a case of oesophagostomiasis in man. *Ann Trop Med Hyg* **4**, 57-88 (1910).

17. Railliet A. & Henry A. Etude zoologique de l'oesophagostome de Thomas. *Ann Trop Med Parasitol* **4**, 89-94 (1910).
18. Lie Kian Joe. Helminthiasis of the intestinal wall caused by *Oesophagostomum apiostomum* (Willach, 1891) Railliet and Henry, 1905. *Doc Neerland Indonesia Morb Trop* **1**, 75-80 (1949).
19. Haaf E. & van Soest A.H. Oesophagostomiasis in man in North Ghana. *Trop Geogr Med* **16**, 49-53 (1964).
20. Blotkamp J. *et al.* Observations on the morphology of adults and larval stages of *Oesophagostomum* sp. isolated from man in northern Togo and Ghana. *J Helminthol* **67**, 49-61 (1993).
21. Gasser R.B. *et al.* Screening for nucleotide variations in ribosomal DNA arrays of *Oesophagostomum bifurcum* by polymerase chain reaction-coupled single-strand conformation polymorphism. *Electrophoresis* **20**, 1486-1491 (1999).
22. Krepel H.P., Baeta S. & Polderman A.M. Human *Oesophagostomum* infection in northern Togo and Ghana: epidemiological aspects. *Ann Trop Med Parasitol* **86**, 289-300 (1992).
23. Pit D.S., Rijcken F.E., Raspoort E.C., Baeta S.M. & Polderman A.M. Geographic distribution and epidemiology of *Oesophagostomum bifurcum* and hookworm infections in humans in Togo. *Am J Trop Med Hyg* **61**, 951-955 (1999).
24. Polderman A.M. & Blotkamp C. *Oesophagostomum* infections in humans. *Parasitol Today* **11**, 451-460 (1995).
25. Polderman A.M., Anemana S.D. & Asigri V. Human oesophagostomiasis: a regional public health problem in Africa. *Parasitol Today* **15**, 129-130 (1999).
26. Storey P.A. *et al.* Clinical epidemiology and classification of human oesophagostomiasis. *Trans R Soc Trop Med Hyg* **94**, 177-182 (2000).
27. Storey P.A. *et al.* Natural progression of *Oesophagostomum bifurcum* pathology and infection in a rural community of northern Ghana. *Trans R Soc Trop Med Hyg* **95**, 295-299 (2001).
28. Krepel H.P., Haring T., Baeta S. & Polderman A.M. Treatment of mixed *Oesophagostomum* and hookworm infection: effect of albendazole, pyrantel pamoate, levamisole and thiabendazole. *Trans R Soc Trop Med Hyg* **87**, 87-89 (1993).
29. Storey P.A., Bugri S., Magnussen P. & Polderman A.M. The effect of albendazole on *Oesophagostomum bifurcum* infection and pathology in children from rural northern Ghana. *Ann Trop Med Parasitol* **95**, 87-95 (2001).
30. Ziem J.B. *et al.* The short-term impact of albendazole treatment on *Oesophagostomum bifurcum* and hookworm infections in northern Ghana. *Ann Trop Med Parasitol*, in press.
31. Krepel H.P. & Polderman A.M. Egg production of *Oesophagostomum bifurcum*, a locally common parasite of humans in Togo. *Am J Trop Med Hyg* **46**, 469-472 (1992).

References

32. Krepel H.P. *Oesophagostomum bifurcum* infection in man: A study on the taxonomy, diagnosis, epidemiology and drug treatment of *Oesophagostomum bifurcum* in northern Togo and Ghana. PhD thesis. Leiden, The Netherlands (1994).
33. Rose J.H. & Small A.J. Observations on the development and survival of the free-living stages of *Oesophagostomum dentatum* both in their natural environments out-of-doors and under controlled conditions in the laboratory. *Parasitology* **81**, 507-517 (1980).
34. Pit D.S., Blotkamp J., Polderman A.M., Baeta S. & Eberhard M.L. The capacity of the third-stage larvae of *Oesophagostomum bifurcum* to survive adverse conditions. *Ann Trop Med Parasitol* **94**, 165-171 (2000).
35. Barger L.A., Lewis R.J. & Brown G.F. Survival of infective larvae of nematode parasites of cattle during drought. *Vet Parasitol* **14**, 143-152 (1984).
36. Spindler L.A. Effects of various physical factors on survival of eggs and infective larvae of the swine nodular worm *Oesophagostomum dentatum*. *Parasitology* **22**, 259 (1936).
37. Gigase P., Baeta S., Kumar V. & Brandt J. Helminth Zoonosis. Geerts, S., Kumar, V. & Brandt, J. (eds.), pp. 233-236 (Martinus Nijhoff, Dordrecht, 1987).
38. Georgi J.R. & Georgi M.E. *Parasitology for Veterinarians*. WB Saunders Company, Philadelphia (1995).
39. Stewart T.B. & Gasbarre L.C. The veterinary importance of nodular worms (*Oesophagostomum* spp.). *Parasitol Today* **5**, 209-213 (1989).
40. Yelifari L. *et al.* Distribution of human *Oesophagostomum bifurcum*, hookworm and *Strongyloides stercoralis* infections in northern Ghana. *Trans R Soc Trop Med Hyg* **99**, 32-38 (2005).
41. Matthews B.E. Skin penetration by *Necator americanus* larvae. *Z Parasitenkd* **68**, 81-86 (1982).
42. Lichtenfels J.R. A conventional approach to a new classification of the Strongyloidea. Nematode parasites of mammals. *Am Zool* **19**, 1185-1194 (1979).
43. Glen D.R. & Brooks R. Phylogenetic relationships of some Strongylate nematodes of primates. *Proc Helminthol Soc Washington* **52**, 227-236 (1985).
44. Polderman A.M., Krepel H.P., Baeta S., Blotkamp J. & Gigase P. Oesophagostomiasis, a common infection of man in northern Togo and Ghana. *Am J Trop Med Hyg* **44**, 336-344 (1991).
45. Verweij J.J., Polderman A.M., Wimmenhove M.C. & Gasser R.B. PCR assay for the specific amplification of *Oesophagostomum bifurcum* DNA from human faeces. *Int J Parasitol* **30**, 137-142 (2000).
46. Verweij J.J. *et al.* Determining the prevalence of *Oesophagostomum bifurcum* and *Necator americanus* infections using specific PCR amplification of DNA from faecal samples. *Trop Med Int Health* **6**, 726-731 (2001).
47. Gasser R.B. PCR-based technology in veterinary parasitology. *Vet Parasitol* **84**, 229-258 (1999).
48. Gasser R.B. & Newton S.E. Genomic and genetic research on bursate nematodes: significance, implications and prospects. *Int J Parasitol* **30**, 509-534 (2000).

49. Gasser R.B. Parasitic Nematodes: Molecular Biology, Biochemistry and Immunology. Kennedy, M.W. & Harnett, W. (eds.), pp. 53-82 (CABI Publishing, Oxon and New York, 2001).
50. Arnheim N. Evolution of Genes and Proteins. Nei M. & Koehn R.K. (eds.), pp. 38-61 (Sinauer Associates, Sunderland, 1983).
51. Dover G.A. & Tautz D. Conservation and divergence in multigene families: alternatives to selection and drift. *Proc R Soc Lond B Biol Sci* **312**, 275-289 (1986).
52. Hasegawa M., Iida Y., Yano T., Takaiwa F. & Iwabuchi M. Phylogenetic relationships among eukaryotic kingdoms inferred from ribosomal RNA sequences. *J Mol Evol* **22**, 32-38 (1985).
53. Campbell A.J., Gasser R.B. & Chilton N.B. Differences in a ribosomal DNA sequence of *Strongylus* species allows identification of single eggs. *Int J Parasitol* **25**, 359-365 (1995).
54. Chilton N.B. & Gasser R.B. Sequence differences in the internal transcribed spacers of DNA among four species of hookworm (Ancylostomatoidea: Ancylostoma). *Int J Parasitol* **29**, 1971-1977 (1999).
55. Gasser R.B., Woods W.G., Huffman M.A., Blotkamp J. & Polderman A.M. Molecular separation of *Oesophagostomum stephanostomum* and *Oesophagostomum bifurcum* (Nematoda: Strongyloidea) from non-human primates. *Int J Parasitol* **29**, 1087-1091 (1999).
56. Newton L.A. *et al.* Genetic markers for strongylid nematodes of livestock defined by PCR-based restriction analysis of spacer rDNA. *Acta Trop* **69**, 1-15 (1998).
57. Shih H.H. Parasitic helminth fauna of the cutlass fish, *Trichiurus lepturus L.*, and the differentiation of four anisakid nematode third-stage larvae by nuclear ribosomal DNA sequences. *Parasitol Res* (2004).
58. Brown W.M. Molecular Genetics. MacIntyre, R.J. (ed.), pp. 95-130 (Plenum Press, New York, 1985).
59. Okimoto R., Macfarlane J.L., Clary D.O. & Wolstenholme D.R. The mitochondrial genomes of two nematodes, *Caenorhabditis elegans* and *Ascaris suum*. *Genetics* **130**, 471-498 (1992).
60. Hu M., Chilton N.B. & Gasser R.B. The mitochondrial genomics of parasitic nematodes of socio-economic importance: recent progress, and implications for population genetics and systematics. *Adv Parasitol* **56**, 133-212 (2004).
61. Blouin M.S. Molecular prospecting for cryptic species of nematodes: mitochondrial DNA versus internal transcribed spacer. *Int J Parasitol* **32**, 527-531 (2002).
62. Bogh H.O., Zhu X.Q., Qian B.Z. & Gasser R.B. Scanning for nucleotide variations in mitochondrial DNA fragments of *Schistosoma japonicum* by single-strand conformation polymorphism. *Parasitology* **118** (Pt 1), 73-82 (1999).
63. Gasser R.B., Zhu X. & McManus D.P. Display of sequence variation in PCR-amplified mitochondrial DNA regions of *Echinococcus* by single-strand conformation polymorphism. *Acta Trop* **71**, 107-115 (1998).
64. Gasser R.B., Zhu X. & Woods W. Genotyping *Taenia* tapeworms by single-strand conformation polymorphism of mitochondrial DNA. *Electrophoresis* **20**, 2834-2837 (1999).

References

65. Hu M., Chilton N.B., Zhu X. & Gasser R.B. Single-strand conformation polymorphism-based analysis of mitochondrial cytochrome c oxidase subunit 1 reveals significant substructuring in hookworm populations. *Electrophoresis* **23**, 27-34 (2002).
66. Zhu X.Q., Beveridge I., Berger L., Barton D. & Gasser R.B. Single-strand conformation polymorphism-based analysis reveals genetic variation within *Spirometra erinacei* (Cestoda: Pseudophyllidea) from Australia. *Mol Cell Probes* **16**, 159-165 (2002).
67. Saperstein D.A. & Nickerson J.M. Restriction fragment length polymorphism analysis using PCR coupled to restriction digests. *Biotechniques* **10**, 488-489 (1991).
68. Bowles J., Blair D. & McManus D.P. Molecular genetic characterization of the cervid strain ('northern form') of *Echinococcus granulosus*. *Parasitology* **109** (Pt 2), 215-221 (1994).
69. Caldeira R.L. *et al.* Molecular differentiation of *Angiostrongylus costaricensis*, *A. cantonensis*, and *A. vasorum* by polymerase chain reaction-restriction fragment length polymorphism. *Mem Inst Oswaldo Cruz* **98**, 1039-1043 (2003).
70. Romstad A. *et al.* Characterization of *Oesophagostomum bifurcum* and *Necator americanus* by PCR-RFLP of rDNA. *J Parasitol* **83**, 963-966 (1997).
71. Traub R.J. *et al.* Humans, dogs and parasitic zoonoses--unravelling the relationships in a remote endemic community in northeast India using molecular tools. *Parasitol Res* **90 Suppl 3**, S156-S157 (2003).
72. Gasser R.B. & Chilton N.B. Characterisation of taeniid cestode species by PCR-RFLP of ITS2 ribosomal DNA. *Acta Trop* **59**, 31-40 (1995).
73. Gasser R.B. Mutation scanning methods for the analysis of parasite genes. *Int J Parasitol* **27**, 1449-1463 (1997).
74. Sanger F., Nicklen S. & Coulson A.R. DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* **74**, 5463-5467 (1977).
75. McManus D.P. & Bowles J. Molecular genetic approaches to parasite identification: their value in diagnostic parasitology and systematics. *Int J Parasitol* **26**, 687-704 (1996).
76. Nadler S.A. Molecular approaches to studying helminth population genetics and phylogeny. *Int J Parasitol* **20**, 11-29 (1990).
77. Prichard R. Application of molecular biology in veterinary parasitology. *Vet Parasitol* **71**, 155-175 (1997).
78. Prichard R. & Tait A. The role of molecular biology in veterinary parasitology. *Vet Parasitol* **98**, 169-194 (2001).
79. Romstad A. *et al.* Differentiation of *Oesophagostomum bifurcum* from *Necator americanus* by PCR using genetic markers in spacer ribosomal DNA. *Mol Cell Probes* **11**, 169-176 (1997).
80. Heise M., Epe C. & Schnieder T. Differences in the second internal transcribed spacer (ITS-2) of eight species of gastrointestinal nematodes of ruminants. *J Parasitol* **85**, 431-435 (1999).

81. Luyo-Acero G.E. *et al.* Sequence variation of the cytochrome *b* gene of various human infecting members of the genus *Leishmania* and their phylogeny. *Parasitology* **128**, 483-491 (2004).
82. Morgan J.A., DeJong R.J., Kazibwe F., Mkoji G.M. & Loker E.S. A newly-identified lineage of *Schistosoma*. *Int J Parasitol* **33**, 977-985 (2003).
83. Obwaller A. *et al.* *Echinococcus granulosus* strain differentiation based on sequence heterogeneity in mitochondrial genes of cytochrome *c* oxidase-1 and NADH dehydrogenase-1. *Parasitology* **128**, 569-575 (2004).
84. Hu M., Chilton N.B. & Gasser R.B. The mitochondrial genomes of the human hookworms, *Ancylostoma duodenale* and *Necator americanus* (Nematoda: Secernentea). *Int J Parasitol* **32**, 145-158 (2002).
85. Hu M., Chilton N.B. & Gasser R.B. The mitochondrial genome of *Strongyloides stercoralis* (Nematoda) - idiosyncratic gene order and evolutionary implications. *Int J Parasitol* **33**, 1393-1408 (2003).
86. Newton L.A., Chilton N.B., Beveridge I. & Gasser R.B. Systematic relationships of some members of the genera *Oesophagostomum* and *Chabertia* (Nematoda: Chabertiidae) based on ribosomal DNA sequence data. *Int J Parasitol* **28**, 1781-1789 (1998).
87. Zhu X.Q. *et al.* SSCP-based identification of members within the *Pseudoterranova decipiens* complex (Nematoda: Ascaridoidea: Anisakidae) using genetic markers in the internal transcribed spacers of ribosomal DNA. *Parasitology* **124**, 615-623 (2002).
88. Bowles J., Blair D. & McManus D.P. A molecular phylogeny of the human schistosomes. *Mol Phylogenet Evol* **4**, 103-109 (1995).
89. Lessa E.P. & Applebaum G. Screening techniques for detecting allelic variation in DNA sequences. *Mol Ecol* **2**, 119-129 (1993).
90. Shenk T.E., Rhodes C., Rigby P.W. & Berg P. Biochemical method for mapping mutational alterations in DNA with S1 nuclease: the location of deletions and temperature-sensitive mutations in simian virus 40. *Proc Natl Acad Sci U S A* **72**, 989-993 (1975).
91. Cotton R.G.H., Current methods of mutation detection. *Mutat Res* **285**, 125-144 (1993).
92. Cotton R.G.H. *Mutation Detection*. Oxford University Press, Oxford (1997).
93. Grompe M. The rapid detection of unknown mutations in nucleic acids. *Nat Genet* **5**, 111-117 (1993).
94. Orita M., Suzuki Y., Sekiya T. & Hayashi, K. Rapid and sensitive detection of point mutations and DNA polymorphisms using the polymerase chain reaction. *Genomics* **5**, 874-879 (1989).
95. Gasser R.B. & Chilton N.B. Applications of single-strand conformation polymorphism (SSCP) to taxonomy, diagnosis, population genetics and molecular evolution of parasitic nematodes. *Vet Parasitol* **101**, 201-213 (2001).
96. Peng W. *et al.* Molecular epidemiological investigation of *Ascaris* genotypes in China based on single-strand conformation polymorphism analysis of ribosomal DNA. *Electrophoresis* **24**, 2308-2315 (2003).

References

97. Zhu X.Q. & Gasser R.B. Single-strand conformation polymorphism (SSCP)-based mutation scanning approaches to fingerprint sequence variation in ribosomal DNA of ascaridoid nematodes. *Electrophoresis* **19**, 1366-1373 (1998).
98. Johnson M., Abs El-Osta Y.G., Hu M. & Gasser R.B. An electrophoretic tool for the genetic characterisation and delineation of lungworms. *Mol. Cell Probes* **18**, 197-203 (2004).
99. Welsh J. & McClelland M. Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Res.* **18**, 7213-7218 (1990).
100. Williams J.G., Kubelik A.R., Livak K.J., Rafalski J.A. & Tingey S.V. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Res* **18**, 6531-6535 (1990).
101. Black IV W.C. PCR with arbitrary primers: approach with care. *Insect Mol Biol* **2**, 1-6 (1993).
102. Ellsworth D.L., Rittenhouse K.D. & Honeycutt R.L. Artifactual variation in randomly amplified polymorphic DNA banding patterns. *Biotechniques* **14**, 214-217 (1993).
103. Levi A., Rowland L.J. & Hartung J.S. Production of reliable random amplified polymorphic DNA (RAPD) markers from DNA of woody plants. *Horticultural Science* **28**, 1188-1190 (1993).
104. Smith J.J. *et al.* Characterization of random amplified polymorphic DNA (RAPD) products from *Xanthomonas campestris* and some comments on the use of RAPD products in phylogenetic analysis. *Mol. Phylogenet Evol* **3**, 135-145 (1994).
105. Bandi C., La Rosa G., Comincini S., Damiani G. & Pozio E. Random amplified polymorphic DNA technique for the identification of *Trichinella* species. *Parasitology* **107** (Pt 4), 419-424 (1993).
106. Martin-Sanchez J., Diaz M., Artacho M.E. & Valero A. Molecular arguments for considering *Hysterothylacium fabri* (Nematoda: Anisakidae) a complex of sibling species. *Parasitol Res* **89**, 214-220 (2003).
107. Pradeep K.N., Patra K.P., Hoti S.L. & Das P.K. Genetic variability of the human filarial parasite, *Wuchereria bancrofti* in South India. *Acta Trop* **82**, 67-76 (2002).
108. Anou N., Yanwen X. & Youren F. *Schistosoma japonicum* strains: differentiation by RAPD and SSR-PCR. *Southeast Asian J Trop Med Public Health* **33**, 720-724 (2002).
109. Ramadan N.I. & Saber L.M. Detection of genetic variability in nonhuman isolates of *Fasciola hepatica* and *Fasciola gigantica* by the RAPD-PCR technique. *J Egypt Soc Parasitol* **34**, 679-689 (2004).
110. Sandoval H. *et al.* Preliminary study on genetic variability of *Dicrocoelium dendriticum* determined by random amplified polymorphic DNA. *Parasitol Int* **48**, 21-26 (1999).
111. Daniel M.K., Ponce-Gordo F. & Cuesta-Bandera C. Genetic identification and host range of the Spanish strains of *Echinococcus granulosus*. *Acta Trop* **91**, 87-93 (2004).
112. Maravilla P. *et al.* Detection of genetic variation in *Taenia solium*. *J Parasitol* **89**, 1250-1254 (2003).

113. Scott J.C. & McManus D.P. The random amplification of polymorphic DNA can discriminate species and strains of *Echinococcus*. *Trop Med Parasitol* **45**, 1-4 (1994).
114. Ferreira A.M., Vitor R.W., Carneiro A.C., Brandao G.P. & Melo M.N. Genetic variability of Brazilian *Toxoplasma gondii* strains detected by random amplified polymorphic DNA-polymerase chain reaction (RAPD-PCR) and simple sequence repeat anchored-PCR (SSR-PCR). *Infect Genet Evol* **4**, 131-142 (2004).
115. Kaul P., Gupta I., Sehgal R. & Malla N. *Trichomonas vaginalis*: random amplified polymorphic DNA analysis of isolates from symptomatic and asymptomatic women in India. *Parasitol Int* **53**, 255-262 (2004).
116. Sedinova J., Flegr J., Ey P.L. & Kulda J. Use of random amplified polymorphic DNA (RAPD) analysis for the identification of *Giardia intestinalis* subtypes and phylogenetic tree construction. *J Eukaryot Microbiol* **50**, 198-203 (2003).
117. Zemanova E., Jirku M., Mauricio I.L., Miles M.A. & Lukes J. Genetic polymorphism within the *Leishmania donovani* complex: correlation with geographic origin. *Am J Trop Med Hyg* **70**, 613-617 (2004).
118. Zabeau M. & Vos P. *Selective restriction fragment amplification: a general method for DNA fingerprinting*. 0 534 858 A1 European Patent Office (1993).
119. Vos P. *et al.* AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Res* **23**, 4407-4414 (1995).
120. Semblat J.P. *et al.* Virulence and molecular diversity of parthenogenetic root-knot nematodes, *Meloidogyne* spp. *Heredity* **84** (Pt 1), 81-89 (2000).
121. Höglund J., Engström A., Morrison D.A. & Mattsson J.G. Genetic diversity assessed by amplified fragment length polymorphism analysis of the parasitic nematode *Dictyocaulus viviparus* the lungworm of cattle. *Int J Parasitol* **34**, 475-484 (2004).
122. Otsen M. *et al.* Amplified fragment length polymorphism analysis of genetic diversity of *Haemonchus contortus* during selection for drug resistance. *Int J Parasitol* **31**, 1138-1143 (2001).
123. Orihel T.C. & Seibold H.R. Pathology of Simian Primates. Fiennes R.E. (ed.), pp. 76-103 (Karger, Basel, 1972).
124. Ruch T.C. Diseases of Laboratory Primates. WB Saunders, Philadelphia (1959).
125. Fargey P. Assessment of the conservation status of the Baobeng-Fiema Monkey Sanctuary. Final report to the flora and fauna preservation society. 1991. Kumasi, Ghana, University of Science and Technology.
126. Bartussek J. Children of the Gods. BBC-Wildlife June 1998, 32-39. 1998. BBC-Wildlife.
127. Skrjabin K.I. *et al.* Keys to Parasitic Nematodes Vol 3. Skrjabin K.I. (ed.), pp. 35-40 (E.J. Brill, New York, 1952).
128. Popova T.I. Essentials of Nematodology. Skrjabin K.I. (ed.), pp. 303-308 (Academy of Sciences of the USSR, Helminthological Laboratory, Moscow, 1958).

References

129. Pit D.S. *et al.* Diagnosis of *Oesophagostomum bifurcum* and hookworm infection in humans: day-to-day and within-specimen variation of larval counts. *Parasitology* **118** (Pt 3), 283-288 (1999).
130. Goldsmid J.M. Parasitic helminths and zoonoses in Africa. MacPherson C.N.L. & Craig P.S. (eds.), pp. 101-137 (Unwin Hyman, London, 1991).
131. Zhu X., Spratt D.M., Beveridge I., Haycock P. & Gasser R.B. Mitochondrial DNA polymorphism within and among species of *Capillaria sensu lato* from Australian marsupials and rodents. *Int J Parasitol* **30**, 933-938 (2000).
132. Anderson T.J., Blouin M.S. & Beech R.N. Population biology of parasitic nematodes: applications of genetic markers. *Adv Parasitol* **41**, 219-283 (1998).
133. Bowles J., Blair D. & McManus D.P. Genetic variants within the genus *Echinococcus* identified by mitochondrial DNA sequencing. *Mol. Biochem. Parasitol.* **54**, 165-173 (1992).
134. Gasser R.B., Chilton N.B., Hoste H. & Beveridge I. Rapid sequencing of rDNA from single worms and eggs of parasitic helminths. *Nucleic Acids Res* **21**, 2525-2526 (1993).
135. Chilton N.B., Gasser R.B. & Beveridge I. Differences in a ribosomal DNA sequence of morphologically indistinguishable species within the *Hypodontus macropi* complex (Nematoda: Strongyloidea). *Int J Parasitol* **25**, 647-651 (1995).
136. Sneath P.H.A. & Sokal R.R. Numerical taxonomy: the principles and practice of numerical classification. W.H.Freeman, San Francisco (1973).
137. Blouin M.S., Yowell C.A., Courtney C.H. & Dame J.B. Substitution bias, rapid saturation, and the use of mtDNA for nematode systematics. *Mol Biol Evol* **15**, 1719-1727 (1998).
138. Eberhard M.L. *et al.* Experimental *Oesophagostomum bifurcum* in monkeys. *J Helminthol* **75**, 51-56 (2001).
139. Steenhard N.R. *et al.* The role of pigs as transport hosts of the human helminths *Oesophagostomum bifurcum* and *Necator americanus*. *Acta Trop* **76**, 125-130 (2000).
140. de Gruijter J.M., Polderman A.M., Zhu X.Q. & Gasser R.B. Screening for haplotypic variability within *Oesophagostomum bifurcum* (Nematoda) employing a single-strand conformation polymorphism approach. *Mol Cell Probes* **16**, 185-190 (2002).
141. Humbert J.F. & Cabaret J. Use of random amplified polymorphic DNA for identification of ruminant trichostrongylid nematodes. *Parasitol Res* **81**, 1-5 (1995).
142. Leignel V., Humbert J.F. & Elard L. Study by ribosomal DNA ITS 2 sequencing and RAPD analysis on the systematics of four *Metastrongylus* species (Nematoda:Metastrongyloidea). *J Parasitol* **83**, 606-611 (1997).
143. Joachim A., Dauschies A., Christensen C.M., Bjorn H. & Nansen P. Use of random amplified polymorphic DNA-polymerase chain reaction for the definition of genetic markers for species and strains of porcine *Oesophagostomum*. *Parasitol Res* **83**, 646-654 (1997).

144. Gasser R.B. *et al.* PCR-SSCP of rDNA for the identification of *Trichinella* isolates from mainland china. *Mol Cell Probes* **12**, 27-34 (1998).
145. Gasser R.B., Woods W.G., Huffman M.A., Blotkamp J. & Polderman A.M. Molecular separation of *Oesophagostomum stephanostomum* and *Oesophagostomum bifurcum* (Nematoda: Strongyloidea) from non-human primates. *Int J Parasitol* **29**, 1087-1091 (1999).
146. Pavlicek A., Hrda S. & Flegr J. Free-Tree-freeware program for construction of phylogenetic trees on the basis of distance data and bootstrap/jackknife analysis of the tree robustness. Application in the RAPD analysis of genus *Frenkelia*. *Folia Biol (Praha)* **45**, 97-99 (1999).
147. Nei M. & Li W.H. Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proc Natl Acad Sci U S A* **76**, 5269-5273 (1979).
148. Claes F. *et al.* How does *Trypanosoma equiperdum* fit into the Trypanozoon group? A cluster analysis by RAPD and multiplex-endonuclease genotyping approach. *Parasitology* **126**, 425-431 (2003).
149. MacPherson J.M., Eckstein P.E., Scoles G.J. & Gajadhar A.A. Variability of the random amplified polymorphic DNA assay among thermal cyclers, and effects of primer and DNA concentration. *Mol Cell Probes* **7**, 293-299 (1993).
150. Meunier J.R. & Grimont P.A.D. Factors affecting reproducibility of random amplified polymorphic DNA fingerprinting. *Res Microbiol* **144**, 373-379 (1993).
151. Grundmann H.J. *et al.* Multicenter study using standardized protocols and reagents for evaluation of reproducibility of PCR-based fingerprinting of *Acinetobacter* spp. *J Clin Microbiol* **35**, 3071-3077 (1997).
152. Stegemann J. *et al.* High speed on-line DNA sequencing on ultrathin slab gels. *Nucleic Acids Res* **19**, 675-676 (1991).
153. Towner K.J. & Grundmann H. New approaches for the generation and analysis of microbial typing data. Dijkshoorn L., Towner K.J. & Struelens M. (eds.), pp. 135-157 (Elsevier Science B.V., Amsterdam, 2001).
154. Marshall D.G. & Deneka S.I. Abdominal Abscess due to Helminthoma of the Ascending Colon. *Can J Vet Res* **100**, 913-914 (1966).
155. Pages A., Kpozo K., Baeta S.M. & Akpo-Allavo K. La 'tumeur' de Dapaong, helminthiase a Oesophagostome. *Annales d'Anatomie Pathologique* **8**, 332-335 (1988).
156. de Gruijter J.M., Ziem J., Verweij J.J., Polderman A.M. & Gasser R.B. Genetic substructuring within *Oesophagostomum bifurcum* (Nematoda) from human and non-human primates from Ghana based on random amplification of polymorphic DNA analysis. *Am J Trop Med Hyg* **71**, 227-233 (2004).
157. Ajmone-Marsan P. *et al.* Genetic distances within and across cattle breeds as indicated by biallelic AFLP markers. *Anim Genet* **33**, 280-286 (2002).
158. Janssen P.J.D. *et al.* Discrimination of *Acinetobacter* genomic species by AFLP fingerprinting. *Int J Syst Bacteriol* **47**, 1179-1187 (1997).

References

159. Mueller U.G., Lipari S.E. & Milgroom M.G. Amplified fragment length polymorphism (AFLP) fingerprinting of symbiotic fungi cultured by the fungus-growing ant *Cyphomyrmex minutus*. *Mol Ecol* **5**, 119-122 (1996).
160. Peakall R., Ebert D., Scott L.J., Meagher P.F. & Offord C.A. Comparative genetic study confirms exceptionally low genetic variation in the ancient and endangered relictual conifer, *Wollemia nobilis* (Araucariaceae). *Mol Ecol* **12**, 2331-2343 (2003).
161. Janssen P.J.D. *et al.* Evaluation of the DNA fingerprinting method AFLP as a new tool in bacterial taxonomy. *Microbiology* **142** (Pt 7), 1881-1893 (1996).
162. Agbo E.E., Majiwa P.A., Claassen H.J. & Te Pas M.F. Molecular variation of *Trypanosoma brucei* subspecies as revealed by AFLP fingerprinting. *Parasitology* **124**, 349-358 (2002).
163. Sokal R.R. & Rohlf F.J. The comparison of dendrograms by objective methods. *Taxon* **XI**, 33-40 (1962).
164. Janssen P.J.D. New approaches for the generation and analysis of microbial typing data. Dijkshoorn L. & Townner K.J. (eds.), pp. 177-210 (Elsevier, Amsterdam, 2001).
165. Struelens M.J. Consensus guidelines for appropriate use and evaluation of microbial epidemiologic typing systems. *Clin Microbiol Infect* **2**, 2-11 (1996).
166. van Eldere J., Janssen P., Hoefnagels-Schuermans A., van Lierde S. & Peetermans W.E. Amplified-fragment length polymorphism analysis versus macro-restriction fragment analysis for molecular typing of *Streptococcus pneumoniae* isolates. *J Clin Microbiol* **37**, 2053-2057 (1999).
167. Schwartz J., Tattersall I. & Eldredge N. Year book of Physical Anthropology Vol. 21., pp. 95-133, 1978).
168. Gasser R.B. *et al.* A mutation scanning approach for the identification of hookworm species and analysis of population variation. *Mol Biochem Parasitol* **92**, 303-312 (1998).
169. Hu M., Chilton N.B., Abs El-Osta Y.G. & Gasser, R.B. Comparative analysis of mitochondrial genome data for *Necator americanus* from two endemic regions reveals substantial genetic variation. *Int J Parasitol* **33**, 955-963 (2003).
170. Romstad A., Gasser R.B., Nansen P., Polderman A.M. & Chilton N.B. *Necator americanus* (Nematoda: Ancylostomatidae) from Africa and Malaysia have different ITS-2 rDNA sequences. *Int J Parasitol* **28**, 611-615 (1998).
171. Chan M.S. The global burden of intestinal nematode infections - fifty years on. *Parasitol Today* **13**, 438-443 (1997).
172. Albonico M., Crompton D.W. & Savioli L. Control strategies for human intestinal nematode infections. *Adv Parasitol* **42**, 277-341 (1999).
173. Hotez P.J. & Pritchard D.I. Hookworm infection. *Sci Am* **272**, 68-74 (1995).
174. Lichtenfels J.R. CIH Keys to the nematode parasites of vertebrates. (Farnham Royal: Commonwealth Agricultural Bureaux, Slough, England, 1980).

175. Matsubayashi H. *et al.* Handbook of parasitology (in Japanese). Tokyo Asakura Inc., Tokyo (1965).
176. Yoshida Y. Morphological differences between *Ancylostoma duodenale* and *Necator americanus* in the 4th larval stage. *J Parasitology* 52, 122-126 (1966).
177. Monti J.R., Chilton N.B., Qian B.Z. & Gasser R.B. Specific amplification of *Necator americanus* or *Ancylostoma duodenale* DNA by PCR using markers in ITS-1 rDNA, and its implications. *Mol Cell Probes* 12, 71-78 (1998).
178. Looss A. Records of the Egyptian Government School of Medicine. Dub. A. Monograph., pp. 167-616 (National Printing Department, Cairo, 1911).
179. Verweij J.J. *et al.* Short communication: Prevalence of *Entamoeba histolytica* and *Entamoeba dispar* in northern Ghana. *Trop Med Int Health* 8, 1153-1156 (2003).
180. Appleton C.C., Maurihungirire M. & Gouws E. The distribution of helminth infections along the coastal plain of Kwazulu-Natal province, South Africa. *Ann Trop Med Parasitol* 93, 859-868 (1999).
181. Behnke J.M. *et al.* The epidemiology of human hookworm infections in the southern region of Mali. *Trop Med Int Health* 5, 343-354 (2000).
182. Hira P.R. & Patel B.G. Hookworms and the species infecting man in Zambia. *J Trop Med Hyg* 87, 7-10 (1984).
183. Miller T.A. Studies on the incidence of hookworm infection in East Africa. *East Afr Med J* 47, 354-363 (1970).
184. Pearson R.D. An Update on the Geohelminths: *Ascaris lumbricoides*, Hookworms, *Trichuris trichiura*, and *Strongyloides stercoralis*. *Curr Infect Dis Rep* 4, 59-64 (2002).
185. Maplestone P.A. Further observations on seasonal variation in hookworm infection. *Indian J Med Res* 19, 1145-1151 (1932).
186. Nwosu A.B. Human neonatal infections with hookworms in an endemic area of Southern Nigeria. A possible transmammary route. *Trop Geogr Med* 33, 105-111 (1981).
187. Bogitsh B.J. & Cheng T.C. Human Parasitology. Academic Press, San Diego (1999).
188. Pawlowski Z.S., Schad G.A. & Stott G.J. Hookworm infection and Anaemia: Approaches to Prevention and Control. World Health Organization, Geneva (1991).
189. Albonico M. *et al.* Epidemiological evidence for a differential effect of hookworm species, *Ancylostoma duodenale* or *Necator americanus*, on iron status of children. *Int J Epidemiol* 27, 530-537 (1998).
190. Chang K. Studies on hookworm disease in Szechwan province west China., pp. 129-136 (The John Hopkins Press, Baltimore, 1949).
191. Areekul S., Radomyos P. & Viravan C. Preliminary report of *Ancylostoma Ceylanicum* infection in Thai people. *J Med Assoc Thai*. 53, 315-321 (1970).

References

192. Chowdhury A.B. & Schad G.A. *Ancylostoma ceylanicum*: a parasite of man in Calcutta and environs. *Am J Trop Med Hyg* **21**, 300-301 (1972).
193. Velasquez C.C. & Cabrera B.C. *Ancylostoma ceylanicum* (Looss, 1911) in a Filipino woman. *J Parasitol* **54**, 430-431 (1968).
194. Yoshida Y., Okamoto K. & Chiu J.K. *Ancylostoma ceylanicum* infection in dogs, cats, and man in Taiwan. *American J Trop Med Hyg* **17**, 378-381 (1968).
195. Ghandour A.M., Zahid N.Z., Banaja A.A., Kamal K.B. & Bouq A.I. Zoonotic intestinal parasites of hamadryas baboons *Papio hamadryas* in the western and northern regions of Saudi Arabia. *J Trop Med Hyg* **98**, 431-439 (1995).
196. Legesse M. & Erko B. Zoonotic intestinal parasites in *Papio anubis* (baboon) and *Cercopithecus aethiops* (vervet) from four localities in Ethiopia. *Acta Trop* **90**, 231-236 (2004).
197. Muriuki S.M., Murugu R.K., Munene E., Karere G.M. & Chai D.C. Some gastro-intestinal parasites of zoonotic (public health) importance commonly observed in old world non-human primates in Kenya. *Acta Trop* **71**, 73-82 (1998).
198. Brooker S., Whawell S., Kabatereine N.B., Fenwick A. & Anderson R.M. Evaluating the epidemiological impact of national control programmes for helminths. *Trends Parasitol* **20**, 537-545 (2004).
199. De Rochars M.B. *et al.* Community-wide reduction in prevalence and intensity of intestinal helminths as a collateral benefit of lymphatic filariasis elimination programs. *Am J Trop Med Hyg* **71**, 466-470 (2004).
200. Dobson R.J., Barnes E.H., Birclijin S.D. & Gill J.H. The survival of *Ostertagia circumcincta* and *Trichostrongylus colubriformis* in faecal culture as a source of bias in apportioning egg counts to worm species. *Int J Parasitol* **22**, 1005-1008 (1992).
201. Anderson T.J., Romero-Abal M.E. & Jaenike J. Genetic structure and epidemiology of *Ascaris* populations: patterns of host affiliation in Guatemala. *Parasitology* **107** (Pt 3), 319-334 (1993).
202. Anderson T.J., Romero-Abal M.E. & Jaenike J. Mitochondrial DNA and *Ascaris* microepidemiology: the composition of parasite populations from individual hosts, families and villages. *Parasitology* **110** (Pt 2), 221-229 (1995).
203. Anderson T.J. *Ascaris* infections in humans from North America: molecular evidence for cross-infection. *Parasitology* **110** (Pt 2), 215-219 (1995).
204. Anderson T.J. & Jaenike J. Host specificity, evolutionary relationships and macrogeographic differentiation among *Ascaris* populations from humans and pigs. *Parasitology* **115** (Pt 3), 325-342 (1997).
205. Peng W., Anderson T.J., Zhou X. & Kennedy M.W. Genetic variation in sympatric *Ascaris* populations from humans and pigs in China. *Parasitology* **117** (Pt 4), 355-361 (1998).
206. Crompton D.W. How much human helminthiasis is there in the world? *J Parasitol* **85**, 397-403 (1999).
207. Crompton D.W. *Ascaris* and ascariasis. *Adv Parasitol* **48**, 285-375 (2001).