



**Universiteit  
Leiden**  
The Netherlands

## **3D active shape modeling for cardiac MR and CT image segmentation**

Assen, Hans Christiaan van

### **Citation**

Assen, H. C. van. (2006, May 10). *3D active shape modeling for cardiac MR and CT image segmentation*. Retrieved from <https://hdl.handle.net/1887/4460>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4460>

**Note:** To cite this publication please use the final published version (if applicable).

3D Active Shape Modeling  
for Cardiac MR and CT  
Image Segmentation

# Colophon

This thesis was typeset by the author using  $\text{\LaTeX}2_{\epsilon}$ . The main body of the text was set using a 9 points New Century Schoolbook font, and for the sans serif parts the Helvetica font was used; both fonts are © Adobe Systems Incorporated. Images were included formatted as Encapsulated Postscript, and represented either in grayscale, or in the CMYK color scheme. The output was converted to PDF and transferred to film for printing.

## *About the cover*

The front and back covers were designed by Sandra Batelaan.

The covers show an abstraction of a mesh representing a cardiac model. The nodes and edges symbolize the point distribution at its surface(s). When the back and front covers are seen together, from left to right a transition from chaos to order appears while the free nodes are attached to the structured mesh. This represents the formation of a model from a set of individual training shapes. The size of the nodes represents the amount of local variation, which varies from node to node.

3D Active shape modeling for cardiac MR and CT image segmentation  
Assen, Hans Christiaan van

Printed by Optima Grafische Communicatie, Rotterdam, The Netherlands  
ISBN 90-8559-163-5

© 2006 H.C. van Assen, Vught, The Netherlands, unless stated otherwise on chapter front pages. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

# 3D Active Shape Modeling for Cardiac MR and CT Image Segmentation

Proefschrift

ter verkrijging van

de graad van Doctor aan de Universiteit Leiden,

op gezag van de Rector Magnificus Dr. D.D. Breimer,

hoogleraar in de faculteit der Wiskunde en

Natuurwetenschappen, en die der Geneeskunde,

volgens besluit van het College voor Promoties

te verdedigen op woensdag 10 mei 2006

klokke 15.15 uur

door

Ir. Hans Christiaan van Assen  
geboren te Leeuwarden  
in 1969

## **Promotiecommissie**

promotor: Prof. dr. ir. J.H.C. Reiber  
co-promotor: Dr. ir. B.P.F. Lelieveldt  
referent: Prof. dr. M. Sonka  
University of Iowa, Iowa, USA  
overige leden: Prof. dr. A. de Roos  
Dr. A.F. Frangi  
Universitat Pompeu Fabra, Barcelona, Spanje

Financial support for the publication of this thesis was kindly provided by:  
Stichting Beeldverwerking Leiden  
Medis *medical imaging systems* B.V.  
Philips Medical Systems Nederland B.V. (Healthcare IT - Advanced Development)

# Contents

<b>Colophon</b>	<b>ii</b>
<b>Contents</b>	<b>v</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Background	2
1.1.1 Cardiac anatomy	2
1.1.2 Heart disease	2
1.1.3 Diagnosis: cardiac imaging and quantification	3
1.1.4 Automation in diagnostic quantification	4
1.2 Automatic segmentation	7
1.2.1 Knowledge-based solutions	7
1.2.2 Statistical shape modeling	7
1.3 Motivation of this work	10
1.4 Structure of this thesis	11
<b>2 3D-ASM Matching for LV Segmentation in Cardiac CT</b>	<b>15</b>
2.1 Introduction	16
2.2 Methodology	18
2.2.1 Model generation	18
2.2.2 Matching Algorithm	20
2.3 Experimental setup	22
2.3.1 Training data	22
2.3.2 Evaluation data	22
2.3.3 Model matching parameters	22
2.3.4 Quantitative evaluation	23
2.4 Results	24
2.5 Discussion and conclusions	24
<b>3 Cardiac LV Segmentation Using a 3D ASM Driven by Fuzzy Inference</b>	<b>27</b>
3.1 Introduction	28
3.2 Methodology	30
3.2.1 3D model generation	30
3.2.2 Model matching	30
3.2.3 Edge detection using Fuzzy Inference	31
3.3 Experimental Setup	33
3.4 Results	33
3.5 Discussion and conclusions	35
<b>4 A 3D-ASM driven by Fuzzy Inference applied to Cardiac CT and MR</b>	<b>37</b>
4.1 Introduction	38
4.2 Background	41
4.2.1 Shape Modeling	41
4.2.2 Model matching	42

4.3	3D-ASM	42
4.3.1	Model generation	42
4.3.2	Model matching	43
4.3.3	Edge detection using Fuzzy Inference	45
4.3.4	Robust update selection	48
4.4	Experimental setup	50
4.4.1	Training and testing data	50
4.4.2	Matching parameters	50
4.4.3	Quantitative assessment indices	51
4.5	Results	53
4.5.1	Quantitative data	53
4.6	Discussion	55
4.7	Conclusion	59
<b>5</b>	<b>Parametric Optimization of a Model-Based Segmentation Algorithm</b>	<b>61</b>
5.1	Introduction	62
5.1.1	Shape Model	63
5.1.2	Appearance Model	63
5.1.3	Using sectorization in FCM	64
5.1.4	Matching Procedure	66
5.2	Parametric Optimization	66
5.2.1	Parameters Related to the Shape Model	66
5.2.2	Parameters Related to the Appearance Model	67
5.2.3	Fixed Settings	67
5.3	Evaluation Data Set	67
5.4	Grid Computing Approach	68
5.5	Quantitative Assessment	68
5.6	Conclusions	70
<b>6</b>	<b>Assessment of an Autolandmarked Statistical Shape Model</b>	<b>71</b>
6.1	Introduction	72
6.2	Construction of the Statistical Shape Models	73
6.2.1	Training Data Set	73
6.2.2	Model Building	74
6.3	PDM Parameterizations	74
6.4	Shape Model Characterization	76
6.4.1	Shape Analysis	76
6.5	Segmentation Performance Assessment	77
6.5.1	Evaluation Data Set	78
6.5.2	Segmentation Tests	79
6.6	Discussion	80
6.7	Conclusion	81
<b>7</b>	<b>SPASM: 3D-ASM for Sparse and Arbitrarily Oriented MRI Data</b>	<b>83</b>
7.1	Introduction	84
7.1.1	Purpose	84
7.1.2	Background	85
7.2	Methods	86
7.2.1	Shape Modeling	86
7.2.2	Atlas construction	88
7.2.3	Matching algorithm	88

---

7.2.4	Update propagation to undersampled surface regions	89
7.2.5	Feature point detection using Fuzzy Inference	92
7.3	Experimental setup	94
7.3.1	Test data and protocol	94
7.3.2	Matching experiments	97
7.4	Results	97
7.5	Discussion	101
7.5.1	Segmentation performance	101
7.5.2	Sensitivity to initial model placement	104
7.5.3	Protocol independence	105
7.5.4	Limitations	105
7.5.5	Comparison to other work	105
7.6	Conclusions	108
<b>8</b>	<b>Efficient Reconstruction of Cardiac LV Surfaces Using SPASM</b>	<b>109</b>
8.1	Introduction	110
8.2	Methods	111
8.2.1	Background	111
8.2.2	SPASM model construction	111
8.2.3	SPASM matching: edge detection	112
8.2.4	SPASM matching: update propagation	112
8.2.5	Experiments	113
8.3	Results	115
8.4	Discussion and Conclusions	116
<b>9</b>	<b>Summary and Conclusions</b>	<b>119</b>
9.1	Summary	120
9.2	Conclusions and future work	124
<b>10</b>	<b>Samenvatting en conclusies</b>	<b>125</b>
10.1	Samenvatting	126
10.2	Conclusies en aanbevelingen	131
	<b>Bibliography</b>	<b>133</b>
	<b>Publications</b>	<b>143</b>
	<b>Acknowledgements</b>	<b>147</b>
	<b>Curriculum vitae</b>	<b>149</b>



