



Universiteit
Leiden
The Netherlands

Nucleotide excision repair : a multi-step mechanism required to maintain genome integrity

Moser, J.

Citation

Moser, J. (2010, September 7). *Nucleotide excision repair : a multi-step mechanism required to maintain genome integrity*. Retrieved from <https://hdl.handle.net/1887/15929>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/15929>

Note: To cite this publication please use the final published version (if applicable).

NUCLEOTIDE EXCISION REPAIR
A MULTI-STEP MECHANISM REQUIRED TO MAINTAIN GENOME INTEGRITY

Jill Moser
2010

ISBN: 978-94-90371-24-1

Cover: Immunofluorescent staining showing accumulation of XRCC1 at local UV-induced DNA damage sites in normal human fibroblasts

Layout & printing: Off Page, Amsterdam

Copyright © 2010 by J. Moser. All rights reserved.
No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, without prior permission of the author.

NUCLEOTIDE EXCISION REPAIR
A MULTI-STEP MECHANISM REQUIRED TO MAINTAIN GENOME INTEGRITY

PROEFSCHRIFT

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus Prof. mr. P.F. van der Heijden,
volgens besluit van het College voor Promoties
te verdedigen op dinsdag 7 September 2010,
klokke 16.15 uur

door

Jill Moser
geboren te Delft in 1976

PROMOTIECOMMISSIE:

Promotor: Prof. Dr. L.H.F. Mullenders

Overige leden: Prof. Dr. H. van Steeg
Prof. Dr. J. Brouwer
Dr. W. Vermeulen (Erasmus Universiteit Rotterdam)

The work described in this thesis was financially supported by the Netherlands organisation for scientific research.

CONTENTS

Chapter 1	Introduction and outline of the thesis	7
Chapter 2	Cellular responses to DNA damage	11
Chapter 3	Nucleotide excision repair	19
Chapter 4	DNA repair and chromatin	39
	References for chapters 1-4	44
Chapter 5	The UV-damaged DNA binding protein mediates efficient targeting of the nucleotide excision repair complex to UV-induced photolesions	59
Chapter 6	Dynamic in vivo interaction of DDB2 E3 ubiquitin ligase with UV-damaged DNA is independent of damage-recognition protein XPC	79
Chapter 7	Sealing of chromosomal DNA nicks during nucleotide excision repair requires XRCC1 and DNA Ligase III in a cell-cycle-specific manner	105
Chapter 9	Replication protein A safeguards genome integrity by controlling NER incision events	129
Chapter 10	Arsenic inhibits the sealing of UV-induced chromosomal DNA nicks during nucleotide excision repair by inhibiting DNA Ligase III α	155
Addendum	Summary	176
	Nederlandse samenvatting	180
	Curriculum Vitae	184
	List of publications	185
	Dankwoord	186

