



Universiteit  
Leiden  
The Netherlands

## Cardiac resynchronization therapy : determinants of patient outcome and emerging indications

Bommel, R.J. van

### Citation

Bommel, R. J. van. (2012, May 31). *Cardiac resynchronization therapy : determinants of patient outcome and emerging indications*. Retrieved from <https://hdl.handle.net/1887/19036>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/19036>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/19036> holds various files of this Leiden University dissertation.

**Author:** Bommel, Rutger Jan van

**Title:** Cardiac resynchronization therapy : determinants of patient outcome and emerging indications

**Issue Date:** 2012-05-31

**Cardiac Resynchronization Therapy;  
determinants of patient outcome and emerging indications**

**RUTGER JAN VAN BOMMEL**

The research described in this thesis was performed at the department of Cardiology of the Leiden University Medical Center, Leiden, the Netherlands

Lay-out and printing: Optima Grafische Communicatie, Rotterdam, the Netherlands

ISBN: 978-94-6169-234-4

Copyright© Rutger Jan van Bommel, Leiden, the Netherlands. All rights reserved. No part of this thesis may be reproduced or transmitted, in any form or by any means, without permission of the author.

Financial support to the costs associated with the publication of this thesis from Biotronik is gratefully acknowledged. Additional gratitude goes to: Bayer, Boehringer Ingelheim, Bracco Imaging Europe, Meda Pharma, MSD, Servier Nederland Farma, Sorin, St. Jude Medical and the Rijnland Zorggroep.

# **Cardiac Resynchronization Therapy; determinants of patient outcome and emerging indications**

**Proefschrift**

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof. mr. P.F. van der Heijden,  
volgens besluit van het College voor Promoties  
te verdedigen op donderdag 31 mei 2012  
klokke 13:45 uur

door

**Rutger Jan van Bommel**

geboren te Leidschendam in 1979

## **PROMOTIECOMMISSIE**

**Promotores:** Prof. dr. J.J. Bax  
Prof. dr. M.J. Schalij

**Overige leden:** Prof. dr. E. Boersma (*Erasmus MC, Rotterdam*)  
Dr. V. Delgado  
Dr. E.R. Holman  
Prof. dr. R.J. Klautz  
Prof. C. Leclercq (*Département de Cardiologie et Maladies Vasculaires, Rennes, France*)  
Prof. dr. H.J. Wellens (*Cardiovascular Research Institute, Maastricht*)

Financial support by the Dutch Heart Foundation for the publication of this thesis is gratefully acknowledged.

## TABLE OF CONTENTS

<b>Chapter 1</b>	General introduction and outline of the thesis	9
<b>PART I</b>	<b>DETERMINANTS OF PATIENT OUTCOME</b>	<b>23</b>
<b>Part IA</b>	<b>Determinants of response</b>	<b>25</b>
<b>Chapter 2</b>	Value of tissue Doppler echocardiography in predicting response to cardiac resynchronization therapy in patients with heart failure <i>Am J Cardiol 2010</i>	27
<b>Chapter 3</b>	Assessment of left ventricular dyssynchrony by speckle-tracking strain imaging, comparison between longitudinal, circumferential, and radial strain in CRT <i>J Am Coll Cardiol 2008</i>	43
<b>Chapter 4</b>	Analysis of ventricular activation using surface electrocardiography to predict left ventricular reverse volumetric remodeling during cardiac resynchronization therapy <i>Circulation 2010</i>	63
<b>Chapter 5</b>	Prevalence and characteristics of patients with clinical improvement but not significant left ventricular reverse remodeling after cardiac resynchronization therapy <i>Am Heart J 2010</i>	83
<b>Chapter 6</b>	Characteristics of heart failure patients associated with good and poor response to cardiac resynchronization therapy: a PROSPECT (Predictors of Response to CRT) sub-analysis <i>Eur Heart J 2009</i>	99
<b>Part IB</b>	<b>Determinants of prognosis</b>	<b>117</b>
<b>Chapter 7</b>	Tissue Doppler velocity is superior to strain imaging in predicting long-term cardiovascular events after cardiac resynchronization therapy <i>Heart 2009</i>	119
<b>Chapter 8</b>	Long-term prognosis after cardiac resynchronization therapy is related to the extent of left ventricular reverse remodeling at mid-term follow-up <i>J Am Coll Cardiol 2009</i>	135
<b>Chapter 9</b>	Impaired renal function is associated with echocardiographic nonresponse and poor prognosis after cardiac resynchronization therapy <i>J Am Coll Cardiol 2011</i>	151

<b>Chapter 10</b>	Morbidity and mortality in heart failure patients treated with cardiac resynchronization therapy: influence of pre-implantation characteristics on long-term outcome <i>Eur Heart J 2010</i>	169
<b>PART II</b>	<b>ISSUES RELATED TO THE LV PACING LEAD</b>	<b>189</b>
<b>Chapter 11</b>	Site of latest activation in patients eligible for cardiac resynchronization therapy; patterns of dyssynchrony among different QRS configurations and impact of heart failure etiology <i>Am Heart J 2011</i>	191
<b>Chapter 12</b>	Optimal left ventricular lead position predicts reverse remodeling and survival after cardiac resynchronization therapy <i>J Am Coll Cardiol 2008</i>	207
<b>Chapter 13</b>	Relative merits of left ventricular dyssynchrony, left ventricular lead position, and myocardial scar to predict long-term survival of ischemic heart failure patients undergoing cardiac resynchronization therapy <i>Circulation 2011</i>	227
<b>Chapter 14</b>	Optimal left ventricular lead position assessed with phase analysis on gated myocardial perfusion SPECT <i>Eur J Nucl Med Mol Imaging 2010</i>	247
<b>Chapter 15</b>	Cardiac resynchronization therapy in patients with ischemic vs. non-ischemic heart failure: Differential effect of optimizing interventricular pacing interval <i>Am Heart J 2009</i>	265
<b>Chapter 16</b>	Requirement for coronary sinus lead interventions and effectiveness of endovascular replacement during long-term follow-up after implantation of a resynchronization device <i>Europace 2009</i>	283
<b>PART III</b>	<b>SPECIAL CONSIDERATIONS</b>	<b>297</b>
<b>Chapter 17</b>	Diverse patterns of longitudinal and radial dyssynchrony in patient with advanced systolic heart failure <i>Heart 2011</i>	299
<b>Chapter 18</b>	Value of the surface electrocardiogram in detecting right ventricular dilatation in the presence of left bundle branch block <i>Am J Cardiol 2011</i>	313

<b>Chapter 19</b>	Effect of cardiac resynchronization therapy in patients with New York Heart Association functional class IV heart failure <i>Am J Cardiol</i> 2010	327
<b>Chapter 20</b>	Effect of cardiac resynchronization therapy on cerebral blood flow <i>Am J Cardiol</i> 2010	341
<b>Chapter 21</b>	Biventricular pacing-induced acute response in baroreflex sensitivity has predictive value for mid-term response to cardiac resynchronization therapy <i>Am J Physiol Heart Circ Physiol</i> 2009	355
<b>Chapter 22</b>	Effects of interruption of long-term cardiac resynchronization therapy on left ventricular function and dyssynchrony <i>Am J Cardiol</i> 2008	369
<b>PART IV</b>	<b>EMERGING INDICATIONS</b>	<b>381</b>
<b>Chapter 23</b>	Critical appraisal of the use of cardiac resynchronization therapy beyond current guidelines <i>J Am Coll Cardiol</i> 2010	383
<b>Chapter 24</b>	Association of intraventricular mechanical dyssynchrony with response to cardiac resynchronization therapy in heart failure patients with a narrow QRS complex <i>Eur Heart J</i> 2010	403
<b>Chapter 25</b>	Effects of cardiac resynchronization therapy in patients with heart failure having a narrow QRS complex enrolled in PROSPECT <i>Heart</i> 2010	423
<b>Chapter 26</b>	Cardiac resynchronization therapy as a therapeutic option in patients with moderate-severe functional mitral regurgitation and high operative risk <i>Circulation</i> 2011	441
	Summary and Conclusions	459
	Samenvatting en Conclusies	471
	List of Publications	485
	Dankwoord	497
	Curriculum Vitae	503