



Universiteit  
Leiden  
The Netherlands

## NMR-based metabolomic characterization of *Vanilla planifolia*

Palama, T.L.

### Citation

Palama, T. L. (2010, June 10). *NMR-based metabolomic characterization of Vanilla planifolia*. Retrieved from <https://hdl.handle.net/1887/15674>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/15674>

**Note:** To cite this publication please use the final published version (if applicable).

---

**References**

---

## References

---

- Abdel-Farid, I. B., Kim, H. K., Choi, Y. H., Verpoorte, R., 2007. Metabolic Characterization of *Brassica rapa* Leaves by NMR Spectroscopy. *J. Agric. Food Chem.* 55, 7936-7943.
- Abdullah, K., Mursalim, 1997. Drying of vanilla pods using a greenhouse effect solar dryer. *Drying Technology* 15, 685-698.
- Ali, K., Kumiko, K., Naosuke, N., 1999. Changes in Anatomical Features, Pigment Content and Photosynthetic Activity Related to Age of 'Irwin' Mango Leaves. *J. Jpn. Soc. Hortic. Sci.* 68, 1090-1098.
- Arana, F. E., 1943. Action of a  $\beta$ -glucosidase in the curing of vanilla. *Food Res.* 8, 343-351.
- Arditti, J., Rao, A. N., Nair, H., 2009. Hand-Pollination of Vanilla : How Many Discoverers? , *Orchid Biology: Reviews and Perspectives*, X, pp. 233-249.
- Balachandran, S., Hurry, V. M., Kelley, S. E., Osmond, C. B., Robinson, S. A., Rohozinski, J., Seaton, G. G. R., Sims, D. A., 1997. Concepts of plant biotic stress. Some insights into the stress physiology of virus-infected plants, from the perspective of photosynthesis. *Physiol. Plant* 100, 203-213.
- Balls, A. K., Arana, F. E., 1941. The curing of vanilla. *Ind. Eng. Chem.* 33, 1073-1075.
- Bender, I., Joy, R. W., Thorpe, T. A., 1987. [ $^{14}\text{C}$ ]-Glucose metabolism during shoot bud development in cultured cotyledon explants of *Pinus radiata*. *Plant Cell Physiol.* 28, 1335-1338.
- Benezet, H., Picard, E., Côme, B., Grisoni, M., Leclercq Le Quillec, F., Gambin, O., Jeuffraut, E., 2000. Les virus du vanillier à la Réunion : un frein au développement de la culture sous ombrrière. *Phytoma* 526, 40-42.
- Besse, P., Da Silva, D., Bory, S., Grisoni, M., Le Bellec, F., Duval, M.-F., 2004. RAPD genetic diversity in cultivated vanilla: *Vanilla planifolia*, and relationships with *V. tahitensis* and *V. pompona*. *Plant Sci.* 167, 379-385.
- Bhat, A. I., Bhadramurthy, V., Siju, S., Hareesh, P. S., 2006. Detection and identification of Cymbidium mosaic virus infecting vanilla (*Vanilla planifolia* Andrews) in India based on coat protein gene sequence relationships. *J. Plant Biochem. Biotechnol.* 15, 33-37.
- Bino, R. J., Hall, R. D., Fiehn, O., Kopka, J., Saito, K., Draper, J., Nikolau, B. J., Mendes, P., Roessner-Tunali, U., Beale, M. H., Trethewey, R. N., Lange, B. M., Wurtele, E. S., Sumner, L. W., 2004. Potential of metabolomics as a functional genomics tool. *Trends Plant Sci.* 9, 418-425.
- Bory, S., Da Silva, D., Risterucci, A.-M., Grisoni, M., Besse, P., Duval, M.-F., 2008a. Development of microsatellite markers in cultivated vanilla: Polymorphism and transferability to other vanilla species. *Sci. Hortic.* 115, 420-425.
- Bory, S., Grisoni, M., Duval, M.-F., Besse, P., 2008b. Biodiversity and preservation of vanilla: present state of knowledge. *Genet. Resour. Crop Evol.* 55, 551-571.

- 
- Bory, S., Lubinsky, P., Risterucci, A.-M., Noyer, J.-L., Grisoni, M., Duval, M.-F., Besse, P., 2008c. Patterns of introduction and diversification of *Vanilla planifolia* (Orchidaceae) in Reunion Island (Indian Ocean). *Am. J. Bot.* 95, 805-815.
- Bouriquet, G., 1954. Le vanillier et la vanille dans le monde. In: Lechevalier, P. (Ed.), *Encyclopédie Biologique*, XLVI, Paris VI, p. 748.
- Bozarth, R. F., Diener, T. O., 1963. Changes in concentration of free amino acids and amides induced in tobacco plants by potato virus X and potato virus Y. *Virology* 21, 188-193.
- Brescia, M. A., Calderola, V., De Giglio, A., Benedetti, D., Fanizzi, F. P., Sacco, A., 2002. Characterization of the geographical origin of Italian red wines based on traditional and nuclear magnetic resonance spectrometric determinations. *Anal. Chim. Acta* 458, 177-186.
- Brodelius, P. E., 1994. Phenylpropanoid Metabolism in *Vanilla planifolia* Andr .V. High-Performance Liquid-Chromatographic Analysis of Phenolic Glycosides and Aglycones in Developing Fruits. *Phytochem. Anal.* 5, 27-31.
- Brodelius, P. E., Xue, Z. T., 1997. Isolation and characterization of a cDNA from cell suspension cultures of *Vanilla planifolia* encoding 4-coumarate: Coenzyme A ligase. *Plant Physiol. Biochem.* 35, 497-506.
- Bruman, H., 1948. The culture history of Mexican Vanilla. *Hispanic Am. Hist. Rev.* 28, 360-376.
- Castrillo, M., Kruger, N. J., Whatley, F. R., 1992. Sucrose metabolism in mango fruit during ripening. *Plant Sci.* 84, 45-51.
- Charlton, A. J., Farrington, W. H. H., Brereton, P., 2002. Application of <sup>1</sup>H NMR and Multivariate Statistics for Screening Complex Mixtures: Quality Control and Authenticity of Instant Coffee. *J. Agric. Food Chem.* 50, 3098-3103.
- Chia, T. F., He, J., 1999. Photosynthetic capacity in *Oncidium* (Orchidaceae) plants after virus eradication. *Environ. Exp. Bot.* 42, 11-16.
- Childers, N. F., Cibes, H. R., 1946. El cultivo de la vainilla en Puerto Rico. *Revista de Agr.* 37, 1-14.
- Choi, H.-K., Yoon, J.-H., 2007. Metabolomic profiling of *Vitis vinifera* cell suspension culture elicited with silver nitrate by <sup>1</sup>H NMR spectrometry and principal components analysis. *Process Biochem.* 42, 271-274.
- Choi, Y. H., Kim, H. K., Hazekamp, A., Erkelens, C., Lefeber, A. W. M., Verpoorte, R., 2004a. Metabolic differentiation of *Cannabis sativa* cultivars using <sup>1</sup>H NMR spectroscopy and Principal Component Analysis. *J. Nat. Prod.* 67, 953-957.
- Choi, Y. H., Kim, H. K., Linthorst, J. M., Hollander, J. G., Lefeber, A. W. M., Erkelens, C., Nuzillard, J.-M., Verpoorte, R., 2006. NMR metabolomics to revisit the Tobacco Mosaic Virus infection in *Nicotiana tabacum* leaves. *J. Nat. Prod.* 69, 742-748.

## References

---

- Choi, Y. H., Sertic, S., Kim, H. K., Wilson, E. G., Michopoulos, F., Lefeber, A. W. M., Erkelens, C., Prat Kricun, S. D., Verpoorte, R., 2005. Classification of *Ilex* species based on metabolic fingerprinting using Nuclear Magnetic Resonance and Multivariate Data Analysis. *J. Agric. Food Chem.* 53, 1237-1245.
- Choi, Y. H., Tapias, E. C., Kim, H. K., Lefeber, A. W. M., Erkelens, C., Verhoeven, J. T. J., Brzin, J., Zel, J., Verpoorte, R., 2004b. Metabolic discrimination of *Catharanthus roseus* leaves infected by Phytoplasma using <sup>1</sup>H-NMR spectroscopy and Multivariate Data Analysis. *Plant Physiol.* 135, 2398-2410.
- Cibes, H. R., Childers, N. F., Loustalot, A. J., 1947. Influence of Mineral Deficiencies on Growth and Composition of Vanilla Vines. *Plant Physiol.* 22, 291-299.
- Cota, B. B., Magalhaes, A., Pimenta, A. M. C., Siqueira, E. R., Alves, T. M. A., Zani, C. L., 2008. Chemical constituents of Habenaria petalodes Lindl. (Orchidaceae). *J. Braz. Chem. Soc.* 19, 1098-1104.
- Croes, E., Gebruers, K., Carpentier, S., Swennen, R., Robben, J., Laukens, K., Witters, E., Delcour, J. A., Courtin, C. M., 2009. A quantitative portrait of three xylanase inhibiting protein families in different wheat cultivars using 2D-DIGE and multivariate statistical tools. *J. Proteomics* 72, 484-500.
- Deborde, C., Maucourt, M., Baldet, P., Bernillon, S., Biais, B., Talon, G., Ferrand, C., Jacob, D., Ferry-Dumazet, H., de Daruvar, A., Rolin, D., Moing, A., 2009. Proton NMR quantitative profiling for quality assessment of greenhouse-grown tomato fruit. *Metabolomics* 5, 273-288.
- Debowska, R., Podstolski, A., 2001. Properties of Diphenolase from *Vanilla planifolia* (Andr.) Shoot Primordia Cultured in Vitro. *J. Agric. Food Chem.* 49, 3432-3437.
- DGCCRF, 2003. Note d'information n°2003-61. République Française, Ministère de l'Economie, des Finances et de l'Industrie - Direction Générale de la Concurrence, de la Consommation et de la Répression des Fraudes (DGCCRF) p. 6.
- Dignum, M. J. W., 2002. Biochemistry of the processing of vanilla beans. Leiden University.
- Dignum, M. J. W., Kerler, J., Verpoorte, R., 2001. Vanilla production : technological, chemical and biosynthetic aspects. *Food Rev. Int.* 17, 199-219.
- Dignum, M. J. W., Kerler, J., Verpoorte, R., 2002. Vanilla curing under laboratory conditions. *Food Chem.* 79, 165-171.
- Dignum, M. J. W., van der Heijden, R., Kerler, J., Winkel, C., Verpoorte, R., 2004. Identification of glucosides in green beans of *Vanilla planifolia* Andrews and kinetics of vanilla β-glucosidase. *Food Chem.* 85, 199-205.
- Dodd, A. N., Borland, A. M., Haslam, R. P., Griffiths, H., Maxwell, K., 2002. Crassulacean acid metabolism: plastic, fantastic. *J. Exp. Bot.* 53, 569-580.

- 
- Dowlatabadi, R., Weljie, A. M., Thorpe, T. A., Yeung, E. C., Vogel, H. J., 2009. Metabolic footprinting study of white spruce somatic embryogenesis using NMR spectroscopy. *Plant Physiol. Biochem.* 47, 343-350.
- Duarte, I., Barros, A., Belton, P. S., Righelato, R., Spraul, M., Humpfer, E., Gil, A. M., 2002. High-Resolution Nuclear Magnetic Resonance Spectroscopy and Multivariate Analysis for the Characterization of Beer. *J. Agric. Food Chem.* 50, 2475-2481.
- Ecott, T., 2004. Travels in search of the ice cream orchid, Vanilla. Grove Press, New York.
- Ehlers, D., Pfister, M., 1997. Compounds of vanillons (*Vanilla pompona* Schiede). *J. Essent. Oil Res.* 9, 427-431.
- Eriksson, L., Johansson, E., Kettaneh-Wold, N., Trygg, J., Wikström, C., Wold, S., 2006. Multi- and Megavariate Data Analysis Part I: Basic Principles and Applications, Second revised and enlarged edition. Umetrics Academy, Umeå, Sweden.
- Eriksson, L., Trygg, J., Wold, S., 2008. CV-ANOVA for significance testing of PLS and OPLS® models. *J. Chemometr.* 22, 594-600.
- Farreyrol, K., Pearson, M. N., Grisoni, M., Cohen, D., Beck, D., 2006. Vanilla mosaic virus isolates from French Polynesia and the Cook Islands are Dasheen mosaic virus strains that exclusively infect vanilla. *Arch. Virol.* 151, 905-919.
- Farreyrol, K., Pearson, M. N., Grisoni, M., Leclercq-Le Quillec, F., 2001. Severe stunting of *Vanilla tahitensis* in French Polynesia caused by *Cucumber mosaic virus* (CMV), and the detection of the virus in *V. fragrans* in Reunion Island. *Plant Pathol.* 50, 414-414.
- Fiehn, O., 2002. Metabolomics – the link between genotypes and phenotypes *Plant Mol. Biol.* 48, 155-171.
- Fitelson, J., Bowden, G. L., 1968. Determination of organic acids in vanilla extracts by GLC separation of trimethylsilylated derivatives. *J. Assoc. Offic. Agric. Chemists* 51, 1224.
- Fortes, A., Santos, F., Choi, Y., Silva, M., Figueiredo, A., Sousa, L., Pessoa, F., Santos, B., Sebastiana, M., Palme, K., Malho, R., Verpoorte, R., Pais, M., 2008. Organogenic nodule development in hop (*Humulus lupulus L.*): Transcript and metabolic responses. *BMC Genomics* 9, 445.
- Fouché, J. G., Coumans, M. P., 1995. Relationship between peroxidase activity and flower localization along *Vanilla planifolia* vines. *Biol. Plant.* 37, 515-521.
- Fouché, J. G., Jouve, L., 1999. *Vanilla planifolia*: history, botany and culture in Réunion island. *Agronomie* 19, 689-703.
- Funk, C., Brodelius, P., 1994. *Vanilla planifolia* Andrews: in vitro biosynthesis of vanillin and other phenylpropanoid derivatives. In: Bajaj, Y. (Ed.), Biotechnology in agriculture and forestry: Medicinal and aromatic plants, vol. VI. Springer Verlag, Berlin-Heidelberg, pp. 377-402.

## References

---

- Funk, C., Brodelius, P. E., 1990a. Phenylpropanoid metabolism in suspension cultures of *Vanilla planifolia* Andr., II. Effects of precursor feeding and metabolic inhibitors. *Plant Physiol.* 94, 95-101.
- Funk, C., Brodelius, P. E., 1990b. Phenylpropanoid metabolism in suspension cultures of *Vanilla planifolia* Andr., III. Conversion of 4-methoxycinnamic acids into 4-hydroxybenzoic acids. *Plant Physiol.* 94, 102-108.
- Funk, C., Brodelius, P. E., 1992. Phenylpropanoid metabolism in suspension cultures of *Vanilla planifolia* Andr., IV. Induction of vanillic acid formation. *Plant Physiol.* 99, 256-262.
- Gassenmeier, K., Riesen, B., Magyar, B., 2008. Commercial quality and analytical parameters of cured vanilla beans (*Vanilla planifolia*) from different origins from the 2006-2007 crop. *Flavour Fragr. J.* 23, 194-201.
- Gatfield, I., Reiss, I., Krammer, G., Schmidt, C. O., Kindel, G., Bertram, H. J., 2006. Divanillin: Novel Taste-Active Component of Fermented Vanilla Beans. *Perfum. Flavor.* 31, 18-20.
- Geetha, S., Shetty, S. A., 2000. In vitro propagation of *Vanilla planifolia*, a tropical orchid. *Curr. Sci.* 79, 886-889.
- Gehrig, H., Faist, K., Kluge, M., 1998. Identification of phosphoenolpyruvate carboxylase isoforms in leaf, stem and roots of the obligate CAM plant *Vanilla planifolia* Salib. (Orchidaceae): a physiological and molecular approach. *Plant Mol. Biol.* 38, 1215-1223.
- General, T., Mamatha, V., Divya, V., Appaiah, K. A. A., 2009. Diversity of yeast with  $\beta$ -glycosidase activity in vanilla (*Vanilla planifolia*) plant. *Curr. Sci.* 96, 1501-1505.
- Gleason-Allured, J., 2009. The State of Vanilla: Challenges and Opportunities. *Perfum. Flavor.* 34, 19-22.
- Gobley, M., 1858. Recherches sur le principe odorant de la vanille. Thunot et Co, Paris.
- Goodacre, R., Shann, B., Gilbert, R. J., Timmins, E. M., McGovern, A. C., Alsberg, B. K., Kell, D. B., Logan, N. A., 2000. Detection of the Dipicolinic Acid Biomarker in Bacillus Spores Using Curie-Point Pyrolysis Mass Spectrometry and Fourier Transform Infrared Spectroscopy. *Anal. Chem.* 72, 119-127.
- Goris, M. A., 1924. Sur la composition chimique des fruits verts de la vanille et le mode de formation du parfum de la vanille. *Compt. Rend.* 179, 70-72.
- Goris, M. A., 1947. Formation du parfum de la vanille. *Ind. Parfumerie* 2, 4-12.
- Grisoni, M., Davidson, F., Hyrondelle, C., Farreyrol, K., Caruana, M. L., Pearson, M., 2004. Nature, incidence, and symptomatology of viruses infecting *Vanilla tahitensis* in French Polynesia. *Plant Dis.* 88, 119-124.

---

Grisoni, M., Farreyrol, K., Pearson, M., In Press. Virus diseases of vanilla. In: Odoux, E., Grisoni, M. (Eds.), *Vanilla*. CRC Press Inc., Boca Raton (FL).

Grisoni, M., Moles, M., Besse, P., Bory, S., Duval, M.-F., Kahane, R., 2007. Towards an International Plant Collection to Maintain and Characterize the Endangered Genetic Resources of Vanilla. *Acta Hortic.* 760, 83-91.

Grisoni, M., Moles, M., Farreyrol, K., Rassaby, L., Davis, R., Pearson, M. N., 2006. Identification of potyviruses infecting vanilla by direct sequencing of a short RT-PCR amplicon. *Plant Pathol.* 55, 523-529.

Hall, R. D., 2006. Plant metabolomics: from holistic hope, to hype, to hot topic. *New Phytol.* 169, 453-468.

Havkin-Frenkel, D., Belanger, F., 2007. Application of Metabolic Engineering to Vanillin Biosynthetic Pathways in *Vanilla Planifolia*. Applications of Plant Metabolic Engineering, pp. 175-196.

Havkin-Frenkel, D., Dorn, R., 1997. Vanilla. In: Risch, S. J., Ho, C.-T. (Eds.), Spices, flavor chemistry and antioxidant properties. American Chemical Society, Washington DC, pp. 29-40.

Havkin-Frenkel, D., French, J. C., Graft, N., Joel, D. M., Pak, F. E., Frenkel, C., 2004. Interrelation of Curing and Botany in Vanilla (*Vanilla planifolia*) Bean. *Acta Hortic.* 629, 93-102.

Havkin-Frenkel, D., Podstolski, A., 2007. Vanillin production. Patent Application Publication vol. US 2007/0044174 A1. David Michael & Co., Inc.

Havkin-Frenkel, D., Podstolski, A., Knorr, D., 1996. Effect of light on vanillin precursors formation by in vitro cultures of *Vanilla planifolia*. *Plant Cell Tissue Organ Cult.* 45, 133-136.

Havkin-Frenkel, D., Podstolski, A., Witkowska, E., Molecki, P., Mikolajczyk, M., 1999. Vanillin biosynthetic pathways: an overview. In: Fu, T. J., Singh, G., Curtis, W. R. (Eds.), Plant cell and tissue culture for the production of food ingredients. Kluwer Academic, Plenum Publisher, New York, pp. 35-43.

Hendrawati, O., Yao, Q., Kim, H. K., Linthorst, H. J. M., Erkelens, C., Lefeber, A. W. M., Choi, Y. H., Verpoorte, R., 2006. Metabolic differentiation of Arabidopsis treated with methyl jasmonate using nuclear magnetic resonance spectroscopy. *Plant Sci.* 170, 1118-1124.

Hu, J. S., Ferreira, S., Xu, M. Q., Lu, M., Iha, M., Pflum, E., Wang, M., 1994. Transmission, movement and inactivation of cymbidium mosaic and odontoglossum ringspot viruses. *Plant Dis.* 78, 633-636.

Huang, S. Y., Li, G. Q., Shi, J. G., Mo, S. Y., Wang, S. J., Yang, Y. C., 2004. Chemical constituents of the rhizomes of *Coeloglossum viride* var. *bracteatum*. *J. Asian Nat. Prod. Res.* 6, 49-61.

## References

---

- Iraqi, D., Quy Le, V., Lamhamadi, M. S., Tremblay, F. M., 2005. Sucrose utilization during somatic embryo development in black spruce: involvement of apoplastic invertase in the tissue and of extracellular invertase in the medium. *J. Plant Physiol.* 162, 115-124.
- Izaguirre-Mayoral, M. L., de Uzcategui, R. C., Carballo, O., 1993. Crassulacean acid metabolism in two species of orchids infected by Tobacco mosaic virus-orchid strain and/or Cymbidium mosaic virus. *J. Phytopathol.* 137, 272-282.
- Jahangir, M., Abdel-Farid, I. B., Choi, Y. H., Verpoorte, R., 2008a. Metal ion-inducing metabolite accumulation in *Brassica rapa*. *J. Plant Physiol.* 165, 1429-1437.
- Jahangir, M., Kim, H. K., Choi, Y. H., Verpoorte, R., 2008b. Metabolomic response of *Brassica rapa* submitted to pre-harvest bacterial contamination. *Food Chem.* 107, 362-368.
- Jain, S. M., 2001. Tissue culture-derived variation in crop improvement. *Euphytica* 118, 153-166.
- Janarthanam, B., Seshadri, S., 2008. Plantlet regeneration from leaf derived callus of *Vanilla planifolia* Andr. *In Vitro Cellular & Developmental Biology-Plant* 44, 84-89.
- Janot, M. M., 1954. Formation du parfum de la vanille. In: Bouriquet, G. (Ed.), *Le vanillier et la vanille dans le monde*. Paul Lechevalier, Paris, pp. 540-558.
- Jensen, D. D., Gold, A. H., 1955. Hosts, transmission, and electron microscopy of cymbidium mosaic virus with special reference to Cattleya leaf necrosis. *Phytopathology* 45, 327-334.
- Joel, D. M., French, J. C., Graft, N., Kourteva, G., Dixon, R. A., Havkin-Frenkel, D., 2003. A hairy tissue produces vanillin. *Isr. J. Plant Sci.* 51, 157-159.
- Jones, M. A., Vicente, G. C., 1949. Quality of cured vanilla in relation to some natural factors. *J. Agric. Res.* 78, 445-450.
- Kahane, R., Besse, P., Grisoni, M., Le Bellec, F., Odoux, E., 2008. Bourbon Vanilla: Natural Flavour with a Future. *Chron. Horticult.* 48, 23-29.
- Kalimuthu, K., Senthilkumar, R., Murugalatha, N., 2006. Regeneration and mass multiplication of *Vanilla planifolia* Andr. - a tropical orchid. *Curr. Sci.* 91, 1401-1403.
- Kanisawa, T., 1993. Flavor Development in Vanilla Beans. *Kouryou* 180, 113-123.
- Kanisawa, T., Tokoro, K., Kawahara, S., 1994. Flavor Development in the Beans of *Vanilla planifolia*. In: Kurihara, K., Suzuki, N., Ogawa, H. (Eds.), *Proceedings of the International Symposium*, Tokyo, Japan, pp. 268-270.
- Kim, H. K., Choi, Y. H., Erkelens, C., Lefeber, A. W. M., Verpoorte, R., 2005. Metabolic fingerprinting of *Ephedra* species using  $^1\text{H}$ -NMR spectroscopy and principal component analysis. *Chem. Pharm. Bull.* 53, 105-109.

- 
- Kodja, H., Govinden-Soulange, J., Gurib-Fakim, A., Robene-Soustrade, I., Humeau, L., Figier, J., 1998. Micropropagation of *Psiadia arguta* through cotyledonary axillary bud culture. *Plant Growth Regul.* 25, 75-80.
- Korthou, H., Verpoorte, R., 2007. Vanilla. In: Berger, R. G. (Ed.), Flavours and Fragrances. Springer, Berlin Heidelberg, pp. 203-217.
- Labuda, I. M., Goers, K. A., Keon, K. A., 1993. Microbial bioconversion process for the production of vanillin. In: Schreier, P., Winterhalter, P. (Eds.), Progress in flavour precursor studies: analysis, generation, biotechnology. Proceedings of the international conference, Wuerzburg. Allured, Carol Stream, pp. 477-482.
- Lea, P. J., Sodek, L., Parry, M. A. J., Shewry, P. R., Halford, N. G., 2007. Asparagine in plants. *Ann. Appl. Biol.* 150, 1-26.
- Leclercq-Le Quillec, F., Rivière, C., Lagorce, A., 2001. Spread of cymbidium mosaic potexvirus and potyviruses in vanilla plants grown in shade houses in Reunion Island *Fruits* 56, 249-260.
- Lecomte, H., 1901. Sur la formation du parfum de la vanille. *Compte Rendu des Séances de l'Académie des Sciences de Paris* T133, 745-748.
- Leong, G., Archavlis, A., Derbesy, M., 1989a. Research on the glucoside fraction of the vanilla bean. *J. Essent. Oil Res.* 1, 33-41.
- Leong, G., Uzio, R., Derbesy, M., 1989b. Synthesis, identification and determination of glucosides present in green vanilla beans (*Vanilla fragrans* Andrews). *Flavour Fragr. J.* 4, 163-167.
- Li, H. M., Rotter, D., Hartman, T. G., Pak, F. E., Havkin-Frenkel, D., Belanger, F. C., 2006. Evolution of novel O-methyltransferases from the *Vanilla planifolia* caffeic acid O-methyltransferase. *Plant Mol. Biol.* 61, 537-552.
- Lubinsky, P., Bory, S., Hernández Hernández, J., Kim, S.-C., Gómez-Pompa, A., 2008. Origins and Dispersal of Cultivated Vanilla (*Vanilla planifolia* Jacks. [Orchidaceae]). *Econ. Bot.* 62, 127-138.
- Maayan, I., Shaya, F., Ratner, K., Mani, Y., Lavee, S., Avidan, B., Shahak, Y., Ostersetzer-Biran, O., 2008. Photosynthetic activity during olive (*Olea europaea*) leaf development correlates with plastid biogenesis and Rubisco levels. *Physiol. Plant* 134, 547-558.
- Madhubala, R., Bhadramurthy, V., Bhat, A. I., Hareesh, P. S., Retheesh, S. T., Bhai, R. S., 2005. Occurrence of *Cucumber mosaic virus* on vanilla (*Vanilla planifolia* Andrews) in India. *J. Biosci.* 30, 339-350.
- Mariezcurrera, M. D., Zavaleta, H. A., Waliszewski, K. N., Sanchez, V., 2008. The effect of killing conditions on the structural changes in vanilla (*Vanilla planifolia*, Andrews) pods during the curing process. *Int. J. Food Sci. Technol.* 43, 1452-1457.

## References

---

- Márquez, O., Waliszewski, K. N., 2008. The effect of thermal treatment on  $\beta$ -glucosidase inactivation in vanilla bean (*Vanilla planifolia* Andrews). *Int. J. Food Sci. Technol.* 43, 1993-1999.
- Márquez, O., Waliszewski, K. N., Oliart, R. M., Pardio, V. T., 2008. Purification and characterization of cell wall-bound peroxidase from vanilla bean. *LWT - Food Sci. Technol.* 41, 1372-1379.
- Martin, G. E., Ethridge, M. W., Kaiser, F. E., 1977. Determining the authenticity of vanilla extracts. *J. Food Sci.* 42, 1580-1583.
- Massart, D., Vandeginste, B., Deming, S., Michotte, Y., Kauffman, L., 1988. *Chemometrics: A Textbook*. Elsevier, New York.
- Matthews, R. E. F., 1991. *Plant Virology* - Third edition. Academic Press, New York.
- Miflin, B., Habash, D., 2002. The role of glutamine synthetase and glutamate dehydrogenase in nitrogen assimilation and possibilities for improvement in the nitrogen utilization of crops. *J. Exp. Bot.* 53, 979-987.
- Minoo, D., Jayakumar, V. N., Veena, S. S., Vimala, J., Basha, A., Saji, K. V., Babu, K. N., Peter, K. V., 2008. Genetic variations and interrelationships in *Vanilla planifolia* and few related species as expressed by RAPD polymorphism. *Genet. Resour. Crop Evol.* 55, 459-470.
- Moles, M., Delatte, H., Farreyrol, K., Grisoni, M., 2007. Evidence that Cymbidium mosaic virus strains segregate into two groups based on coat protein and replicase genes. *Arch. Virol.* 152, 705-715.
- Morel, G., Wetmore, R., 1951. Fern callus tissue culture. *Am. J. Bot.* 38, 141-143.
- Morot-Gaudry, J.-F., 1997. Assimilation de l'azote chez les plantes: aspects physiologique, biochimique et moléculaire. Editions Quae, Versailles, France.
- Mounet, F., Lemaire-Chamley, M., Maucourt, M., Cabasson, C., Giraudel, J.-L., Deborde, C., Lessire, R., Gallusci, P., Bertrand, A., Gaudillère, M., Rothan, C., Rolin, D., Moing, A., 2007. Quantitative metabolic profiles of tomato flesh and seeds during fruit development: complementary analysis with ANN and PCA. *Metabolomics* 3, 273-288.
- Murashige, T., Skoog, F., 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol. Plant* 15, 473-497.
- Murch, S., Victor, J. M. R., Krishnaraj, S., Saxena, P. K., 1999. The role of proline in thidiazuroninduced somatic embryogenesis of peanut. *In Vitro Cell. Dev. Biol. Plant* 35, 102-105.
- Mustafa, N., Verpoorte, R., 2007. Phenolic compounds in *Catharanthus roseus*. *Phytochem. Rev.* 6, 243-258.

- 
- Negishi, O., Ozawa, T., 1996. Determination of hydroxycinnamic acids, hydroxybenzoic acids, hydroxybenzaldehydes, hydroxybenzyl alcohols and their glucosides by high-performance liquid chromatography. *J. Chromatogr. A* 756, 129-136.
- Negishi, O., Sugiura, K., Negishi, Y., 2009. Biosynthesis of Vanillin via Ferulic Acid in *Vanilla planifolia*. *J. Agric. Food Chem.* 57, 9956-9961.
- Obolensky, G., 1957. Etude de l'action des Ultra-Sons sur le développement de la vanilline dans la préparation de la vanille. *Plant Foods Hum. Nutr.* 2, 336-341.
- Obolensky, G., 1958. Influence des ultra-sons sur l'augmentation des taux de vanilline et d'oleoresines dans les gousses de vanille. *Plant Foods Hum. Nutr.* 5, 45-63.
- Odoux, E., 2000. Changes in vanillin and glucovanillin concentrations during the various stages of the process traditionally used for curing *Vanilla fragrans* beans in Réunion. *Fruits* 55, 119-125.
- Odoux, E., 2004. Contribution à l'étude de l'hydrolyse de la glucovanilline en vanilline dans la "gousse" du vanillier (*Vanilla planifolia* G. Jackson). Sciences et Procédés Biologiques et Industriels, vol. PhD. Université de Montpellier 2, Montpellier, p. 159.
- Odoux, E., 2006. Glucosylated aroma precursors and glucosidase(s) in vanilla bean (*Vanilla planifolia* G. Jackson). *Fruits* 61, 171-184.
- Odoux, E., Brillouet, J. M., 2009. Anatomy, histochemistry and biochemistry of glucovanillin, oleoresin and mucilage accumulation sites in green mature vanilla pod (*Vanilla planifolia*; Orchidaceae): a comprehensive and critical reexamination. *Fruits* 64, 221-241.
- Odoux, E., Chauwin, A., Brillouet, J. M., 2003a. Purification and Characterization of Vanilla Bean (*Vanilla planifolia* Andrews)  $\beta$ -D-Glucosidase. *J. Agric. Food Chem.* 51, 3168-3173.
- Odoux, E., Escoute, J., Verdeil, J.-L., 2006. The relation between glucovanillin,  $\beta$ -D-glucosidase activity and cellular compartmentation during the senescence, freezing and traditional curing of vanilla beans. *Ann. Appl. Biol.* 149, 43-52.
- Odoux, E., Escoute, J., Verdeil, J.-L., Brillouet, J.-M., 2003b. Localization of  $\beta$ -D-glucosidase activity and glucovanillin in vanilla bean (*Vanilla planifolia* Andrews). *Ann. Bot.* 92, 437-444.
- Odoux, E., Escoute, J., Verdeil, J.-L., Brillouet, J. M., 2005. Hydrolysis of Glucovanillin by  $\beta$ -DGlucosidase during Curing of Vanilla Bean (*Vanilla planifolia* Andrews).
- Odoux, E., Languille, S., Leblé, J.-P., Lombard, A., 2000. The effect of the nature of the soil amendments on the main aromatic compounds in *Vanilla fragrans* beans. *Fruits* 55, 63-71.
- Pak, F. E., Gropper, S., Dai, W. D., Havkin-Frenkel, D., Belanger, F. C., 2004. Characterization of a multifunctional methyltransferase from the orchid *Vanilla planifolia*. *Plant Cell Rep.* 22, 959-966.

## References

---

- Palama, T. L., Fock, I., Choi, Y. H., Verpoorte, R., Kodja, H., 2010. Biological variation of *Vanilla planifolia* leaf metabolome. *Phytochemistry* 71, 567-573.
- Palama, T. L., Khatib, A., Choi, Y. H., Payet, B., Fock, I., Verpoorte, R., Kodja, H., 2009. Metabolic Changes in Different Developmental Stages of *Vanilla planifolia* Pods. *J. Agric. Food Chem.* 57, 7651-7658.
- Patil, G., Patel, R., Jaat, R., Pattanayak, A., Jain, P., Srinivasan, R., 2009. Glutamine improves shoot morphogenesis in chickpea (*Cicer arietinum* L.). *Acta Physiol. Plant.* 31, 1077-1084.
- Pearson, M. N., Brunt, A. A., Pone, S. P., 1990. Some hosts and properties of a potyvirus infecting *Vanilla fragrans* (Orchidaceae) in the kingdom of Tonga. *J. Phytopathol.* 128, 46-54.
- Pearson, M. N., Cole, J. S., 1986. The effects of *Cymbidium mosaic Virus* and *Odontoglossum ringspot virus* on the growth of cymbidium orchids. *J. Phytopathol.* 117, 193-197.
- Pearson, M. N., Cole, J. S., 1991. Further observations on the effects of cymbidium mosaic virus and odontoglossum ring spot virus on growth of *Cymbidium* orchids. *J. Phytopathol.* 131, 193-198.
- Pearson, M. N., Jackson, G. V. H., Pone, S. P., Howitt, R., 1993. Vanilla viruses in the South Pacific. *Plant Pathol.* 42, 127-131.
- Pérez-Silva, A., 2006. Contribution à l'étude de la génèse des composés d'arôme au cours du procédé mexicain de transformation de la vanille (*Vanilla planifolia* G. Jackson). Hérault. Université de Montpellier II, Montpellier, p. 158.
- Pérez-Silva, A., Odoux, E., Brat, P., Ribeyre, F., Rodriguez-Jimenes, G., Robles-Olvera, V., García-Alvarado, M. A., Günata, Z., 2006. GC-MS and GC-olfactometry analysis of aroma compounds in a representative organic aroma extract from cured vanilla (*Vanilla planifolia* G. Jackson) beans. *Food Chem.* 99, 728-735.
- Podstolski, A., Havkin-Frenkel, D., Malinowski, J., Blount, J. W., Kourteva, G., Dixon, R. A., 2002. Unusual 4-hydroxybenzaldehyde synthase activity from tissue cultures of the vanilla orchid *Vanilla planifolia*. *Phytochemistry* 61, 611-620.
- Porras-Alfaro, A., Bayman, P., 2007. Mycorrhizal fungi of Vanilla: diversity, specificity and effects on seed germination and plant growth. *Mycologia* 99, 510-525.
- Prat, Y., Subitte, J., 1969. Contribution à l'étude des constituants aromatiques de la vanille - Detection de l'alcool p-hydroxybenzylique par chromatographie sur couche mince. *Ann. Fals. Exp. Chim.* 62, 225-230.
- Purseglove, J. W., Brown, E. G., Green, C. I., Robbins, S. R. J., 1981. Vanilla. Spices, vol. 2. Longman Inc., New York.

---

R Development Core Team, 2006. R: A Language and Environment for Statistical Computing. <http://www.r-project.org/>. R Foundation for Statistical Computing, Vienna, Austria.

Ramaroson-Raonizafimimanana, B., Gaydou, E. M., Bombarda, I., 1997. Hydrocarbons from three vanilla bean species: *V.fragrans*, *V.madagascariensis*, and *V.tahitensis*. *J. Agric. Food Chem.* 45, 2542-2545.

Ramaroson-Raonizafimimanana, B., Gaydou, E. M., Bombarda, I., 1998. 4-demethylsterols and triterpene alcohols from two Vanilla bean species: *Vanilla fragrans* and *V. tahitensis*. *J. Am. Oil Chem. Soc.* 75, 51-55.

Ramaroson-Raonizafimimanana, B., Gaydou, E. M., Bombarda, I., 1999. Long-chain gamma-pyrones in epicuticular wax of two Vanilla bean species: *V. fragrans* and *V. tahitensis*. *J. Agric. Food Chem.* 47, 3202-3205.

Ramaroson-Raonizafimimanana, B., Gaydou, E. M., Bombarda, I., 2000. Long-Chain Aliphatic  $\beta$ -Diketones from Epicuticular Wax of Vanilla Bean Species. Synthesis of Nervonoylacetone *J. Agric. Food Chem.* 48, 4739-4743.

Ranadive, A. S., 1994. Vanilla - Cultivation, curing, chemistry, technology and commercial products. In: Charalambous, G. (Ed.), Spices, herbs and edible fungi. Elsevier, Amsterdam, The Netherlands, pp. 517-576.

Ranadive, A. S., Szkutnica, K., Guerrera, J. G., Frenkel, C., 1983. Vanilla biosynthesis in vanilla beans. Proceedings of the IX International congress of Essential Oils, Singapore, pp. 147-154.

Rao, S. R., Ravishankar, G. A., 2000. Vanilla flavour: production by conventional and biotechnological routes. *J. Sci. Food Agric.* 80, 289-304.

Ratobison, R., Zeghamti, B., Reddy, T. A., Daguenet, M., 1998. Sizing of solar supplemented liquid and air heating systems for the treatment of vanilla. *Sol. Energy* 62, 131-138.

Richard, A., Farreyrol, K., Rodier, B., Leoce-Mouk-San, K., Wong, M., Pearson, M. N., Grisoni, M., 2009. Control of virus diseases in intensively cultivated vanilla plots of French Polynesia. *Crop Prot.* 28, 870-877.

Richard, A., Rivière, C., Ryckewaert, P., Côme, B., Quilici, S., 2003. Un nouveau ravageur de la vanille, la cochenille *Conchaspis angraeci* : Étude préliminaire à la mise en place d'une stratégie de lutte raisonnée à la Réunion. *Phytoma* 562, 36-39.

Romagnoli, L. G., Knorr, D., 1988. Effects of ferulic acid treatment on growth and flavor development of cultured *Vanilla planifolia* cells. *Food Biotechnol.* 2, 93-104.

Roussos, P. A., Matsoukis, A., Pontikis, C. A., Chronopoulou-Sereli, A., 2007. Relations of environmental factors with the phenol content and oxidative enzyme activities of olive explants. *Sci. Hortic.* 113, 100-102.

## References

---

- Saeed, A. I., Sharov, V., White, J., Li, J., Liang, W., Bhagabati, N., Braisted, J., Klapa, M., Currier, T., Thiagarajan, M., Sturm, A., Snuffin, M., Rezantsev, A., Popov, D., Ryltsov, A., Kostukovich, E., Borisovsky, I., Liu, Z., Vinsavich, A., Trush, V., Quackenbush, J., 2003. TM4: A free, open-source system for microarray data management and analysis. *BioTechniques* 34, 374-378.
- Sagrero-Nieves, L., Schwartz, S. J., 1988. Phenolic content of *Vanilla planifolia* as affected by harvest period. *J. Food Compos. Anal.* 1, 362-365.
- Salgado, P. R., Favarin, J. L., Leandro, R. A., de Lima Filho, O. F., 2008. Total phenol concentrations in coffee tree leaves during fruit development. *Sci. Agric.* 65, 354-359.
- Scarpa, T. E., Marro, M. L., Bortolotti, S., Boggio, S. B., Valle, E. M., 2007. Plant nutritional status modulates glutamine synthetase levels in ripe tomatoes (*Solanum lycopersicum* cv. Micro-Tom). *J. Plant Physiol.* 164, 137-145.
- Schrader, J., Etschmann, M. M. W., Sell, D., Hilmer, J.-M., Rabenhorst, J., 2004. Applied biocatalysis for the synthesis of natural flavour compounds - current industrial processes and future prospects. *Biotechnol. Lett.* 26, 463-472.
- Schwarz, B., Hofmann, T., 2009. Identification of Novel Orosensory Active Molecules in Cured Vanilla Beans (*Vanilla planifolia*). *J. Agric. Food Chem.* 57, 3729-3737.
- Selosse, M.-A., Roy, M., 2009. Green plants that feed on fungi: facts and questions about mixotrophy. *Trends Plant Sci.* 14, 64-70.
- Serra, S., Fuganti, C., Brenna, E., 2005. Biocatalytic preparation of natural flavours and fragrances. *Trends Biotechnol.* 23, 193-198.
- Sinha, A. K., Sharma, U. K., Sharma, N., 2008. A comprehensive review on vanilla flavor: Extraction, isolation and quantification of vanillin and others constituents. *Int. J. Food Sci. Nutr.* 59, 299-326.
- Son, H.-S., Hwang, G.-S., Kim, K. M., Ahn, H.-J., Park, W.-M., Van Den Berg, F., Hong, Y.-S., Lee, C.-H., 2009. Metabolomic Studies on Geographical Grapes and Their Wines Using  $^1\text{H}$  NMR Analysis Coupled with Multivariate Statistics. *J. Agric. Food Chem.* 57, 1481-1490.
- Soto Arenas, M. A., 2003. Vanilla. In: Pridgeon, A. M., Cribb, P. J., Chase, M. W., Rasmussen, F. N. (Eds.), Genera Orchidacearum, vol. 3. Oxford University Press, USA, pp. 321-334.
- Sreedhar, R., Venkatachalam, L., Neelwarne, B., 2009a. Hyperhydricity-Related Morphologic and Biochemical Changes in Vanilla (*Vanilla planifolia*). *J. Plant Growth Regul.* 28, 46-57.
- Sreedhar, R. V., Roohie, K., Maya, P., Venkatachalam, L., Bhagyalakshmi, N., 2009b. Biotic elicitors enhance flavour compounds during accelerated curing of vanilla beans. *Food Chem.* 112, 461-468.

- 
- Sreedhar, R. V., Roohie, K., Venkatachalam, L., Narayan, M. S., Bhagyalakshmi, N., 2007. Specific Pretreatments Reduce Curing Period of Vanilla (*Vanilla planifolia*) Beans. *J. Agric. Food Chem.* 55, 2947-2955.
- Srivastava, L. M., 2002. Hormonal Regulation of Cell Division and Cell Growth. Plant Growth and Development. Academic Press, San Diego, pp. 341-379.
- Sumner, L. W., Mendes, P., Dixon, R. A., 2003. Plant metabolomics: large-scale phytochemistry in the functional genomics era. *Phytochemistry* 62, 817-836.
- Sun, R., Sacalis, J. N., Chin, C. K., Still, C. C., 2001. Bioactive Aromatic Compounds from Leaves and Stems of *Vanilla fragrans*. *J. Agric. Food Chem.* 49, 5161-5164.
- Tiemann, F., 1885. Ueber Glucovanillin and Glucovanillylalkohol. *Ber. Deut. Chem. Ges.* 18, 1595-1600.
- Tokoro, K., Kawahara, S., Amano, A., Kanisawa, T., Indo, M., 1990. Glucosides in vanilla beans and changes of their contents during maturation. In: Bessiere, Y., Thomas, A. F. (Eds.), Flavour science and technology. John Wiley & Sons, Chichester, New York, Brisbane, Toronto, Singapore, pp. 73-76.
- Urbanczyk-Wochniak, E., Luedemann, A., Kopka, J., Selbig, J., Roessner-Tunali, U., Willmitzer, L., Fernie, A. R., 2003. Parallel analysis of transcript and metabolic profiles: a new approach in systems biology. *EMBO Rep.* 4, 989-993.
- Vasudevan, A., Selvaraj, N., Ganapathi, A., Kasthurirengan, S., Ramesh Anbazhagan, V., Manickavasagam, M., 2004. Glutamine: A Suitable Nitrogen Source for Enhanced Shoot Multiplication in *Cucumis sativus* L. *Biol. Plant.* 48, 125-128.
- Verma, P. C., Chakrabarty, D., Jena, S. N., Mishra, D. K., Singh, P. K., Sawant, S. V., Tuli, R., 2009. The extent of genetic diversity among Vanilla species: Comparative results for RAPD and ISSR. *Ind. Crop. Prod.* 29, 581-589.
- Verpoorte, R., Choi, Y. H., Kim, H. K., 2007. NMR-based metabolomics at work in phytochemistry. *Phytochem. Rev.* 6, 3-14.
- Vogels, J. T. W. E., Terwel, L., Tas, A. C., van den Berg, F., Dukel, F., van der Greef, J., 1996. Detection of Adulteration in Orange Juices by a New Screening Method Using Proton NMR Spectroscopy in Combination with Pattern Recognition Techniques. *J. Agric. Food Chem.* 44, 175-180.
- Voisine, R., Carmichael, L., Chalier, P., Cormier, F., Morin, A., 1995. Determination of Glucovanillin and Vanillin in Cured Vanilla Pods. *J. Agric. Food Chem.* 43, 2658-2661.
- Waliszewski, K. N., Márquez, O., Pardio, V. T., 2009. Quantification and characterization of polyphenol oxidase from vanilla bean. *Food Chem.* 117, 196-203.
- Walton, N. J., Mayer, M. J., Narbad, A., 2003. Molecules of interest - Vanillin. *Phytochemistry* 63, 505-515.

## References

---

- Wang, Y. Y., Beck, D. L., Gardner, R. C., Pearson, M. N., 1993. Nucleotide sequence, serology and symptomatology suggest that vanilla necrosis potyvirus is a strain of watermelon mosaic virus II. *Arch. Virol.* 129, 93-103.
- Wang, Y. Y., Pearson, M. N., 1992. Some characteristics of potyvirus isolates from *Vanilla tahitensis* in French Polynesia and the Cook Islands. *J. Phytopathol.* 135, 71-76.
- Ward, J. L., Baker, J. M., Beale, M. H., 2007. Recent applications of NMR spectroscopy in plant metabolomics. *FEBS J.* 274, 1126-1131.
- Ward, J. L., Harris, C., Lewis, J., Beale, M. H., 2003. Assessment of  $^1\text{H}$  NMR spectroscopy and multivariate analysis as a technique for metabolite fingerprinting of *Arabidopsis thaliana*. *Phytochemistry* 62, 949-957.
- Wild-Altamirano, C., 1969. Enzymic activity during growth of Vanilla fruit. 1. Proteinase, glucosidase, peroxidase and polyphenoloxidase. *J. Food Sci.* 34, 235-238.
- Wisler, G. C., Zettler, F. W., Mu, L., 1987. Virus infections of vanilla and other orchids in French Polynesia. *Plant Dis.* 71, 1125-1129.
- Xue, Z.-T., Brodelius, P. E., 1998. Kinetin-induced caffeic acid O-methyltransferases in cell suspension cultures of *Vanilla planifolia* Andr. and isolation of caffeic acid O-methyltransferase cDNAs. *Plant Physiol. Biochem.* 36, 779-788.
- Yuana, Dignum, M. J. W., Verpoorte, R., 2002. Glucosylation of exogenous vanillin by plant cell cultures. *Plant Cell Tissue Organ Cult.* 69, 177-182.
- Zabriskie, T. M., Jackson, M. D., 2000. Lysine biosynthesis and metabolism in fungi. *Nat. Prod. Rep.* 17, 85-97.
- Zenk, M. H., 1965. Biosynthese von Vanillin in *Vanilla planifolia* Andr. *Z. Pflanzenphysiol.* 53, 404-414.
- Zettler, F. W., Ko, N. J., Wisler, G. C., Elliott, M. S., Wong, S. M., 1990. Viruses of orchids and their control. *Plant Dis.* 74, 621-626.
- Zhang, P., Whistler, R. L., BeMiller, J. N., Hamaker, B. R., 2005. Banana starch: production, physicochemical properties, and digestibility - a review. *Carbohydr. Polym.* 59, 443-458.